

Return to "Deep Learning" in the classroom

Predicting Bike-Sharing Patterns

| | REVIEW |
|------------------------------------|--|
| | CODE REVIEW |
| | HISTORY |
| Meets S | Specifications |
| Great iob or | n implementing a successful neural network! As we can see, the model overestimates bike ridership i |
| December beccurate, th | ecause it hasn't had sufficient holiday season training examples. The predictions generally are quite |
| December be accurate, the Code Fur | pecause it hasn't had sufficient holiday season training examples. The predictions generally are quite ough! |
| December beccurate, the | pecause it hasn't had sufficient holiday season training examples. The predictions generally are quite ough! |
| Code Fur All the code Correct! | pecause it hasn't had sufficient holiday season training examples. The predictions generally are quite ough! |

| hod correctly produces the desired regression output for the neural network. |
|---|
| |
| Pass |
| correctly implements the backward pass for each batch, correctly updating the weight change |
| |
| oth the input-to-hidden and hidden-to-output weights are implemented correctly. |
| meters |
| of epochs is chosen such the network is trained well enough to accurately make predictions buting to the training data. |
| |
| |
| of hidden units is chosen such that the network is able to accurately predict the number of bike to generalize, and is not overfitting. |
| |

4/24/2020 Udacity Reviews

The number of output nodes is properly selected to solve the desired problem.

Correct!

The training loss is below 0.09 and the validation loss is below 0.18.

Correct!

RETURN TO PATH

Rate this project