iSpark Attendance API

0.1.0 OAS 3.1

/openapi.json

API for managing cohorts, trainers, and student attendance.

default

GET	`/`	Test Database Connection
GET	`/programs`	List Programs
POST	`/programs`	Create Program
POST	`/cohorts`	Create Cohort
GET	`/programs/{program_id}/cohorts`	List Cohorts For Program
GET	`/cohorts/{cohort_id}`	Get Cohort
POST	`/trainers`	Create Trainer
POST	`/cohorts/{cohort_id}/trainers`	Assign Trainer To Cohort
POST	`/trainees`	Create Trainee
POST	`/cohorts/{cohort_id}/enrollments`	Enroll Trainee In Cohort
POST	`/cohorts/{cohort_id}/classes`	Schedule Class
GET	`/cohorts/{cohort_id}/classes`	List Cohort Classes

POST `/classes/{class_id}/attendance` Record Attendance

GET `/cohorts/{cohort_id}/report` Get Cohort Report

GET `/cohorts/{cohort_id}/trainees/{trainee_id}/history` Get Trainee History

GET `/classes/{class_id}/summary` Get Class Summary

Schemas

AttendanceRecordCreate › Expand all `object`

AttendanceStatus › Expand all `string`

BulkAttendanceSubmit › Expand all `object`

ClassCreate › Expand all `object`

ClassResponse › Expand all `object`

ClassSummary › Expand all `object`

CohortCreate › Expand all `object`

CohortResponse › Expand all `object`

HTTPValidationError › Expand all `object`

ProgramCreate › Expand all `object`

ProgramResponse › Expand all `object`

TraineeCreate › Expand all `object`

TraineeEnroll › Expand all `object`

TraineeHistoryRecord › Expand all `object`

TraineeReport › Expand all `object`

TraineeResponse › Expand all `object`

TrainerAssign › Expand all `object`

TrainerCreate › Expand all `object`

TrainerResponse › Expand all `object`

ValidationError › Expand all `object`