

Giving your app its own web address

Right now your tracker lives at a long address that belongs to something else. You have bought **nphiescore.com**. This guide takes you through the one job that makes that address point at your app — nine small entries typed into a form at Hostinger.

You do not need to understand how any of it works. Every term is explained on page 2, every entry is shown filled in, and page 9 checks your work for you.

Today

Someone types **nphiescore.com** and lands on a Hostinger holding page. Your app is somewhere else entirely.



After

Someone types **nphiescore.com** and the internet knows to fetch your app from GitHub, where it is published.

You genuinely cannot break anything today

Nobody uses **nphiescore.com** yet — not you, not Nasser, not the app. The only thing living at that address is a holding page you are replacing. If you type something wrong, you fix the row and try again. There is nothing here to lose and nothing to back up first.

Why this is worth doing before anything else

Two reasons. First, it is slow — not your part, which is fifteen minutes, but the part afterwards where the rest of the internet learns the new answer. That happens on its own, in the background, and it may take a few hours. Starting it early means it is finished by the time anything else needs it. Second, it is a genuine safety fix: your app currently shares its web address with three unrelated little apps, and sharing an address means sharing the place browsers keep your sign-in. Its own address ends that.



The words you will see

Six of them, and then they stop being mysterious. Come back here whenever one turns up.

DNS

The internet's phone book. Every website address has to be looked up in it to find the actual machine that answers. Today **nphiescore.com** is in the book with the wrong number; you are correcting the entry.

A record

type: A

One line in the phone book: *this name* → *this number*. You will add four of them, all for the same name, because GitHub answers on four different machines and wants all four listed.

AAAA record

type: AAAA

Exactly the same idea, for the newer, longer style of internet address — the ones with colons in them. Some phones and networks can only use these, so you list both kinds. Said aloud: “quad A”.

CNAME record

type: CNAME

A forwarding note rather than a number: “*don't ask me, go and look up this other name instead.*” You will use exactly one, so that **www.nphiescore.com** works as well as the plain version.

@

the Name field

Shorthand for “the domain itself, with nothing in front” — that is, **nphiescore.com** rather than **www.nphiescore.com** or **mail.nphiescore.com**. Eight of your nine entries use @.

TTL

a number of seconds

How long other computers are allowed to remember an answer before asking again. **3600** is one hour. It is the least important field on the form — whatever it is set to, the entry works.

And one thing that is *not* a word you need — “propagation”

You will see this word if you search for help. All it means is: the rest of the world is still remembering the old answer and has not asked again yet. It sorts itself out. Nothing is wrong, nothing needs fixing, and there is no button that makes it go faster.



Before you start

Two things to have, and one thing to know.

1

Your Hostinger sign-in. The same account that bought **nphiescore.com** on 18 August. If you are not sure the password is to hand, find it now rather than halfway through.

2

This guide, open beside the browser. Printed, or on a second screen. You will be copying exact values, and the whole reason those values are printed large is so they can be copied without squinting.

The one thing to know: there will be a gap where nothing works

Between page 5 (where you delete the old entries) and page 8 (where you finish adding the new ones), **nphiescore.com** answers nothing at all. That is normal and expected. Nobody is using the address, so nobody notices. Do not stop in the middle and worry — just carry on to the end of page 8.

WHAT IS IN THE PHONE BOOK RIGHT NOW

Checked directly, on 21 August at 16:14 UTC. Two entries, both put there automatically by Hostinger when you bought the domain:

TYPE	NAME	POINTS TO	TTL
A	@	2.57.91.91	14400
CNAME	www	nphiescore.com	14400

There is no email set up on this domain, and that makes today simpler

If there were, there would be entries you must not touch. There are none — checked. So every entry you can see is one you are replacing, and you do not have to be careful about which is which.

Find

Delete

A

AAAA

www

1

Find the right page

Four clicks from signing in.

[hpanel.hostinger.com](#)

>

[Domains](#)

>

[nphiescore.com](#)

>

[DNS / Nameservers](#)

>

DNS records

1

Go to **hpanel.hostinger.com** and sign in.

You land on a dashboard with your services listed.

2

Click **Domains** in the top menu, then click **nphiescore.com** in the list.

A page about that one domain, with a menu down the left side.

3

In that left menu, click **DNS / Nameservers**.

A page in two halves: a form at the top headed something like **Add new record**, and a list of existing records underneath, each with a delete button.

That page is where all of today's work happens. You will use the form at the top nine times and the delete buttons twice. Nothing else on it needs touching.

One thing on that page to leave completely alone

Somewhere on it there is a section called **Nameservers**, showing two addresses ending in `dns-parking.com`. Those look like leftovers from the holding page. **They are not — they are what makes everything else on this page work.** If you change them, or click anything offering “use custom nameservers”, every entry you are about to type stops counting. Scroll past that section and do not come back to it.

Find

Delete

A

AAAA

www

2

Delete the two old entries

Both of them. They point at the holding page you are replacing.

In the list at the bottom of the page, find these two rows and delete each one. Hostinger will ask you to confirm; say yes.

TYPE	NAME	POINTS TO	TTL
A	@	2.57.91.91	14400
CNAME	www	nphiescore.com	14400

There is no undo, and none is needed

You are about to write both of these again with different values, on pages 6 and 8. Deleting them is not a loss of anything.

If the list shows other rows as well

Delete anything whose **Name** is @ or www . Leave everything else. You may also see a greyed-out pair of **NS** rows that will not let you delete them — that is normal, and they are meant to stay.

From here until the end of page 8, the address answers nothing

If you go and type **nphiescore.com** into a browser right now, you will get an error. **This is the expected middle of the job, not a mistake.** Keep going.

[Find](#)[Delete](#)[A](#)[AAAA](#)[www](#)

3

Add four A entries

The same form, filled in four times. Only the last number changes.

Fill the form at the top of the page exactly like this, then press **Add record**:

TYPE	NAME	POINTS TO	TTL
A	@	185.199.108.153	3600
Add record			

Then do it three more times, changing **only** the “Points to” value. Tick each one off as it appears in the list below the form:

☐ 185.199.108.153	☐ 185.199.110.153
☐ 185.199.109.153	☐ 185.199.111.153

If the Name field will not accept @

Some versions of the form want the full name instead. Type `nphiescore.com` . It means the same thing. What you must **not** type in this field is `www` — that entry comes later, on page 8.

All four, even though it feels repetitive

These are four doors into the same building. GitHub opens and closes individual doors over time without telling anyone. If you list only one and that is the door being closed, your app goes down one day for no visible reason. Four entries is what makes that impossible.

4

Add four AAAA entries

Same four doors, written the newer way. Only one group of digits changes.

Same form. Change **Type** to **AAAA** this time:

TYPE	NAME	POINTS TO	TTL
AAAA	@	2606:50c0:8000::153	3600
<button>Add record</button>			

Then three more, changing only **8000** to **8001**, **8002**, **8003**:

☐ 2606:50c0:8000::153☐ 2606:50c0:8002::153☐ 2606:50c0:8001::153☐ 2606:50c0:8003::153

The two colons together are correct — do not “tidy” them

In this style of address, `::` is a deliberate shorthand meaning “a run of zeros goes here”.

`2606:50c0:8000::153` is complete and correct exactly as printed. If you change it to a single colon, the form will happily accept it and it will simply never work. Copy character for character, including the `::153` at the end.

Why bother with a second set at all

Mobile networks increasingly hand out only this newer kind of address. A phone on such a network will ask for the **AAAA** entry, find nothing, and give up — so the app would work for some of your team and not others, with nothing on screen to explain why. Four more rows now prevents a fault that is very hard to be told about.

[Find](#)[Delete](#)[A](#)[AAAA](#)[www](#)

Add the www entry

The last one. Nine of nine.

TYPE

CNAME

NAME

www

POINTS TO

abosallom.github.io.

TTL

3600

Add record

Read the “Points to” value twice before you press Add

It is `abosallom.github.io.` — the GitHub address, not your own domain. This is the single most common way this job goes wrong, because the obvious guess is to point **www** at **nphiescore.com** — which is exactly what the entry you deleted on page 5 was doing. It has to name GitHub, because GitHub is what actually answers.

There is no `https://` and no `/opstrack` in this field. Just the name.

The full stop at the end

`abosallom.github.io.` — note the dot after **io**. It means “that is the complete name, do not add my domain onto the end of it”. Some forms need it, others ignore it, and Hostinger may add or remove it for you when you save. **Either way is fine** and page 9 will catch it if it went wrong.

That is the whole job at Hostinger

Nine entries. You do not need to buy anything, enable anything, or use Hostinger's “connect a website” wizard — that would point the domain at Hostinger's own hosting, which is the opposite of what you have just set up.

Find

Delete

A

AAAA

www

6

Check your work

Two ways to do this. Pick whichever you prefer — they answer the same question.

THE EASY WAY — IN A BROWSER

Go to **dnschecker.org**, type **nphiescore.com** in the box, choose **A** from the dropdown, and press search. You are looking for the four numbers ending **108**, **109**, **110**, **111**. Then change the dropdown to **AAAA**, and finally to **CNAME** with **www.nphiescore.com** in the box.

THE PRECISE WAY — IN TERMINAL

Press **⌘ + Space**, type **Terminal**, press **Enter**. A window with text in it opens. Paste these one line at a time, pressing Enter after each:

```
$ dig +short nphiescore.com A
185.199.108.153
185.199.109.153
185.199.110.153
185.199.111.153

$ dig +short nphiescore.com AAAA
2606:50c0:8000::153      (and the other three)

$ dig +short www.nphiescore.com CNAME
abosallom.github.io.
```

The order the lines come back in does not matter — it shuffles deliberately. What matters is the **count**: four, four, and one.

If you get nothing back, or still see **2.57.91.91**

Nothing is wrong. Other computers were told to remember the old answer for four hours, and that time has not run out yet. **Make a cup of tea, or leave it until tomorrow, and run it again.** There is nothing to fix and no way to hurry it.

Do not judge this by visiting the website

https://nphiescore.com will *not* show your app yet, and that is correct. GitHub does not know about the domain until I publish the app to it, which is a later step and mine. Expect an error page. The checks above are the whole test.

[Find](#)[Delete](#)[A](#)[AAAA](#)[www](#)

Tell me, and stop there

Send me one message saying the checks came back right. That is the end of your part of this job. Everything below happens next, and most of it is mine.

TICK THESE OFF BEFORE YOU CLOSE THE TAB

- ☐ The two old entries are gone from the list
- ☐ Four **A** entries, all named `@`, ending 108 / 109 / 110 / 111
- ☐ Four **AAAA** entries, all named `@`, with 8000 / 8001 / 8002 / 8003 in the middle
- ☐ One **CNAME** named `www`, pointing at **abosallom.github.io**.
- ☐ The Nameservers section still says `dns-parking.com` — untouched

What happens after you tell me

I publish the app to the new address and check it came up properly. Then three short jobs come back to you, and I will write them up the same way as this: telling Supabase about the new address so sign-in emails point at the right place, confirming ownership of the domain with GitHub, and switching on the padlock once GitHub has finished issuing the certificate — which can take up to a day and is normal.

One thing to expect, so it is not a surprise

When the app moves to the new address, **you and Nasser will be signed out once** and will need to sign in again. If either of you has added the app to a phone home screen, that icon will need removing and adding again from the new address. Your accounts and passwords are untouched — it is only the browser forgetting where it put things. This is exactly why we are moving now, while it affects two people rather than eighteen.

And if you change your mind, it all comes back

Every part of this is reversible. The app can be put back at its old address whenever you want, and these entries can stay where they are in the meantime, pointing at nothing, costing nothing.