

### Client Table

2 SSN	FIRST_NAME	LAST_NAME	
1	232118857 Mariam	Maged	MariamM@gmail.com
2	512455788 Ahmed	Ayman	AhmedA@gmail.com
3	548616858 Amira	Ahmed	AmiraA@gmail.com
4	494859032 Youssef	Sherif	YoussefS@gmail.com
5	123456789 Mario	Medhat	MarioM@gmail.com
6	987654321 Maria	Amgd	MariaA@gmail.com
7	135792468 Ahmed	Ali	AhmedA@gmail.com

Create Table Client
(SSN Number (9) primary key,
first\_name VARCHAR (8),
last\_name VARCHAR (8),
email VARCHAR (25) unique);

INSERT INTO client (SSN, first\_name, last\_name, email)

VALUES(232118857,'Mariam','Maged', 'MariamM@gmail.com');

VALUES(512455788,'Ahmed','Ayman', 'AhmedA@gmail.com');

VALUES(548616858,'Amira','Ahmed', 'AmiraA@gmail.com');

VALUES(494859032,'Youssef','Sherif', 'YoussefS@gmail.com');

VALUES(123456789,'Mario','Medhat', 'MarioM@gmail.com');

VALUES(987654321,'Maria','Amgd', 'MariaA@gmail.com');

VALUES(135792468,'Ahmed','Ali', 'AhmedA@gmail.com');

## Client\_Phone Table

A	C_SSN	C_PHONE
1	512455788	01248578017
2	494859032	01193650123
3	232118857	01032760632
4	232118857	01145700831
5	548616858	01065207743
6	123456789	01018904623
7	987654321	01207532095
8	135792468	01190584761
9	135792468	01256890234

```
Create Table Client_Phone(
c_ssn number(9),
c phone VARCHAR2(11),
primary key (c ssn , c phone ));
INSERT INTO Client_Phone(c_ssn, c_phone)
VALUES(512455788,'01248578017');
VALUES(494859032,'01198650123');
VALUES(232118857,'01032760632');
VALUES(232118857, '01145700831');
VALUES(548616858, '01065297743');
VALUES(123456789,'01018904623');
VALUES(987654321,'01287532096');
VALUES(135792468, '01130584761');
VALUES(135792468,'01256890234');
```

# Payment Table

PAY_ID	AMOUNT	2 CARD_TYPE	CARD_NUMBER	P CVV	NAME_ON_CARD	C_SSN
1 10000	2350000	Mastercard	5210387306335745	209	Ahmed Ayman	512455788
2 12540	3450000	Mastercard	4032441851584078	245	Mohamed Ali	232118857
3 63457	4000000	VISA	5304476216300685	923	Youssef Sherif	494859032

Create table Payment (Pay id varchar2(5) primary key,

Amount number(9) not null,

Card type varchar2(25) not null,

Card number varchar2(16) unique not null,

CVV varchar2(3) NOT NULL,

Name\_On\_Card varchar2(40) not null,

C\_ssn number (9) References Client (SSN));

**INSERT INTO Payment** 

VALUES('10000', 2350000,'Mastercard',' 5210387306335745',

' 209',' Ahmed Ayman', 512455788);

VALUES('12540', 3450000,' Mastercard',

'4032441851584078','245',' Mohamed Ali', 232118857);

VALUES('63457', 4000000,'VISA', '5304476216300685','923',

'Youssef Sherif', 494859032);

#### **Location Table**

2 LOCA	ATION_ID 2 COUNT	RY 2 CITY 2 APA	RTMENT_NUMBER BUILDIN	IG_NUMBER STREET_NAME	P FLOOR NEAR_BY
1	4 Egypt	Cairo	5	52 Ahmed Helmy	10 Gym Shubra
2	5 Egypt	Cairo	9	89 Toman Bai	5 Bilal Mosque
3	6 Egypt	Cairo	13	22 Sliem Ali	9 Al Khalidin Club
4	7 Egypt	Cairo	3	35 Masra	4 Saint Mary Church
5	1 Egypt	Cairo	12	34 Abbasya Square	2 Ain Shams University
6	2 Egypt	Mansoura	8	7 Mansoura St.	5 Mansoura University
7	3 Egypt	Giza	1	22 Giza St.	8 Shopping Mall

#### **CREATE TABLE Location(**

Location\_ID number(32) PRIMARY KEY,

Country VARCHAR2(30) NOT NULL,

City VARCHAR2(30) NOT NULL,

Apartment\_Number number(30) NOT NULL,

Building\_Number number(35) NOT NULL,

Street Name VARCHAR2(255) NOT NULL,

Floor number(15) NOT NULL,

Near\_by VARCHAR2(50) NOT NULL);

#### **INSERT INTO Location**

VALUES(1, 'Egypt', 'Cairo', 5, 52, 'Ahmed Helmy', 10, 'Gym Shubra');

VALUES(2, 'Egypt', 'Cairo', 9, 89, 'Toman Bai', 5, 'Bilal Mosque');

VALUES(3, 'Egypt', 'Cairo', 13, 22, 'Sliem Ali', 9, 'Al Khalidin Club');

VALUES(4, 'Egypt', 'Cairo', 3, 35, 'Masra', 4, 'Saint Mary Church');

VALUES(5, 'Egypt', 'Cairo', 5, 52, 'Abbasya Square', 2, 'Ain Shams University');

VALUES(6, 'Egypt', 'Mansoura', 8, 7, 'Mansoura St.', 5, 'Mansoura University');

VALUES(7,'Egypt', 'Giza', 1, 22, 'Giza St.', 8, 'Shopping Mall');

## **Property Table**

PROF	PERTY_ID P_TYPE	P_SIZE	AGENT_SSN	CLIENT_SSN P_CATEGORY	DEAL_DATE	2 STATE
1	55 Apartment	188	182740935	232118857 Rent	03-NOV-23	Sold Out
2	59 Villa	250	182740935	512455788 Rent	17-OCT-23	Sold Out
3	58 Town House	310	134624861	(null) Buy	(null)	Available
4	56 Villa	230	576891782	494859032 Buy	26-SEP-23	Sold Out
5	57 Town House	350	982457229	(null) Buy	(null)	Available

#### **CREATE TABLE Property**

(Property\_ID number(10) primary key,

P\_Type varchar2(15) not null,

P Size number(5)not null,

Agent\_ssn number(9) references agent (A\_ssn),

Client\_ssn number(9) references client (ssn),

P\_Category varchar2(5),

Deal\_Date date,

State varchar(10) not null);

#### **Insert Into Property**

VALUES(55,'Apartment',188,182740935,232118857,'Rent','03/November/2023', 'Sold Out');

VALUES(56, 'Villa', 230, 576891782, 494859032, 'Buy', '26/september/2023', 'Sold Out');

VALUES(57,'Town House',350,982457229,null,'Buy',null,'Available');

VALUES(58,'Town House',310,134624861,null,'Buy',null,'Available');

VALUES(59,'Villa',250,182740935,512455788,'Rent','17-october-2023','Sold Out');

# Located\_IN Table


B	PROPERTY_ID	LOCATION_ID
1	58	1
2	55	2
3	57	3
4	56	4
5	59	5

```
CREATE TABLE Located_in (
property_id number(10),
location_id number(32),
primary key (property_id,location_id));
```

```
Insert Into located_in location_in VALUES(58,1); insert into located_in VALUES(55,2); insert into located_in VALUES(57,3); insert into located_in VALUES(56,4); insert into located_in VALUES(56,4); insert into located_in VALUES(59,5);
```

#### Property\_Details Table

PRO	PERTY_ID DESCRIPTION	NUMBER_OF_ROOMS	NUMBER_OF_BATHROOMS
1	55 Apartment for rent with 3 Rooms and 2 bathrooms, Area: 160 square meters	3	2
2	56 Villa for sale with 2 Rooms and 2 bathrooms, Area: 140 square meters	2	2
3	57 Town House for Sale with 3 Rooms and 3 bathrooms, Area: 230 square meters	3	3
4	58 Town House for Sale with 6 Rooms and 4 bathrooms, Area: 350 square meters	6	4
5	59 Villa for Rent with 5 Rooms and 3 bathrooms, Area: 310 square meters	5	2



create table Property Details

(property\_ID number(10) References PROPERTY(PROPERTY\_ID),

Description varchar2(4000)not null,

Number\_of\_Rooms number(10),

Number\_of\_Bathrooms number(10),

Price number(38)not null,

Furnished varchar2(6),

Condition varchar2(20),

Pool varchar2(6),

garden varchar2(6),

Parking varchar2(6),

balcony varchar2(6),

primary key(property\_ID,Description));

# Proprty\_Details Table continued

Insert Into PROPERTY\_DETAILS

VALUES(55,'Apartment for rent with 3 Rooms and 2 bathrooms, Area: 160 square meters', 3, 2, 700000, 'NO', 'Finished', 'No', 'No', 'Yes', 'Yes');

VALUES(56,'Villa for sale with 2 Rooms and 2 bathrooms, Area:140 square meters', 2, 2, 600000, 'NO', 'Finished', 'No', '

VALUES(57,'Town House for Sale with 3 Rooms and 3 bathrooms, Area: 230 square meters', 3, 3, 2000000, 'NO', 'Under Construction', 'No', 'Yes', 'Yes', 'Yes');

VALUES(58, 'Town House for Sale with 6 Rooms and 4 bathrooms, Area: 350 square meters', 6, 4, 5000000, 'NO', 'Under Construction', 'Yes', 'Yes', 'Yes', 'Yes');

VALUES(59, 'Villa for Rent with 5 Rooms and 3 bathrooms, Area: 310 square meters', 5, 3, 4500000, 'NO', 'Finished', 'Yes', 'Yes'

## **Agency Table**

2	AGENCY_ID TIN	AGENCY_NAME	
1	5432162	241563694 nasregy	
2	4678903	743698478 citoroby	
3	1987678	872629112 rokamy	
4	6711892	246798463 abokry	
5	2374568	729384871 trobaty	

#### Create Table Agency(

Agency\_Id NUMBER(7) primary key,

Tin NUMBER(9) unique,

Agency\_Name VARCHAR2(20) NOT NULL);

**INSERT INTO Agency** 

VALUES (5432162,241563694, 'nasregy');

**INSERT INTO Agency** 

VALUES (4678903,743698478,'citoroby');

**INSERT INTO Agency** 

VALUES (1987678,872629112, 'rokamy');

**INSERT INTO Agency** 

VALUES (6711892,246798463, 'abokry');

**INSERT INTO Agency** 

VALUES (2374568,729384871,'trobaty');

# Agency\_Location Table

AGA!	NCY_ID	⊕	CITY	
1	1987	678 EGYPT	CAIRO	
2	2374	568 EGYPT	GIZA	
3	6711	892 EGYPT	MANSOURA	
4	4678	903 ENGLAND	manchester	
5	5432	162 ENGLAND	manchester	

CREATE table AGANCY\_LOCATION(
AGANCY\_ID NUMBER (7),
COUNTRY VARCHAR2 (30),
CITY VARCHAR2 (30),
primary key (AGANCY\_ID ,COUNTRY,CITY));

INSERT INTO AGANCY\_LOCATION

VALUES ('1987678','EGYPT','CAIRO');
INSERT INTO AGANCY\_LOCATION

VALUES ('2374568','EGYPT','GIZA');
INSERT INTO AGANCY\_LOCATION

VALUES ('6711892','EGYPT','MANSOURA');
INSERT INTO AGANCY\_LOCATION

VALUES ('5432162','ENGLAND','manchester');
INSERT INTO AGANCY\_LOCATION

VALUES ('4678903','ENGLAND','manchester');

# **Agent Table**

R	AGENCY_ID	A_SSN	A_FIRST_NAME	A_LAST_NAME	A_EMAIL	A_PHONE
1	1987678	576891782	khalid	karim	khalidkarim@gmail.com	01098765432
2	4678903	982457229	Mostafa	Ayman	MostafaAyman@gmail.com	01143210987
3	1987678	134624861	Mohamed	Mostafa	MohamedMostafa@gmail.com	01190123456
4	5432162	182740935	Ali	Ehab	AliEhab@gmail.com	01278901246
5	2374568	112233446	Mazin	karim	MazinKarim@gmail.com	01255765432
6	6711892	998877665	Ziad	Ali	ZiadAli@gmail.com	01147865432

#### create table agent(

Agent Id NUMBER(7) REFERENCES AGENCY (AGENCY ID),

A\_ssn NUMBER(9) PRIMARY KEY,

A\_FIRST\_NAME VARCHAR2(20) NOT NULL,

A LAST NAME VARCHAR2(20) NOT NULL,

A\_Email VARCHAR2(50) NOT NULL,

A\_Phone NUMBER(11) UNIQUE);

#### **INSERT INTO Agent**

VALUES(1987678,576891782,'khalid','karim','khalidkarim@gmail.com',

01098765432);

VALUES(4678903,982457229,'Mostafa','Ayman','MostafaAyman@gmail.com',

01143210987);

VALUE(1987678,134624861,'Mohamed','Mostafa','MohamedMostafa@gmail.com',

01190123456);

VALUES (5432162,182740935,'Ali','Ehab','AliEhab@gmail.com',01278901246);


VALUES(2374568,112233446, 'Mazin', 'karim', 'MazinKarim@gmail.com',

01255765432);


VALUES (6711892,998877665, 'Ziad', 'Ali', 'ZiadAli@gmail.com', 01147865432);

# Form Steps

### Canvas 1:




# **Check Box:**







# Radio Button:




Same for RADIO\_BUTTON6







#### **Final Look**



# Run





# Canvas 2:




# Triggers:


# Create Button:










#### **Create Alert:**









## Alert Run:




# Combo Box:







#### Canvas 3:

# Calculated Field(Formula):







### Run:





### Canvas 4:


# LOV:


























## Run:




# Canvas 5:

# Master and Details:







## Run:

