

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

Query 1 SQL File 3

Limit to 1000 rows

33 #DEBIDO A QUE EL \_ES UN COMODIN se requiere colocar una diagonal invertida \ para que lo reconozca como caracter

34

35 INSERT INTO branch(branchMo,Street,City,PostCode) VALUES("1","pepe\_loa","1","123");

36 INSERT INTO branch(branchMo,Street,City,PostCode) VALUES("2","sgwjsloa","2","321");

37

38 select\*from branch;

39 select\*from branch where Street like "%\\_%";

40

41

42 #1)Mostrar una lista con el numero de propiedad, la direccion y la ciudad que tengan codigo postal que inicie con la letra "G".

43 SELECT propertyNo, Street, City FROM propertyforrent WHERE PostCode LIKE 'G%';

Result Grid

propertyNo	Street	City
PG16	5 Novar Dr	Glasgow
PG21	18 Dale Rd	Glasgow
PG36	2 Manor Rd	Glasgow
PG4	6 Lawrence St	Glasgow

Output

Action Output

Time Action Message Duration / Fetch

11 18:09:51 select \*from privateowner where ownerNo in(select ownerNo from propertyforrent group by ownerNo ha... 2 row(s) returned 0.016 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

Query 1 SQL File 3

Limit to 1000 rows

40

41

42 #1)Mostrar una lista con el numero de propiedad, la direccion y la ciudad que tengan codigo postal que inicie con la letra "G".

43 SELECT propertyNo, Street, City FROM propertyforrent WHERE PostCode LIKE 'G%';

44

45 #2)Mostrar una lista con el numero de propiedad, la direccion y la ciudad que tengan codigo postal que inicie con "G12"

46 SELECT propertyNo, Street, City FROM propertyforrent WHERE PostCode LIKE 'G12%';

47

48 #3)Mostrar una lista con el numero de propiedad, la direccion y la ciudad que tengan codigo postal solo con 3 caracteres

49 SELECT propertyNo, Street, City FROM propertyforrent WHERE PostCode LIKE '%\_\_\_%';

50

Result Grid

propertyNo	Street	City
PG16	5 Novar Dr	Glasgow
PG21	18 Dale Rd	Glasgow

Output

Action Output

Time Action Message Duration / Fetch

12 18:36:49 SELECT propertyNo, Street, City FROM propertyforrent WHERE PostCode LIKE "%G%" LIMIT 0, 1000 4 row(s) returned 0.000 sec / 0.000 sec

MySQL Workbench - Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 SQL File 3

Limit to 1000 rows

SQL Snippets

My Snippets

SCHEMAS

Filter objects

Tab

40 #1)Mostrar una lista con el numero de propiedad, la direccion y la ciudad que tengan codigo postal que inicie con la letra "G".

41

42 SELECT propertyNo, Street, City FROM propertyforrent WHERE PostCode LIKE 'G%';

43

44 #2)Mostrar una lista con el numero de propiedad, la direccion y la ciudad que tengan codigo postal que inicie con "G12"

45 SELECT propertyNo, Street, City FROM propertyforrent WHERE PostCode LIKE 'G12%';

46

47 #3)Mostrar una lista con el numero de propiedad, la direccion y la ciudad que tengan codigo postal solo con 3 caracteres

48 SELECT propertyNo, Street, City FROM propertyforrent WHERE PostCode LIKE '%\_ \_%';

49

50

Result Grid

Filter Rows:

propertyNo Street City

PA14 16 Holland Aberdeen

PG16 5 Novar Dr Glasgow

PG21 18 Dale Rd Glasgow

PG36 2 Manor Rd Glasgow

PG4 6 Lawrence St Glasgow

PL94 6 Argyll St London

No object selected

propertyforrent3

Output

Action Output

# Time Action Message Duration / Fetch

13 18:37:03 SELECT propertyNo, Street, City FROM propertyforrent WHERE PostCode LIKE "%G12%"; LIMIT 0, 1000 2 row(s) returned 0.000 sec / 0.000 sec

MySQL Workbench - Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 SQL File 3

Limit to 1000 rows

SQL Snippets

My Snippets

SCHEMAS

Filter objects

Tab

43 SELECT propertyNo, Street, City FROM propertyforrent WHERE PostCode LIKE 'G%';

44

45 #2)Mostrar una lista con el numero de propiedad, la direccion y la ciudad que tengan codigo postal que inicie con "G12"

46 SELECT propertyNo, Street, City FROM propertyforrent WHERE PostCode LIKE 'G12%';

47

48 #3)Mostrar una lista con el numero de propiedad, la direccion y la ciudad que tengan codigo postal solo con 3 caracteres

49 SELECT propertyNo, Street, City FROM propertyforrent WHERE PostCode LIKE '%\_ \_%';

50

51 #4)Mostrar una lista con el numero de propiedad, la direccion y la ciudad que tengan codigo postal que NO inicie con la letra "G"

52 SELECT propertyNo, Street, City FROM propertyforrent WHERE PostCode NOT LIKE 'G%';

53

Result Grid

Filter Rows:

propertyNo Street City

PA14 16 Holland Aberdeen

PL94 6 Argyll St London

No object selected

propertyforrent4

Output

Action Output

# Time Action Message Duration / Fetch

14 18:37:09 SELECT propertyNo, Street, City FROM propertyforrent WHERE PostCode LIKE "%\_ \_%"; LIMIT 0, 1000 6 row(s) returned 0.000 sec / 0.000 sec

MySQL Workbench - Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: Schemas Filter objects

Query 1: SQL File 3\*

```
45 #2)Mostrar una lista con el numero de propiedad, la direccion y la ciudad que tengan codigo postal que inicie con "G12"
46 SELECT propertyNo, Street, City FROM propertyforrent WHERE PostCode LIKE '%G12%';
47
48 #3)Mostrar una lista con el numero de propiedad, la direccion y la ciudad que tengan codigo postal solo con 3 caracteres
49 SELECT propertyNo, Street, City FROM propertyforrent WHERE PostCode LIKE '%_ _%';
50
51 #4)Mostrar una lista con el numero de propiedad, la direccion y la ciudad que tengan codigo postal que NO inicie con la letra "G"
52 SELECT propertyNo, Street, City FROM propertyforrent WHERE PostCode NOT LIKE '%G%';
53
54 #5)MOSTRAR UNA LISTA CON LOS NUMEROS DE PROPIEDAD Y EL COMENTARIO QUE SE HAYA HECHO PARA LOS INMUEBLES VISITADOS EN EL MES DE MAYO
55 SELECT propertyNo, comment FROM viewing WHERE viewDate LIKE '%May%';
```

Result Grid: Filter Rows: Limit to 1000 rows

propertyNo	comment
PA14	too small
PG4	no dining room
PA14	no dining room

Output: Action Output

#	Time	Action	Message	Duration / Fetch
15	18:37:15	SELECT propertyNo, Street, City FROM propertyforrent WHERE PostCode NOT LIKE '%G%'; LIMIT 0, 1...	2 row(s) returned	0.141 sec / 0.000 sec

Object Inspector: No object selected

MySQL Workbench - Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: Schemas Filter objects

Query 1: SQL File 3\*

```
48 #3)Mostrar una lista con el numero de propiedad, la direccion y la ciudad que tengan codigo postal solo con 3 caracteres
49 SELECT propertyNo, Street, City FROM propertyforrent WHERE PostCode LIKE '%_ _%';
50
51 #4)Mostrar una lista con el numero de propiedad, la direccion y la ciudad que tengan codigo postal que NO inicie con la letra "G"
52 SELECT propertyNo, Street, City FROM propertyforrent WHERE PostCode NOT LIKE '%G%';
53
54 #5)MOSTRAR UNA LISTA CON LOS NUMEROS DE PROPIEDAD Y EL COMENTARIO QUE SE HAYA HECHO PARA LOS INMUEBLES VISITADOS EN EL MES DE MAYO
55 SELECT propertyNo, comment FROM viewing WHERE viewDate LIKE '%May%';
56
57 #6)GENERAR UN LISTADO CON EL NOMBRE DEL PROPIETARIO QUE VIVA EN GLASGOW
58 SELECT fName FROM privateowner WHERE address like '%Glasgow%';
```

Result Grid: Filter Rows: Limit to 1000 rows

fName
Tina
Carol
Tony

Output: Action Output

#	Time	Action	Message	Duration / Fetch
16	18:37:23	SELECT propertyNo, comment FROM viewing WHERE viewDate LIKE '%May%'; LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec

Object Inspector: No object selected

MySQL Workbench - Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 - SQL File 3

SCHMAS: Filter objects

51 #4)Mostrar una lista con el numero de propiedad, la direccion y la ciudad que tengan codigo postal que NO inicie con la letra "G"  
52 SELECT propertyNo, Street, City FROM propertyforrent WHERE PostCode NOT LIKE 'G%';  
53  
54 #5)MOSTRAR UNA LISTA CON LOS NUMEROS DE PROPIEDAD Y EL COMENTARIO QUE SE HAYA HECHO PARA LOS INMUEBLES VISITADOS EN EL MES DE MAYO  
55 SELECT propertyNo, comment FROM viewing WHERE viewDate LIKE '%May%';  
56  
57 #6)GENERAR UN LISTADO CON EL NOMBRE DEL PROPIETARIO QUE VIVA EN GLASGOW  
58 SELECT fName FROM privateowner WHERE address like "%Glasgow%";  
59  
60 #7)GENERAR UN LISTADO CON EL NOMBRE DEL PERSONAL QUE HAYA NACIDO EN JUNIO Y QUE TENGA UN NUMERO DE TRABAJADOR CON EL CODIGO "SG"  
61 SELECT fName FROM staff WHERE DOB like '%Jun%' and StaffNo like 'SG%';

Result Grid: fName  
Susan

Output: Action Output

#	Time	Action	Message	Duration / Fetch
17	18:37:31	SELECT fName FROM privateowner WHERE address like "%Glasgow%" LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench - Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator: Query 1 - SQL File 3

SCHMAS: Filter objects

54 #5)MOSTRAR UNA LISTA CON LOS NUMEROS DE PROPIEDAD Y EL COMENTARIO QUE SE HAYA HECHO PARA LOS INMUEBLES VISITADOS EN EL MES DE MAYO  
55 SELECT propertyNo, comment FROM viewing WHERE viewDate LIKE '%May%';  
56  
57 #6)GENERAR UN LISTADO CON EL NOMBRE DEL PROPIETARIO QUE VIVA EN GLASGOW  
58 SELECT fName FROM privateowner WHERE address like "%Glasgow%";  
59  
60 #7)GENERAR UN LISTADO CON EL NOMBRE DEL PERSONAL QUE HAYA NACIDO EN JUNIO Y QUE TENGA UN NUMERO DE TRABAJADOR CON EL CODIGO "SG"  
61 SELECT fName FROM staff WHERE DOB like '%Jun%' and StaffNo like 'SG%';  
62  
63 #8)GENERAR UN LISTADO CON EL TIPO DE PROPIEDAD Y LA DIRECCION DE LOS INMUEBLES QUE NO SEAN CASAS Y QUE NO ESTEN ASIGNADOS A PERSONAL  
64 SELECT Type, Street FROM propertyforrent WHERE Type NOT LIKE 'House%' and staffNo NOT LIKE 'SG%';

Result Grid: Type Street  
Flat 6 Argyl St

Output: Action Output

#	Time	Action	Message	Duration / Fetch
18	18:37:38	SELECT fName FROM staff WHERE DOB like "%Jun%" and StaffNo like 'SG%' LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec

DB Browser for SQLite - C:\Users\Abraham\Dreamhome.db

File Edit View Tools Help

New Database Open Database Write Changes Revert Changes Open Project Save Project Attach Database Close Database

Database Structure Browse Data Edit Pragma Execute SQL

SQL 1

```
1 SELECT propertyNo, Street, City FROM propertyforrent WHERE PostCode LIKE '%G%';
```

	propertyNo	Street	City
1	PG4	6 Lawrence St	Glasgow
2	PG36	2 Manor Rd	Glasgow
3	PG21	18 Dale Rd	Glasgow
4	PG16	5 Novar Dr	Glasgow

Result: 4 rows returned in 20ms  
At line 1:  
SELECT propertyNo, Street, City FROM propertyforrent WHERE PostCode LIKE '%G%';

Edit Database Cell

Mode: Text Import Export Set as NULL

NULL

Type of data currently in cell: NULL  
0 byte(s) Apply

Remote

Identity

Name	Commit	Last modified	Size
------	--------	---------------	------

SQL Log Plot DB Schema Remote UTF-8

DB Browser for SQLite - C:\Users\Abraham\Dreamhome.db

File Edit View Tools Help

New Database Open Database Write Changes Revert Changes Open Project Save Project Attach Database Close Database

Database Structure Browse Data Edit Pragma Execute SQL

SQL 1

```
1 #2)Mostrar una lista con el numero de propiedad, la direccion y la ciudad que tengan codigo postal que inicie con  
2 SELECT propertyNo, Street, City FROM propertyforrent WHERE PostCode LIKE '%G12%';
```

	propertyNo	Street	City
1	PG21	18 Dale Rd	Glasgow
2	PG16	5 Novar Dr	Glasgow

Result: 2 rows returned in 8ms  
At line 2:  
SELECT propertyNo, Street, City FROM propertyforrent WHERE PostCode LIKE '%G12%';

Edit Database Cell

Mode: Text Import Export Set as NULL

NULL

Type of data currently in cell: NULL  
0 byte(s) Apply

Remote

Identity

Name	Commit	Last modified	Size
------	--------	---------------	------

SQL Log Plot DB Schema Remote UTF-8

DB Browser for SQLite - C:\Users\Abraham\Dreamhome.db

File Edit View Tools Help

New Database Open Database Write Changes Revert Changes Open Project Save Project Attach Database Close Database

Database Structure Browse Data Edit Pragma Execute SQL

SQL 1

```
1 #3)Mostrar una lista con el numero de propiedad, la direccion y la ciudad que tengan codigo postal solo con 3 ca
2 SELECT propertyNo, Street, City FROM propertyforrent WHERE PostCode LIKE '%__%';
```

	propertyNo	Street	City
1	PA14	16 Holhead	Aberdeen
2	PL94	4 Argyll St	London
3	PG4	6 Lawrence St	Glasgow
4	PG36	2 Manor Rd	Glasgow
5	PG21	18 Dale Rd	Glasgow
6	PG16	5 Novar Dr	Glasgow

Result: 6 rows returned in 38ms  
At line 2:  
SELECT propertyNo, Street, City FROM propertyforrent WHERE PostCode LIKE '%\_\_%';

Edit Database Cell

Mode: Text Import Export Set as NULL

NULL

Type of data currently in cell: NULL  
0 byte(s) Apply

Remote

Identity

Name	Commit	Last modified	Size
------	--------	---------------	------

SQL Log Plot DB Schema Remote UTF-8

DB Browser for SQLite - C:\Users\Abraham\Dreamhome.db

File Edit View Tools Help

New Database Open Database Write Changes Revert Changes Open Project Save Project Attach Database Close Database

Database Structure Browse Data Edit Pragma Execute SQL

SQL 1

```
1 #4)Mostrar una lista con el numero de propiedad, la direccion y la ciudad que tengan codigo postal que NO inicie c
2 SELECT propertyNo, Street, City FROM propertyforrent WHERE PostCode NOT LIKE '%G%';
```

	propertyNo	Street	City
1	PA14	16 Holhead	Aberdeen
2	PL94	4 Argyll St	London

Result: 2 rows returned in 41ms  
At line 2:  
SELECT propertyNo, Street, City FROM propertyforrent WHERE PostCode NOT LIKE '%G%';

Edit Database Cell

Mode: Text Import Export Set as NULL

NULL

Type of data currently in cell: NULL  
0 byte(s) Apply

Remote

Identity

Name	Commit	Last modified	Size
------	--------	---------------	------

SQL Log Plot DB Schema Remote UTF-8

DB Browser for SQLite - C:\Users\Abraham\Dreamhome.db

File Edit View Tools Help

New Database Open Database Write Changes Revert Changes Open Project Save Project Attach Database Close Database

Database Structure Browse Data Edit Pragma Execute SQL

SQL 1

```
1 #5)MOSTRAR UNA LISTA CON LOS NUMEROS DE PROPIEDAD Y EL COMENTARIO QUE SE HAYA HECHO PARA LOS INMUEBLES VISITADOS
2 SELECT propertyNo, comment FROM viewing WHERE viewDate LIKE '%May%';
```

	propertyNo	comment
1	PA14	Too small
2	PG4	NULL
3	PA14	No dining room

Result: 3 rows returned in 24ms  
At line 2:  
SELECT propertyNo, comment FROM viewing WHERE viewDate LIKE '%May%';

Edit Database Cell

Mode: Text Import Export Set as NULL

NULL

Type of data currently in cell: NULL  
0 byte(s) Apply

Remote

Identity

Name	Commit	Last modified	Size
------	--------	---------------	------

SQL Log Plot DB Schema Remote UTF-8

DB Browser for SQLite - C:\Users\Abraham\Dreamhome.db

File Edit View Tools Help

New Database Open Database Write Changes Revert Changes Open Project Save Project Attach Database Close Database

Database Structure Browse Data Edit Pragma Execute SQL

SQL 1

```
1 #6)GENERAR UN LISTADO CON EL NOMBRE DEL PROPIETARIO QUE VIVA EN GLASGOW
2 SELECT fName FROM privateowner WHERE address like "%Glasgow%";
```

	fName
1	Carol
2	Tina
3	Tony

Result: 3 rows returned in 23ms  
At line 2:  
SELECT fName FROM privateowner WHERE address like "%Glasgow%";

Edit Database Cell

Mode: Text Import Export Set as NULL

NULL

Type of data currently in cell: NULL  
0 byte(s) Apply

Remote

Identity

Name	Commit	Last modified	Size
------	--------	---------------	------

SQL Log Plot DB Schema Remote UTF-8

DB Browser for SQLite - C:\Users\Abraham\Dreamhome.db

File Edit View Tools Help

New Database Open Database Write Changes Revert Changes Open Project Save Project Attach Database Close Database

Database Structure Browse Data Edit Pragma Execute SQL

SQL 1

```
1 #7) GENERAR UN LISTADO CON EL NOMBRE DEL PERSONAL QUE HAYA NACIDO EN JUNIO Y QUE TENGA UN NUMERO DE TRABAJADOR CON
2 SELECT fName FROM staff WHERE DOB like '%Jun%' and StaffNo like 'SG%';
```

fName
1 Susan

Result: 1 rows returned in 5ms  
At line 2:  
SELECT fName FROM staff WHERE DOB like '%Jun%' and StaffNo like 'SG%';

Edit Database Cell

Mode: Text Import Export Set as NULL

NULL

Type of data currently in cell: NULL  
0 byte(s) Apply

Remote

Identity

Name	Commit	Last modified	Size
------	--------	---------------	------

SQL Log Plot DB Schema Remote UTF-8

DB Browser for SQLite - C:\Users\Abraham\Dreamhome.db

File Edit View Tools Help

New Database Open Database Write Changes Revert Changes Open Project Save Project Attach Database Close Database

Database Structure Browse Data Edit Pragma Execute SQL

SQL 1

```
1 #8) GENERAR UN LISTADO CON EL TIPO DE PROPIEDAD Y LA DIRECCION DE LOS INMUEBLES QUE NO SEAN CASAS Y QUE NO ESTEN A
2 SELECT Type, Street FROM propertyforrent WHERE Type NOT LIKE "%House%" and staffNo NOT LIKE 'SG%';
```

Type	Street
1 Flat	4 Argyll St

Result: 1 rows returned in 4ms  
At line 2:  
SELECT Type, Street FROM propertyforrent WHERE Type NOT LIKE "%House%" and staffNo NOT LIKE 'SG%';

Edit Database Cell

Mode: Text Import Export Set as NULL

NULL

Type of data currently in cell: NULL  
0 byte(s) Apply

Remote

Identity

Name	Commit	Last modified	Size
------	--------	---------------	------

SQL Log Plot DB Schema Remote UTF-8