

| Feature                      |          | Scenario |   |   |   | Step |   |   |   |
|------------------------------|----------|----------|---|---|---|------|---|---|---|
| Name                         | Duration | T        | P | F | S | T    | P | F | S |
| Add products to cart Feature | 32.565 s | 1        | 0 | 1 | 0 | 11   | 5 | 1 | 5 |

FEATURES SUMMARY -- 3 --



| # | Feature Name                 | T | P | F | S | Duration |  |
|---|------------------------------|---|---|---|---|----------|--|
| 1 | Add products to cart Feature | 1 | 0 | 1 | 0 | 32.565 s |  |


SCENARIOS SUMMARY -- 4 -




| # | Feature Name                 | Scenario Name                 | T  | P | F | S | Duration |
|---|------------------------------|-------------------------------|----|---|---|---|----------|
| 1 | Add products to cart Feature | Add products to cart scenario | 11 | 5 | 1 | 5 | 32.562 s |

DETAILED SECTION -- 5 --

## **Add products to cart Feature**



## Add products to cart scenario



| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given User Launch Chrome browser  | PASSED | 0.031 s  |
| 2 | Then User opens URL "http://automationexercise.com"   | PASSED | 20.916 s |
| 3 | Then Verify that home page is visible successfully  | PASSED | 0.090 s  |
| 4 | Then Click on Products button   | PASSED | 7.105 s  |
| 5 | Then Hover over first product and click Add to cart   | PASSED | 0.382 s  |
| 6 | Then Click Continue Shopping button   | FAILED | 0.044 s  |
|   | org.openqa.selenium.ElementNotInteractableException: element not interactable: [object HTMLButtonElement] has no size and location (Session info: chrome=112.0.5615.138) Build info: version: '4.8.2', revision: '826dbfc730' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5cbc8358166d8cd6e6748d70c463b6e3, actions {actions=[org.openqa.selenium.interactions.Sequence@26275b46]}] Capabilities {acceptlnsecureCerts: false, browserName: chrome, browserVersion: 112.0.5615.138, chrome: {chromedriverVersion: 112.0.5615.49 (bd2a7bcb881c, userDataDir: C:\Users\abravahppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:55375}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55375/devtoo, se:cdpVersion: 112.0.5615.138, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 5cbc8358166d8cd6e6748d70c463b6e3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) |        |          |

| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
|    | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.dec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:193) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:611) at org.openqa.selenium.interactions.Actions\$BuiltAction.perform(Actions.java:567) at org.openqa.selenium.interactions.Actions.Perform(Actions.java:536) at utilities.PageActions.MoveHover(PageActions.java:32) at pageObjects.Productspage.ClickContinueShopping(Productspage.java:158) at stepdefinations.StepDef.click_continueShopping(Productspage.java:677) at ?.Click Continue Shopping button(file:///D:/iNeuronWorkSpace/AutomationExercise/Features/AddProducts_to_Cart_12.feature:9) * Not displayable characters are replaced by '?'.  |         |          |
|    | AFTER_STEP - stepdefinations.StepDef.addScreenshot(io.cucumber.java.Scenario)  | PASSED  | 0.270 s  |
|    | Add products to cart scenario  | -       |          |
|    | For Signature Si |         |          |
| 7  | Then Hover over second product and click Add to cart   | SKIPPED | 0.000 s  |
| 8  | Then Click View Cart button  | SKIPPED | 0.000 s  |
| 9  | Then Verify both products are added to Cart  | SKIPPED | 0.000 s  |
| 10 | Then Verify their prices, quantity and total price   | SKIPPED | 0.000 s  |
| 11 | And close browser  | SKIPPED | 0.000 s  |