


Project Darkstar Management Console

The server contains a simple HTML management console that allows for the listing of installed applications (including user managers with parameters), starting and stopping of the applications, and shutting down the server itself.

To enable the mangement console, set the system property "sgs.framework.management.port" to a number greater than zero (this will be the port on which it listens, for example: 8082).

Once the server is started with this system property, point your browser at the server's address at the specified port. The server applications will be listed with their respective statuses (started, or stopped). Each User Manager will also be listed along with its properties.

Click on any of the hyperlinks to initiate the specified action (start/stop an individual application, or shutdown the entire server).



The screenshot shows a web browser window titled "Project Darkstar Management Console - Mozilla Firefox". The address bar shows "http://localhost:8082/". The main content area features a banner with "PROJECT DARKSTAR" and the Sun Microsystems logo. Below the banner is the title "Management Console". A table lists four applications: ChatTest, SwordWorld, MatchMaker, and BattleBoard. Each application has a status of "STARTED" and a "Stop" link. Below the table is a link "[Shutdown Server]".

ID	Name	UserManagers	Status	Operation
2	ChatTest	<ul style="list-style-type: none">com.sun.gi.comm.users.server.impl.TCPIPUserManager<ul style="list-style-type: none">host = 127.0.0.1port = 1150	STARTED	Stop
6	SwordWorld	<ul style="list-style-type: none">com.sun.gi.comm.users.server.impl.TCPIPUserManager<ul style="list-style-type: none">host = 127.0.0.1port = 1155	STARTED	Stop
10	MatchMaker	<ul style="list-style-type: none">com.sun.gi.comm.users.server.impl.TCPIPUserManager<ul style="list-style-type: none">host = 127.0.0.1port = 1160	STARTED	Stop
5	BattleBoard	<ul style="list-style-type: none">com.sun.gi.comm.users.server.impl.TCPIPUserManager<ul style="list-style-type: none">host = 127.0.0.1port = 1180	STARTED	Stop

[\[Shutdown Server\]](#)

Done