

Coding Questions I googled

5/1/21

14.40


Much trying this and that. Changing the nav-name to display: flex put them in line. By colouring the background and changing the font to 45 I could what was happening.

12.45

Swapnil removed the 'li' from the contact buttons and made them 'div'

Went to bootcamp class online last night and spoke with Swapnil the substitute teacher, he did a new version of the header which I have been able to review today.

Also reviewed Suraj video re responsive boxes. I think students need to be directed to these in the first place not just find it out themselves.



Welcome to GitHub Pages

You can use the [\[editor on GitHub\]](https://github.com/AbriCS/AbriCS/edit/main/README.md)(https://github.com/AbriCS/AbriCS/edit/main/README.md) to maintain and preview the content for your website in Markdown files.

Whenever you commit to this repository, GitHub Pages will run [\[Jekyll\]](https://jekyllrb.com/)(https://jekyllrb.com/) to rebuild the pages in your site, from the content in your Markdown files.

Markdown

Markdown is a lightweight and easy-to-use syntax for styling your writing. It includes conventions for

```
```markdown
```

Syntax highlighted code block

# Header 1

## Header 2

### Header 3

- Bulleted

- List

1. Numbered

2. List

**Bold** and *Italic* and `Code` text

[Link](url) and ![Image](src)

```
```
```

For more details see [Basic writing and formatting syntax](https://docs.github.com/en/github/writing-on-github/getting-started-with-writing-and-formatting-on-github/basic-writing-and-formatting-syntax).

Jekyll Themes

Your Pages site will use the layout and styles from the Jekyll theme you have selected in your [repository settings](https://github.com/AbriCS/AbriCS/settings/pages). The name of this theme is saved in the Jekyll `_config.yml` configuration file.

Support or Contact

Having trouble with Pages? Check out our [documentation](https://docs.github.com/categories/github-pages-basics/) or [contact support](https://support.github.com/contact) and we'll help you sort it out.

![App Screenshot](https://via.placeholder.com/468x300?text=App+Screenshot+Here)

1/1/21 HAPPY NEW YEAR

31/12/21 Friday

22.00 In CSS remove the display:flex from the body and place on the new .main-container element.

I noticed that when the .main-container was added to CSS it was underscored by a brown squiggly line but there was not VSCode fix available. This disappeared when display flex was removed from body and placed onto .main-container.

21.50.

The aside and main coloumns can no longer use flexbox because there is a new third element (span) which must behave the same as the other two. SO the aside and main must be wrapped in their own container div in order to apply CSS to it as one entity.

21.40 to add a full width header that runs across the top of the page go to html code and add a <header></header>

GO TO FB2-3 HTML AND CSS FOR NEXT SECTION

21.30 adding height to sidebar element means it will have a better look.



21.15 Resize screen

OR When resized the sidebar moves to the top

Target the body element and flex-direction: column or reverse column for bottom.



Add a media query `@media` to ensure that when the screen is below a certain size it removes the sidebar

```

    .inner-text {
      font-weight: 700;
      font-size: 24px;
      margin: auto;
    }

    @media only screen and (max-width: 992px) {
      .sidebar {
        display: none;
      }
    }
  
```

How to make comments in html

```
<!--along with video by frontend beginners Nov 2021-->
```

How to make comments in CSS

```
/*--To centralise the text we add display--*/
```

16.10 found it did not launch as expected and this was because during the copy by hand process I missed and `>` at the end of a link line.

Flex-grow value of 1 ensures the main content are grows and fills all available space /could use 100% for the same effect.

Not the language used to describe each aspect of the page

Target body element (body)

Target element with a class of sidebar (.sidebar)

15.55 make it a FLEX CONTAINER by giving it a display of flex

Back at 14.30 found a video for creating flexbox in css from front End beginners Nov 2021
Noted that Viewport is a standard meta tag and in CSS he always targets the body making a minimum height of 100vh (which is Viewport height). This makes sure the body always fills the screen even where there is little content.

05.10 Up until the early hours. Did the SEO optimising and it went down.!! So had to figure out why.

Viewpoint was changed in error. Added another meta description, need more verbiage.
That's it for now.

30/12/21 Thursday

23.10 took me ages and a meal break to get this contact form to sit in the middle. It was to do with the margin-top 40 auto 40 auto. It should have been margin: 40 auto 40 auto.

20.00 scrapped the idea of starting again with a new VSCode page. Tried the feature box method. This code did drop in

19.35 Flex Box method from practice will not simply translate. could be due to the body box in place already.

```
body {  
  height: 0%;  
  margin: 110px auto 0 auto;  
  line-height: 1.2;  
  display: flex;  
  flex-wrap: wrap;  
  background-color: rgb(241, 137, 9);  
  color: navy;  
}
```

18.10 changed the font size of skip nav link. This make the Name small also, confirming my suspicion that the hyperlink was on the Name also. Found that removing the Name from its position caused the nav bar to move up into the header. I was then able to reinsert the Name in the line below and this repositioned the name and took off the highlight.

17.30 Removed all the middle section of the Abrics portfolio page. Tried to add some learning from yesterday.

Intalled a skip nav bar but it is stuck near the top of header and when I had margin top it affects the rest of the page.?? It is also highlighting my name as a skip option

Trying to move the nav bar into the header but it will not budge

29/12/21 Wednesday

22:55 created skip nav link and smooth scrolling with Brad video and add target and source links in same html page using a href/id at destination/#at source


18.55 not sure if I mentioned the missing semi-colon at the end of an instruction will launch the next line in black

17.35 have been watching FLEXBox tutorial by Brad 2016. Taken me 6 hours (in between meals LoL!!) to work through 20 minutes.

Writing a ReadMe file as I go and storing it on Git Desktop which needs to update when I sign out. I hope it does not loose it.

Really good video at getting me to unpick the code.

Found that the box background colour was not being picked up and discovered it was a missing colon. Urghhh!!

A screenshot of CSS code in a text editor. The code consists of three lines: `.call-out:nth-child(1) {background-color: □ #c0dbe2;}`, `.call-out:nth-child(2) {background-color #cdf1c3;}`, and `.call-out:nth-child(3) {background-color #ccb9da;}`. The second line has a red squiggly underline under the space before the second hash, indicating a syntax error. The third line also has a red squiggly underline under the space before the second hash. The first line has a small square icon before the first hash. The code is highlighted with a light blue background.

```
.call-out:nth-child(1) {background-color: □ #c0dbe2;}  
.call-out:nth-child(2) {background-color #cdf1c3;}  
.call-out:nth-child(3) {background-color #ccb9da;}
```

Feels great when you find it. Is this what they call 'bug hunting'?

17.00 Lost this document and had to restore it from git hub remote. Do not know what I said between 22.30 and sleep yesterday

28/12/21 Bank Holiday Tuesday

22.30 almost lost it all trying to tidy up my folders in Finder.

This broke the links to the stylesheets. Just figured it out after trying to figure how to restore previous versions from Git hub.

I tried to restore a previous version but It did not work. In the end I realised that the latest version on Git was the most up to date/nothing missing to Git pulled it to local and restored the href links.

Hallelujah it works.

Note to self – DO NOT MOVE FILES AROUND!!

21.10

Found the broken code that was preventing all nav links from being picked up by the pink




20.35 Zains info has really helped me figure out the box direction issue


```
display: flex; /* or inline-flex */
}
```

Note that CSS columns have no effect on a flex container.

flex-direction



This establishes the main-axis, thus defining the direction flex items are placed in the flex container. Flexbox is (aside from optional wrapping) a single-direction layout concept. Think of flex items as primarily laying out either in horizontal rows or vertical columns.

```
.container {
  flex-direction: row | row-reverse | column | column-reverse;
}
```

20.25 push worked this time,so I realise this should always be my first FAULT check.

20.15 Tried to git push changes earlier and it said

```
admin@MacBook-Air AbriCS % git add .
admin@MacBook-Air AbriCS % git commit -m "how to find the individual buttons"
[main fc1ef84] how to find the individual buttons
2 files changed, 31 insertions(+), 23 deletions(-)
admin@MacBook-Air AbriCS % git push
ssh: connect to host ssh.github.com port 443: Undefined error: 0
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.
```

Now realise my internet had dropped.

14.15 Asked the class as I am now stuck with three boxes on top of each other and not able to figure out how to make them sit in a line.

Zain has come back with a suggestion of a game to try. Will continue to watch Suraj video for tasks 16+ but I get so distracted thinking I can apply the learning while it is demonstrated and then go off on a tangent.

27/12/21

14:30 Found Sticky when looking to position a box, used it on footer seems to work so far.

02:40 List style none gets rid of the dots on a list.

Separating the nav into nav; nav ul and li easier to understand

Nav li margin left 45px made space between the list items

01:20

Kevin Powell youtube making Nav Bars helped me get the picture to move by float left which then brought up the text alongside.

I have not been able to see this in this Suraj video.

01:10

Get red squiggles when I do not finish off the css line with ;

26/12/21

21.45

Trying to start again from scratch because I cannot even remember how I got to where I go to. Went back to wk1 of Suraj video noticed he used .section and #email



what is the difference between id selector and class selector

All

Shopping

News

Images

Videos

About 28,700,000 results (0.51 seconds)

Difference between id and class attribute: The only difference between them is that **“id” is unique in a page and can only apply to at most one element**, while “class” selector can apply to multiple elements. 29 Jul 2021

[https://www.geeksforgeeks.org/difference-between-an-i...](https://www.geeksforgeeks.org/difference-between-an-id-and-class-selector/)

Difference between an id and class in HTML?

25/12/21 Merry Christmas

01:10. Done for now

24/12/21

21:16

Just figured out how to get the email to be highlighted. I had not seen that Suraj had placed the word ‘here’ before the closing ‘a’ tag. I was then able to make the word Github the actual hyperlink.

20:50

Just figured out how to get the picture to load. Having watch Surajs video about 3 times, I thought taking off the images folder at the beginning of the pathway would help and then I realised that I had not completed the self-closing tag, with the slash />. Picture now launches.

18:00

Despite googling and pasting the w3 schools answer below re hidden comments I have only just realised what I had done wrong I had written

`<!.text..>` instead of `<!--text-->`

I thought this is why it was showing up red and adding an unwanted dot to my document. I got rid of the red but not the dot.

The dot was caused by me writing

`<h3>text</h3>`

When I replace `` with `<p>` the dots disappeared.

20/12/21



how to make notes in html not visible

 All

 Videos

 News

 Images

 Shopping

 More

About 9,080,000,000 results (0.56 seconds)

To create hidden comments in HTML, add `<!--` tag and end it with `-->` inside it is hidden. 18 Jan 2018

How to write an alt text for an image

<figcaption>
<figure>

<footer>
<form>
<frame>
<frameset>
<h1> - <h6>
<head>
<header>
<hr>
<html>
<i>
<iframe>

<input>
<ins>
<kbd>
<label>
<legend>

<link>

< HTML tag

Example

An image with an alternate text specified:

```

```

Try it Yourself »

Definition and Usage

The required **alt** attribute specifies an alternate text for an image, if the image cannot be displayed.

The **alt** attribute provides alternative information for an image if a user for some reason cannot view it (because of slow connection, an error in the **src** attribute, or if the user uses a screen reader).

Tip: To create a tooltip for an image, use the **title** attribute!

How to add class id

×
🔍

🔍 All
🖼 Images
📺 Videos
📰 News
🛒 Shopping
⋮ More
Tools

About 5,410,000,000 results (0.45 seconds)

https://www.w3schools.com › html › html_classes

HTML The class Attribute - W3Schools

HTML elements can belong to more than one **class**. To define multiple **classes**, separate the class names with a space, e.g. `<div class="city main">`. The element ...

[The id attribute](#) · [Try it Yourself](#) · [The Exercise](#)

How to right copyright in html

how to write copyright in html5



All

Images

News

Videos

Shopping

More

Tools

About 11,500,000 results (0.51 seconds)

Including results for **how to write copyright in *html***

Search only for **how to write copyright in html5**

You can create an HTML copyright symbol **using the `©` or `©` symbol codes**. These are often enclosed within a paragraph. The ampersand denotes that want to embed a special character onto the web page. 20 Dec 2020

<https://careerkarma.com> › Blog › HTML Tutorials

How to Create the Copyright Symbol in HTML | Career Karma

How to end the list in html as I was seeing a dot on the next empty line



how to end a list in html

 All

 Videos

 Images

 News

 Shopping

 More

About 8,960,000,000 results (0.44 seconds)

Use **the `` tags** to set the start and end of the list. A number of list items between the ordered list tags.

<http://www.simplehtmlguide.com> › lists

HTML Lists