

Coding Questions I googled

28/12/21 Bank Holiday Tuesday

22.30 almost lost it all trying to tidy up my folders in Finder.

This broke the links to the stylesheets. Just figured it out after trying to figure how to restore previous versions from Git hub.

I tried to restore a previous version but It did not work. In the end I realised that the latest version on Git was the most up to date/nothing missing to Git pulled it to local and restored the href links.

Hallelujah it works.

Note to self – DO NOT MOVE FILES AROUND!!

21.10

Found the broken code that was preventing all nav links from being picked up by the pink




20.35 Zains info has really helped me figure out the box direction issue

```
display: flex; /* or inline-flex */
}
```

Note that CSS columns have no effect on a flex container.

flex-direction



This establishes the main-axis, thus defining the direction flex items are placed in the flex container. Flexbox is (aside from optional wrapping) a single-direction layout concept. Think of flex items as primarily laying out either in horizontal rows or vertical columns.

```
.container {
  flex-direction: row | row-reverse | column | column-reverse;
}
```

20.25 push worked this time, so I realise this should always be my first FAULT check.

20.15 Tried to git push changes earlier and it said

```
admin --zsh --80x24
(use "git add <file>..." to update what will be committed)
(use "git restore <file>..." to discard changes in working directory)
modified:   Index.html
modified:   Style.css

no changes added to commit (use "git add" and/or "git commit -a")
admin@MacBook-Air AbriCS % git add .
admin@MacBook-Air AbriCS % git commit -m "how to find the individual buttons"
[main fc1ef84] how to find the individual buttons
2 files changed, 31 insertions(+), 23 deletions(-)
admin@MacBook-Air AbriCS % git push
ssh: connect to host ssh.github.com port 443: Undefined error: 0
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.
```

Now realise my internet had dropped.

14.15 Asked the class as I am now stuck with three boxes on top of each other and not able to figure out how to make them sit in a line.

Zain has come back with a suggestion of a game to try. Will continue to watch Suraj video for tasks 16+ but I get so distracted thinking I can apply the learning while it is demonstrated and then go off on a tangent.

27/12/21

14:30 Found Sticky when looking to position a box, used it on footer seems to work so far.

02:40 List style none gets rid of the dots on a list.

Separating the nav into nav; nav ul and li easier to understand

Nav li margin left 45px made space between the list items

01:20

Kevin Powell youtube making Nav Bars helped me get the picture to move by float left which then brought up the text alongside.

I have not been able to see this in this Suraj video.

01:10

Get red squiggles when I do not finish off the css line with ;

26/12/21

21.45

Trying to start again from scratch because I cannot even remember how I got to where I go to. Went back to wk1 of Suraj video noticed he used .section and #email



what is the difference between id selector and class selector

All

Shopping

News

Images

Videos

About 28,700,000 results (0.51 seconds)

Difference between id and class attribute: The only difference between them is that **“id” is unique in a page and can only apply to at most one element**, while “class” selector can apply to multiple elements. 29 Jul 2021

[https://www.geeksforgeeks.org › difference-between-an-i...](https://www.geeksforgeeks.org/difference-between-an-id-and-class-selector/) ⋮

Difference between an id and class in HTML?

25/12/21 Merry Christmas
01:10. Done for now

24/12/21
21:16

Just figured out how to get the email to be highlighted. I had not seen that Suraj had placed the word ‘here’ before the closing ‘a’ tag. I was then able to make the word Github the actual hyperlink.

20:50

Just figured out how to get the picture to load. Having watch Surajs video about 3 times, I thought taking off the images folder at the beginning of the pathway would help and then I realised that I had not completed the self-closing tag, with the slash />. Picture now launches.

18:00

Despite googling and pasting the w3 schools answer below re hidden comments I have only just realised what I had done wrong I had written `<!--text-->` instead of `<!--text-->`

I thought this is why it was showing up red and adding an unwanted dot to my document. I got rid of the red but not the dot.

The dot was caused by me writing

```
<li><h3>text</h3></li>
```

When I replace `` with `<p>` the dots disappeared.

20/12/21



how to make notes in html not visible

 All

 Videos

 News

 Images

 Shopping

 More

About 9,080,000,000 results (0.56 seconds)

To create hidden comments in HTML, add `<!--` tag and end it with `-->` inside it is hidden. 18 Jan 2018

How to write an alt text for an image

<figcaption>

<figure>

<footer>

<form>

<frame>

<frameset>

<h1> - <h6>

<head>

<header>

<hr>

<html>

<i>

<iframe>

<input>

<ins>

<kbd>

<label>

<legend>

<link>

< HTML tag

Example

An image with an alternate text specified:

```

```

Try it Yourself »


Definition and Usage

The required **alt** attribute specifies an alternate text for an image, if the image cannot be displayed.

The **alt** attribute provides alternative information for an image if a user for some reason cannot view it (because of slow connection, an error in the **src** attribute, or if the user uses a screen reader).



Tip: To create a tooltip for an image, use the **title** attribute!


How to add class id





how to add a class in html


×





 All

 Images

 Videos

 News

 Shopping

 More

Tools

About 5,410,000,000 results (0.45 seconds)


https://www.w3schools.com › html › html_classes

HTML The class Attribute - W3Schools

HTML elements can belong to more than one **class**. To define multiple **classes**, separate the **class** names with a space, e.g. `<div class="city main">`. The element ...

[The id attribute](#) · [Try it Yourself](#) · [The Exercise](#)

How to right copyright in html



How to end the list in html as I was seeing a dot on the next empty line



how to end a list in html

 All

 Videos

 Images

 News

 Shopping

 More

About 8,960,000,000 results (0.44 seconds)

Use **the `` tags** to set the start and end of the list. A number of list items is placed between the ordered list tags.

<http://www.simplehtmlguide.com> › lists

HTML Lists