EXP.NO: 8

AIM:

To develop a Personal Portfolio Builder web application that validates user inputs using JavaScript on the client side and stores portfolio details (like title, description, date, category) in a database using Servlet/JSP.

ALGORITHM:

1. Start the application.
2. Display the Portfolio Entry Form (Add Details).
3. Accept user inputs such as title, description, date, and category.
4. Perform client-side validation using JavaScript:
   • Check for empty fields.
   • Validate title (minimum length).
   • Validate date (must not be empty).
5. If validation fails:
   • Show error messages.
   • Prevent form submission.
6. If validation is successful:
   • Submit form to Servlet.
7. On server side:
   • Receive form data.
   • Connect to database.
8. Store portfolio details in database.
9. Display all portfolio entries using JSP.
10. Stop the application.

STEPS:

1. Design portfolio form (Title, Description, Date, Category).
2. Add JavaScript validation.
3. Configure Servlet for form submission.
4. Connect MySQL database using JDBC.
5. Create table for storing portfolio entries.

6. Insert validated data into database.
7. Retrieve and display all entries.
8. Show confirmation to user.
9. Handle errors properly.
10. Test application.

ASSUMPTIONS (BUSINESS LOGIC):

1. Title must be at least 3 characters.
2. Description cannot be empty.
3. Date must be selected.
4. Category must be selected.
5. All fields are mandatory.
6. Data must be validated both client-side and server-side.
7. Database stores all portfolio details securely.
8. Duplicate entries are allowed (since projects can be similar).
9. Proper error messages are shown.
10. User can view all added entries.

Program

AddPortfolio.html (Form Page like your image)

HTML

```
<!DOCTYPE html>
<html>
<head>
   <title>Add Portfolio</title>
   <script src="validate.js"></script>
   <style>
      body {
         font-family: Arial;
         background: #dbe2ef;
         text-align: center;
```

```
        }

        .card {
            width: 600px;
            margin: 50px auto;
            background: white;
            padding: 25px;
            border-radius: 10px;
        }

        input, textarea, select {
            width: 100%;
            padding: 10px;
            margin: 10px 0;
        }

        button {
            background: green;
            color: white;
            padding: 10px;
            border: none;
            width: 100%;
        }
    </style>
</head>

<body>

<div class="card">
    <h2>Add Portfolio</h2>

    <form action="AddPortfolioServlet" method="post" onsubmit="return
validateForm()">
        <input type="text" name="title" placeholder="Title">
        <textarea name="description" placeholder="Description"></textarea>
        <input type="date" name="date">

        <select name="category">
            <option value="">Select Category</option>
            <option>Web Development</option>
            <option>Machine Learning</option>
            <option>App Development</option>
        </select>
```

```
        <button type="submit">Add Portfolio</button>
    </form>
</div>

</body>
</html>
```

---

validate.js (JavaScript Validation)

JavaScript

```
function validateForm() {

    let title = document.forms[0]["title"].value;
    let desc = document.forms[0]["description"].value;
    let date = document.forms[0]["date"].value;
    let category = document.forms[0]["category"].value;

    if (title.length < 3) {
        alert("Title must be at least 3 characters");
        return false;
    }

    if (desc.trim() === "") {
        alert("Description cannot be empty");
        return false;
    }

    if (date === "") {
        alert("Select a date");
        return false;
    }

    if (category === "") {
        alert("Select a category");
        return false;
    }

    return true;
}
```

AddPortfolioServlet.java

Java

```
import java.io.*;
import javax.servlet.*;
import javax.servlet.http.*;
import javax.servlet.annotation.WebServlet;
import java.sql.*;

@WebServlet("/AddPortfolioServlet")
public class AddPortfolioServlet extends HttpServlet {

    protected void doPost(HttpServletRequest request, HttpServletResponse
response)
            throws ServletException, IOException {

        String title = request.getParameter("title");
        String description = request.getParameter("description");
        String date = request.getParameter("date");
        String category = request.getParameter("category");

        try {
            Class.forName("com.mysql.cj.jdbc.Driver");

            Connection con = DriverManager.getConnection(
                "jdbc:mysql://localhost:3306/portfolio_db", "root", "root"
            );

            PreparedStatement ps = con.prepareStatement(
                "INSERT INTO portfolio(title, description, date, category) VALUES (?, ?, ?,
?)"
            );

            ps.setString(1, title);
            ps.setString(2, description);
            ps.setString(3, date);
            ps.setString(4, category);

            ps.executeUpdate();

            response.sendRedirect("viewPortfolio.jsp");

            con.close();
```

```
        } catch (Exception e) {
            e.printStackTrace();
        }
    }
}
```

---

viewPortfolio.jsp (Table like your image)

JSP

```
<%@ page import="java.sql.*" %>
<html>
<head>
    <title>All Portfolio</title>
</head>

<body style="font-family:Arial; text-align:center; background:#dbe2ef;">

<h2>All Portfolio Entries</h2>

<table border="1" width="80%" align="center" cellpadding="10">
<tr style="background:green; color:white;">
    <th>Title</th>
    <th>Description</th>
    <th>Date</th>
    <th>Category</th>
</tr>

<%
    try {
        Class.forName("com.mysql.cj.jdbc.Driver");

        Connection con = DriverManager.getConnection(
            "jdbc:mysql://localhost:3306/portfolio_db", "root", "root"
        );

        Statement st = con.createStatement();
        ResultSet rs = st.executeQuery("SELECT * FROM portfolio");

        while(rs.next()) {
%>
```

```
<tr>
    <td><%= rs.getString("title") %></td>
    <td><%= rs.getString("description") %></td>
    <td><%= rs.getString("date") %></td>
    <td><%= rs.getString("category") %></td>
</tr>

<%
        }
        con.close();
    } catch(Exception e) {
        out.println(e);
    }
%>

</table>

</body>
</html>
```

OUTPUT:



RESULT:

The Personal Portfolio Builder application successfully validates user inputs using JavaScript and stores validated data in a database using Servlet/JSP, ensuring proper data handling and display.