

Question Paper

Answer all questions. Choose the correct option (A, B, C, or D).

Time: 15 minutes (suggested)

Total marks: 10 (1 mark each)

Q1. What is a key difference between component-based and utility-based design?

- A. Component-based uses predefined CSS utilities
- B. Utility-based relies on reusable components
- C. Component-based focuses on reusable blocks, utility-based focuses on single-purpose classes
- D. Utility-based designs are not mobile responsive

Q2. In utility/class-based design, how is styling applied?

- A. By writing styles in a separate CSS file
- B. By attaching inline JavaScript
- C. By applying multiple single-purpose utility classes directly in HTML
- D. By importing styles from external plugins

Q3. What is Tailwind CSS primarily used for?

- A. Writing animations only
- B. Creating backend APIs
- C. Designing UIs using utility classes
- D. Managing databases

Q4. What should you install to enable Tailwind CSS in a code editor like VS Code?

- A. Tailwind CLI
- B. Tailwind IntelliSense Extension
- C. Live Server
- D. Prettier

Q5. Which of the following is a valid Tailwind class for setting text color?

- A. .text-color
- B. color-text-blue
- C. text-blue-500
- D. font-color: blue

Q6. What Tailwind class would you use to add margin of 4 units on all sides?

- A. margin-4
- B. m-4
- C. all-m-4
- D. space-4

Q7. Which Tailwind utility makes an element a flex container?

- A. flex-container
- B. d-flex
- C. display-flex
- D. flex

Q8. How do you create a 3-column responsive grid in Tailwind?

- A. grid-cols-3
- B. grid grid-cols-3
- C. grid-3
- D. columns-3

Q9. Which Tailwind class adds a hover effect to change text color to red?

- A. text-hover-red
- B. hover.text-red-500
- C. hover:text-red-500
- D. text-red-500:hover

Q10. What is the main purpose of responsive design in Tailwind CSS?

- A. To create scrollbars
- B. To prevent animations
- C. To adapt the layout to different screen sizes
- D. To convert CSS to JavaScript

Answer Paper

Marking key for Quiz 11 (Tailwind CSS).

Question	Correct Option	Short Note
Q1	C	Components are reusable blocks; utilities are single-purpose classes.
Q2	C	Utilities are combined directly in HTML via class="...".
Q3	C	Tailwind is a utility-first CSS framework for UI styling.
Q4	B	VS Code uses the Tailwind CSS IntelliSense extension for autocomplete.
Q5	C	Tailwind uses the pattern text-<color>-<shade>.
Q6	B	m-4 sets margin on all sides (spacing scale).
Q7	D	flex sets display:flex on the element.
Q8	B	grid makes a grid container; grid-cols-3 sets 3 columns.
Q9	C	Prefix with hover: to apply on hover.
Q10	C	Responsive design adapts layouts to screen sizes using breakpoints (sm:, md:, etc.).

Tip: In Tailwind, responsive variants look like **md:grid-cols-3** (applies from the md breakpoint and up).