




Answer it


The correct answer is A — To edit HTML/CSS and debug layout responsively.

Why?

The **Elements** tab in browser DevTools is mainly used to:

- inspect and edit **HTML**
- view and change **CSS styles**
- debug layout issues (spacing, flexbox/grid, responsive behavior)

Not for writing JS (that’s usually **Console/Sources**), not for backend data (more like **Network**), and not for editing images.



Answer it

The correct answer is B — Writing CSS for mobile screens first.

Why?

Mobile-first means you start with styles for small screens (phones), then use media queries to add/change styles for bigger screens.

Example:


CSS

Copy code

```
/* default = mobile */
.card { width: 100%; }

/* bigger screens */
@media (min-width: 768px) {
  .card { width: 50%; }
}
```



Answer

The correct answer is **D** — order 

Why?

order is used on **flex items** to change their position inside a flex container.

Example:

html

Copy code

```
<div class="box">
  <div class="a">A</div>
  <div class="b">B</div>
  <div class="c">C</div>
</div>
```


CSS

Copy code

```
.box { display: flex; }

.b { order: -1; } /* B will come first */
.c { order: 2; }  /* C will come last (after default items) */
```

✔ Default `order` is `0`. Smaller number comes first.



Answer

The correct answer is **C** — `flex-wrap` ✔

Why?

`flex-wrap` lets flex items **go to the next line** when there isn't enough space. That's what makes a layout responsive/fluid.

Example:

CSS Copy code

```
.container{
  display: flex;
  flex-wrap: wrap; /* responsive wrapping */
  gap: 10px;
}

.item{
  width: 200px; /* items wrap on small screens */
}
```

Without `flex-wrap`, items try to stay in one line and may shrink too much or overflow.

