

900 Full-HD frames. Six profiles beat AV1.

Up to 55.25% smaller. Up to 29.39× faster encode.
Every decoded frame exact RGB.

Exact video economics compound at two layers

CODEC LAYER

Strict-lossless video can reduce bytes, but aggressive settings often demand substantial encode time.

That trade-off limits when compression is economically useful.

STORAGE LAYER

Masters, renditions and related versions are commonly stored as independent physical objects.

Cross-version structure is paid for repeatedly.

ChronoField attacks both: exact encoding efficiency and physical duplication across related video.

One stack, three deployment profiles

CFT REALTIME

Fast exact encoding

Targets online or high-throughput workflows where encode latency matters.

CFT ARCHIVE

Maximum byte reduction


Trades more encode time for cold storage and high-value archival workloads.

CFMS

Cross-rendition storage

Removes physical duplication across related resolutions, versions and videos.

Every Full-HD profile beat AV1 on size and encode speed



-48.20%

realtime · 22.59× faster encode

-55.25%

archive · still 1.43× faster

Ultrafast: -46.13% · 29.39× faster · 900 frames · exact RGB

Current release extends the Full-HD proof

Full HD remains the primary result; v13 adds current native operating points and a larger regression suite.

-50.4...-50.8%

vs measured AV1 lossless

CFT11 stable gate

-36.0%

4K v13 ultrafast


5.21× faster encode

461

tests passed

current native release

CFMS cut a multiresolution family to 0.451 GB



-92.625%

vs raw derived frames

-65.2067%

vs independent CFT renditions

840 exact frames

cold-tier multiresolution run

The benchmark package is ready for controlled reproduction

PROVEN IN-HOUSE

- Full HD: every profile beat AV1
- 13 source-level Full-HD wins
- Exact RGB SHA-256 outputs
- 4K and CFMS full gates
- 461-test native release

OPENING NOW

- Frozen reproducible build
- Third-party-selected corpus
- Independent hardware and flags
- Size, speed, memory, exactness
- Signed result and failure log

Start where exact bytes have an obvious price

MEDIA ARCHIVES

Large exact masters and long retention

License + usage

AI DATASETS

Repeated video corpora and derived versions

Storage engine

VIDEO INFRASTRUCTURE

Offline, mezzanine and lossless workflows

SDK / API

REGULATED WORKFLOWS

Exact reconstruction and auditable outputs

Enterprise deployment

First wedge: paid blind benchmarks and narrow design-partner deployments.

The moat has to survive blind testing, not marketing

APPROACH	PRIMARY STRENGTH	CURRENT STATUS
Measured strict-lossless AV1	Open, mature baseline	Reference competitor
General-purpose compression	Broad applicability	Not video-native
CFT realtime	Exact + throughput profile	Internally measured
CFT archive	Exact + size profile	Internally measured
CFMS	Cross-rendition physical reuse	Internally measured

Every size, speed and exactness claim is structured for independent audit.

A three-step route from benchmark to deployment

0–8 WEEKS



Blind validation

Third-party corpora,
exactness and reproducibility

2–5 MONTHS



Design partners

Paid evaluations in
storage and media workflows

5–12 MONTHS



Narrow production

SDK/API deployment,
commercial terms and scale

Disclosure expands only after mutual fit, protocol agreement and legal review.

One founder built the codec, storage layer and benchmark stack

Designed and implemented CFT, CFMS, benchmark harnesses and exactness tests independently.

Solo ownership compresses the loop from idea to implementation to exact benchmark—the reason ChronoField has advanced this quickly.

COMPANY SETUP

Current base
Moscow

Planned
Relocation + compliant international
entity

Condition
KYC and specialist sanctions
counsel before investment

Immediate hires: codec/systems engineer, independent benchmark partner and commercial lead/adviser.

THE ROUND

**\$250k–\$500k
pre-seed**

\$50k–\$100k first close possible

Alternative first transaction: funded blind validation or a paid pilot.

CAPITAL UNLOCKS

Independent blind benchmark

Reproducible Linux/server build

Third-party corpus expansion

IP, company and FTO work

Two design-partner evaluations