



# Forecasting: principles and practice

Rob J Hyndman

2.5 Seasonal ARIMA models

#Backshift notation reviewed

##Backshift notation

A very useful notational device is the backward shift operator,  $B$ , which is used as follows:

$$By_t = y_{t-1} .$$

#Backshift notation reviewed

##Backshift notation

A very useful notational device is the backward shift operator,  $B$ , which is used as follows:

$$By_t = y_{t-1} .$$

In other words,  $B$ , operating on  $y_t$ , has the effect of **shifting the data back one period**.

#Backshift notation reviewed

##Backshift notation

A very useful notational device is the backward shift operator,  $B$ , which is used as follows:

$$By_t = y_{t-1} .$$

In other words,  $B$ , operating on  $y_t$ , has the effect of **shifting the data back one period**. Two applications of  $B$  to  $y_t$  **shifts the data back two periods**:

$$B(By_t) = B^2y_t = y_{t-2} .$$

#Backshift notation reviewed

##Backshift notation

A very useful notational device is the backward shift operator,  $B$ , which is used as follows:

$$By_t = y_{t-1} .$$

In other words,  $B$ , operating on  $y_t$ , has the effect of **shifting the data back one period**. Two applications of  $B$  to  $y_t$  **shifts the data back two periods**:

$$B(By_t) = B^2y_t = y_{t-2} .$$

For monthly data, if we wish to shift attention to “the same month last year,” then  $B^{12}$  is used, and the notation is  $B^{12}y_t = y_{t-12}$ .

#Backshift notation reviewed

##Backshift notation

A very useful notational device is the backward shift operator,  $B$ , which is used as follows:

$$By_t = y_{t-1} .$$

In other words,  $B$ , operating on  $y_t$ , has the effect of **shifting the data back one period**. Two applications of  $B$  to  $y_t$  **shifts the data back two periods**:

$$B(By_t) = B^2y_t = y_{t-2} .$$

For monthly data, if we wish to shift attention to “the same month last year,” then  $B^{12}$  is used, and the notation is  $B^{12}y_t = y_{t-12}$ .

#Backshift notation reviewed

##Backshift notation

A very useful notational device is the backward shift operator,  $B$ , which is used as follows:

$$By_t = y_{t-1} .$$

In other words,  $B$ , operating on  $y_t$ , has the effect of **shifting the data back one period**. Two applications of  $B$  to  $y_t$  **shifts the data back two periods**:

$$B(By_t) = B^2y_t = y_{t-2} .$$

For monthly data, if we wish to shift attention to “the same month last year,” then  $B^{12}$  is used, and the notation is  $B^{12}y_t = y_{t-12}$ .

#Backshift notation reviewed

##Backshift notation

A very useful notational device is the backward shift operator,  $B$ , which is used as follows:

$$By_t = y_{t-1} .$$

In other words,  $B$ , operating on  $y_t$ , has the effect of **shifting the data back one period**. Two applications of  $B$  to  $y_t$  **shifts the data back two periods**:

$$B(By_t) = B^2y_t = y_{t-2} .$$

For monthly data, if we wish to shift attention to “the same month last year,” then  $B^{12}$  is used, and the notation is  $B^{12}y_t = y_{t-12}$ .



#Backshift notation reviewed

##Backshift notation

A very useful notational device is the backward shift operator,  $B$ , which is used as follows:

$$By_t = y_{t-1} .$$

In other words,  $B$ , operating on  $y_t$ , has the effect of **shifting the data back one period**. Two applications of  $B$  to  $y_t$  **shifts the data back two periods**:

$$B(By_t) = B^2y_t = y_{t-2} .$$

For monthly data, if we wish to shift attention to “the same month last year,” then  $B^{12}$  is used, and the notation is  $B^{12}y_t = y_{t-12}$ .