

Cucumber Report

23-Feb-2021, 5:58:40 PM

Started At : Feb 23,
5:57:29.045 PM



Finished At : Feb 23,
5:58:37.482 PM

Duration :
1 m 8.437 s

Features

Scenarios

Steps




Passed - 1
Failed - 0
Skipped - 0

Passed - 3
Failed - 0
Skipped - 0

Passed - 21
Failed - 0
Skipped - 0




FEATURES SUMMARY 1 - 1



#	Feature Name	T	P	F	S	Duration
1	Testing the transfer scenarious	3	3	0	0	1 m 8.437 s

SCENARIOS SUMMARY 1 - 3



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Testing the transfer ...	I am scenariou A	7	7	0	0	16.232 s
2	Testing the transfer ...	I am scenariou B	7	7	0	0	17.269 s
3	Testing the transfer ...	I am scenariou C	7	7	0	0	34.845 s

(F) - Testing the transfer scenariou

// Feb 23, 5:57:29.045 PM // Feb 23, 5:58:37.482 PM //

@Tags - @Regression

Duration

1 m 8.437 s


Scenarios

Total 3

Pass 3

Fail 0

Skip 0



Steps

Total 21

Pass 21

Fail 0

Skip 0



(F) - Testing the transfer scenariou


(S) - I am scenariou A

// Feb 23, 5:57:29.055 PM // Feb 23, 5:57:45.287 PM //

@Tags - @Regression @smoke

Duration

16.232 s



Steps

Total 7

Pass 7

Fail 0

Skip 0




#	Step / Hook Text	Status	Duration
1	Given I want to write a step with precondition	PASSED	5.517 s
2	And some other precondition	PASSED	0.439 s
3	When I complete action	PASSED	0.001 s
4	And some other action	PASSED	0.000 s
5	And yet another action	PASSED	0.000 s
6	Then I validate the outcomes	PASSED	0.000 s
7	And check more outcomes	PASSED	0.000 s
	after - Hooks.hook.afterScenario(io.cucumber.java.Scenario) ----- I am scenariou A ----- Media saved - null	PASSED	0.376 s

(F) - Testing the transfer scenarios

(S) - I am scenariou B

// Feb 23, 5:57:45.333 PM // Feb 23, 5:58:02.602 PM //

@Tags - @Regression



Duration
17.269 s

Steps

Total 7

Pass 7

Fail 0

Skip 0




#	Step / Hook Text	Status	Duration
1	Given I want to write a step with precondition	PASSED	5.315 s
2	And some other precondition	PASSED	0.495 s
3	When I complete action	PASSED	0.000 s
4	And some other action	PASSED	0.000 s
5	And yet another action	PASSED	0.001 s
6	Then I validate the outcomes	PASSED	0.001 s
7	And check more outcomes	PASSED	0.001 s
	after - Hooks.hook.afterScenario(io.cucumber.java.Scenario) ----- I am scenariou B ----- Media saved - null	PASSED	0.378 s

(F) - Testing the transfer scenarios

(S) - I am scenariou C

// Feb 23, 5:58:02.637 PM // Feb 23, 5:58:37.482 PM //

@Tags - @Regression



Duration
34.845 s

Steps

Total 7

Pass 7

Fail 0

Skip 0



#	Step / Hook Text	Status	Duration
1	Given I want to write a step with precondition	PASSED	22.676 s
2	And some other precondition	PASSED	0.368 s
3	When I complete action	PASSED	0.000 s
4	And some other action	PASSED	0.001 s

#	Step / Hook Text	Status	Duration
5	And yet another action	PASSED	0.001 s
6	Then I validate the outcomes	PASSED	0.000 s
7	And check more outcomes	PASSED	0.000 s
	<div>after - Hooks.hook.afterScenario(io.cucumber.java.Scenario)</div> <div>-----</div> <div>I am scenariou C</div> <div>-----</div> <div>Media saved - null</div>	PASSED	0.339 s