

Cucumber Report

23-Feb-2021, 6:04:09 PM

*Started At : Feb 23,
6:03:41.136 PM*


*Finished At : Feb 23,
6:04:07.815 PM*

*Duration :
26.679 s*

Features

Scenarios

Steps




Passed - 0
Failed - 1
Skipped - 0

Passed - 2
Failed - 1
Skipped - 0

Passed - 14
Failed - 0
Skipped - 7




FEATURES SUMMARY 1 - 1



#	Feature Name	T	P	F	S	Duration
1	Testing the transfer scenarious	3	2	1	0	26.679 s

SCENARIOS SUMMARY 1 - 3



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Testing the transfer ...	I am scenariou B	7	7	0	0	22.822 s
2	Testing the transfer ...	I am scenariou C	7	0	0	7	11.077 s
3	Testing the transfer ...	I am scenariou A	7	7	0	0	26.652 s

(F) - Testing the transfer scenarios

// Feb 23, 6:03:41.136 PM // Feb 23, 6:04:07.815 PM //

@Tags - @Regression

Duration

26.679 s

Scenarios

Total 3

Pass 2

Fail 1

Skip 0




Steps

Total 21

Pass 14

Fail 0

Skip 7



(F) - Testing the transfer scenarios


(S) - I am scenariou B

// Feb 23, 6:03:41.155 PM // Feb 23, 6:04:03.977 PM //

@Tags - @Regression

Duration

22.822 s



Steps

Total 7

Pass 7

Fail 0

Skip 0



#	Step / Hook Text	Status	Duration
1	Given I want to write a step with precondition	PASSED	6.706 s
2	And some other precondition	PASSED	0.721 s
3	When I complete action	PASSED	0.001 s
4	And some other action	PASSED	0.001 s
5	And yet another action	PASSED	0.002 s
6	Then I validate the outcomes	PASSED	0.001 s
7	And check more outcomes	PASSED	0.001 s
	after - Hooks.hook.afterScenario(io.cucumber.java.Scenario) ----- I am scenariou B ----- Media saved - null	PASSED	1.739 s

(F) - Testing the transfer scenarios


(S) - I am scenario C

// Feb 23, 6:03:41.161 PM // Feb 23, 6:03:52.238 PM //

@Tags - @Regression

Duration

11.077 s



Steps

Total 7

Pass 0

Fail 0

Skip 7



#	Step / Hook Text	Status	Duration
	<i>before - Hooks.hook.beforeScenario()</i> org.openqa.selenium.WebDriverException: Timed out waiting for driver... Build info: version: '4.0.0-alpha-7', revision: 'de8579b6d5' System info: host: 'SATYAM', ip: '192.168.1.6', os.name: 'Windows 10',... Driver info: driver.version: ChromeDriver at org.openqa.selenium.remote.service.DriverService.start(DriverServi... at org.openqa.selenium.remote.service.DriverCommandExecutor.exec... at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteW... at org.openqa.selenium.remote.RemoteWebDriver.startSession(Remo... at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWeb... at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumD...	FAILED	10.707 s
1	Given I want to write a step with precondition	SKIPPED	0.000 s
2	And some other precondition	SKIPPED	0.001 s
3	When I complete action	SKIPPED	0.000 s
4	And some other action	SKIPPED	0.001 s
5	And yet another action	SKIPPED	0.000 s
6	Then I validate the outcomes	SKIPPED	0.000 s
7	And check more outcomes	SKIPPED	0.000 s
	<i>after - Hooks.hook.afterScenario(io.cucumber.java.Scenario)</i> java.lang.NullPointerException at Utility.Util.takeScreenShot(Util.java:20) at Hooks.hook.afterScenario(hook.java:40)	FAILED	0.120 s

(F) - Testing the transfer scenarious


(S) - I am scenariou A

// Feb 23, 6:03:41.163 PM // Feb 23, 6:04:07.815 PM //

@Tags - @Regression @smoke

Duration

26.652 s



Steps

Total 7

Pass 7

Fail 0

Skip 0



#	Step / Hook Text	Status	Duration
1	Given I want to write a step with precondition	PASSED	6.409 s
2	And some other precondition	PASSED	0.765 s
3	When I complete action	PASSED	0.001 s
4	And some other action	PASSED	0.001 s
5	And yet another action	PASSED	0.001 s
6	Then I validate the outcomes	PASSED	0.000 s
7	And check more outcomes	PASSED	0.001 s
	after - Hooks.hook.afterScenario(io.cucumber.java.Scenario) ----- I am scenariou A ----- Media saved - null	PASSED	5.596 s