

Cucumber Report

23-Feb-2021, 4:45:38 PM

Started At : Feb 23,
4:45:30.204 PM



Finished At : Feb 23,
4:45:32.022 PM

Duration :
1.818 s

Features

Scenarios

Steps




Passed - 1
Failed - 0
Skipped - 0

Passed - 3
Failed - 0
Skipped - 0

Passed - 21
Failed - 0
Skipped - 0




FEATURES SUMMARY 1 - 1



#	Feature Name	T	P	F	S	Duration
1	Testing the transfer scenarious	3	3	0	0	1.818 s

SCENARIOS SUMMARY 1 - 3



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Testing the transfer ...	I am scenariou A	7	7	0	0	0.714 s
2	Testing the transfer ...	I am scenariou B	7	7	0	0	0.446 s
3	Testing the transfer ...	I am scenariou C	7	7	0	0	0.419 s


(F) - Testing the transfer scenariou

// Feb 23, 4:45:30.204 PM // Feb 23, 4:45:32.022 PM //


@Tags - @Regression

Duration
1.818 s

Scenarios
Total 3
Pass 3
Fail 0
Skip 0



Steps
Total 21
Pass 21
Fail 0
Skip 0




(F) - Testing the transfer scenariou

(S) - I am scenariou A

// Feb 23, 4:45:30.232 PM // Feb 23, 4:45:30.946 PM //

@Tags - @Regression @smoke

Duration
0.714 s



Steps
Total 7
Pass 7
Fail 0
Skip 0




#	Step / Hook Text	Status	Duration
1	Given I want to write a step with precondition	PASSED	0.001 s
2	And some other precondition	PASSED	0.001 s
3	When I complete action	PASSED	0.001 s
4	And some other action	PASSED	0.001 s
5	And yet another action	PASSED	0.001 s
6	Then I validate the outcomes	PASSED	0.001 s
7	And check more outcomes	PASSED	0.001 s
	after - Hooks.hook.afterScenario(io.cucumber.java.Scenario) ----- I am scenariou A ----- Media saved - null	PASSED	0.644 s

(F) - Testing the transfer scenarious

(S) - I am scenariou B

// Feb 23, 4:45:31.137 PM // Feb 23, 4:45:31.583 PM //

@Tags - @Regression



Steps

Total 7

Pass 7

Fail 0

Skip 0

Duration

0.446 s




#	Step / Hook Text	Status	Duration
1	Given I want to write a step with precondition	PASSED	0.000 s
2	And some other precondition	PASSED	0.003 s
3	When I complete action	PASSED	0.000 s
4	And some other action	PASSED	0.000 s
5	And yet another action	PASSED	0.000 s
6	Then I validate the outcomes	PASSED	0.001 s
7	And check more outcomes	PASSED	0.001 s
	after - Hooks.hook.afterScenario(io.cucumber.java.Scenario) ----- I am scenariou B ----- Media saved - null	PASSED	0.417 s

(F) - Testing the transfer scenarious

(S) - I am scenariou C

// Feb 23, 4:45:31.603 PM // Feb 23, 4:45:32.022 PM //

@Tags - @Regression



Steps

Total 7

Pass 7

Fail 0

Skip 0

Duration

0.419 s



#	Step / Hook Text	Status	Duration
1	Given I want to write a step with precondition	PASSED	0.001 s
2	And some other precondition	PASSED	0.001 s
3	When I complete action	PASSED	0.002 s
4	And some other action	PASSED	0.000 s

#	Step / Hook Text	Status	Duration
5	And yet another action	PASSED	0.000 s
6	Then I validate the outcomes	PASSED	0.001 s
7	And check more outcomes	PASSED	0.000 s
	<div>after - Hooks.hook.afterScenario(io.cucumber.java.Scenario)</div> <div>-----</div> <div>I am scenariou C</div> <div>-----</div> <div>Media saved - null</div>	PASSED	0.394 s