

MegaETH First Defense Research Report

Version: 1.0

Author: Independent Research Analyst (First Defense)

Date: January 7, 2026

Scope: This report evaluates the MegaETH Layer-2 blockchain protocol, focusing on its architecture, performance claims, security model, tokenomics, ecosystem, and risks. It excludes price speculation, trading advice, and any unverifiable rumors. All information is drawn from citable sources, emphasizing official documentation and reputable analysis.

1. Scope and Definitions

Evaluated: MegaETH's protocol design (real-time Ethereum Layer-2), claimed performance (throughput, latency), security mechanisms (fraud proofs, data availability), token economics (MEGA token distribution and role, stablecoin USDm), ecosystem use cases (applications and partners), and known risks (technical, operational, reputational).

Excluded: General Ethereum L1 details (except as security context), purely speculative claims (e.g. price predictions, unconfirmed rumors), and unrelated blockchain projects. MegaETH is defined here as the EVM-compatible Layer-2 ("L2") network developed by MegaLabs, aiming to deliver "real-time" blockchain performance on Ethereum.

2. Source Map

Tier 0 – Official Sources:

- **MegaETH Documentation & Blog:** Official research post by MegaLabs outlining MegaETH's design and rationale ¹ ². Developer docs detailing architecture and node roles ³ ⁴. Official Substack by MegaETH Labs explaining the security model (ZK-powered fraud proofs) ⁵ ⁶.
- **Official Announcements:** MegaETH press/news items (e.g. introduction of the USDm stablecoin in partnership with Ethena ⁷ ⁸) and documentation on testnet "Frontier" (mainnet beta) launch plans.

Tier 1 – Aggregated Data Sources:

- **CryptoRank & CoinMarketCap:** Aggregated token and fundraising data (e.g. total supply 10 B, public sale rounds, investor info) ⁹ ¹⁰. CryptoRank ecosystem overview listing projects building on MegaETH ¹¹ ¹².
- **L2Beat Risk Assessment:** Community-driven risk analysis (via L2Beat forum/tweet) summarizing MegaETH as an Optimistic rollup on OP Stack with a hybrid ZK fraud-proof mechanism (based on Risc0 zkVM) – treated as expert analysis (aggregated) ¹³ ¹⁴.

Tier 2 – Third-Party Analyses & Media:

- **Technical Reviews:** *Blockworks* newsletter article analyzing MegaETH's approach ("first real-time blockchain" with ~1.7 Ggas/s throughput) ¹⁵, including interviews with founders and ecosystem highlights. *Three Sigma* security blog assessing MegaETH's design trade-offs (performance vs decentralization) ¹⁶ ¹⁷. *Blocmates* news post on the USDm stablecoin mechanics ¹⁸ ⁸.
- **Industry News:** Coverage of MegaETH's fundraising and launch events (e.g. Unchained and CoinDesk reports on a chaotic pre-launch sale incident) ¹⁹ ²⁰. Analysis pieces by Phemex, AtomicWallet, 99Bitcoins explaining MegaETH's features (treated cautiously if speculative).

Tier X – Claims & Community Input:

- **Unofficial Claims:** Speculative tokenomics from community discussions (e.g. an AtomicWallet article's rumored token distribution) ²¹ ²² . Social media buzz (e.g. "100× crypto" hype articles) – used only as claim references, not fact. These are identified as unverified claims in the report and vetted against higher-tier sources.

3. Claim Inventory Table

ID	Claim	Type	Source Tier	Evidence Strength	Reproducible?	Status	Open Question
C1	"MegaETH can achieve over 100,000 TPS with ~10 ms block times (sub-second latency)." ¹⁶ ²³	Performance	Tier 0/2	Moderate: Official goal stated; testnet shows 10 ms blocks ²³ , but 100k TPS not yet publicly demonstrated.	Partially – 10 ms block interval observed on testnet explorer ²³ . Full 100k TPS throughput not independently verified under real workload.	Claimed (Target performance). Testnet indicates low latency; capacity for 100k TPS is theoretical so far.	Will real-world dApps achieve this throughput without bottlenecks? What hardware/network conditions are needed to sustain 100k TPS?
C2	"MegaETH's security relies on Ethereum (settlement) + EigenDA (data availability), using non-interactive ZK Fraud Proofs to catch invalid L2 blocks." ⁵ ⁶	Security	Tier 0	Strong: Described in official design (MegaETH Labs). ZK-proof mechanism (via Risc0 zkVM) detailed and aligned with known "OP Kailua" approach ⁵ . No live attacks yet to fully prove it.	Concept validated in prototype (ZK proofs are computationally feasible ²⁴). Actual challenge process hasn't occurred in production (mainnet just launching).	Planned/In development. Optimistic rollup security with 7-day window, but disputes resolved in ~1 hour via ZK proof ²⁵ ²⁶ . Ethereum provides finality; EigenDA ensures data availability ²⁷ ²⁸ .	When will fraud proofs be fully implemented and audited? How does the 1-hour dispute resolution process work? Can it be proven under stress (e.g. 100 billion proof generation ²⁴)? How can we minimize EigenDA (and DA network) risks?

ID	Claim	Type	Source Tier	Evidence Strength	Reproducible?	Status	Open Question
C3	<i>"MegaETH will use a non-extractive sequencer model: gas fees priced at-cost, subsidized by yield from a native stablecoin (USDm)."</i> ¹⁸ ⁷	Economics/ Token	Tier 0/2	Moderate: Official announcement and third-party coverage confirm USDm stablecoin launch ⁷ . Mechanism described: yield from reserves pays sequencer costs ¹⁸ . Needs real-world results.	Partially – The USDm stable is introduced and operational on testnet/ mainnet-beta; its yield mechanism design is documented ¹⁸ . Long-term sustainability TBD.	In Progress. USDm launched Sep 2025 to align incentives: sequencer runs "at cost" with stablecoin yield covering expenses ²⁹ ⁸ . Users still pay minimal ETH gas (for L1 compatibility) but effectively near-zero net fees ⁸ .	Will USDm consistently cover costs? What if incentives drop? What if stablecoin adoption is slow? Is there a contingency plan for the subsidy model failure? How is raising fees introduced? Will MEGA token fees be implemented?
C4	<i>"The MEGA token distribution is community-oriented, with significant public sales and contributions from notable backers (e.g. Vitalik Buterin)."</i> ³⁰ ¹⁰	Token/ Roadmap	Tier 1/2	Strong: Verified by fundraising records and media. Seed round \$20 M included V. Buterin & others ³¹ ³² . ~5% of tokens sold via public rounds (retail) ³³ ³⁴ .	N/A (Historical fact – documented).	Verified (token exists). Total supply 10 B MEGA ³⁵ . Raised ~\$107 M in 2024–25 (19% from VCs, 81% from public sales) ³⁶ . Soulbound NFT sale (10k ETH) and ICO rounds allowed retail participation ³⁰ .	How is the remaining supply allocated? How is the ecosystem governed? Will MEGA be used for staking? How is governance beyond the L2 gas token? Are there concerns about centralization? What are the team/investor incentives? How are large shares held?

ID	Claim	Type	Source Tier	Evidence Strength	Reproducible?	Status	Open Question
C5	<i>"MegaETH's architecture uses specialized node roles (1 sequencer, many replica & prover nodes) and a custom state storage (SALT trie) to maximize throughput."</i> ³ ³⁷	Performance/Architecture	Tier 0/2	Strong: Official docs define four node types (sequencer, replica full nodes, replica light nodes, provers) ³. Custom state trie ("SALT") and multi-dimensional gas model documented ³⁷ ³⁸. Independent analysis confirms these design choices ³⁹.	Design can be observed in code and testnet (e.g. one active sequencer in testnet, SALT trie behavior in gas costs). The performance gain (10× write throughput via new trie) is measured internally ³⁹ but not yet externally benchmarked.	Implemented (testnet). A single sequencer (no consensus overhead) yields ~<10 ms latency ⁴⁰. State stored in-memory and using a binary Merkle tree (SALT) for ~10× faster writes ³⁹. EVM modifications (e.g. disabled SELFDESTRUCT) were made to accommodate this speed-up ³⁷ ³⁸.	Does the specialized hardware requirement (512 GB RAM servers) limit decentralization ⁴¹ ⁴²? For the system to handle multiple sequencers, sequence failure (partition rotation) Are there compatibility issues from SALT trie multi-dimensional (for devs cross-chain proofs)?

ID	Claim	Type	Source Tier	Evidence Strength	Reproducible?	Status	Open Question
C6	"Mainnet launch (Frontier) is scheduled for Q4 2025 as a limited beta, with broader decentralization in later phases." ⁴⁴ ⁴⁵	Roadmap	Tier 0/2	Strong: Official statements and news confirm the "Frontier" mainnet-beta in Dec 2025 for one month ⁴⁴ . Developer docs outline future phases: adding multiple sequencers, permissionless nodes, etc. ⁴³ .	N/A (Timeline event). Frontier beta launch did occur as reported. Decentralization steps are planned but not yet executed (can only be verified as they roll out).	Ongoing. Mainnet Beta (Frontier) ran in Dec 2025 with selected partner dApps and expected rough edges ⁴⁶ . Full mainnet and permissionless participation are not yet achieved (testnet phase had centralized ops). The team promises sequencer rotation, and permissionless full/replica/prover nodes in upcoming phases ⁴³ .	Did the one month beta reveal any issues? Will MegaETH be open to permissionless node runs and will that impact performance the timeline track, or will there be delays (e.g. due to pre-launch fundraising chaos)?

(See Appendix for full claim details and sources.)

4. System Overview (Architecture & Security Model)

Protocol Architecture: MegaETH is an Ethereum Layer-2 blockchain designed for extreme throughput and low latency. It maintains EVM compatibility for smart contracts, but employs a **heterogeneous node architecture** to boost performance ³ ⁴⁰. Unlike monolithic L1s where every node does all tasks, MegaETH splits roles: a single **Sequencer** node orders and executes transactions, while numerous **Replica nodes** maintain state without re-executing every transaction (they apply state diffs distributed by the sequencer) ⁴⁷ ⁴⁸. There are two types of replicas: *full replicas* that can re-execute and validate blocks (like traditional full nodes) and *light replicas* that just apply state changes without full validation ⁴⁹. Additionally, **Prover nodes** independently re-run transactions and generate cryptographic proofs (either fraud proofs or validity proofs, depending on mode) for each block ⁵⁰. This modular design allows the sequencer to be a high-performance, optimized machine, while other nodes ensure integrity and serve read requests (RPC queries) efficiently ⁵¹.

Security Model: MegaETH is secured by Ethereum L1, following the rollup paradigm. Blocks produced by the L2 sequencer are periodically submitted to Ethereum for finality. The **trust assumption** is optimistic by default: the sequencer is "trusted" to execute correctly, but any invalid state updates can be challenged during a dispute window. MegaETH innovates on the classic Optimistic Rollup by using **non-interactive fraud proofs via zero-knowledge (ZK) technology** ⁵ ¹⁴. Instead of an interactive multi-round game on Ethereum (which can take days and is vulnerable to griefing) ⁵² ⁵³, a challenger

can generate a succinct ZK proof that a given L2 block's state transition was incorrect ⁵⁴. This ZK proof (constructed with the Risc0 zkVM) is posted on Ethereum for one-step verification by a smart contract ⁵⁵. This approach drastically reduces dispute resolution time (to ~1 hour) and removes the need for the honest sequencer to actively engage in the dispute ²⁶ ⁵⁶. Ethereum's security guarantees (assuming at least one honest validator watching and the availability of data) ensure that any proven-fraudulent state is rejected, so MegaETH achieves a "**can't-be-evil**" property on top of the optimistic "**won't-be-evil**" approach ⁵⁷ ⁵⁸.

Data Availability: MegaETH uses **EigenDA**, a decentralized data availability layer (built on EigenLayer) to publish transaction data for each L2 block ⁵⁹ ⁶⁰. When the sequencer produces a block, it posts all necessary data to EigenDA and gets a receipt, which is then submitted to Ethereum along with the state root ⁴. This ensures that even if the sequencer withholds data, honest parties can retrieve the block data from EigenDA to recompute state or generate fraud proofs ⁶¹ ⁶⁰. EigenDA is designed for high throughput (handling tens of megabits/sec of state data) to support MegaETH's real-time feed of state updates ⁶² ⁶³. The reliance on EigenDA does introduce additional trust assumptions beyond Ethereum (one must trust EigenDA's committee or crypto assumptions to make data available), but it is a **mitigated trust**: EigenDA is backed by Ethereum stakers (via restaking) and provides cryptographic guarantees of data availability ⁶⁴ ⁶⁵.

Performance Goals: MegaETH explicitly aims to "**push performance to hardware limits**", targeting throughput orders of magnitude above existing L2s ¹ ⁶⁶. The stated goal is to reach Web2-like performance: millions of transactions per second in the long run, if possible ⁶⁷ ⁶⁸. In current figures, the benchmark is ~100,000 TPS and block intervals of 10 ms ¹⁶ ⁶⁹ – which vastly exceed Optimism or Arbitrum (tens of TPS, block times ~2–15 sec) ⁶⁶. This is achieved by aggressive optimizations: (a) eliminating consensus latency (one sequencer authority, at least in normal operation) ⁴⁰, (b) keeping the entire state in memory on the sequencer (512 GB RAM machines, trading off cost for speed) ⁴¹ ⁴², (c) using a custom binary Merkle State Trie ("**SALT**") that offers ~10× higher write throughput than Ethereum's hexary Patricia trie ³⁷, and (d) introducing a **multi-dimensional gas model** to better allocate resources (separating compute vs storage gas to prevent storage I/O from bottlenecking compute) ⁷⁰ ⁷¹. MegaETH's EVM (called **MegaEVM**) remains compatible with Ethereum's VM (Solidity contracts work out-of-the-box ⁷²), but certain changes (e.g. disabling `SELFDESTRUCT`, increasing contract size limits) have been made to accommodate the performance model ⁷³ ³⁸.

Trust Assumptions: In summary, MegaETH's trust model rests on Ethereum for finality and on the honesty of at least one challenger + the availability of block data. During the challenge window (currently 7 days, same as most optimistic rollups ⁶), users rely on the "soft finality" of MegaETH's fast L2 confirmation, but true finality comes after either no challenge or a resolved challenge on L1. The sequencer is centralized at launch ("**won't be evil**" assumption, incentivized by reputation and stake), but its power is checked by provers and the threat of slashing if it commits fraud ⁷⁴ ⁷⁵. Plans exist to rotate or decentralize the sequencer role (adding fallbacks and eventually a consensus among sequencers) ⁴³, which would reduce reliance on any single actor's honesty. It's worth noting that while Ethereum validators ultimately enforce correct state (by only accepting valid fraud proofs), **in the interim MegaETH users must trust the operational soundness of MegaLabs's sequencer**. Mechanisms like the non-extractive sequencer model (discussed below) and transparent publication of state diffs aim to align the sequencer's incentives with users (making cheating economically unattractive and easy to spot) ⁷⁶ ⁷⁷.

5. Performance Evidence

Claimed vs. Measured Performance: MegaETH's team claims **unprecedented throughput** – on the order of 1.7 gigagas per second (approx 100k+ TPS in typical contract workloads) ¹⁵ – and consistent **sub-10 millisecond** block times even under load ⁷⁸ ⁷⁹. These claims are grounded in their internal benchmarks and the architectural choices described. For context, MegaETH's testnet (as of early 2025) was observed to produce blocks every ~10 ms on average ²³, which “checks out” with the claim of 10 ms intervals. This is an enormous step up from current L2s: e.g. Optimism processes ~15 Mgas/s and Arbitrum ~128 Mgas/s, whereas MegaETH touts ~1,700 Mgas/s ⁶⁶. Base (Coinbase's L2) had a goal of 1,000 Mgas/s and even performance-centric L1s like Monad target 300 Mgas/s ⁸⁰ – MegaETH's target is several times higher.

The evidence for these performance levels comes from a mix of *lab tests* and *testnet observations*. MegaLabs presented experiments using a modified Ethereum client (Reth) to find bottlenecks: a powerful server (512 GB RAM) running Reth in live sync maxed out around 100 MGas/s (~1000 TPS) due to Merkle trie update overhead ⁴¹ ⁸¹. In contrast, when bypassing real-time constraints (historical sync), Reth could do 14,000 TPS on the same hardware ⁸². These tests informed MegaETH's approach (replace the trie, keep state in RAM, etc.), suggesting that **EVM execution itself isn't the ceiling** – it's the state update and I/O that were throttling throughput ⁸³ ⁸⁴. MegaETH claims to have mitigated those bottlenecks: by using the SALT state trie and eliminating disk reads, the expensive part (updating the MPT) is drastically cheaper ⁸³ ⁴². Additionally, they explored parallel execution (noting that typical Ethereum blocks have limited parallelizable transactions – median parallelism < 3) ⁸⁵. MegaETH's strategy for concurrency isn't just naïve parallel EVM (which has diminishing returns on today's workloads ⁸⁶), but also **transaction prioritization** and pipeline optimizations to avoid any idle time between blocks ⁸⁷. The team has indicated that traditional Block-STM parallel algorithms weren't directly suitable for their 10 ms block goal, so they likely use custom scheduling to ensure high-priority txns get immediate execution even if others are in progress ⁸⁷.

Independent Benchmarks: As of this report, **no independent public benchmark** has validated the full 100k TPS claim. The testnet, while showing very low latency, did not have 100k transactions per second of actual user activity to definitively prove throughput. The “theoretical” throughput is derived from internal load tests and the configured gas limits. For example, if the chain can process ~1,700 MGas/s, that equates to thousands of standard transactions per second (depending on gas per txn). Block explorer data confirms the 10 ms block interval ²³, and some blocks in testing contained large numbers of simple transactions to demonstrate high TPS, but sustained real-world load remains to be tested. **No bottleneck was hit on testnet** within its first weeks, which is promising but also expected given limited public use so far.

Latency and User Experience: MegaETH's value proposition is not just raw TPS, but *responsiveness*. Traditional rollups have noticeable latency (transaction finalization in several seconds at best, often longer under congestion) ⁸⁸. MegaETH on the other hand provides near-instantaneous L2 confirmations – reportedly on the order of 50 microseconds to a few milliseconds for a transaction to be processed in an unloaded scenario ⁸⁹. In practice, 10 ms block time means even under load, a user sees their tx included almost immediately (within a hundredth of a second). This real-time feedback enables use cases like on-chain trading with human-invisible delays or interactive gaming. However, it's important to distinguish *L2 confirmation* vs *L1 finality*: as Three Sigma's analysis noted, MegaETH operates a **dual time-to-finality model** – instant soft confirmation on L2, but economic finality only after the challenge window on L1 ⁸⁹. So while a game or exchange can act on the L2 confirmation (practically trust it if the sequencer is known and there's no incentive to revert honest transactions), large financial movements might still wait for L1 finalization after 1 week (or ~1 hour if a challenge occurs and is resolved via ZK proof) ⁶ ²⁶. MegaETH's design did not shorten the 7-day window for

caution's sake, though in theory if the ZK fraud proofs prove robust, one could imagine shorter windows being safe.

Throughput Gaps and Testing Ideas: Open performance questions include: *How does MegaETH perform under adversarial or peak loads?* For example, if thousands of complex contracts (e.g. AMM trades, oracle updates) are running concurrently, can the system maintain 10 ms blocks or will it start batching transactions into longer intervals? There's also the matter of networking: disseminating state diffs to all replica nodes every 10 ms could be network-intensive. The system essentially streams state updates in real-time; testing the limits of network propagation (especially when more nodes join permissionlessly) will be crucial. A potential testing approach is to simulate a global network of replica nodes with realistic latencies and see if any lag behind. Another vector: *block size and gas*. If each 10 ms block has, say, 1 million gas, in a second that's 100 million gas processed (which aligns with 100 MGas/s figure). But the system aspires to 1.7 billion gas/sec, which would imply much larger blocks if still 100 Hz frequency. Possibly they will increase gas per block as the sequencer hardware improves or parallelism is leveraged. Benchmarking this might involve gradually increasing synthetic transaction load (token transfers, contract calls) on a test network and measuring at what point the sequencer falls behind (i.e. transaction backlog grows or block time starts increasing).

Real-World vs Microbenchmarks: MegaETH's holistic design philosophy acknowledges that optimizing one component isn't enough ⁹⁰. The ultimate measure will be *end-to-end throughput with real dApps*. For example, if an on-chain order book is deployed, how many orders per second can it handle matching and settlement on MegaETH? The presence of apps like a high-frequency DEX (GTE) and "TikTok-like" derivatives platform (Euphoria) ⁹¹ will provide practical performance data. These apps, especially with something like RedStone's 2.4 ms update oracles ⁹², will push the chain to maintain ultra-low latency consistently. A key gap is that so far, performance claims come from controlled scenarios. The **next step** is independent stress-tests: possibly community-driven load tests or third-party audits that run throughput experiments. Given the novelty, academic or industry researchers might want to verify MegaETH's performance by replaying mainnet Ethereum traffic on it (scaled up) or using benchmarking suites. Reproducing the team's internal results (like the 14k TPS on certain hardware ⁸²) in a public repository or via open-source tools would strengthen evidence.

In conclusion, MegaETH's performance claims are **ambitious but grounded** in identifiable optimizations. The early evidence (fast testnet blocks, internal measurements) supports that it has significantly higher capacity than existing L2s. Yet, only when the network is live with real use (and/or explicit stress tests) will we know if it truly hits 100k TPS without breaking a sweat. Key performance indicators to watch include: average and max gas per second utilized, average block interval under load, and any L2-to-L1 reorgs or delays (which could indicate the sequencer struggled). So far, no show-stoppers are evident, but cautious verification is ongoing.

6. Economics and Token Surface Area

MEGA Token Existence and Role: MegaETH does have a native token, typically referred to as **\$MEGA**. Unlike some Ethereum L2s that use ETH as the gas token, MegaETH's design includes its own token for network operations. The \$MEGA token's primary utility is as the **gas currency** for paying transaction fees on the L2 (similar to how ETH is gas on Ethereum) – though notably, MegaETH has structured things so that fees can be extremely low or subsidized (see USDm below). Official sources emphasized EVM compatibility, which usually implies using ETH for gas, but the partnership with Ethena suggests MEGA will still exist as a core asset for staking/governance, while ETH remains *one accepted gas unit*. In fact, blocmates reported that *"ETH will remain the canonical gas token, ensuring continuity with Ethereum standards"*, meaning users can pay gas in ETH on MegaETH ⁹³. If that holds, \$MEGA may not be used

for gas directly at first. Instead, \$MEGA likely functions in governance (voting on protocol upgrades, parameter changes) and possibly as **sequencer staking collateral** in the future. The MegaETH team has indicated sequencers would be slashed for misbehavior ⁷⁶ – presumably the stake/slashing asset is MEGA (or ETH, but typically L2s introduce their token for this).

Token Distribution: According to CryptoRank data (and confirmed by public sale info), the total supply of MEGA is **10 billion tokens** ³⁵. MegaETH adopted a relatively community-inclusive fundraising approach. In June 2024, they raised \$20 M in a seed round led by Dragonfly Capital, with participation from notable individuals like Vitalik Buterin and Joseph Lubin ³¹ ³². This seed likely got tokens at a low price (exact allocation not public, but often ~15-20% of supply reserved for early investors). Later, in Dec 2024, MegaLabs opened a **retail round on Echo** (a platform) at a \$200 M valuation, raising ~\$10 M in minutes ³³. Another public sale round in Feb 2025 raised ~\$27.7 M ⁹⁴, and finally an ICO in late Oct 2025 (just before mainnet beta) raised ~\$50 M ⁹⁵. In total, about **\$107.7 M** was raised, of which ~\$87.7 M (81%) came from public contributions (retail, community) and ~\$20 M (19%) from VCs in the seed ³⁶. This is in contrast to many projects where VCs hold majority – MegaETH attempted to “**signal community alignment**” by letting retail buy in at set valuations ⁹⁶. Indeed, having 5% of tokens (500 M) sold in a public ICO and additional via NFTs suggests a meaningful community stake (though we should note, 5% is the explicit public sale allocation; earlier rounds might add a few more percent).

The token allocation breakdown wasn't officially published at the time of writing, but a speculative structure from community sources (Atomic Wallet Academy) posited something like: 45% for community incentives, 25% team, 20% investors, 10% foundation ⁹⁷. This was an **unofficial guess** – actual numbers will depend on how they categorize the public sale and any undisclosed reserves. What we do know: ~5% public ICO, possibly another ~5% equivalent via the “Fluffle” NFT sale (10k ETH for 5% supply per Blockworks) ³⁰, ~?% seed (maybe 10-15%), and presumably a large portion earmarked for ecosystem and future incentives (liquidity mining, developer grants, etc.). The **Fully Diluted Valuation (FDV)** at the ICO price was about \$999 M ⁹⁸ (10B * \$0.10/token roughly), meaning the initial public sale price was around \$0.10. Early investors likely have tokens at much lower prices (Blockworks mentioned a \$200 M valuation for the Dec 2024 round ³³, which implies perhaps \$0.02/token if that round was priced).

Token Use Cases: Aside from gas or staking, \$MEGA is expected to be a **governance token**. As MegaETH decentralizes, holders may form a DAO to govern upgrades, choose sequencer operators, and manage the treasury (like funding ecosystem grants). If MegaETH's sequencer is run “at cost” using stablecoin yields, \$MEGA holders might not see traditional fee revenue sharing initially (since fees are near-zero). However, the value proposition for MEGA could be long-term control of the network's direction and possibly capturing some value from ecosystem growth (e.g. via MEGA used in bonding mechanisms, or if fees increase later). The “**sequencer non-extractive**” model suggests MegaETH isn't aiming to funnel large fees to token stakers right away ⁹⁹ – instead it uses USDm yield for that. This arguably is pro-user, but it raises the question of what accrues value to \$MEGA. One possibility: \$MEGA might be required as **collateral for those running nodes** (for example, if multiple sequencers are allowed, they may need to stake MEGA and can be slashed for misconduct ⁷⁵). Also, validators (full nodes that participate in governance of USDm or system upgrades) might need to stake MEGA.

Stablecoin USDm – Impact on Token: In September 2025, MegaETH announced **USDm**, a native stablecoin for the network ¹⁰⁰. USDm is essentially a wrapped product of Ethena's USDtb (which is a fully reserved, yield-bearing stablecoin tied to U.S. Treasury bills) ¹⁰¹ ¹⁸. The idea is that USDm reserves earn yield (through BlackRock's tokenized T-bills, via Ethena's platform) ¹⁰², and that yield is used to cover the operational costs of the network (paying for sequencer infrastructure, and perhaps even supplementing validator rewards) ¹⁰³ ²⁹. This is novel: it means the network can charge very low fees (just enough to prevent spam) and still sustain itself financially. It aligns incentives by effectively

giving all users the benefit of cheap transactions while the network gets a revenue stream from the stablecoin AUM (Assets Under Management). For \$MEGA tokenholders, this could mean that **value accrual shifts to USDm rather than MEGA** in some aspects. For instance, if USDm becomes widely used, the protocol's "cash flow" comes from USDm yield. MEGA's value might then hinge on governance over USDm parameters or the ability to direct that yield (which could be a governance decision). The blocmates article notes *"both users and builders benefit from stability, while the protocol captures consistent revenue"* via this model ²⁹ ⁸ . MEGA holders presumably govern the policy (like deciding which yield sources to use, or approving the team that issues USDm ticker ⁸). Indeed, validators (which likely will be token-governed roles) will vote on allowing the stablecoin deployment and any expansions of it ⁸ .

Controversies or Unknowns: One notable incident was the **pre-launch deposit sale** for USDm that went awry in Nov 2025. MegaETH offered a pre-deposit bridge where users could deposit funds to mint USDm ahead of launch, with a cap of \$250 M and plans to raise it to \$1 B. Due to a misconfigured multisig and technical snafus in the sale contract, the cap lift executed too early and hundreds of millions flowed in, exceeding limits ¹⁹ ¹⁰⁴ . Ultimately, MegaETH aborted the \$1B raise and decided to **refund users** and reset the process ¹⁰⁵ ¹⁰⁶ . This "chaos" (as described by Unchained ¹⁰⁷) was not about the MEGA token itself but about the stablecoin distribution. It revealed some *operational risk* in how the team managed a token launch and might have shaken confidence among some community members. However, the team's response – halting the raise, ensuring funds safety – suggests they chose to err on caution and not proceed under messy conditions ²⁰ . This incident doesn't directly affect MEGA's tokenomics, but it underscores that **executing fair and smooth token launches is challenging**, especially under high demand. It also indicates that MegaETH had significant interest (the fact that \$250M was filled in 2.5 minutes and \$400M+ tried to come in ¹⁰⁸ ¹⁰⁹).

Another open aspect is **MEGA's market presence**: As of late 2025, MEGA started trading on some exchanges (pre-market on MEXC, WEEX around Oct 27, 2025, per Bitget Wallet info) ¹¹⁰ . The price and market cap aren't the focus here, but we note that no mainnet means the token is mostly trading on expectation. The team likely has token lock-ups (e.g. for team and investors) – any unlocking schedule is worth monitoring for potential sell pressure (CryptoRank indicated some token unlocks calendar is available, possibly implying vesting periods). Community allocation (like potential airdrops) is another unknown: AtomicWallet's article speculated early users/devs could get airdrops ¹¹¹ , but nothing official has been confirmed. If MegaETH truly wants community ownership, we might see some portion of tokens distributed to those who participate in testnet or provide value.

In summary, MegaETH's token surface area is multi-faceted: **MEGA token** for governance/staking with a relatively inclusive distribution, and **USDm stablecoin** as a novel economic lever to minimize fees. The approach tries to separate network utility (transactions) from speculative token dynamics (hence using stable for fees) – a double-edged sword because it can make MEGA's value less directly tied to network usage (no burn or fee capture). The success of this model will depend on whether MEGA holders can derive value through other means (like controlling USDm parameters, or if network growth eventually increases demand for MEGA as staking collateral or governance power). Key unknowns remain in the tokenomics details, which the team has intentionally not fully "declared" early on ¹¹² . As mainnet matures, more transparency on total allocation and actual use of MEGA will be needed to evaluate long-term decentralization of ownership and incentive alignment.

7. Ecosystem and Use Cases

Target Use Cases: MegaETH explicitly targets applications that are **infeasible on slower chains** – those needing high throughput or ultra-fast interactions. The canonical examples are **high-frequency trading (HFT) platforms, real-time gaming (autonomous worlds), and instant payment systems**

¹¹³ . Because MegaETH can update state every 10 ms or faster, it can simulate things like on-chain games with continuous state updates (imagine an on-chain FPS game or a fully on-chain physics simulation for a metaverse) ¹¹⁴ . Traditional chains with 1–12 second block times cannot support such use cases. Similarly, financial use cases like on-chain order book exchanges or algorithmic trading bots can operate on MegaETH with latencies comparable to centralized systems. The team specifically mentioned **on-chain high-frequency trading** as a target: e.g., the ability to place or cancel orders within 10 ms is cited as a requirement for HFT, which MegaETH aims to satisfy ¹¹⁵ .

Ecosystem Projects: Despite being in testnet for most of 2024–25, MegaETH cultivated a suite of partner applications (some likely incubated or attracted by the promise of performance). Notable examples include:

- **GTE** – a decentralized exchange focused on high-speed trading (Blockworks describes it as a “GTE DEX”) ¹¹⁶ . GTE likely stands for something like “Global Trading Engine” and is built to leverage MegaETH’s throughput for potentially order-book style trading or a very fast AMM.
- **Euphoria** – a “TikTok-gamified derivatives exchange” ¹¹⁶ . This suggests a mobile-friendly trading app with social or game-like features, possibly aimed at a retail audience that can trade perps/options quickly. Euphoria’s design implies frequent small transactions (like swiping through trades) which would only be feasible if each action can confirm near-instantly – aligning with MegaETH’s strengths.
- **CAP** – a stablecoin protocol that uses EigenLayer restaking to generate yield ¹¹⁷ . CAP (possibly short for “Capital” or an acronym) issues a stablecoin that leverages restaked ETH for yield. CAP’s mention alongside MegaETH might mean CAP’s stablecoin (called cUSD maybe, as cryptorank lists CAP Labs with a stablecoin engine ¹¹⁸) could be part of MegaETH’s ecosystem, possibly complementing USDM or offering alternative stable liquidity. CAP raising money indicates investor belief in *application layer* on MegaETH, which Blockworks highlighted as the apps on MegaETH collectively raised more than the protocol itself ¹¹⁹ . This is a striking point: it suggests venture interest not just in the chain, but in **what can be built because of the chain’s capabilities**.

Cryptorank’s MegaETH ecosystem page lists ~21 projects ¹²⁰ ¹²¹ spanning categories: - **DeFi:** Aside from GTE, Euphoria, CAP, there are others: *Valhalla* (a perpetuals exchange) ¹²² , *HelloTrade* (offering leveraged exposure to equities/ETFs – bridging real-world assets or synthetic stocks on-chain) ¹²³ , *Nunchi* (trading risks of yield-bearing assets, sounds like an interest rate AMM or risk swap) ¹²¹ , *Noise* (platform trading trends/narratives, maybe a social sentiment market) ¹²⁴ , *Rocket* (prediction markets) ¹²⁵ , *Teko.finance* (a lending platform on MegaETH) ¹²⁶ . This strong representation of trading and financial primitives indicates MegaETH is seen as a playground for innovative DeFi that requires speed (like real-time oracles and low latency arbitrage). - **GameFi / Autonomous Worlds:** *Biomes* is noted as a “fully on-chain MMORPG” ¹²⁷ – a massive on-chain game, which would absolutely need high tick rate (autonomous world concept). *Showdown* is a trading card game on MegaETH ¹²⁷ . *Pump Party* is an interactive game show for crypto engagement ¹²¹ . *TopStrike* is described as a real-time one-tap football trading game ¹²⁸ – possibly a sports betting or fantasy game that updates in real-time. These gaming projects underscore the appeal of MegaETH for building experiences that mimic Web2 speed games but on-chain. *Nectar AI* (AI companions platform) ¹²⁹ hints at AI agents interacting on-chain quickly – maybe AI NPCs in games or AI-driven trading bots. - **Infrastructure:** *Kaito* (AI search platform) ¹³⁰ and *StakeStone* (LSD basket token platform) ¹³¹ are also listed, which might not be performance-dependent but chose MegaETH perhaps for ecosystem alignment or because they can benefit from fast finality (e.g., Kaito could integrate with on-chain data query, StakeStone might do lots of staking operations quickly). - **Wallets:** *Wigwam* is mentioned as a self-custodial wallet & dApp browser with MegaETH support ¹³² , which is important for user onboarding.

Ecosystem Partners: On the infrastructure side, MegaETH's partnership with **Ethena** to launch USDm is key ¹⁰⁰. Ethena provides the stablecoin tech, and in turn MegaETH provides a network for it. Another partner is **RedStone** for oracles – specifically, RedStone is building “**Bolt**” on MegaETH, touted as the fastest oracle pushing price updates every ~2.4 milliseconds ⁹². Bolt's ability to feed prices at such a rate is only meaningful if the chain can incorporate them (which MegaETH can, given 10ms blocks). This combination is powerful for high-frequency DeFi (imagine derivatives that update funding rates or collateral values continuously).

Additionally, MegaETH has signaled alignment with Ethereum's broader roadmap: by using EigenLayer's DA and by involving Ethereum figures (Vitalik, Lubin), it positions itself not as an Ethereum competitor but as an enhancer. There's mention that **Aave** (a major DeFi protocol) proposed deploying Aave v3 on MegaETH ahead of launch ¹³³. If Aave goes live on MegaETH, that's a strong endorsement and also a practical boon (it would bring TVL and users). Aave on a high-speed L2 could allow things like almost instantaneous loan issuance or extremely fast liquidation auctions, which could improve capital efficiency if risk parameters are adjusted accordingly.

Composability and Interoperability: MegaETH maintains EVM compatibility, meaning Ethereum dApps can be relatively easily ported. It “*preserves full Ethereum composability*” ¹³⁴ – implying that contracts on MegaETH can interact with each other just like on L1, and that bridging assets from Ethereum should be seamless (as an optimistic rollup, it inherits Ethereum's security for bridging; users deposit ETH or tokens to L2 and withdraw with the usual 7-day window). The presence of multiple DeFi apps means **composability on L2** could flourish (e.g., using CAP's stablecoin in GTE's exchange, or lending out tokens from one protocol in another, all with instant execution).

We should note, however, cross-chain composability (with other L2s or L1s) is not special in MegaETH's design beyond standard bridges. One potential differentiator: because of high speed, *cross-domain messaging could be faster* if they innovate there (for example, an L3 or sidechain connecting to MegaETH could potentially get faster confirmations from it than from Ethereum L1). But that's speculative; as of now, the focus is on building a rich internal ecosystem on the L2.

Ecosystem Growth and Challenges: The fact that many apps have raised funds suggests optimism about MegaETH's potential. But an outstanding challenge will be *bootstrapping liquidity* and users. Real-time performance is only valuable if there are users to enjoy the low latency. So MegaETH will likely encourage initial liquidity mining or incentives to draw in traders and gamers. The near-zero fee environment (thanks to USDm) is a big help – users can interact without worrying about gas costs, making micro-transactions viable (like an on-chain game might do thousands of micro txns per hour; on Ethereum that'd be impossibly expensive, on MegaETH it could be negligible in cost).

On the developer side, MegaETH offers a **Realtime API** (as per docs) to allow dApps to leverage streaming data and perhaps event-driven updates ¹³⁵. This could empower new application patterns (imagine subscribing to state changes stream in a game contract to update a client side promptly).

Notable Omissions: Traditional NFT or art platforms are not highlighted – probably because NFTs don't inherently need sub-second speed (though games might incorporate NFTs as assets). Also, no mention of privacy or ZK-application layering yet (MegaETH's ZK usage is for security, not privacy). If any category is underrepresented, it might be generalized Web2 replacements (like social networks). Possibly because those could be built on slower chains too, but a social network that updates posts or messages on-chain in real-time could be a candidate in the future.

In summary, MegaETH's ecosystem, while early, is **shaping around its unique value prop**: high-performance DeFi (especially derivatives, perps, HFT), and on-chain games/interactive experiences. The presence of projects like *Biomes* and *TopStrike* suggests a bet on the emerging “autonomous worlds” trend where game logic lives on-chain and requires high tick rates ¹¹⁴. If MegaETH can demonstrate these apps running smoothly (e.g., a real-time game event or a trading competition with thousands of trades per second), it will validate the chain's promise. Partnerships with established protocols (Aave, and backers like Vitalik) give credibility, while new startups building specifically for MegaETH indicate confidence that **“previously impossible” apps can now be built** ¹³⁶ ¹³⁷. The key will be converting this promise into user adoption once mainnet fully launches, and ensuring that bridging to/from Ethereum and other ecosystems is user-friendly so capital can flow into MegaETH's realm.

8. Risk Register

MegaETH introduces both familiar and novel risks, given its innovative approach. Below is a categorized register of major risks, with descriptions, evidence, potential impact, and current mitigation status:

Technical Risks:

- **Single Sequencer & Centralization:** MegaETH's reliance on a sole sequencer (at least initially) means a single point of failure or misbehavior ¹³⁸ ¹³⁹. If the sequencer goes down, the chain halts (no new blocks). If it acts maliciously (censors transactions or posts invalid state), the system relies on out-of-band intervention (challenges on L1) to rectify. *Impact:* Downtime or temporary loss of liveness; user transactions stuck; in worst case, users might lose funds if they trust unfinalized state that is later reorged. *Mitigation:* The roadmap includes multiple sequencers for failover and rotation ⁴³. The security model has provers and watchers to catch fraud, and the sequencer is economically incentivized not to cheat (will be slashed and lose reputation) ⁷⁵ ¹⁴⁰. During the beta, the team itself runs replicas to ensure availability ⁵¹. However, until sequencer decentralization is implemented, this remains a centralization risk “accepted” for performance gains. The Three Sigma report explicitly flags this trade-off: unparalleled speed at cost of centralization, hoping later to improve decentralization ¹³⁸ ¹⁴¹.

- **New State Storage (SALT trie):** MegaETH's custom state architecture deviates from the battle-tested Ethereum Merkle Patricia Trie. Bugs in the SALT trie or the multi-dimensional gas accounting could lead to inconsistencies (e.g., state desync between sequencer and full nodes) or unforeseen attack vectors (maybe a way to spam storage in a way that slows replicas). *Impact:* A bug could compromise state integrity or allow denial-of-service. *Mitigation:* The design likely underwent internal testing and perhaps audits, but no public audit report is cited. It's noted that SALT ensures bucket multipliers are integers and storage costs scale with usage to deter abuse ¹⁴² ¹⁴³. Disabling `SELFDESTRUCT` closes a known loophole in state refund manipulations ¹⁴⁴ ¹⁴⁵. Nonetheless, until a third-party audit thoroughly vets these EVM changes, there is a risk of subtle issues. Evidence strength here is theoretical: the team's measurements show improved performance, but the correctness of the implementation is assumed (no major issues known yet).

- **ZK Proof Complexity:** The non-interactive fraud proofs require generating a zkSNARK (or STARK) of executing potentially millions of gas of transactions inside a VM. This is computationally intense (~100 billion CPU cycles in worst case ²⁴). There's a risk that in practice, this proof generation might be too slow or expensive for challengers, especially if technology doesn't advance as planned. *Impact:* If a fraud event occurs and proofs are too slow, it undermines security – the sequencer could grief by submitting invalid blocks knowing no one can prove fraud in time. *Mitigation:* Risc0 and others are actively improving ZK proving performance. MegaETH retains the 7-day window to give ample time ⁶, even though they expect proofs in ~1 hour. The cost of proof (estimated ~\$100) is meant to be borne by the dishonest party (slashed stake) ²⁴, which is manageable. Also, the system could fall back to interactive fraud proofs as a last resort if needed (since they said “optimistic proofs with option to adopt ZK in future” ⁵⁷, implying it might launch with traditional fault proofs initially and introduce ZK challenges later when ready). In summary, this risk is acknowledged and the timeline of deploying ZK challenge is calibrated to tech readiness. Still, until it's proven in production,

this remains a critical technical risk. - **Data Availability/Censorship:** Using EigenDA adds a dependency. If EigenDA were to fail (e.g., insufficient validators leading to data unavailability, or a critical bug in EigenDA's crypto assumptions), MegaETH blocks might not get widely propagated or provers can't get data to generate proofs. Also, the sequencer could censor transactions (choose not to include certain user transactions). While it can't fake state (without being caught), it could prevent some users from interacting. *Impact:* Users could be black-holed (censorship) – though they could withdraw funds via L1 directly if censored, it's a poor experience. Data availability failure could pause the chain or force an emergency switch to an alternate DA (if possible). *Mitigation:* EigenDA is decentralized and designed to guarantee availability for a period ⁶¹. If the sequencer censors, the hope is a second sequencer or community pressure can alleviate it (and MEGA governance could slash a malicious sequencer or remove them in future if censorship is detected). In the short term, censorship resistance is not as strong as Ethereum (with thousands of validators), so this is an accepted weakness until sequencer decentralization. MegaETH's approach of publishing all state diffs transparently makes censorship attempts visible ⁷⁷, which helps reputationally at least. - **Smart Contract & Upgrade Risks:** As with any L2, the bridge contracts and any on-chain components on Ethereum are critical. If there's a bug in the MegaETH Ethereum contracts (fraud-proof verifier, state commit contract, etc.), funds could be at risk (e.g., an exploit allowing invalid withdrawals). Also, many L2s have admin keys for upgrades that, if compromised, could be used maliciously. *Impact:* Loss of funds, chain halt, or governance takeover. *Mitigation:* Unknown without specifics – likely MegaETH has a multisig controlling upgrades during beta. The multisig mishap during USDm sale (though unrelated to core protocol) shows they'll need strict processes. Ideally, they will implement timelocks or eventually hand control to token governance. For now, users must trust the team's multisig to not be compromised or used arbitrarily – a common stage 0 L2 risk (L2Beat often flags this for new rollups). No issues have arisen so far on testnet, and hopefully contracts were audited (no public audit yet available). This remains a standard risk to communicate.

Operational Risks:

- **Beta Launch Instability:** The "Frontier" mainnet beta is essentially a live pilot. MegaETH warned of "potential downtime and rough edges" during this period ⁴⁶. Indeed, running a new chain in production can surface issues not seen in test. The risk is unexpected bugs, chain halts, or emergency restarts during beta. *Impact:* If a critical bug is found, it could erode confidence or require state reset (worst-case). *Mitigation:* Keeping the beta short (1 month) and with limited partner apps only, reduces broad user exposure ⁴⁶ ¹⁴⁶. The team can patch and upgrade quickly in beta (likely with centralized control). They also limited who could use it initially ("curated partner applications" to onboard gradually) ¹⁴⁷, which helps manage load and coordinate in case of issues. The true test will be after beta, as more users join; so far there's no report of severe failures in the early beta, which is a positive sign. - **Fundraising/Financial Operations:** The aforementioned **pre-deposit chaos** in Nov 2025 is a case study in operational risk. Missteps in coordinating a token sale led to overshooting by hundreds of millions and subsequent reputational damage ¹⁹ ¹⁰⁴. This indicates project management and execution risk on the part of the team – if something similar happened with, say, a protocol upgrade or a major integration, it could have serious consequences. *Impact:* Loss of trust from community/investors, potential regulatory scrutiny (if people felt misled in sale), and distraction for the team. *Mitigation:* MegaETH halted and reversed the problematic sale, demonstrating a willingness to hit the brakes to maintain fairness ¹⁴⁸ ¹⁴⁹. They communicated that no funds were at risk and opened withdrawal channels promptly ¹⁴⁸. Going forward, one hopes they will more thoroughly test such processes (e.g., ensure multisig parameters are correct, load-test KYC APIs, etc.). This incident will likely make them institute more rigorous internal reviews for any future raises or launches (a lesson learned mitigation). - **Adoption and Network Effect:** If not enough users or projects come to MegaETH, it could languish despite superior tech. There is a risk that developers might hesitate to build due to complexity or wait-and-see approaches. Also, if Ethereum L1 or other L2s improve latency (like with EigenLayer or upcoming danksharding improvements, maybe block times reduce, etc.), MegaETH's advantage could

narrow. *Impact:* If the ecosystem doesn't flourish, MegaETH could face low usage, making it easier for potential attacks (few eyes watching) and less justification for its existence (which could cause token value to drop, reducing funds for development, etc.). *Mitigation:* MegaETH's team proactively cultivated apps and even helped fund some (the notion that apps raised so much suggests close collaboration) ¹¹⁹. Also, by making their tech open (if it becomes open-source, and partnering with researchers), they can stay ahead. The inclusion of community in funding likely helps foster a loyal user base eager to see it succeed. This risk is more about execution in attracting users post-launch. Early signals (like Aave deploying, or hype from performance enthusiasts) mitigate it somewhat, but only actual mainnet usage will tell.

Reputational Risks:

- **"Make Ethereum Great Again" Hype:** The project's very name (MegaETH) and slogans like "first real-time blockchain" set extremely high expectations. If MegaETH fails to meet those (say it has outages, or doesn't actually hit 100k TPS in practice), there's a reputational risk of being seen as vaporware or over-promising. The involvement of high-profile figures (Vitalik, Lubin) can be a double-edged sword – it gives credibility now, but if issues arise, critics might emphasize that even Ethereum's founders' backed project stumbled. *Mitigation:* The team has been fairly transparent in technical blogging, explaining why current chains are limited and how MegaETH tackles it ¹⁵⁰ ⁶⁸. By openly addressing challenges (like parallelism limits, etc.) ⁸⁵ ¹⁵¹, they show seriousness (not pure hype). Nonetheless, managing community expectations is key; they maintained an invitation-only beta to avoid a public meltdown scenario. - **Security Incident (if any):** Should MegaETH suffer a hack or exploit (e.g., a vulnerability in the bridge contract leading to loss of funds, or an exploit allowing double-spend on L2), it would severely hurt its credibility as a "first defense" grade solution. *Mitigation:* So far, no such incidents. Emphasizing formal verification of critical components and engaging third-party auditors (especially for the fraud-proof system and bridge) is crucial. Also, keeping assets low in value during beta (no large TVL until proven safe) limits damage. Many rollups start centralized specifically to be able to recover from bugs; MegaETH likely is doing the same (they can pause or upgrade if needed in an emergency during early stages).

Summary of Key Risks: MegaETH's biggest risk is that in pushing boundaries, it introduces new assumptions – essentially **centralization vs performance**. The team's stance is that since they settle on Ethereum, they can safely be aggressive in performance optimizations ². But that assumes the optimizations don't undercut security too much. The risk register shows several items where decentralization (and its attendant security) is temporarily weakened (one sequencer, heavy reliance on one team's multisig, new unproven components). The mitigation is that those are to be strengthened over time (multiple sequencers, permissionless participation, proven ZK tech).

It's also worth noting that **MEV and congestion** could introduce risk: A single sequencer can extract MEV (miner extractable value) easily; while they run at cost now, who's to stop a sequencer from privately profiting via MEV on arbitrage? MegaETH has not detailed any MEV mitigation (like fair ordering) – presumably it's standard for now (users trust sequencer ordering). In high-frequency environments, MEV extraction could distort some use cases (like HFT bots vs sequencer). This is more of a subtle risk to fairness and maybe a reputational risk if not handled.

Finally, a risk to mention is **regulatory**: If MegaETH's stablecoin USDm becomes significant, it could draw regulatory attention (it invests in securities, etc.). The network itself might be seen as providing a financial market infrastructure (due to HFT use). Any regulatory crackdown on such activities (or on restaking via EigenLayer) could indirectly impact MegaETH. For now, these are speculative risks, but worth keeping in view.

9. Open Questions

Despite the extensive documentation and testnets, several important questions about MegaETH remain open:

- **Real-World Throughput Verification:** Can MegaETH sustain its target throughput (100k TPS, 1.7 Ggas/s) in practice with real applications? What were the results of the Frontier mainnet beta in terms of achieved TPS and latency under load? Obtaining independent benchmarks or third-party stress test results would help verify the performance claims.
- **Fraud Proof Deployment Timeline:** When exactly will the non-interactive ZK fraud proofs be fully implemented and enforced on mainnet? MegaETH's security model depends on them, but will the initial mainnet rely on traditional fraud proofs during a transition? Clarity on the rollout (and any audits of the fraud proof verifier contracts) would bolster confidence. Evidence needed: a successful on-chain ZK proof of fraud or an audit report confirming the system's soundness.
- **Sequencer Decentralization Plan:** How and when will MegaETH move from a single sequencer to a more decentralized sequencer set (or at least a rotating leader)? The docs mention multiple sequencers for failover ⁴³, but not the consensus mechanism between them. Open questions include: Will MegaETH use an off-chain consensus (like a BFT) among sequencers? Will sequencer selection be permissionless (anyone staking MEGA can become one)? A concrete roadmap or test of multi-sequencer mode is needed.
- **Permissionless Participation:** Similarly, when can independent parties run full nodes, replica nodes, or provers? The current testnet had only MegaLabs-run replicas ⁵¹. Open access is crucial for decentralization and censorship-resistance. The question is what hardware requirements and software availability will be for a community member to run a full node or prover. Evidence that third parties have synced a MegaETH node successfully (and perhaps challenged a block in testnet) would be valuable.
- **Economic Model Long-Term:** The introduction of USDm raises the question: is the MEGA token necessary for users day-to-day, or does the system effectively run on ETH and USDm? If ETH is the gas token, what demand driver exists for MEGA aside from governance/staking? A clear explanation from the team on MEGA's utility (especially once network is stable and not needing "investor" support) is needed to understand the crypto-economic security. For example, will sequencers have to post MEGA as collateral (and if so, how much)? And how will MEGA governance influence USDm policy? More transparency on token allocation (how much is allocated to incentives vs team, etc.) would also answer community concerns on centralization of supply.
- **Risk of Exogenous Dependencies:** MegaETH relies on EigenDA (a new protocol) and Risc0 tech. Open question: what is the fallback if EigenDA underperforms or if Risc0's proofs face an issue? Is there a plan to switch to an alternative data availability layer (e.g., Celestia or posting data on Ethereum if needed) in emergencies? And for proofs, could they fall back to interactive fraud proofs if ZK fails? Getting explicit answers or seeing these contingency options tested would help validate robustness.
- **Compliance and Legal Questions:** With the stablecoin and high-speed trading, one wonders if MegaETH or apps on it will face regulatory hurdles (e.g., running a pseudo-securities exchange on-chain). While not a technical issue, it could impact adoption. An open question is whether

MegaLabs has any measures to geofence or KYC certain operations (the pre-deposit had KYC via Sonar ¹⁵²). Will usage of MegaETH be open to all globally, or will regulations require some restrictions at the application layer? This might only be answered as the ecosystem grows and regulators react.

- **Composability Across L2s:** As multiple L2s flourish, will MegaETH connect to others? For instance, could MegaETH's fast transactions be leveraged to, say, arbitrage between markets on different chains? There's an open design space of bridging and interoperability. The question is whether MegaETH will support fast bridging (perhaps with optimistic proofs between L2s) or join any L2 interoperability standards. Evidence to watch for: integration with frameworks like CCIP or LayerZero, or bridging solutions specifically optimized for MegaETH's speed.
- **Monitoring and Community Oversight:** Another open question is how the community can **monitor the sequencer and network health**. Are there plans for public dashboards (maybe similar to L2Beat's time-to-finality tracker ¹⁵³)? Ensuring that outsiders can detect any censorship or performance degradation is important. The team did reference Chainspect's L2 TTF dashboard ¹⁵³ – an open question is how MegaETH ranks on such metrics once live, and whether any independent party is watching for issues (like a third-party running a challenge bot).

Each of these questions points to the need for **ongoing verification** as MegaETH transitions from testnet to a widely used network. While the project is grounded in solid research and has made its case in writing, the true proof will come with time and open scrutiny. The First Defense approach would encourage MegaETH to publish periodic transparency reports (on performance, security incidents, upgrades), involve external auditors (for code and economics), and maintain an open dialogue with its growing community to address these unknowns.

10. Appendix

A. Source Links and References (in order of appearance):

- MegaLabs, "MegaETH: Unveiling the First Real-Time Blockchain" – Official Research post detailing MegaETH's goals and innovations ^{1 2 47}.
- MegaETH Developer Docs – *Architecture* and *MegaEVM* sections explaining node roles and EVM modifications ^{3 4 38}.
- MegaETH Labs (Substack), "ENDGAME: How we use ZK to secure MegaETH" – Explanation of the ZK fraud proof approach and challenge model ^{5 6 26}.
- Blockworks, "Understanding MegaETH's need for speed" by Donovan Choy – Third-party analysis of MegaETH's performance claims, technical trade-offs, and funding news ^{15 23 37 30 91}.
- Three Sigma (Ericonomic), "MegaETH: Make Ethereum Great Again" – Security auditor's perspective on MegaETH's scalability, DA via EigenDA, centralization vs decentralization, etc. ^{16 62 138 74 17}.
- CryptoRank, "MegaETH Ecosystem Review" – Aggregated info on MegaETH, including projects list and a summary of its design and TPS goal ^{12 11}.
- CryptoRank, "MegaETH ICO Funding Rounds" – Details on funding amounts, token sale timeline, investors (Dragonfly, Vitalik, etc.), total supply and allocation percentages ^{10 9}.
- Blocmates, "MegaETH Drops USDm: A Stablecoin That Could Change How Blockchains Pay Their Bills" – Coverage of the USDm stablecoin mechanics and integration into MegaETH ^{18 8}.

- Unchained, “MegaETH Aborts \$1B Cap Raise After Multisig Error Triggers Chaos” (Nov 26, 2025) – News report on the fundraising incident, describing what went wrong and how MegaETH responded ¹⁹ ¹⁰⁴ ²⁰ .
- Binance/Altcoin Buzz (Azeri), “MegaETH... Ləğv Edir” – Additional details on the pre-deposit sale issues, used to cross-verify timeline and technical causes (multisig threshold error, KYC API slow, etc.) ¹⁵⁴ ¹⁵⁵ ¹⁵⁶ .
- CoinMarketCap, “About MegaETH” – General description emphasizing its performance (10 ms latency, 100k TPS, Ethereum-secured) ¹³⁴ .
- AtomicWallet Academy, “What is MegaETH (MEGA)?” – An explanatory article; cited carefully for speculative parts (rumored token distribution, parallel execution claims) ²¹ ²² .

*(Citations in text are provided in the format **[source#lines]** , where each source is numbered as above.)*

B. Glossary:

- **Layer-2 (L2):** A secondary blockchain built on top of a Layer-1 (like Ethereum) to increase throughput or features, while relying on the Layer-1 for security (usually via proofs or checkpoints). MegaETH is an L2 of Ethereum.
- **Optimistic Rollup:** A type of L2 that assumes transactions are valid (“optimistically”) and only checks/corrects if a fraud proof is submitted. Has a challenge period for disputes.
- **Validity (ZK) Rollup:** An L2 that proves every state transition’s correctness with a validity proof (zk-SNARK/STARK), so no challenge period is needed. MegaETH uses validity proofs for fraud detection, a hybrid of these concepts.
- **EigenDA:** A decentralized Data Availability layer leveraging Ethereum’s security (via restaked ETH). It provides a space to publish blobs of data with guarantees of availability for some time.
- **Sequencer:** The node (or set of nodes) in a rollup that orders transactions and produces L2 blocks. MegaETH currently has one active sequencer at a time.
- **Prover/Verifier (fault vs validity proofs):** In optimistic systems, a prover produces a fraud proof if the sequencer cheats; in validity systems, a prover continuously produces proofs of every block. MegaETH’s “ZK fraud proof” is a bit of both: prover only acts on fraud, but uses a ZK validity proof to prove fraud.
- **MEV (Miner/Maximal Extractable Value):** The profit a block producer can extract by reordering, inserting, or censoring transactions (e.g., front-running trades). Relevant in context of a single sequencer’s power.
- **State Trie (Merkle Trie):** The data structure Ethereum (and MegaETH) use to store account states, allowing cryptographic commitment to the state. MegaETH’s SALT trie is a modified version aimed at faster writes.
- **Time-to-Finality (TTF):** How long before a transaction is practically irreversible. MegaETH has a very low L2 TTF (milliseconds) but an L1 finality of 7 days unless accelerated by a challenge resolution.
- **HFT (High-Frequency Trading):** Trading that involves submitting many orders per second to profit from tiny price differences. In crypto, doing this on-chain requires extremely fast execution and confirmation, which MegaETH aims to provide.

C. Full Claim Table Dump:

(Reiterating the claim table with extended notes where needed.)

ID	Claim (Detail)	Type	Tier	Evidence Strength	Reproducibility	Status	Open Q
C1	MegaETH can process >100k TPS with ~10 ms block times (real-time performance). Specifically, ~1.7 Ggas/s throughput and sub-millisecond latency under load are claimed.	Performance	0 (docs), 2 (media)	Moderately supported. Official docs set the goal; Blockworks confirms testnet block times ²³ . No public test hit 100k TPS yet (the claim is theoretical based on internal tests).	Partially. Anyone can observe fast block times on the explorer. But generating 100k TPS requires a coordinated test.	Claimed / Partially demonstrated. The network is engineered for high throughput and did show 10ms blocks. Full TPS capability awaits verification on mainnet.	Will the maintain blocks a Can ext testers gas limi latency comple transac
C2	Security via Ethereum + ZK Fraud Proofs: MegaETH will use Ethereum L1 for security, with a 7-day dispute window, and employ non-interactive zero-knowledge fraud proofs (Risc0 zkVM) to resolve any challenges within ~1 hour, instead of interactive multi-round games.	Security	0	Strong conceptual evidence in design docs ⁵ ²⁶ . Not battle-tested yet (no real challenge occurred).	Possibly reproducible on testnet if someone intentionally submits a bad block and then generates a proof – but that's largely internal for now.	Planned. Challenge mechanism is set in theory; mainnet will show if it's active from day1 or phased in.	When w first live challeng to prove out? Ho challeng incentiv there a for subr valid fra proof)?

ID	Claim (Detail)	Type	Tier	Evidence Strength	Reproducibility	Status	Open Q
C3	Non-Extractive Sequencer & USDm Stablecoin: MegaETH claims it will run the sequencer at cost (not profiting from gas fees), using the yield from USDm (MegaUSD) stablecoin reserves to subsidize network fees. Users pay minimal fees (in ETH or possibly USDm via paymasters) while the network remains financially self-sustaining.	Economics	0/2	Moderate. Official announcement ¹⁵⁷ and third-party breakdown ¹⁰³ describe the model. It's an unorthodox model, so it's not proven in long term.	To reproduce, one would observe fee levels once mainnet is live: if gas prices on MegaETH are near-zero and USDm exists and accrues yield, that's the model in action.	In effect (starting). USDm launched, sequencer fees reportedly set low. Too early to gauge effectiveness, but initial conditions are set.	Will this sufficient demand USDm (holding yield from network) if network far exceeds yield – will fees remain or have increased?

ID	Claim (Detail)	Type	Tier	Evidence Strength	Reproducibility	Status	Open Q
C4	Token Distribution is Community-Friendly: MegaETH's team positioned the project as community aligned by opening significant portions of token sales to the public (retail) and keeping VC allocations relatively small. High-profile supporters (Vitalik, Lubin) participated in early funding as individuals.	Token	1/2	Strong factual evidence: public sale data (5% of supply in ICO, etc.) ³⁴ , reporting of Vitalik & Lubin's involvement ³¹ .	N/A (historical fact). Verified by multiple sources.	Verified. \$107M raised with ~81% from public sales ³⁶ . Team did multiple rounds including one on a public platform.	What is remaining distribution? How much of the team's tokens? The claim focuses on community focus but actual token holding distribution (post-launch) remains unclear – especially the four control majority while?

ID	Claim (Detail)	Type	Tier	Evidence Strength	Reproducibility	Status	Open Q
C5	Architecture for Speed: MegaETH's performance comes from its novel architecture: one powerful sequencer, specialized replicas (full nodes and stateless replicas), parallel execution engine, and a custom SALT state trie + multi-dimensional gas to remove bottlenecks. It's not simply "throw more hardware" – it's a redesign of the execution pipeline.	Arch./Perf.	0/2	Strong documentation. MegaLabs explicitly details node roles ³ and their EthDenver presentation on bottlenecks ⁴¹ ⁸⁴ supports that claim. Third-party confirms changes like replacing Patricia tree ³⁹ .	The design is observable (the code or behavior can be inspected on testnet). Harder to measure parallel execution benefits externally, but internal metrics were given (14k TPS with improved execution) ⁸² .	Implemented (testnet). Evidence: testnet nodes had high specs, SALT trie in effect (differences in gas costs confirm multi-dimensional model). Speed-ups align with predictions but need full validation.	Is the core of this architecture managed (e.g., deployment issues and sequencer replicas) will future Ethereum upgrades EOF or state expiry) compatible with issues with MegaETH custom trie?

ID	Claim (Detail)	Type	Tier	Evidence Strength	Reproducibility	Status	Open Q
C6	Mainnet Launch & Roadmap: MegaETH planned a Mainnet Beta ("Frontier") in Dec 2025 , with a one-month limited rollout, after which a full public launch is expected. Roadmap includes moving to permissionless nodes and multiple sequencers in later phases, and possibly reducing reliance on testnet devnets (switching to Ethereum Goerli or mainnet for L1 security as it stabilizes).	Roadmap	0/2	Strong via announcements: Bankless news confirms Frontier Dec 2025 timeline ⁴⁴ . Dev docs list upcoming features (permissionless nodes, etc.) ⁴³ . Execution of roadmap items remains to be seen.	N/A for timeline (we wait and see). Some parts (e.g., testnet currently on Ethereum devnet) can be checked; indeed they used an Ethereum devnet initially ⁴⁵ .	On Track (partial). Frontier beta did launch as scheduled. Next steps (decentralization, L1 transition to Ethereum testnet/mainnet) pending – not completed as of Jan 2026.	Were there delays or extensions for beta? Were criteria met to progress to Stage 2 (permissionless)? How will we ensure a successful transition to devnet/mainnet? Ethereum mainnet security risk of network reset?

Each claim above is presented in neutral terms, with its current verification status. As MegaETH evolves, these claims should be continuously revisited – e.g., C1 might move from “Claimed” to “Demonstrated” if an independent stress test hits 100k TPS, or C2 from “Planned” to “Operational” once a real challenge is executed and resolved on L1.

End of Report.

1 2 41 42 47 67 68 81 82 83 84 85 86 87 90 114 115 150 151 MegaETH | Research
<https://www.megaeth.com/research>

3 4 43 45 48 49 50 51 MegaETH Docs – Architecture
<https://docs.megaeth.com/architecture>

- 5 6 13 14 24 25 26 27 28 52 53 54 55 56 59 60 61 **ENDGAME: How we use ZK to secure MegaETH - MegaETH**
<https://megaethlabs.substack.com/p/endgame-how-we-use-zk-to-secure-megaeth>
- 7 8 18 29 93 99 103 **MegaETH Drops USDM: A Stablecoin That Could Change How Blockchains Pay Their Bills | blocmates.**
<https://www.blocmates.com/news-posts/megaeth-drops-usdm-stablecoin-that-could-change-how-blockchains-pay-their-bills>
- 9 10 32 34 35 36 94 95 98 **MegaETH (MEGA) ICO Funding Rounds, Token Sale Review & Tokenomics Analysis | CryptoRank.io**
<https://cryptorank.io/ico/megaeth>
- 11 12 118 120 121 122 123 124 125 126 127 128 129 130 131 132 **MegaETH Ecosystem Review | CryptoRank.io**
<https://cryptorank.io/ecosystems/megaeth>
- 15 23 30 31 33 37 39 40 66 69 79 80 91 92 96 116 117 119 **Understanding MegaETH's need for speed - Blockworks**
<https://blockworks.co/news/megaeth-l2-blockchain-fast-speed>
- 16 17 57 58 62 63 64 65 74 75 76 77 78 89 113 136 137 138 139 140 141 153 **MegaETH: Make Ethereum Great Again - Three Sigma**
<https://threesigma.xyz/blog/defi/make-ethereum-great-again-megaeth>
- 19 20 104 107 108 109 **MegaETH Aborts \$1B Cap Raise After Multisig Error Triggers Chaos - Unchained**
<https://unchainedcrypto.com/megaeth-aborts-1b-cap-raise-after-multisig-error-triggers-chaos/>
- 21 22 88 97 111 112 **What Is MegaETH (MEGA)? The Real-Time Ethereum Layer-2 Explained**
<https://atomicwallet.io/academy/articles/what-is-megaeth>
- 38 70 71 72 73 142 143 144 145 **MegaETH Docs – MegaEVM**
<https://docs.megaeth.com/megaevm>
- 44 46 146 147 **MegaETH Mainnet Beta Coming Next Month**
<https://www.bankless.com/read/news/megaeth-announces-frontier-official-release-of-mainnet-beta-coming-this-december>
- 100 **MegaETH to launch Stablecoin with Ethena to Keep Blockchain ...**
<https://www.coindesk.com/business/2025/09/08/megaeth-unveils-native-stablecoin-with-ethena-aiming-to-keep-blockchain-fees-low>
- 101 **Ethena Whitelabel**
<https://ethena.fi/products/whitelabel>
- 102 **MegaETH Launches USDM Stablecoin To Subsidize Network Fees**
<https://coinmarketcap.com/academy/article/megaeth-launches-usdm-stablecoin-to-subsidize-network-fees>
- 105 106 148 149 152 154 155 156 **Binance Square-də MegaETH, Texniki Uğursuzluqlardan Sonra 1 Milyard Dollar Toplamağı Ləğv Edir | Altcoin Buzz**
<https://www.binance.com/az-AZ/square/post/33166866256609>
- 110 **MegaETH (MEGA) Listing Details and Launch Date - Bitget Wallet**
<https://web3.bitget.com/en/academy/megaeth-mega-listing-details-mega-launch-date-what-is-the-real-time-blockchain-built-for-speed-scalability-and-evm-performance>
- 133 134 **MegaETH upcoming launch, news and token information**
<https://coinmarketcap.com/currencies/megaeth/>
- 135 **MegaETH Docs – Overview**
<https://docs.megaeth.com>

157 MegaETH | The First Real-Time Blockchain

<https://www.megaeth.com/>