

NEBULES TO INHALERS - SUMMARY OF CHANGES

ADULT PATIENTS

Medication	Current Therapeutic Interchange			New Auto-substitution (Effective March 13 2020)		
Salbutamol						
	All Adult Orders for:	Will be changed to:	Comments			
	For non-ventilated patients: Salbutamol aerosol (5 mg/mL) 0.15 to 0.29 mL → 0.3 to 0.74 mL → 0.75 to 0.99 mL → 1 mL or greater →	Salbutamol Inhaler (100 mcg/puff) 2 puffs (200 mcg) 3 puffs (300 mcg) 4 puffs (400 mcg) 6 puffs (600 mcg)	Dosage conversion of Nebules to Metered Dose Inhaler - to be done by RRTs after an assessment. (This autosub is facilitated by the Registered Respiratory Therapist (RRT))			
	For ventilated patients: Salbutamol aerosol (5 mg/mL) 0.15 to 0.29 mL → 0.3 to 0.74 mL → 0.75 to 0.99 mL → 1 mL or greater →	Salbutamol Inhaler (100 mcg/puff) 4 puffs (400 mcg) 6 puffs (600 mcg) 8 puffs (800 mcg) 12 puffs (1200 mcg)	Dosage conversion of Nebules to Metered Dose Inhaler - to be done by RRTs after an assessment. (This autosub is facilitated by the RRT)			
Ipratropium						
	All Adult Orders for:	Will be changed to:	Comments			
	Ipratropium aerosol (250 mcg/mL) [For non-ventilated patients] 0.25 mL → 0.5 mL → 1 mL → 1.5 mL → 2 mL →	Ipratropium Inhaler (20 mcg/puff) [For non-ventilated patients] 1 puff (20 mcg) 2 puffs (40 mcg) 4 puffs (80 mcg) 6 puffs (120 mcg) 8 puffs (160 mcg)	Dosage conversion of Nebules to Metered Dose Inhaler - to be done by RRTs after an assessment.			
	Ipratropium aerosol (250 mcg/mL) [For ventilated patients] 0.25 mL → 0.5 mL → 1 mL → 2 mL →	Ipratropium Inhaler (20 mcg/puff) [For ventilated patients] 2 puffs (40 mcg) 4 puffs (80 mcg) 8 puffs (160 mcg) 16 puffs (320 mcg)	Dosage conversion of Nebules to Metered Dose Inhaler - to be done by RRTs after an assessment.			

Budesonide	<table><tr><th>All Adult Orders for:</th><th>Will be changed to:</th></tr><tr><td>Budesonide Turbuhaler/Nebuamp [For adult non-critical care patients (non-vented)] less than 201 mcg per day 201 mcg to 400 mcg per day 401 mcg to 750 mcg per day 751 mcg to 1250 mcg per day 1251 mcg to 1750 mcg per day greater than 1750 mcg per day</td><td>Fluticasone Inhaler 50 mcg/puff 1 puff q12h Fluticasone Inhaler 50 mcg/puff 2 puffs q12h Fluticasone Inhaler 125 mcg/puff 1 puff q12h Fluticasone Inhaler 125 mcg/puff 2 puffs q12h Fluticasone Inhaler 125 mcg/puff 3 puffs q12h Fluticasone Inhaler 125 mcg/puff 4 puffs q12h</td></tr><tr><td>Budesonide Turbuhaler/Nebuamp [For adult vented patients] less than 201 mcg per day 201 mcg to 400 mcg per day 401 mcg to 750 mcg per day 751 mcg to 1250 mcg per day 1251 mcg to 1750 mcg per day greater than 1750 mcg per day</td><td>Fluticasone Inhaler 50 mcg/puff 2 puffs q12h Fluticasone Inhaler 50 mcg/puff 2 puffs q12h Fluticasone Inhaler 125 mcg/puff 2 puffs q12h Fluticasone Inhaler 125 mcg/puff 4 puffs q12h Fluticasone Inhaler 125 mcg/puff 6 puffs q12h Fluticasone Inhaler 125 mcg/puff 8 puffs q12h</td></tr></table>	All Adult Orders for:	Will be changed to:	Budesonide Turbuhaler/Nebuamp [For adult non-critical care patients (non-vented)] less than 201 mcg per day 201 mcg to 400 mcg per day 401 mcg to 750 mcg per day 751 mcg to 1250 mcg per day 1251 mcg to 1750 mcg per day greater than 1750 mcg per day	Fluticasone Inhaler 50 mcg/puff 1 puff q12h Fluticasone Inhaler 50 mcg/puff 2 puffs q12h Fluticasone Inhaler 125 mcg/puff 1 puff q12h Fluticasone Inhaler 125 mcg/puff 2 puffs q12h Fluticasone Inhaler 125 mcg/puff 3 puffs q12h Fluticasone Inhaler 125 mcg/puff 4 puffs q12h	Budesonide Turbuhaler/Nebuamp [For adult vented patients] less than 201 mcg per day 201 mcg to 400 mcg per day 401 mcg to 750 mcg per day 751 mcg to 1250 mcg per day 1251 mcg to 1750 mcg per day greater than 1750 mcg per day	Fluticasone Inhaler 50 mcg/puff 2 puffs q12h Fluticasone Inhaler 50 mcg/puff 2 puffs q12h Fluticasone Inhaler 125 mcg/puff 2 puffs q12h Fluticasone Inhaler 125 mcg/puff 4 puffs q12h Fluticasone Inhaler 125 mcg/puff 6 puffs q12h Fluticasone Inhaler 125 mcg/puff 8 puffs q12h	<table><tr><th>All Adult Orders for:</th><th>Will be changed to:</th></tr><tr><td>Budesonide 0.25 mg inhalation (via nebules)</td><td>Fluticasone inhaler 125 mcg/puff – 1 puff INH at the same prescribed frequency</td></tr><tr><td>Budesonide 0.5 mg inhalation (via nebules)</td><td>Fluticasone inhaler 125 mcg/puff – 2 puffs INH at the same prescribed frequency</td></tr><tr><td>Budesonide 1 mg inhalation (via nebules)</td><td>Fluticasone inhaler 125 mcg/puff – 3 puffs INH at the same prescribed frequency</td></tr><tr><td>Budesonide 2 mg inhalation (via nebules)</td><td>Fluticasone inhaler 125 mcg/puff – 4 puffs INH at the same prescribed frequency</td></tr></table>	All Adult Orders for:	Will be changed to:	Budesonide 0.25 mg inhalation (via nebules)	Fluticasone inhaler 125 mcg/puff – 1 puff INH at the same prescribed frequency	Budesonide 0.5 mg inhalation (via nebules)	Fluticasone inhaler 125 mcg/puff – 2 puffs INH at the same prescribed frequency	Budesonide 1 mg inhalation (via nebules)	Fluticasone inhaler 125 mcg/puff – 3 puffs INH at the same prescribed frequency	Budesonide 2 mg inhalation (via nebules)	Fluticasone inhaler 125 mcg/puff – 4 puffs INH at the same prescribed frequency
	All Adult Orders for:	Will be changed to:																
	Budesonide Turbuhaler/Nebuamp [For adult non-critical care patients (non-vented)] less than 201 mcg per day 201 mcg to 400 mcg per day 401 mcg to 750 mcg per day 751 mcg to 1250 mcg per day 1251 mcg to 1750 mcg per day greater than 1750 mcg per day	Fluticasone Inhaler 50 mcg/puff 1 puff q12h Fluticasone Inhaler 50 mcg/puff 2 puffs q12h Fluticasone Inhaler 125 mcg/puff 1 puff q12h Fluticasone Inhaler 125 mcg/puff 2 puffs q12h Fluticasone Inhaler 125 mcg/puff 3 puffs q12h Fluticasone Inhaler 125 mcg/puff 4 puffs q12h																
Budesonide Turbuhaler/Nebuamp [For adult vented patients] less than 201 mcg per day 201 mcg to 400 mcg per day 401 mcg to 750 mcg per day 751 mcg to 1250 mcg per day 1251 mcg to 1750 mcg per day greater than 1750 mcg per day	Fluticasone Inhaler 50 mcg/puff 2 puffs q12h Fluticasone Inhaler 50 mcg/puff 2 puffs q12h Fluticasone Inhaler 125 mcg/puff 2 puffs q12h Fluticasone Inhaler 125 mcg/puff 4 puffs q12h Fluticasone Inhaler 125 mcg/puff 6 puffs q12h Fluticasone Inhaler 125 mcg/puff 8 puffs q12h																	
All Adult Orders for:	Will be changed to:																	
Budesonide 0.25 mg inhalation (via nebules)	Fluticasone inhaler 125 mcg/puff – 1 puff INH at the same prescribed frequency																	
Budesonide 0.5 mg inhalation (via nebules)	Fluticasone inhaler 125 mcg/puff – 2 puffs INH at the same prescribed frequency																	
Budesonide 1 mg inhalation (via nebules)	Fluticasone inhaler 125 mcg/puff – 3 puffs INH at the same prescribed frequency																	
Budesonide 2 mg inhalation (via nebules)	Fluticasone inhaler 125 mcg/puff – 4 puffs INH at the same prescribed frequency																	

NEBULES TO INHALERS - SUMMARY OF CHANGES

PEDIATRIC PATIENTS (excluding neonates)

Medication	Current Therapeutic Interchange			New Auto-substitution (Effective March 16 2020)																		
Salbutamol	<table><tr><th>All Orders for:</th><th>Will be changed to:</th><th>Comments</th></tr><tr><td>For non-ventilated patients: Salbutamol aerosol (5 mg/mL) 0.15 to 0.29 mL → 0.3 to 0.74 mL → 0.75 to 0.99 mL → 1 mL or greater →</td><td>Salbutamol Inhaler (100 mcg/puff) 2 puffs (200 mcg) 3 puffs (300 mcg) 4 puffs (400 mcg) 6 puffs (600 mcg)</td><td>Dosage conversion of Nebules to Metered Dose Inhaler - to be done by RRTs after an assessment. (This autosub is facilitated by the Registered Respiratory Therapist (RRT))</td></tr><tr><td>For ventilated patients: Salbutamol aerosol (5 mg/mL) 0.15 to 0.29 mL → 0.3 to 0.74 mL → 0.75 to 0.99 mL → 1 mL or greater →</td><td>Salbutamol Inhaler (100 mcg/puff) 4 puffs (400 mcg) 6 puffs (600 mcg) 8 puffs (800 mcg) 12 puffs (1200 mcg)</td><td>Dosage conversion of Nebules to Metered Dose Inhaler - to be done by RRTs after an assessment. (This autosub is facilitated by the RRT)</td></tr></table>			All Orders for:	Will be changed to:	Comments	For non-ventilated patients: Salbutamol aerosol (5 mg/mL) 0.15 to 0.29 mL → 0.3 to 0.74 mL → 0.75 to 0.99 mL → 1 mL or greater →	Salbutamol Inhaler (100 mcg/puff) 2 puffs (200 mcg) 3 puffs (300 mcg) 4 puffs (400 mcg) 6 puffs (600 mcg)	Dosage conversion of Nebules to Metered Dose Inhaler - to be done by RRTs after an assessment. (This autosub is facilitated by the Registered Respiratory Therapist (RRT))	For ventilated patients: Salbutamol aerosol (5 mg/mL) 0.15 to 0.29 mL → 0.3 to 0.74 mL → 0.75 to 0.99 mL → 1 mL or greater →	Salbutamol Inhaler (100 mcg/puff) 4 puffs (400 mcg) 6 puffs (600 mcg) 8 puffs (800 mcg) 12 puffs (1200 mcg)	Dosage conversion of Nebules to Metered Dose Inhaler - to be done by RRTs after an assessment. (This autosub is facilitated by the RRT)	<table><tr><th>All Pediatric Orders (excluding neonates*) for:</th><th>Will be changed to:</th></tr><tr><td>Salbutamol 1.25 mg inhalation (via nebules)</td><td>Salbutamol inhaler (100 mcg/puff) 2 puffs INH at the same prescribed frequency</td></tr><tr><td>Salbutamol 2.5 mg inhalation (via nebules)</td><td>Salbutamol inhaler (100 mcg/puff) 4 puffs INH at the same prescribed frequency</td></tr><tr><td>Salbutamol 5 mg inhalation (via nebules)</td><td>Salbutamol inhaler (100 mcg/puff) 8 puffs INH at the same prescribed frequency</td></tr></table> <p>*Neonate: PMA of greater than 44 weeks and a PNA of greater than 4 weeks</p>		All Pediatric Orders (excluding neonates*) for:	Will be changed to:	Salbutamol 1.25 mg inhalation (via nebules)	Salbutamol inhaler (100 mcg/puff) 2 puffs INH at the same prescribed frequency	Salbutamol 2.5 mg inhalation (via nebules)	Salbutamol inhaler (100 mcg/puff) 4 puffs INH at the same prescribed frequency	Salbutamol 5 mg inhalation (via nebules)	Salbutamol inhaler (100 mcg/puff) 8 puffs INH at the same prescribed frequency
	All Orders for:	Will be changed to:	Comments																			
	For non-ventilated patients: Salbutamol aerosol (5 mg/mL) 0.15 to 0.29 mL → 0.3 to 0.74 mL → 0.75 to 0.99 mL → 1 mL or greater →	Salbutamol Inhaler (100 mcg/puff) 2 puffs (200 mcg) 3 puffs (300 mcg) 4 puffs (400 mcg) 6 puffs (600 mcg)	Dosage conversion of Nebules to Metered Dose Inhaler - to be done by RRTs after an assessment. (This autosub is facilitated by the Registered Respiratory Therapist (RRT))																			
	For ventilated patients: Salbutamol aerosol (5 mg/mL) 0.15 to 0.29 mL → 0.3 to 0.74 mL → 0.75 to 0.99 mL → 1 mL or greater →	Salbutamol Inhaler (100 mcg/puff) 4 puffs (400 mcg) 6 puffs (600 mcg) 8 puffs (800 mcg) 12 puffs (1200 mcg)	Dosage conversion of Nebules to Metered Dose Inhaler - to be done by RRTs after an assessment. (This autosub is facilitated by the RRT)																			
All Pediatric Orders (excluding neonates*) for:	Will be changed to:																					
Salbutamol 1.25 mg inhalation (via nebules)	Salbutamol inhaler (100 mcg/puff) 2 puffs INH at the same prescribed frequency																					
Salbutamol 2.5 mg inhalation (via nebules)	Salbutamol inhaler (100 mcg/puff) 4 puffs INH at the same prescribed frequency																					
Salbutamol 5 mg inhalation (via nebules)	Salbutamol inhaler (100 mcg/puff) 8 puffs INH at the same prescribed frequency																					
<table><tr><th>All Pediatric and NICU Orders for:</th><th>Will be changed to:</th></tr><tr><td>Salbutamol 5 mg/mL inhalation solution:<ul style="list-style-type: none">0.25 mL or less (1.25 mg or less)More than 0.25 mL - 0.5 mL (1.26 - 2.5 mg)Greater than 0.5 mL (2.5 mg)</td><td>Salbutamol nebules: (2.5 mL = 1 nebule)<ul style="list-style-type: none">1.25 mg / 2.5 mL2.5 mg / 2.5 mL5 mg / 2.5 mL</td></tr></table>			All Pediatric and NICU Orders for:	Will be changed to:	Salbutamol 5 mg/mL inhalation solution: <ul style="list-style-type: none">0.25 mL or less (1.25 mg or less)More than 0.25 mL - 0.5 mL (1.26 - 2.5 mg)Greater than 0.5 mL (2.5 mg)	Salbutamol nebules: (2.5 mL = 1 nebule) <ul style="list-style-type: none">1.25 mg / 2.5 mL2.5 mg / 2.5 mL5 mg / 2.5 mL																
All Pediatric and NICU Orders for:	Will be changed to:																					
Salbutamol 5 mg/mL inhalation solution: <ul style="list-style-type: none">0.25 mL or less (1.25 mg or less)More than 0.25 mL - 0.5 mL (1.26 - 2.5 mg)Greater than 0.5 mL (2.5 mg)	Salbutamol nebules: (2.5 mL = 1 nebule) <ul style="list-style-type: none">1.25 mg / 2.5 mL2.5 mg / 2.5 mL5 mg / 2.5 mL																					

Ipratropium	<table><tr><th>All Pediatric Orders for:</th><th>Will be changed to:</th><th>Comments</th></tr><tr><td>Ipratropium aerosol (250 mcg/mL) [For non-ventilated patients] 0.25 mL → 0.5 mL → 1 mL → 1.5 mL → 2 mL →</td><td>Ipratropium Inhaler (20 mcg/puff) [For non-ventilated patients] 1 puff (20 mcg) 2 puffs (40 mcg) 4 puffs (80 mcg) 6 puffs (120 mcg) 8 puffs (160 mcg)</td><td>Dosage conversion of Nebules to Metered Dose Inhaler - to be done by RRTs after an assessment.</td></tr><tr><td>Ipratropium aerosol (250 mcg/mL) [For ventilated patients] 0.25 mL → 0.5 mL → 1 mL → 2 mL →</td><td>Ipratropium Inhaler (20 mcg/puff) [For ventilated patients] 2 puffs (40 mcg) 4 puffs (80 mcg) 8 puffs (160 mcg) 16 puffs (320 mcg)</td><td>Dosage conversion of Nebules to Metered Dose Inhaler - to be done by RRTs after an assessment.</td></tr></table>			All Pediatric Orders for:	Will be changed to:	Comments	Ipratropium aerosol (250 mcg/mL) [For non-ventilated patients] 0.25 mL → 0.5 mL → 1 mL → 1.5 mL → 2 mL →	Ipratropium Inhaler (20 mcg/puff) [For non-ventilated patients] 1 puff (20 mcg) 2 puffs (40 mcg) 4 puffs (80 mcg) 6 puffs (120 mcg) 8 puffs (160 mcg)	Dosage conversion of Nebules to Metered Dose Inhaler - to be done by RRTs after an assessment.	Ipratropium aerosol (250 mcg/mL) [For ventilated patients] 0.25 mL → 0.5 mL → 1 mL → 2 mL →	Ipratropium Inhaler (20 mcg/puff) [For ventilated patients] 2 puffs (40 mcg) 4 puffs (80 mcg) 8 puffs (160 mcg) 16 puffs (320 mcg)	Dosage conversion of Nebules to Metered Dose Inhaler - to be done by RRTs after an assessment.	<table><tr><th colspan="2">All Pediatric Orders (excluding neonates*) for:</th><th>Will be changed to:</th></tr><tr><td>Ipratropium 250 mcg inhalation (via nebules)</td><td></td><td>Ipratropium inhaler (20 mcg/puff) 4 puffs INH at the same prescribed frequency</td></tr><tr><td>Ipratropium 500 mcg inhalation (via nebules)</td><td></td><td>Ipratropium inhaler (20 mcg/puff) 8 puffs INH at the same prescribed frequency</td></tr></table> <p>*Neonate: PMA of greater than 44 weeks and a PNA of greater than 4 weeks</p>			All Pediatric Orders (excluding neonates*) for:		Will be changed to:	Ipratropium 250 mcg inhalation (via nebules)		Ipratropium inhaler (20 mcg/puff) 4 puffs INH at the same prescribed frequency	Ipratropium 500 mcg inhalation (via nebules)		Ipratropium inhaler (20 mcg/puff) 8 puffs INH at the same prescribed frequency
	All Pediatric Orders for:	Will be changed to:	Comments																					
	Ipratropium aerosol (250 mcg/mL) [For non-ventilated patients] 0.25 mL → 0.5 mL → 1 mL → 1.5 mL → 2 mL →	Ipratropium Inhaler (20 mcg/puff) [For non-ventilated patients] 1 puff (20 mcg) 2 puffs (40 mcg) 4 puffs (80 mcg) 6 puffs (120 mcg) 8 puffs (160 mcg)	Dosage conversion of Nebules to Metered Dose Inhaler - to be done by RRTs after an assessment.																					
	Ipratropium aerosol (250 mcg/mL) [For ventilated patients] 0.25 mL → 0.5 mL → 1 mL → 2 mL →	Ipratropium Inhaler (20 mcg/puff) [For ventilated patients] 2 puffs (40 mcg) 4 puffs (80 mcg) 8 puffs (160 mcg) 16 puffs (320 mcg)	Dosage conversion of Nebules to Metered Dose Inhaler - to be done by RRTs after an assessment.																					
All Pediatric Orders (excluding neonates*) for:		Will be changed to:																						
Ipratropium 250 mcg inhalation (via nebules)		Ipratropium inhaler (20 mcg/puff) 4 puffs INH at the same prescribed frequency																						
Ipratropium 500 mcg inhalation (via nebules)		Ipratropium inhaler (20 mcg/puff) 8 puffs INH at the same prescribed frequency																						
Budesonide	<p>*No current therapeutic interchange at Osler for pediatric patients*</p>			<table><tr><th>All Pediatric Orders (excluding neonates*) for:</th><th>Age</th><th>Will be changed to:</th></tr><tr><td rowspan="2">Budesonide inhalation (via nebules)</td><td>Less than 1 year</td><td>Fluticasone inhaler (50 mcg/puff) – 2 puffs INH Q12H</td></tr><tr><td>Greater than or equal to 1 year</td><td>Fluticasone inhaler (125 mcg/puff) – 2 puffs INH Q12H</td></tr></table> <p>*Neonate: PMA of greater than 44 weeks and a PNA of greater than 4 weeks</p>			All Pediatric Orders (excluding neonates*) for:	Age	Will be changed to:	Budesonide inhalation (via nebules)	Less than 1 year	Fluticasone inhaler (50 mcg/puff) – 2 puffs INH Q12H	Greater than or equal to 1 year	Fluticasone inhaler (125 mcg/puff) – 2 puffs INH Q12H										
				All Pediatric Orders (excluding neonates*) for:	Age	Will be changed to:																		
				Budesonide inhalation (via nebules)	Less than 1 year	Fluticasone inhaler (50 mcg/puff) – 2 puffs INH Q12H																		
Greater than or equal to 1 year	Fluticasone inhaler (125 mcg/puff) – 2 puffs INH Q12H																							