



OFFLINE PDF EDITOR

PROJECT MAYHEM

VERSION 1

USER & GITHUB GUIDE

INSTALLATION // DOCUMENT CREATION // EXPORT // SOURCE BUILD

DEVELOPED BY **ABY BIJO**

github.com/AbyBiJo

9 AUGUST 2026

Contents

Contents	2
1 // Project Overview	3
2 // Installation & First Launch	5
System requirements	5
Install from a GitHub release	5
One-time output-folder setup	5
Verify an APK checksum	5
3 // Main Interface	6
Reading the preview	6
4 // Structure & Title	8
5 // Content (Markdown)	10
Example document	10
Pagination guidance	10
6 // Visuals	12
Image recommendations	12
7 // Security & Export	14
8 // End-to-End PDF Workflow	16
File naming	16
Quality checklist	16
9 // Privacy, Storage & Security	17
Native save path	17
What the one-time grant means	17
10 // Troubleshooting	18
When reporting a problem	18
11 // GitHub & Source Build	19
Prerequisites	19
Clone and build a debug APK	19
Release signing	19
Run release checks	19
12 // Repository & Release Maintenance	20
Repository structure	20
Release checklist	20
Example release commands	20
13 // Developer & Contact	21

This guide documents Project Mayhem Version 1 for end users, testers, contributors, and GitHub release maintainers. Screenshots reflect the Android interface and are labelled throughout the guide.

1 // Project Overview

Project Mayhem is an offline-first Android document editor for creating stylised, borderless A4 PDFs. It combines a structured Markdown editor, document typography controls, an optional image, watermarking, live page preview, password protection, and direct saving to a user-selected folder.

The app is deliberately focused: content is composed in one workspace, previewed immediately, rendered on the device, and written as a real PDF through Android's Storage Access Framework. The workflow does not depend on a server or an account.

Capability	What it provides
Live preview	A continuously updated A4 representation of title, content, visuals, watermark, and footer.
Markdown	Headings, bold, italic, lists, quotations, inline code, and horizontal dividers.
Visual controls	Configurable title typography, metadata, layout, image placement, caption, and watermark.
Offline export	Local canvas and PDF generation using libraries bundled inside the APK.
Direct storage	One-time output-folder selection and persistent permission through Android SAF.
Security	Optional PDF password protection, restricted local WebView, sanitised Markdown, and no Internet permission.




Figure 1 – Main screen: four collapsible editing panels above the live A4 preview.

2 // Installation & First Launch

System requirements

Item	Requirement
Android	Android 8.0 (API 26) or newer.
Network	Not required for editing or PDF generation.
Storage	Sufficient space for the APK, images, and generated PDFs.
Folder access	A location approved through Android's system folder picker.

Install from a GitHub release

- 1 Open the official repository's **Releases** page.
- 2 Download **Project-Mayhem.apk** from the Version 1 release.
- 3 Open the APK and, if required, allow installation from the browser or file manager used for this download.
- 4 Review Android's installation screen, tap **Install**, and then open Project Mayhem.

Security note. Install the APK only from the official repository or a file shared directly by the developer. If a checksum accompanies the release, compare it before installation.

One-time output-folder setup

- 1 When the system picker appears, browse to the intended PDF destination.
- 2 Create a folder such as `Mayhem Files` if desired.
- 3 Open the folder, tap **Use this folder**, and confirm access.
- 4 Open **04 // Security & Export**. A green status confirms the active destination.

Android grants access only to the chosen document tree. Project Mayhem remembers that persistable grant after restarts. Use **Choose / Change Output Folder** whenever the destination must change.

Verify an APK checksum

```
sha256sum Project-Mayhem.apk
Get-FileHash .\Project-Mayhem.apk -Algorithm SHA256
```

3 // Main Interface

The workspace contains four numbered panels. Tap a header to expand or collapse it. On phones, the A4 preview appears below the panels; on a wide screen it can appear alongside the controls. Changes are reflected in the preview after a short render delay.

Panel	Responsibility
01 // Structure & Title	Document identity, title design, metadata, layout, and repeating footer.
02 // Content (Markdown)	Body text, formatting shortcuts, and Markdown preview.
03 // Visuals	Image, caption, image position, and watermark.
04 // Security & Export	Output destination, password, polarity, and final save operation.

Reading the preview

- The preview is an A4 representation, not a separate editable surface.
- The title block appears only on page one.
- The footer contains user-defined text at left and an automatic page number at right.
- The watermark is placed behind the body content.
- Long documents are divided into multiple page previews.




Figure 2 – Complete entry view with collapsed controls and a rendered page.

4 // Structure & Title

This panel establishes the document's visual hierarchy. Configure it before writing a long body so the preview can paginate with the intended title size and layout.

Control	Detailed use
Document Title	The primary title shown at the top of the first page. Empty input falls back to an untitled label.
Font Family	Selects Oswald, Bebas Neue, Anton, Share Tech Mono, or Courier Prime.
Alignment	Aligns the title left, centre, or right inside the page content area.
Font Size	Scales the title. Large values create impact but consume more first-page space.
Weight	Chooses regular, bold, or heavy appearance when the font supports it.
Letter Spacing	Adds tracking between title characters. Use modest values for long titles.
Bottom Margin	Changes the gap between the title block and first body element.
Metadata Line	Optional date, author, creator, reference, or department line.
Meta Alignment / Size	Controls metadata independently of title alignment and scale.
Layout Flow	Selects single-column or double-column body flow.
Footer Text	Repeats on every page at the lower-left side.

Best practice. Keep metadata concise, verify that the title does not wrap awkwardly, and use single-column flow for narrow screens, code-heavy content, or large headings.

01 // STRUCTURE & TITLE

DOCUMENT TITLE

UNTITLED MANIFESTO

TITLE CONFIGURATION

Font Family

Oswald (Command)

Alignment

Left Aligned

Font Size: 2.8rem

Weight

Bold

Letter Spacing: 0.05em

Bottom Margin: 2.5rem

Metadata Line (Date / Creator)

2026-08-09 // JOHNBLAK

Meta Alignment

Left

Meta Size: 0.9rem

LAYOUT FLOW

Straight Flow (Single)

FOOTER TEXT

CONFIDENTIAL // DO NOT DISTRIBUTE

Figure 3 – Structure & Title panel showing typography, metadata, layout, and footer controls.

5 // Content (Markdown)

The source editor contains the document body. Its toolbar inserts Markdown around the current selection or adds placeholder text at the cursor. The rendered Markdown box helps verify formatting before examining the full A4 preview.

Button	Markdown	Output
B	**text**	Bold
I	<i>*text*</i>	Italic
H1	# Heading	Primary heading
H2	## Heading	Secondary heading
H3	### Heading	Tertiary heading
>	> Quote	Block quotation
•	- Item	Bulleted list
<>	`code`	Inline code
—	---	Horizontal divider

Example document

```
# Project Brief

This paragraph contains important text and emphasis.

## Objectives

- Produce a clear document
- Maintain visual consistency
- Export an offline PDF

> A focused document is easier to read.

---

### Final Note

Use `inline code` for identifiers.
```

Pagination guidance

- Use short paragraphs and meaningful headings.
- Avoid extremely long, unbroken blocks that cannot fit on one page.
- Switch to single-column layout when double-column flow becomes crowded.
- Inspect every generated preview page before saving.




Figure 4 – Markdown toolbar, source content, and live rendered Markdown preview.

6 // Visuals

The Visuals panel adds one colour image and a document-wide watermark. The imported image remains part of the current editor session and is embedded into the rendered PDF.

Control	Behaviour
Upload Color Image	Opens Android's file picker. Choose an image format supported by the device, normally JPG or PNG.
Image Caption	Adds optional text below the image. Keep it short enough to avoid crowding.
First Page	Inserts the image before the Markdown body on page one.
Last Page	Places the image after the Markdown body on the final page.
Watermark Text	Displays large diagonal text behind document content. Clear the field to remove it.

Image recommendations

- Crop unnecessary borders before importing.
- Prefer JPG for photographs and PNG for diagrams or transparent graphics.
- Use a high-enough resolution for print, but avoid oversized source files that waste memory.
- Wait until the selected image appears in the A4 preview before exporting.

A watermark should remain readable without obscuring the document. Short uppercase labels usually work best.

03 // VISUALS

UPLOAD COLOR IMAGE

Choose file

No file chosen

IMAGE CAPTION (OPTIONAL)

FIG. 01 // EVIDENCE

IMAGE PLACEMENT

FIRST PAGE

LAST PAGE

WATERMARK TEXT

MAYHEM

Figure 5 – Visual controls for image, caption, placement, and watermark.

7 // Security & Export

The final panel confirms the storage destination, applies optional security and colour polarity, and starts the PDF renderer.

Control	Behaviour
Output Folder	Shows the active Android document-tree destination and readiness state.
Choose / Change	Opens the system folder picker and stores the newly granted location.
Encryption Password	When non-empty, configures password protection in the generated PDF.
Output Polarity	Switches between light paper/dark ink and negative black paper/white ink.
Save Borderless PDF	Renders each page, builds the final PDF, and writes it to the selected folder.

Password warning. Project Mayhem does not store or recover PDF passwords. Keep the password safely. Generate an unprotected replacement only if you still have access to the source content.

04 // SECURITY & EXPORT

PDF OUTPUT FOLDER // ONE-TIME SETUP

● READY // Mayhem Files

CHOOSE / CHANGE OUTPUT FOLDER

PDF files are saved directly to this folder.

ENCRYPTION PASSWORD

Leave empty for none

OUTPUT POLARITY

ENABLE NEGATIVE OUTPUT

SAVE BORDERLESS PDF

⚠ OFFLINE PDF ENGINE. IMAGES IN COLOR. ZERO-MARGIN OUTPUT.
OPTIONAL ENCRYPTION. SAVED TO YOUR SELECTED FOLDER.

Figure 6 – Ready output folder, password field, polarity control, and save button.

8 // End-to-End PDF Workflow

- 1 Configure the title, typography, metadata, body layout, and footer.
- 2 Write or paste Markdown content and confirm the rendered Markdown preview.
- 3 Optionally add an image, caption, placement, and watermark.
- 4 Review every A4 preview page for overflow, awkward wrapping, and visual balance.
- 5 Confirm the green output-folder indicator.
- 6 Optionally enter an encryption password and enable negative output.
- 7 Tap **Save Borderless PDF** and leave the app open while pages render.
- 8 Wait for the confirmation message containing the folder and filename.
- 9 Open the chosen folder in a file manager and verify the PDF.

File naming

Generated filenames begin with **PROJECT_MAYHEM**, include a cleaned form of the title, and end with a timestamp. A document provider may add a suffix when a name already exists.

Quality checklist

- Title and metadata are accurate.
- Headings follow a consistent hierarchy.
- No paragraph, image, or caption is clipped.
- Watermark opacity is readable but not distracting.
- Footer text and page numbers are correct.
- The output folder is correct before saving.
- The final PDF opens successfully in another viewer.

For important documents, open the saved PDF and inspect every page before sharing or deleting the source text.

9 // Privacy, Storage & Security

Project Mayhem follows a least-privilege model. Editing and rendering are local. The APK bundles the user interface, fonts, Markdown parser, sanitizer, canvas renderer, and PDF library.

- No Internet permission is requested.
- No broad external-storage permission is requested.
- The app writes only through the user-approved document tree.
- The folder grant persists until revoked, replaced, or invalidated by the provider.
- User Markdown is sanitised before insertion into the preview DOM.
- External WebView navigation is blocked.
- The WebView uses a controlled local HTTPS origin for bundled assets.

A cloud or third-party provider selected in Android's folder picker may sync files under that provider's own policy. For fully local handling, choose a folder on internal storage or an SD card.

Native save path

The editor creates PDF bytes locally and transfers them through a narrow JavaScript interface to native Android code. Native code validates the PDF header, creates an `application/pdf` document using `DocumentsContract`, and writes the bytes through the provider's output stream.

What the one-time grant means

The system records permission for the selected folder URI. It is not a traditional filesystem path and does not give unrestricted access to all storage. If Android revokes the grant or the folder disappears, the user must select a destination again.

10 // Troubleshooting

Problem	Recommended action
Folder picker appears again	The previous grant is unavailable. Re-select the folder through Security & Export.
PDF save fails	Check free space, destination availability, and write access. Try a local folder to isolate a cloud-provider issue.
Rendering is slow	Reduce oversized images, shorten very large documents, and keep the app in the foreground.
Unexpected page breaks	Add paragraph boundaries, shorten oversized blocks, or use single-column flow.
Image is missing	Choose the image again, wait for preview refresh, and try JPG or PNG.
Negative output unwanted	Return to Security & Export and disable negative output before saving again.
Password forgotten	The password cannot be recovered. Generate a new PDF from source content.
APK will not install	Confirm Android 8.0+, complete the download, and allow the current installer source. A differently signed installed build may need attention.

When reporting a problem

Include the device model, Android version, exact steps, expected result, actual result, and a redacted screenshot. Never include an encryption password or confidential document text in a public issue.

Device: _____
Android version: _____
Project release: Version 1
Steps to reproduce: _____
Expected: _____
Actual: _____

11 // GitHub & Source Build

Prerequisites

- Git
- JDK 17
- Android Studio or the Android command-line SDK
- Android SDK Platform 35

Clone and build a debug APK

```
git clone <repository-url>
cd Project-Mayhem
./gradlew assembleDebug

Windows PowerShell:
.\gradlew.bat assembleDebug

Output:
app/build/outputs/apk/debug/app-debug.apk
```

Release signing

Release builds require a private signing key. Keep keystores and passwords out of Git. Back up the key securely because future updates must use the same signing identity.

```
storeFile=your-release-key.jks
storePassword=YOUR_STORE_PASSWORD
keyAlias=YOUR_KEY_ALIAS
keyPassword=YOUR_KEY_PASSWORD
```

Run release checks

```
./gradlew lintRelease assembleRelease
```

12 // Repository & Release Maintenance

Repository structure

```
app/  
├── src/main/  
│   ├── assets/  
│   │   ├── index.html  
│   │   ├── fonts/  
│   │   └── vendor/  
│   └── java/com/projectmayhem/pdf/MainActivity.java  
│   └── res/  
└── docs/  
    ├── images/  
    └── Project-Mayhem-User-Guide.pdf
```

Release checklist

- 1 Run lint and build the signed APK.
- 2 Verify the APK's package, target SDK, signature, and expected permissions.
- 3 Install the release on a clean test device.
- 4 Test first-run folder setup, image selection, Markdown rendering, standard output, negative output, and password protection.
- 5 Generate and publish the APK SHA-256 checksum.
- 6 Create a Version 1 Git tag and GitHub release.
- 7 Attach the APK and checksum, then describe requirements and installation steps.
- 8 Download the uploaded asset and perform one final installation test.

Example release commands

```
sha256sum Project-Mayhem.apk > Project-Mayhem.apk.sha256  
git tag -a version-1 -m "Project Mayhem Version 1"  
git push origin version-1
```

Never attach a keystore, keystore.properties, or private credentials to an issue, commit, build artifact, or GitHub release.

13 // Developer & Contact



ABY BIJO

GitHub: github.com/AbyBiJo

Email: abybiJo1978@gmail.com

Academic email: abybiJo2025bca@mac.edu.in

PROJECT MAYHEM // VERSION 1

CREATE DELIBERATELY. PREVIEW CLEARLY. SAVE LOCALLY.