

CRUD Penyewa

POST rental_mobil/api/register

POST rental_mobil/api/login

POST rental_mobil/api/tambahpenyewa

+ ...

No Environment

Untitled Request

Comments 0

POST

rental_mobil/api/tambahpenyewa

Send

Save

Params Authorization Headers (10) Body Pre-request Script Tests Settings Cookies Code

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

	KEY	VALUE	DESCRIPTION	...	Bulk Edit
<input checked="" type="checkbox"/>	nama_penyewa	rocky			
<input checked="" type="checkbox"/>	alamat_penyewa	Tulungagung			
<input checked="" type="checkbox"/>	telp	08652526278			
<input checked="" type="checkbox"/>	no_ktp	0088321456380687			
	Key	Value	Description		

Body Cookies Headers (11) Test Results Status: 200 OK Time: 566 ms Size: 385 B Save Response

Pretty Raw Preview Visualize JSON

1 "Data Penyewa berhasil ditambahkan"

POST rental_mobil/api/register

POST rental_mobil/api/login

GET rental_mobil/api/datapenyewa

+ ...

No Environment

Untitled Request

Comments 0

GET

rental_mobil/api/datapenyewa

Send

Save

Params Authorization Headers (10) Body Pre-request Script Tests Settings Cookies Code

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

	KEY	VALUE	DESCRIPTION	...	Bulk Edit
<input checked="" type="checkbox"/>	nama_penyewa	rocky			
<input checked="" type="checkbox"/>	alamat_penyewa	Tulungagung			
<input checked="" type="checkbox"/>	telp	08652526278			
<input checked="" type="checkbox"/>	no_ktp	0088321456380687			
	Key	Value	Description		

Body Cookies Headers (11) Test Results Status: 200 OK Time: 7.76 s Size: 476 B Save Response

Pretty Raw Preview Visualize JSON

1 {
2 "id": 1,
3 "nama_penyewa": "rocky",
4 "alamat_penyewa": "Tulungagung",
5 "telp": "08652526278",
6 "no_ktp": "0088321456380687",
7 "foto": null
8 }
9

POST rental_mobil/api/register

POST rental_mobil/api/login

PUT rental_mobil/api/ubahpenyewa...

+

...

No Environment

Untitled Request

Comments 0

PUT

rental_mobil/api/ubahpenyewa/1

Send

Save

ParamsAuthorizationHeaders (10)BodyPre-request ScriptTestsSettingsCookiesCode

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

	KEY	VALUE	DESCRIPTION	...	Bulk Edit
<input checked="" type="checkbox"/>	nama_penyewa	romli			
<input checked="" type="checkbox"/>	alamat_penyewa	Malang			
<input checked="" type="checkbox"/>	telp	98394383137			
<input checked="" type="checkbox"/>	no_ktp	0088321456380698			
	Key	Value	Description		

BodyCookiesHeaders (11)Test ResultsStatus: 200 OKTime: 708 msSize: 380 BSave Response

Pretty

Raw

Preview

Visualize

JSON

1 "Data Penyewa berhasil diubah"

POST rental_mobil/api/register

POST rental_mobil/api/login

DEL rental_mobil/api/hapuspenyewa...

+

...

No Environment

Untitled Request

Comments 0

DELETE

rental_mobil/api/hapuspenyewa/1

Send

Save

ParamsAuthorizationHeaders (10)BodyPre-request ScriptTestsSettingsCookiesCode

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

	KEY	VALUE	DESCRIPTION	...	Bulk Edit
<input checked="" type="checkbox"/>	nama_penyewa	romli			
<input checked="" type="checkbox"/>	alamat_penyewa	Malang			
<input checked="" type="checkbox"/>	telp	98394383137			
<input checked="" type="checkbox"/>	no_ktp	0088321456380698			
	Key	Value	Description		

BodyCookiesHeaders (11)Test ResultsStatus: 200 OKTime: 380 msSize: 381 BSave Response

Pretty

Raw

Preview

Visualize

JSON

1 "Data Penyewa berhasil dihapus"

CRUD Jenis

Untitled Request

Comments 0

POST

rental_mobil/api/tambahjenis

Send

Save

Params

Authorization

Headers (10)

Body

Pre-request Script

Tests

Settings

Cookies

Code

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

	KEY	VALUE	DESCRIPTION		Bulk Edit
<input checked="" type="checkbox"/>	nama_jenis	sedan			
	Key	Value	Description		

Body

Cookies

Headers (11)

Test Results

Status: 200 OK Time: 437 ms Size: 389 B Save Response

Pretty

Raw

Preview

Visualize

JSON

1 "Data Jenis Mobil berhasil ditambahkan"

POST rental_mobil/api/regs...

POST rental_mobil/api/login

DEL rental_mobil/api/hapus...

GET rental_mobil/api/dataje...

+

...

No Environment

Untitled Request

Comments 0

GET

rental_mobil/api/datajenis

Send

Save

Params

Authorization

Headers (10)

Body

Pre-request Script

Tests

Settings

Cookies

Code

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

	KEY	VALUE	DESCRIPTION		Bulk Edit
<input checked="" type="checkbox"/>	nama_jenis	pickup			
	Key	Value	Description		

Body

Cookies

Headers (11)

Test Results

Status: 200 OK Time: 339 ms Size: 412 B Save Response

Pretty

Raw

Preview

Visualize

JSON

1 [
2 {
3 "id": 1,
4 "nama_jenis": "sedan"
5 },
6 {
7 "id": 2,
8 "nama_jenis": "pickup"
9 }
10]

Untitled Request

Comments 0

PUT

rental_mobil/api/ubahjenis/2

Send

Save

Params

Authorization

Headers (10)

Body

Pre-request Script

Tests

Settings

Cookies

Code

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

	KEY	VALUE	DESCRIPTION		Bulk Edit
<input checked="" type="checkbox"/>	nama_jenis	sports			
	Key	Value	Description		

Body

Cookies

Headers (11)

Test Results

Status: 200 OK Time: 5.78 s Size: 384 B Save Response

Pretty

Raw

Preview

Visualize

JSON

1 "Data Jenis Mobil berhasil diubah"

POST rental_mobil/api/regist... POST rental_mobil/api/login DEL rental_mobil/api/hapus... DEL rental_mobil/api/hapusj... + ... No Environment

Untitled Request Comments 0

DELETE rental_mobil/api/hapusjenis/2 Send Save

Params Authorization Headers (10) Body Pre-request Script Tests Settings Send Save Cookies Code

none form-data x-www-form-urlencoded raw binary GraphQL

KEY	VALUE	DESCRIPTION
<input checked="" type="checkbox"/> nama_jenis	sports	
Key	Value	Description

Body Cookies Headers (11) Test Results Status: 200 OK Time: 387 ms Size: 385 B Save Response

Pretty Raw Preview Visualize JSON

```
1 "Data Jenis Mobil berhasil dihapus"
```

CRUD Mobil

Untitled Request Comments 0

POST rental_mobil/api/tambahmobil Send Save

Params Authorization Headers (10) Body Pre-request Script Tests Settings Cookies Code

none form-data x-www-form-urlencoded raw binary GraphQL

KEY	VALUE	DESCRIPTION
<input checked="" type="checkbox"/> nama_mobil	BMW	
<input checked="" type="checkbox"/> id_jenis	1	
<input checked="" type="checkbox"/> plat_nomor	89FF738	
<input checked="" type="checkbox"/> kondisi	mulnomin	
Key	Value	Description

Body Cookies Headers (11) Test Results Status: 200 OK Time: 6.56 s Size: 383 B Save Response

Pretty Raw Preview Visualize JSON

```
1 "Data Mobil berhasil ditambahkan"
```

GET rental_mobil/api/datamobil Send Save

<input checked="" type="checkbox"/> id_jenis	1
<input checked="" type="checkbox"/> plat_nomor	12TY425
<input checked="" type="checkbox"/> kondisi	mulnomin
Key	Value

Body Cookies Headers (11) Test Results Status: 200 OK Time: 317 ms Size: 523 B Save Response

Pretty Raw Preview Visualize JSON

```
1 {
2   {
3     "id": 1,
4     "id_jenis": 1,
5     "nama_mobil": "BMW",
6     "plat_nomor": "89FF738",
7     "kondisi": "mulnomin"
8   },
9   {
10    "id": 2,
11    "id_jenis": 1,
12    "nama_mobil": "Ford",
13    "plat_nomor": "12TY425",
14    "kondisi": "mulnomin"
15  }
16 }
```

Untitled Request

Comments 0

PUTrental_mobil/api/ubahmobil/2

Send

Save

ParamsAuthorizationHeaders (10)BodyPre-request ScriptTestsSettingsCookiesCode

noneform-datax-www-form-urlencodedrawbinaryGraphQL

	KEY	VALUE	DESCRIPTION	...	Bulk Edit
<input checked="" type="checkbox"/>	nama_mobil	Mitsubishi			
<input checked="" type="checkbox"/>	id_jenis	1			
<input checked="" type="checkbox"/>	plat_nomor	00KK3H1			
<input checked="" type="checkbox"/>	kondisi	mulnomin			
	Key	Value	Description		

BodyCookiesHeaders (11)Test Results

Status: 200 OKTime: 448 msSize: 378 BSave Response

PrettyRawPreviewVisualizeJSON

1"Data Mobil berhasil diubah"

Untitled Request

Comments 0

DELETERental_mobil/api/hapusmobil/2

Send

Save

ParamsAuthorizationHeaders (10)BodyPre-request ScriptTestsSettingsCookiesCode

noneform-datax-www-form-urlencodedrawbinaryGraphQL

	KEY	VALUE	DESCRIPTION	...	Bulk Edit
<input checked="" type="checkbox"/>	nama_mobil	Mitsubishi			
<input checked="" type="checkbox"/>	id_jenis	1			
<input checked="" type="checkbox"/>	plat_nomor	00KK3H1			
<input checked="" type="checkbox"/>	kondisi	mulnomin			
	Key	Value	Description		

BodyCookiesHeaders (11)Test Results

Status: 200 OKTime: 360 msSize: 379 BSave Response

PrettyRawPreviewVisualizeJSON

1"Data Mobil berhasil dihapus"

UPDATE, DELETE Petugas

Untitled Request

Comments 0

PUT

rental_mobil/api/ubahpetugas/2

Send

Save

Params

Authorization

Headers (10)

Body

Pre-request Script

Tests

Settings

Cookies

Code

none

form-data

x-www-form-urlencoded

raw

binary

GraphQL

KEY	VALUE	DESCRIPTION	...	Bulk Edit
<input checked="" type="checkbox"/> nama_petugas	defoe			
<input checked="" type="checkbox"/> alamat_petugas	Blitar			X
<input checked="" type="checkbox"/> username	def			
<input checked="" type="checkbox"/> password	def123			
<input checked="" type="checkbox"/> password_confirmation	def123			
<input checked="" type="checkbox"/> level	petugas			
Key	Value	Description		

Body

Cookies

Headers (11)

Test Results

Status: 200 OK Time: 982 ms Size: 380 B Save Response

Pretty

Raw

Preview

Visualize

JSON

1 "Data Petugas berhasil diubah"

POST rental_mo...

POST rental_m...

DEL rental_mob...

DEL rental_mob...

DEL rental_mob...

DEL rental_mob...

+

...

No Environment

DELETE

rental_mobil/api/hapuspetugas/2

Send

Save

Body

Cookies

Headers (11)

Test Results

Status: 200 OK Time: 430 ms Size: 381 B Save Response

Pretty

Raw

Preview

Visualize

JSON

1 "Data Petugas berhasil dihapus"

PenyewaController

```

<?php

namespace App\Http\Controllers;

use Illuminate\Http\Request;
use App\Penyewa;
use Auth;
use Illuminate\Support\Facades\Validator;

class PenyewaController extends Controller
{
    public function show()
    {
        if(Auth::user()->level == 'admin'){
            $dt_penyewa=Penyewa::get();
            return Response()->json($dt_penyewa);
        }else{
            return Response()->json('Anda Bukan admin');
        }
    }

    public function store(Request $req){
        if(Auth::user()->level == 'admin'){

            $validator = Validator::make($req->all(),
            [
                'nama_penyewa'=>'required',
                'alamat_penyewa'=>'required',
                'telp'=>'required',
                'no_ktp'=>'required'
            ]
            );
            if($validator->fails()){
                return Response()->json($validator->errors());
            }

            $simpan = Penyewa::create([
                'nama_penyewa'=>$req->nama_penyewa,
                'alamat_penyewa'=>$req->alamat_penyewa,
                'telp'=>$req->telp,
                'no_ktp'=>$req->no_ktp
            ]);
            if($simpan){
                return Response()->json('Data Penyewa berhasil ditambahkan');
            }else{
                return Response()->json('Data Penyewa gagal ditambahkan');
            }
        }else{
            return Response()->json('Anda Bukan admin');
        }
    }

    public function update($id,Request $req){
        if(Auth::user()->level == 'admin'){

            $validator = Validator::make($req->all(),
            [
                'nama_penyewa'=>'required',
                'alamat_penyewa'=>'required',

```

```

public function update($id, Request $req){
    if(Auth::user()->level == 'admin'){

        $validator = Validator::make($req->all(),
            [
                'nama_penyewa'=>'required',
                'alamat_penyewa'=>'required',
                'telp'=>'required',
                'no_ktp'=>'required'
            ]
        );
        if($validator->fails()){
            return Response()->json($validator->errors());
        }

        $ubah = Penyewa::where('id', $id)->update([
            'nama_penyewa'=>$req->nama_penyewa,
            'alamat_penyewa'=>$req->alamat_penyewa,
            'telp'=>$req->telp,
            'no_ktp'=>$req->no_ktp
        ]);
        if($ubah){
            return Response()->json('Data Penyewa berhasil diubah');
        }else{
            return Response()->json('Data Penyewa gagal diubah');
        }
    }else{
        return Response()->json('Anda Bukan admin');
    }
}

public function destroy($id){
    if(Auth::user()->level == 'admin'){

        $hapus = Penyewa::where('id', $id)->delete();
        if($hapus){
            return Response()->json('Data Penyewa berhasil dihapus');
        }else{
            return Response()->json('Data Penyewa gagal dihapus');
        }
    }else{
        return Response()->json('Anda Bukan admin');
    }
}

```

MobilController


```

<?php

namespace App\Http\Controllers;

use Illuminate\Http\Request;
use App\Mobil;
use Auth;
use Illuminate\Support\Facades\Validator;

class MobilController extends Controller
{
    public function show()
    {
        if(Auth::user()->level == 'admin'){
            $dt_mobil=Mobil::get();
            return Response()->json($dt_mobil);
        }else{
            return Response()->json('Anda Bukan admin');
        }
    }

    public function store(Request $req){
        if(Auth::user()->level == 'admin'){

            $validator = Validator::make($req->all(),
            [
                'id_jenis'=>'required',
                'nama_mobil'=>'required',
                'plat_nomor'=>'required',
                'kondisi'=>'required'
            ]
            );
            if($validator->fails()){
                return Response()->json($validator->errors());
            }

            $simpan = Mobil::create([
                'id_jenis'=>$req->id_jenis,
                'nama_mobil'=>$req->nama_mobil,
                'plat_nomor'=>$req->plat_nomor,
                'kondisi'=>$req->kondisi
            ]);
            if($simpan){
                return Response()->json('Data Mobil berhasil ditambahkan');
            }else{
                return Response()->json('Data Mobil gagal ditambahkan');
            }
        }else{
            return Response()->json('Anda Bukan admin');
        }
    }

    public function update($id,Request $req){
        if(Auth::user()->level == 'admin'){

            $validator = Validator::make($req->all(),
            [
                'id_jenis'=>'required',
                'nama_mobil'=>'required',

```

```

public function update($id, Request $req){
    if(Auth::user()->level == 'admin'){

        $validator = Validator::make($req->all(),
            [
                'id_jenis'=>'required',
                'nama_mobil'=>'required',
                'plat_nomor'=>'required',
                'kondisi'=>'required'
            ]
        );
        if($validator->fails()){
            return Response()->json($validator->errors());
        }

        $ubah = Mobil::where('id', $id)->update([
            'id_jenis'=>$req->id_jenis,
            'nama_mobil'=>$req->nama_mobil,
            'plat_nomor'=>$req->plat_nomor,
            'kondisi'=>$req->kondisi
        ]);
        if($ubah){
            return Response()->json('Data Mobil berhasil diubah');
        }else{
            return Response()->json('Data Mobil gagal diubah');
        }
    }else{
        return Response()->json('Anda Bukan admin');
    }
}

public function destroy($id){
    if(Auth::user()->level == 'admin'){

        $hapus = Mobil::where('id', $id)->delete();
        if($hapus){
            return Response()->json('Data Mobil berhasil dihapus');
        }else{
            return Response()->json('Data Mobil gagal dihapus');
        }
    }else{
        return Response()->json('Anda Bukan admin');
    }
}

```

JenisController

```

<?php

namespace App\Http\Controllers;

use Illuminate\Http\Request;
use App\Jenis;
use Auth;
use Illuminate\Support\Facades\Validator;

class JenisController extends Controller
{
    public function show()
    {
        if(Auth::user()->level == 'admin'){
            $dt_jenis=Jenis::get();
            return Response()->json($dt_jenis);
        }else{
            return Response()->json('Anda Bukan admin');
        }
    }

    public function store(Request $req){
        if(Auth::user()->level == 'admin'){

            $validator = Validator::make($req->all(),
            [
                'nama_jenis'=>'required'
            ]
            );
            if($validator->fails()){
                return Response()->json($validator->errors());
            }

            $simpan = Jenis::create([
                'nama_jenis'=>$req->nama_jenis
            ]);
            if($simpan){
                return Response()->json('Data Jenis Mobil berhasil ditambahkan');
            }else{
                return Response()->json('Data Jenis Mobil gagal ditambahkan');
            }
        }else{
            return Response()->json('Anda Bukan admin');
        }
    }

    public function update($id,Request $req){
        if(Auth::user()->level == 'admin'){

            $validator = Validator::make($req->all(),
            [
                'nama_jenis'=>'required'
            ]
            );
            if($validator->fails()){
                return Response()->json($validator->errors());
            }

            $ubah = Jenis::where('id', $id)->update([

```

```

public function update($id, Request $req){
    if(Auth::user()->level == 'admin'){

        $validator = Validator::make($req->all(),
        [
            'nama_jenis'=>'required'
        ]
        );
        if($validator->fails()){
            return Response()->json($validator->errors());
        }

        $ubah = Jenis::where('id', $id)->update([
            'nama_jenis'=>$req->nama_jenis
        ]);
        if($ubah){
            return Response()->json('Data Jenis Mobil berhasil diubah');
        }else{
            return Response()->json('Data Jenis Mobil gagal diubah');
        }
    }else{
        return Response()->json('Anda Bukan admin');
    }
}

public function destroy($id){
    if(Auth::user()->level == 'admin'){

        $hapus = Jenis::where('id', $id)->delete();
        if($hapus){
            return Response()->json('Data Jenis Mobil berhasil dihapus');
        }else{
            return Response()->json('Data Jenis Mobil gagal dihapus');
        }
    }else{
        return Response()->json('Anda Bukan admin');
    }
}
}

```

Model Penyewa

```

<?php

namespace App;

use Illuminate\Database\Eloquent\Model;

class Penyewa extends Model
{
    protected $table = "penyewa" ;
    protected $primaryKey = "id" ;
    protected $fillable = [
        'nama_penyewa', 'alamat_penyewa', 'telp', 'no_ktp',
    ];

    public $timestamps = false ;
}

```

Model Mobil

```
<?php

namespace App;

use Illuminate\Database\Eloquent\Model;

class Mobil extends Model
{
    protected $table = "mobil" ;
    protected $primaryKey = "id" ;
    protected $fillable = [
        'nama_mobil', 'id_jenis', 'plat_nomor', 'kondisi',
    ];

    public $timestamps = false ;
}
```

Model Jenis_mobil

```
<?php

namespace App;

use Illuminate\Database\Eloquent\Model;

class Jenis extends Model
{
    protected $table = "jenis_mobil" ;
    protected $primaryKey = "id" ;
    protected $fillable = [
        'nama_jenis',
    ];

    public $timestamps = false ;
}
```

Api.php

```
use Illuminate\Http\Request;

/*
|-----
| API Routes
|-----
|
| Here is where you can register API routes for your application. These
| routes are loaded by the RouteServiceProvider within a group which
| is assigned the "api" middleware group. Enjoy building your API!
|
*/

//Route::middleware('auth:api')->get('/user', function (Request $request) {
//    return $request->user();
//});

Route::post('register', 'PetugasController@register');
Route::post('login', 'PetugasController@login');

Route::put('ubahpetugas/{id}', 'PetugasController@update')->middleware('jwt.verify');
Route::delete('hapuspetugas/{id}', 'PetugasController@destroy')->middleware('jwt.verify');

Route::get('datapenyewa', 'PenyewaController@show')->middleware('jwt.verify');
Route::post('tambahpenyewa', 'PenyewaController@store')->middleware('jwt.verify');
Route::put('ubahpenyewa/{id}', 'PenyewaController@update')->middleware('jwt.verify');
Route::delete('hapuspenyewa/{id}', 'PenyewaController@destroy')->middleware('jwt.verify');

Route::get('datamobil', 'MobilController@show')->middleware('jwt.verify');
Route::post('tambahmobil', 'MobilController@store')->middleware('jwt.verify');
Route::put('ubahmobil/{id}', 'MobilController@update')->middleware('jwt.verify');
Route::delete('hapusmobil/{id}', 'MobilController@destroy')->middleware('jwt.verify');

Route::get('datajenis', 'JenisController@show')->middleware('jwt.verify');
Route::post('tambahjenis', 'JenisController@store')->middleware('jwt.verify');
Route::put('ubahjenis/{id}', 'JenisController@update')->middleware('jwt.verify');
Route::delete('hapusjenis/{id}', 'JenisController@destroy')->middleware('jwt.verify');
```