



basic education

Department:
Basic Education
REPUBLIC OF SOUTH AFRICA

NATIONAL
SENIOR CERTIFICATE

GRADE 12

ENGINEERING GRAPHICS AND DESIGN P2

NOVEMBER 2022

MARKS: 100

TIME: 3 hours

This question paper consists of 6 pages.

Barcode label

INSTRUCTIONS AND INFORMATION

1. This question paper consists of FOUR questions.
2. Answer ALL the questions.
3. ALL drawings are in third-angle orthographic projection, unless otherwise stated.
4. ALL drawings must be prepared using pencil and instruments, unless otherwise stated.
5. ALL answers must be drawn accurately and neatly.
6. ALL the questions must be answered on the QUESTION PAPER, as instructed.
7. ALL the pages, irrespective of whether the question was attempted or not, must be re-stapled in numerical sequence in the TOP LEFT-HAND CORNER ONLY.
8. Time management is essential in order to complete all the questions.
9. Print your examination number in the block provided on every page.
10. Any details or dimensions not given must be assumed in good proportion.

FOR OFFICIAL USE ONLY															
QUESTION	MARKS OBTAINED			$\frac{1}{2}$	SIGN	MODERATED			$\frac{1}{2}$	SIGN	RE-MARKING			$\frac{1}{2}$	SIGN
1															
2															
3															
4															
TOTAL															
	2	0	0			2	0	0			2	0	0		

FINAL CONVERTED MARK

CHECKED BY

100



COMPLETE THE FOLLOWING:

CENTRE NUMBER

CENTRE NUMBER

EXAMINATION NUMBER

EXAMINATION NUMBER



4			
3	CHANGE TOLERANCE TO $\pm 0,02$	09/12/2021	J. STEYN
2	ADD SECTIONS ON SHAFT	08/12/2021	J. STEYN
1	CHANGE INDICATED DIMENSIONS	06/12/2021	J. STEYN
REVISION	DESCRIPTION	DATE	DRAWN

FILE NAME: MS - 11 - 2022		MATERIAL: ● BRACKET : WROUGHT IRON ● SHAFT: MILD STEEL		ALL UNSPECIFIED RADII ARE 3 mm		TOLERANCE: ± 0,02 UNLESS OTHERWISE STATED		GRINDING 0,8/ 0,2√C	
DRAWING No. 13									
COMMISSIONED BY: RACK IT MANUFACTURERS		DRAWING PROGRAMME: AUTOCAD 2022		ALL DIMENSIONS ARE IN MILLIMETRES,					
				QUANTITY: 3000		SCALE 1 : 3			
MILLER DESIGN AND DETAILING 1 ANFIELD PLACE LIVERPOOL X600 www.millerd&d.co.za 012 567 8910				DRAWN BY: J. BONGANI		DATE: 2021/12/04			
				CHECKED: S. SMITH		DATE: 2021/12/12			
				APPROVED BY: J. BHIKA		DATE: 2021/12/17			
TITLE: BRACKET AND SHAFT									

QUESTION 1: ANALYTICAL (MECHANICAL)

Given:

Two views of a bracket, and a view of a shaft, a title block and a table of questions. The drawings are not presented to the indicated scale.


Instructions:

Complete the table below by neatly answering the questions, which refer to the accompanying drawings, the title block and mechanical content. [3]

QUESTIONS		ANSWERS			
1	Who checked the drawing?		1		
2	How many revisions have been made?		1		
3	From what material must the shaft be manufactured?		1		
4	How many holes are there in the bracket?		1		
5	What type of sections are S-S and T-T of the shaft?		1		
6	How many screw threads must be cut on the shaft?		1		
7	If VIEW 2 of the bracket is the front view, what would VIEW 1 be called?		1		
8	What does the abbreviation AF stand for?		1		
9	What is the abbreviation for countersunk?		1		
10	Determine the complete dimensions at: A: B: C:		3		
11	What is the height of the spot face on the bracket?		1		
12	What is the depth of the keyway on the shaft?		1		
13	If scale 1 : 1 was used, what would the dimension at D read?		1		
14	With reference to the orthographic system used, on which side of the truncated cone of the projection symbol would the two circles be drawn?		1		
15	Specify the size and depth for the left-hand thread.		1		
16	How many surfaces on the bracket must be machined?		1		
17	With reference to the tolerance, determine the minimum diameter of the hole at E.		2		
18	With reference to the machining symbol in the title block, what do the following component specifications refer to?	0,2	1		
		0,8	1		
		GRINDING	1		
		C	1		
19	In the space below (ANSWER 19), complete, in neat freehand, the SANS 10111 conventional representation for the given holes on a LINEAR PITCH.		3		
20	In the space below (ANSWER 20), complete, in neat freehand, the SANS 10111 conventional representation for an INTERRUPTED VIEW on a square bar.		3		
TOTAL			30		

QUESTION 19:

ANSWER 20:



DETAILED




CONVENTION



EXAMINATION NUMBER

EXAMINATION NUMBER

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118	119	120	121	122	123	124	125	126	127	128	129	130	131	132	133	134	135	136	137	138	139	140	141	142	143	144	145	146	147	148	149	150	151	152	153	154	155	156	157	158	159	160	161	162	163	164	165	166	167	168	169	170	171	172	173	174	175	176	177	178	179	180	181	182	183	184	185	186	187	188	189	190	191	192	193	194	195	196	197	198	199	200	201	202	203	204	205	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237	238	239	240	241	242	243	244	245	246	247	248	249	250	251	252	253	254	255	256	257	258	259	260	261	262	263	264	265	266	267	268	269	270	271	272	273	274	275	276	277	278	279	280	281	282	283	284	285	286	287	288	289	290	291	292	293	294	295	296	297	298	299	300	301	302	303	304	305	306	307	308	309	310	311	312	313	314	315	316	317	318	319	320	321	322	323	324	325	326	327	328	329	330	331	332	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374	375	376	377	378	379	380	381	382	383	384	385	386	387	388	389	390	391	392	393	394	395	396	397	398	399	400	401	402	403	404	405	406	407	408	409	410	411	412	413	414	415	416	417	418	419	420	421	422	423	424	425	426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443	444	445	446	447	448	449	450	451	452	453	454	455	456	457	458	459	460	461	462	463	464	465	466
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----



QUESTION 2: LOCI

NOTE: Answer QUESTIONS 2.1 and 2.2.

2.1 MECHANISM

- Given:
- A schematic drawing of a mechanism consisting of crank OA, sliding rod DB, horizontal groove GH, swivel guide F and rod CE in its vertical position
 - The position of centre point O on the drawing sheet
- Specifications:
- The positions of centre point O, swivel guide F and horizontal groove GH are fixed.
 - Rod DB = 165.
 - Sliding rod DB is pin-jointed to crank OA at A.
 - Rod CE passes through swivel guide F, and is pin-jointed to sliding rod DB at C.

Motion:
As crank OA rotates, point B of sliding rod DB reciprocates along groove GH and rod CE slides through swivel guide F.

- Instructions:
- Draw, to scale 1:1, the given schematic drawing of the mechanism.
 - Trace the loci generated by point D and by point E for ONE complete rotation of crank OA.
 - Show ALL construction. [25]

ASSESSMENT CRITERIA 2.1					
1	GIVEN + LABELS + CL	6			
2	CONSTRUCTION	5			
3	LOCI OF D AND E	14			
PENALTIES (-)					
SUBTOTAL		25			



2.2: CAM

- Given:
- The position of corner P on the drawing sheet
- Motion:
A cam imparts the following motion to a follower:
- It is at rest for the first 60°.
 - It rises 80 mm with uniform acceleration and retardation over the next 150°.
 - It returns to its original position with uniform motion over the rest of the rotation.

- Instructions:
- From corner P, draw, to a rotational scale of 10 mm = 30° and a displacement scale of 1 : 1, the complete displacement graph for the required motion.
 - Label the displacement graph and include the rotational scale.
 - Show ALL construction. [12]

ASSESSMENT CRITERIA 2.2					
1	GRAPH CONSTRUCTION	5			
2	POINTS + CURVE	6			
3	LABELS	1			
PENALTIES (-)					
SUBTOTAL 2.2		12			
SUBTOTAL 2.1		25			
TOTAL		37			

EXAMINATION NUMBER	
EXAMINATION NUMBER	3




QUESTION 3: ISOMETRIC DRAWING

- Given:**
- The front view, top view and left view of a tool
 - The position of point A on the drawing sheet


Instructions:
Using scale 1 : 1, convert the orthographic views of the tool into an isometric drawing.

- Make A the starting and lowest point of the drawing.
 - Show ALL construction.
 - NO hidden detail is required.
- [40]



↓
A

ASSESSMENT CRITERIA				
1	PLACING + AUX. VIEW	2		
2	BODY	20		
3	HANDLE	9 1/2		
4	CIRCLES + CONSTR. + CL	8 1/2		
PENALTIES (-)				
TOTAL		40		
EXAMINATION NUMBER				
EXAMINATION NUMBER				4



QUESTION 4: MECHANICAL ASSEMBLY

Given:

- The exploded isometric drawing of the parts of a wobble engine assembly, showing the position of each part relative to all the others
- Orthographic views of each of the parts of the wobble engine assembly

Instructions:

- Answer this question on page 6.
- Draw, to scale 1 : 1 and in third-angle orthographic projection, the following views of the assembled parts of the wobble engine assembly:
 - 4.1 ONLY the left half of the front view, by applying the convention of symmetry.
 - 4.2 A sectional left view on cutting plane A-A, as seen from the direction of the arrow on the exploded isometric drawing. The cutting plane is shown on the front view of the base (part 1).

NOTE:

- Planning is essential.
- The drawing must comply with the SANS 10111 guidelines.
- The piston (part 7) must be drawn in the highest position.
- Show THREE faces of the M16 nut (part 5) on the sectional view.
- The compression spring (part 9) must be drawn as a conventional representation, at the full extension of 20 mm.
- NO hidden detail is required.

[93]

PARTS LIST			
PARTS		QUANTITY	MATERIAL
1	BASE	1	CAST IRON
2	SHAFT	1	MILD STEEL
3	KEY	1	KEY STEEL
4	M16 WASHER	1	MILD STEEL
5	M16 NUT	1	MILD STEEL
6	CRANK	1	CAST IRON
7	PISTON	1	MILD STEEL
8	CYLINDER	1	CAST IRON
9	COMPRESSION SPRING	1	SPRING STEEL
10	TENSION SCREW	1	MILD STEEL
11	FLY WHEEL	1	CAST IRON

STEAM PUNK
ENGINEERING CC

7 WATT STREET
INDUSTRIA
www.steamp.co.za
012 345 6789

WOBBLE ENGINE ASSEMBLY

ALL DIMENSIONS ARE IN MILLIMETRES.

5



FOR OFFICIAL USE ONLY	
INCORRECT ORTHOGRAPHIC PROJECTION	
INCORRECT OVERALL SCALE	
INCORRECT HATCHING	
PARTS NOT ASSEMBLED	
TOTAL PENALTIES (-)	

ASSESSMENT CRITERIA					
FRONT VIEW					
		POSSIBLE	OBTAINED	SIGN	MODERATED
1	BASE	5 ¹ / ₂			
2	TENSION SCREW	1 ¹ / ₂			
3	FLY WHEEL	1			
4	NUT + WASHER	4 ¹ / ₂			
5	INDICATION OF SYMMETRY	2			
SUBTOTAL		14 ¹ / ₂			
SECTIONAL LEFT VIEW					
1	BASE	13 ¹ / ₂			
2	CYLINDER	10			
3	PISTON	5 ¹ / ₂			
4	TENSION SCREW	8			
5	SPRING	1 ¹ / ₂			
6	CRANK	5 ¹ / ₂			
7	SHAFT + KEY + WASHER + NUT	15 ¹ / ₂			
8	FLY WHEEL	7			
SUBTOTAL		66 ¹ / ₂			
GENERAL					
1	CENTRE LINES	2			
2	ASSEMBLY	10			
SUBTOTAL		12			
TOTAL		93			
PENALTIES (-)					
GRAND TOTAL					
EXAMINATION NUMBER					
EXAMINATION NUMBER					6