higher education & training

Department:
Higher Education and Training
REPUBLIC OF SOUTH AFRICA

MARKING GUIDELINE

NATIONAL CERTIFICATE

QUANTITY SURVEYING N6

3 December 2019

This marking guideline consists of 9 pages.

Copyright reserved

QUESTION 1

1.1 1.1.1 Number (no.)
1.1.2 Number (no.)
1.1.3 Metres (m)
1.1.4 Cubic metres (m^3)
1.1.5 Square metres (m^2)
1.1.6 Metres (m)

(6 × 1) (6)

1.2 1.2.1
- It must be clearly stated if old material are to be reused
- or to be disposed of.
- An allowance for credit must be made if the contractor may take ownership of it.


1.2.2
- Creating of an opening is measured in numbers
- and all the work and materials to complete the opening must be included in the description.
- New doors or windows shall be measured in the relevant trades.

(2 × 3) (6)

1.3 1.3.1 Specifications are notes written by the quantity surveyor with regard to:
- the required quality of materials.
- the suppliers of materials.
- details about the nature of the contract.
- the extent of responsibilities.
- the use of the main contractor's equipment.
- Specification notes will also be supplied by the architect on the drawings. (Any 4 × 1) (4)

1.3.2 Preambles are notes specifically inserted on the front page of each trade in the bills of quantities and would make special reference to:
- the quality of materials to be used
- the use of specific suppliers.
- the quality of workmanship with regard to finishes (4)

1.4



(5)
[25]

QUESTION 2

2	0,57	✓	22 mm thk. white mel. chip brd. dividers w. walnut veneer on side, finished edge strip to one vert. edge✓
2	2,40	✓	
	0,50	✓	
2	0,60	✓	
	0,57	✓	
	0,72	✓	
			0,100 + 1,700 + 0,600 = 2,400 m
			0,570 - 0,075 = 0,495 m
			0,100 + 0,620 = 0,720 m
2	0,96	✓	Ditto, ditto but for hor. tops and bases✓
4	0,57	✓	
	0,80	✓	
	0,57	✓	
			1,000 - 2/22 = 0,956 m
			0,840 - 2/22 = 0,796 m
4	0,96	✓	22 mm thk. white mel. chip brd. shelving w. walnut finish edge strip to front✓
	0,57	✓	
2	0,57	✓	22 mm thk. walnut finish b.s chip brd.✓
	2,40	✓	
2	0,96	✓	Ditto, but to base plinth ✓
	0,10	✓	
	0,80	✓	
	0,10	✓	
	0,80	✓	22 mm thk. mel. chip✓ brd. w. walnut veneer finished b.s. and one edge strip in drawer chest top
	0,57	✓	
2	1,00	✓	3 mm thk. h.b. backing finished white on smooth side✓
	2,40	✓	
	0,84	✓	
	0,60	✓	
	0,84	✓	
	0,62	✓	
4		✓	550 × 785 mm drawer units ✓
			and
			162 × 836 mm walnut finish frontals w. 2 mm thk. edge strips a.r.✓

Copyright reserved

	2	✓	416 × 594 mm walnut finish chip brd. drs. edged w. 2 mm thk. edging strips a.r. ✓	4 /	2	✓	350 mm telescope drawer runner✓
	4	✓	Ditto but 496 × 2 296 mm ✓		2	✓	1 m long alum. oval hanger bar incl. plastic brackets✓
	2,84	✓	Two cts. clr. varnish to✓ exposed tbr. surfaces				
2 /	2,40	✓					
	0,57	✓					
	2,40	✓	2/1,000 + 0,840 = 2,840 m				
4 /	3	✓	Concealed silver stl. hinge ✓				
2 /	2	✓					
	4	✓	190 mm long silver drawer handle✓				
	6	✓	Ditto but 290 mm long dr. handle✓				

(50 ÷ 2) **[25]**

QUESTION 3

	6,90 4,80 0,25	✓	25 MPa reinf. conc. hollow block slab incl. s.o.and c. hor. top surface✓ 4/0,300 + 3,600 = 4,800 m 0,200 + 0,050 = 0,250 m		22,20 0,30 0,25	✓	25 MPa reinf. conc. in bms. ✓ 2/6,900 = 13,800 2/4,800 = 9,600 23,400 - 4/0,300 = 1,200 22,200 m✓ 0,500 – 0,250 = 0,250 m
	6,30 4,20	✓	Frmwrk. to soffit of hollow block slab ✓ 6,900 – 2/0,300 = 6,300 m 3,600 + 2/0,300 = 4,200 m		22,20 0,30	✓	Frmwrk. to soffit of bms.✓
13 12		✓	300 × 300 × 200 mm hollow clay blocks incl. closing ends b.s.✓ No. of blocks per row 3 600 ÷ 300 = 12 = 12 No. ✓		23,40 0,50 21,00 0,25	✓ ✓	Ditto, but to sides of bms.✓ 22,200 -4/0,300 = 21,000 m✓
1 2 3,60		✓	150 × 150 × 20 mm clay tiles in ribs✓		Item	✓	✓ Allow the prov. sum of R15 000,00 (Fifteen thousand rand) for stl. rod reinf. supplied, cut, bent, del. to site and fixed in position. and Add. for att. upon nom. subcontactor✓ and Add. for profit✓
			Ddt				
13 3,60 0,30 0,20		✓	25 MPa reinf. conc. in slab a.b.✓				
12 3,60 0,15 0,02		✓	- Clay blocks - Clay tiles				

[25]

QUESTION 4

4.1 ADDENDUM

2			38 × 114 mm S.S.A.P. w.p.	17			Wrought ends of tbr. rafter approx.783 mm long
	11.22	44,22			2	34	
			11,660 – 2(0,220) = 11,220 m				and
			and				Extra for vert. plumb cut to rafter ends
			Treat tbr. w.p. with carb. oil before fixing (Super × 0,30 m = 13,44 m²)	2			75 × 110 mm PVC gutters incl. brkts. screwed to tbr facia
			2 × 114 = 0,228 2 × 38 = 0,076 0,304 m		11,86		11,660 + 2(100) = 11,860 m
			11,220 =16,029 0,700				Extra for outlets
			16 + 1 = 17 No. trusses		2		and
			The following in measurement of 17 No. full trusses fixed 2,3 m above ground level				Extra for gutter s.e.
			ALL x 17 No.		2,95		75 mm dia. PVC d.p.
17				2			2,200 + 0,150 + 0,600 = 2,950 m
17			38 × 114 mm S.S.A.P.				
2	1,86	31,62	tbr. n.e. 2,4 m long				
17							
2	1,80	61,20	k.p.				
	0,94	31,96	diag. strut				
		124,78	q.p				
17							
2							
17			Ditto. but exce.3,9 m				
	4,35	147,90	n.e. 6,6 m long				
	6,21	105,57	rafter				
		253,47	tie bm.				

(1) (2)

(7)

4.2

		-	ROOF CONSTRUCTION✓			
Carpentry and joinery		✓				
			M			
M ✓			38 x 114 mm S.S.A.P. tbr. exce. 2,4			
			n.e. 6,6 m long			
38 x 114 mm tbr. w.p. laid in c. m.						
			253,47	1		
44,22	1	✓				
✓						
		✓	254 M			
44 M ✓						
✓		✓	No			
M²			Wrght. ends of tbr. rafter ends approx.			
			783 mm long			
Treat tbr. w.p. w. carb. oil			34	2		
13,44	1					
			34 No			
13 M²						
			No			
			Extra for vert. plumb cut			
M						
			34	2		
38 x 114 mm S.S.A.P. tbr. n.e 2,4 m long						
			34 No			
124,78	1					
125 M						

(9)

4.3

	ROOF CONSTRUCTION ✓				
	Bill no. 1 ✓				
✓	Carpentry and joinery ✓	✓	✓		
1.	38 × 114 mm sawn South African pine timber wall plate laid in cement mortar ✓	M	44		
2.	Treat timber wall plate with carbolinium oil	M²	13		
	The following in 17 No. full trusses fixed approximately 2,2 metres above ground level				
3.	38 x 114 mm sawn South African pine timber not exceeding 2,4 metres long	M	125		
4.	38 × 114 mm Ditto, but exceeding 2,4 metres not exceeding 6,6 metres long	M No	254		
5.	Wrought ends of timber rafters approximately 783 mm long	No	34		
6.	Extra for vertical plumb cut to timber rafter ends		34		
	✓ Carried to summary			✓ R	

(9)
[25]

TOTAL: 100

Copyright reserved

MARK ALLOCATION FOR WORKING UP

Squaring		
Check dimensioning (ticks)	2	
Square dimensions	1	
Check squaring answers (ticks)	1	
Check final answers	1	
Transfers to abstract	1	
Check transfers	1	(7)
Abstracting		
Section of work	1	
Trade	1	
Units	1	
Page referencing	1	
Use of columns	2	
Reducing	1	
Transfers to bill	2	(9)
Billing		
Section of work	1	
Bill no.	1	
Trade	1	
Item no.	1	
Descriptions. (No abbreviations)	1	
Units	1	
Quantities	1	
Summary	2	(9)

Copyright reserved