ICPSR 3678

Resources for Enhancing Alzheimer's Caregiver Health, 1996-2001, Baseline and Follow-Up Data

Richard Schulz et al. *University of Pittsburgh. University Center for Social and Urban Research*

Codebook for Caregiver Medications

Inter-university Consortium for Political and Social Research P.O. Box 1248 Ann Arbor, Michigan 48106 www.icpsr.umich.edu

Codebook for ICPSR 03678

RECOURCES FOR ENHANCING ALZHEIMER'S CAREGIVER HEALTH, 1996-2001, BASELINE AND FOLLOW-UP DATA

Dataset0015: CAREGIVER MEDICATIONS

| Variable | Variable | e Desci | ription | | | | | |
|--|-----------------------|---------|-----------------------------------|-------------------|--------------|-------------|-------------|----------|
| | Please N as a miss | | ` ' | ne right of the v | alue indicat | es the code | has been de | signated |
| GMVIS | GM VIS | IT | | | | | | |
| Start: 1 End: 9 | Value | Labe | Label | | | Frequenc | y % | Valid % |
| Width: 9.2 | 1.00 | Give | Given at Baseline | | | 1229 | 29.8 % | 29.8% |
| Type: numeric (ISO) Interval: discrete | 2.00 | Give | Given at 6 month follow-up visit | | | 1043 | 3 25.3 % | 25.3% |
| interval. discrete | 3.00 | Give | Given at 12 month follow-up visit | | | 95′ | 23.0 % | 23.0% |
| | 4.00 | Give | Given at 18 month follow-up visit | | | 906 | 3 21.9 % | 21.9% |
| | 5.00 | Give | Given at Other | | (| 0.0 % | 0.0% | |
| | Valid | | Min | Max | Mea | n | Stdev | |
| | 4129 | | 1.00 | 4.00 | 2.37 | | 1.13 | |

| GMOT | GM OTHER VISIT |
|--------|-------------------|
| GIVIOT | GIVI OTTIEK VISIT |

Start: 10 End: 39 Width: 30

Type: character (ISO) Interval: discrete

| Value | Frequency | % | Valid % |
|-------|-----------|---------|---------|
| -2 | 4129 | 100.0 % | 100.0% |

GMDI GM DATE OF INTERVIEW

Start: 40 End: 50 Width: 11

Type: character (ISO) Interval: discrete

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 01-APR-1997 | 2 | 0.0 % | 0.0% |
| 01-APR-1998 | 2 | 0.0 % | 0.0% |
| 01-APR-1999 | 7 | 0.2 % | 0.2% |
| 01-AUG-1997 | 7 | 0.2 % | 0.2% |
| 01-AUG-1999 | 2 | 0.0 % | 0.0% |
| 01-AUG-2000 | 2 | 0.0 % | 0.0% |
| 01-DEC-1997 | 1 | 0.0 % | 0.0% |
| 01-DEC-1998 | 6 | 0.1 % | 0.1% |
| 01-DEC-1999 | 1 | 0.0 % | 0.0% |
| 01-FEB-1999 | 8 | 0.2 % | 0.2% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 01-FEB-2000 | 5 | 0.1 % | 0.1% |
| 01-JAN-1999 | 1 | 0.0 % | 0.0% |
| 01-JUL-1997 | 3 | 0.1 % | 0.1% |
| 01-JUL-1998 | 8 | 0.2 % | 0.2% |
| 01-JUL-1999 | 6 | 0.1 % | 0.1% |
| 01-JUN-1998 | 4 | 0.1 % | 0.1% |
| 01-JUN-1999 | 2 | 0.0 % | 0.0% |
| 01-JUN-2000 | 2 | 0.0 % | 0.0% |
| 01-JUN-2001 | 1 | 0.0 % | 0.0% |
| 01-MAR-1997 | 1 | 0.0 % | 0.0% |
| 01-MAR-1999 | 8 | 0.2 % | 0.2% |
| 01-MAR-2000 | 4 | 0.1 % | 0.1% |
| 01-MAR-2001 | 1 | 0.0 % | 0.0% |
| 01-MAY-1998 | 3 | 0.1 % | 0.1% |
| 01-MAY-1999 | 5 | 0.1 % | 0.1% |
| 01-MAY-2000 | 2 | 0.0 % | 0.0% |
| 01-NOV-1997 | 1 | 0.0 % | 0.0% |
| 01-NOV-1998 | 1 | 0.0 % | 0.0% |
| 01-NOV-1999 | 2 | 0.0 % | 0.0% |
| 01-NOV-2000 | 1 | 0.0 % | 0.0% |
| 01-OCT-1996 | 2 | 0.0 % | 0.0% |
| 01-OCT-1997 | 1 | 0.0 % | 0.0% |
| 01-OCT-1998 | 3 | 0.1 % | 0.1% |
| 01-OCT-1999 | 2 | 0.0 % | 0.0% |
| 01-OCT-2001 | 2 | 0.0 % | 0.0% |
| 01-SEP-1997 | 1 | 0.0 % | 0.0% |
| 01-SEP-1998 | 4 | 0.1 % | 0.1% |
| 01-SEP-1999 | 6 | 0.1 % | 0.1% |
| 02-APR-1997 | 2 | 0.0 % | 0.0% |
| 02-APR-1998 | 3 | 0.1 % | 0.1% |
| 02-APR-1999 | 4 | 0.1 % | 0.1% |
| 02-APR-2001 | 1 | 0.0 % | 0.0% |
| 02-AUG-1997 | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 02-AUG-1998 | 1 | 0.0 % | 0.0% |
| 02-AUG-1999 | 4 | 0.1 % | 0.1% |
| 02-AUG-2000 | 1 | 0.0 % | 0.0% |
| 02-AUG-2001 | 1 | 0.0 % | 0.0% |
| 02-DEC-1997 | 3 | 0.1 % | 0.1% |
| 02-DEC-1998 | 4 | 0.1 % | 0.1% |
| 02-DEC-1999 | 4 | 0.1 % | 0.1% |
| 02-FEB-1998 | 7 | 0.2 % | 0.2% |
| 02-FEB-1999 | 12 | 0.3 % | 0.3% |
| 02-FEB-2000 | 2 | 0.0 % | 0.0% |
| 02-FEB-2001 | 1 | 0.0 % | 0.0% |
| 02-JAN-1998 | 1 | 0.0 % | 0.0% |
| 02-JAN-1999 | 1 | 0.0 % | 0.0% |
| 02-JAN-2001 | 1 | 0.0 % | 0.0% |
| 02-JUL-1997 | 1 | 0.0 % | 0.0% |
| 02-JUL-1998 | 7 | 0.2 % | 0.2% |
| 02-JUL-1999 | 4 | 0.1 % | 0.1% |
| 02-JUN-1998 | 3 | 0.1 % | 0.1% |
| 02-JUN-1999 | 1 | 0.0 % | 0.0% |
| 02-JUN-2000 | 1 | 0.0 % | 0.0% |
| 02-MAR-1998 | 7 | 0.2 % | 0.2% |
| 02-MAR-1999 | 5 | 0.1 % | 0.1% |
| 02-MAR-2000 | 6 | 0.1 % | 0.1% |
| 02-MAR-2001 | 1 | 0.0 % | 0.0% |
| 02-MAY-1997 | 2 | 0.0 % | 0.0% |
| 02-MAY-1998 | 2 | 0.0 % | 0.0% |
| 02-MAY-2000 | 1 | 0.0 % | 0.0% |
| 02-MAY-2001 | 1 | 0.0 % | 0.0% |
| 02-NOV-1998 | 6 | 0.1 % | 0.1% |
| 02-NOV-1999 | 8 | 0.2 % | 0.2% |
| 02-NOV-2000 | 2 | 0.0 % | 0.0% |
| 02-OCT-1996 | 1 | 0.0 % | 0.0% |
| 02-OCT-1997 | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 02-OCT-1998 | 3 | 0.1 % | 0.1% |
| 02-OCT-1999 | 3 | 0.1 % | 0.1% |
| 02-OCT-2000 | 2 | 0.0 % | 0.0% |
| 02-SEP-1997 | 4 | 0.1 % | 0.1% |
| 02-SEP-1998 | 3 | 0.1 % | 0.1% |
| 02-SEP-1999 | 6 | 0.1 % | 0.1% |
| 03-APR-1997 | 3 | 0.1 % | 0.1% |
| 03-APR-1998 | 4 | 0.1 % | 0.1% |
| 03-APR-2000 | 1 | 0.0 % | 0.0% |
| 03-AUG-1998 | 4 | 0.1 % | 0.1% |
| 03-AUG-1999 | 2 | 0.0 % | 0.0% |
| 03-AUG-2000 | 1 | 0.0 % | 0.0% |
| 03-AUG-2001 | 2 | 0.0 % | 0.0% |
| 03-DEC-1997 | 3 | 0.1 % | 0.1% |
| 03-DEC-1998 | 5 | 0.1 % | 0.1% |
| 03-DEC-1999 | 3 | 0.1 % | 0.1% |
| 03-FEB-1997 | 2 | 0.0 % | 0.0% |
| 03-FEB-1998 | 6 | 0.1 % | 0.1% |
| 03-FEB-1999 | 6 | 0.1 % | 0.1% |
| 03-FEB-2000 | 3 | 0.1 % | 0.1% |
| 03-JAN-1997 | 1 | 0.0 % | 0.0% |
| 03-JAN-1998 | 1 | 0.0 % | 0.0% |
| 03-JAN-2000 | 2 | 0.0 % | 0.0% |
| 03-JAN-2001 | 1 | 0.0 % | 0.0% |
| 03-JUL-1997 | 2 | 0.0 % | 0.0% |
| 03-JUL-1998 | 1 | 0.0 % | 0.0% |
| 03-JUN-1998 | 5 | 0.1 % | 0.1% |
| 03-JUN-1999 | 4 | 0.1 % | 0.1% |
| 03-MAR-1997 | 1 | 0.0 % | 0.0% |
| 03-MAR-1998 | 4 | 0.1 % | 0.1% |
| 03-MAR-1999 | 4 | 0.1 % | 0.1% |
| 03-MAR-2000 | 3 | 0.1 % | 0.1% |
| 03-MAY-1999 | 8 | 0.2 % | 0.2% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 03-MAY-2000 | 1 | 0.0 % | 0.0% |
| 03-NOV-1997 | 4 | 0.1 % | 0.1% |
| 03-NOV-1998 | 5 | 0.1 % | 0.1% |
| 03-NOV-1999 | 5 | 0.1 % | 0.1% |
| 03-NOV-2000 | 2 | 0.0 % | 0.0% |
| 03-OCT-1996 | 1 | 0.0 % | 0.0% |
| 03-OCT-1997 | 1 | 0.0 % | 0.0% |
| 03-OCT-1998 | 2 | 0.0 % | 0.0% |
| 03-OCT-1999 | 1 | 0.0 % | 0.0% |
| 03-OCT-2000 | 1 | 0.0 % | 0.0% |
| 03-OCT-2001 | 1 | 0.0 % | 0.0% |
| 03-SEP-1997 | 6 | 0.1 % | 0.1% |
| 03-SEP-1999 | 3 | 0.1 % | 0.1% |
| 04-APR-1997 | 4 | 0.1 % | 0.1% |
| 04-APR-1998 | 6 | 0.1 % | 0.1% |
| 04-APR-1999 | 1 | 0.0 % | 0.0% |
| 04-APR-2000 | 1 | 0.0 % | 0.0% |
| 04-APR-2001 | 2 | 0.0 % | 0.0% |
| 04-AUG-1997 | 5 | 0.1 % | 0.1% |
| 04-AUG-1998 | 9 | 0.2 % | 0.2% |
| 04-AUG-1999 | 2 | 0.0 % | 0.0% |
| 04-AUG-2000 | 3 | 0.1 % | 0.1% |
| 04-DEC-1997 | 2 | 0.0 % | 0.0% |
| 04-DEC-1998 | 6 | 0.1 % | 0.1% |
| 04-DEC-1999 | 1 | 0.0 % | 0.0% |
| 04-DEC-2000 | 1 | 0.0 % | 0.0% |
| 04-FEB-1997 | 2 | 0.0 % | 0.0% |
| 04-FEB-1998 | 6 | 0.1 % | 0.1% |
| 04-FEB-1999 | 5 | 0.1 % | 0.1% |
| 04-FEB-2001 | 2 | 0.0 % | 0.0% |
| 04-JAN-1997 | 1 | 0.0 % | 0.0% |
| 04-JAN-1999 | 4 | 0.1 % | 0.1% |
| 04-JAN-2000 | 5 | 0.1 % | 0.1% |

| Variable | Variable Description | |
|----------|------------------------------|--|
| | | |
| GMDI | GM DATE OF INTERVIEW (cont.) | |

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 04-JAN-2001 | 1 | 0.0 % | 0.0% |
| 04-JUN-1998 | 6 | 0.1 % | 0.1% |
| 04-MAR-1998 | 3 | 0.1 % | 0.1% |
| 04-MAR-1999 | 7 | 0.2 % | 0.2% |
| 04-MAY-1998 | 7 | 0.2 % | 0.2% |
| 04-MAY-1999 | 9 | 0.2 % | 0.2% |
| 04-MAY-2000 | 1 | 0.0 % | 0.0% |
| 04-NOV-1997 | 1 | 0.0 % | 0.0% |
| 04-NOV-1998 | 7 | 0.2 % | 0.2% |
| 04-NOV-1999 | 3 | 0.1 % | 0.1% |
| 04-NOV-2000 | 1 | 0.0 % | 0.0% |
| 04-OCT-1996 | 1 | 0.0 % | 0.0% |
| 04-OCT-1999 | 2 | 0.0 % | 0.0% |
| 04-SEP-1997 | 4 | 0.1 % | 0.1% |
| 04-SEP-1998 | 1 | 0.0 % | 0.0% |
| 04-SEP-1999 | 3 | 0.1 % | 0.1% |
| 04-SEP-2000 | 1 | 0.0 % | 0.0% |
| 05-APR-1998 | 1 | 0.0 % | 0.0% |
| 05-APR-1999 | 2 | 0.0 % | 0.0% |
| 05-APR-2000 | 4 | 0.1 % | 0.1% |
| 05-AUG-1997 | 4 | 0.1 % | 0.1% |
| 05-AUG-1998 | 9 | 0.2 % | 0.2% |
| 05-AUG-1999 | 7 | 0.2 % | 0.2% |
| 05-DEC-1996 | 1 | 0.0 % | 0.0% |
| 05-DEC-1997 | 5 | 0.1 % | 0.1% |
| 05-DEC-1998 | 1 | 0.0 % | 0.0% |
| 05-DEC-2000 | 1 | 0.0 % | 0.0% |
| 05-FEB-1998 | 2 | 0.0 % | 0.0% |
| 05-FEB-1999 | 4 | 0.1 % | 0.1% |
| 05-FEB-2000 | 1 | 0.0 % | 0.0% |
| 05-JAN-1998 | 1 | 0.0 % | 0.0% |
| 05-JAN-1999 | 5 | 0.1 % | 0.1% |
| 05-JAN-2000 | 6 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 05-JUL-1999 | 1 | 0.0 % | 0.0% |
| 05-JUL-2000 | 2 | 0.0 % | 0.0% |
| 05-JUN-1998 | 3 | 0.1 % | 0.1% |
| 05-JUN-1999 | 2 | 0.0 % | 0.0% |
| 05-JUN-2000 | 4 | 0.1 % | 0.1% |
| 05-MAR-1997 | 1 | 0.0 % | 0.0% |
| 05-MAR-1998 | 4 | 0.1 % | 0.1% |
| 05-MAR-1999 | 3 | 0.1 % | 0.1% |
| 05-MAY-1998 | 5 | 0.1 % | 0.1% |
| 05-MAY-1999 | 2 | 0.0 % | 0.0% |
| 05-MAY-2000 | 2 | 0.0 % | 0.0% |
| 05-NOV-1997 | 12 | 0.3 % | 0.3% |
| 05-NOV-1998 | 8 | 0.2 % | 0.2% |
| 05-NOV-1999 | 3 | 0.1 % | 0.1% |
| 05-OCT-1998 | 11 | 0.3 % | 0.3% |
| 05-OCT-1999 | 5 | 0.1 % | 0.1% |
| 05-OCT-2000 | 2 | 0.0 % | 0.0% |
| 05-OCT-2001 | 1 | 0.0 % | 0.0% |
| 05-SEP-1997 | 4 | 0.1 % | 0.1% |
| 05-SEP-1998 | 1 | 0.0 % | 0.0% |
| 05-SEP-1999 | 2 | 0.0 % | 0.0% |
| 05-SEP-2000 | 2 | 0.0 % | 0.0% |
| 06-APR-1998 | 8 | 0.2 % | 0.2% |
| 06-APR-1999 | 7 | 0.2 % | 0.2% |
| 06-AUG-1997 | 2 | 0.0 % | 0.0% |
| 06-AUG-1998 | 5 | 0.1 % | 0.1% |
| 06-AUG-1999 | 4 | 0.1 % | 0.1% |
| 06-DEC-1997 | 2 | 0.0 % | 0.0% |
| 06-DEC-1998 | 3 | 0.1 % | 0.1% |
| 06-DEC-1999 | 4 | 0.1 % | 0.1% |
| 06-DEC-2000 | 1 | 0.0 % | 0.0% |
| 06-FEB-1997 | 2 | 0.0 % | 0.0% |
| 06-FEB-1998 | 7 | 0.2 % | 0.2% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 06-FEB-1999 | 2 | 0.0 % | 0.0% |
| 06-FEB-2001 | 1 | 0.0 % | 0.0% |
| 06-JAN-1997 | 6 | 0.1 % | 0.1% |
| 06-JAN-1998 | 4 | 0.1 % | 0.1% |
| 06-JAN-1999 | 8 | 0.2 % | 0.2% |
| 06-JAN-2000 | 9 | 0.2 % | 0.2% |
| 06-JAN-2001 | 2 | 0.0 % | 0.0% |
| 06-JUL-1998 | 4 | 0.1 % | 0.1% |
| 06-JUL-1999 | 2 | 0.0 % | 0.0% |
| 06-JUL-2000 | 2 | 0.0 % | 0.0% |
| 06-JUN-1997 | 1 | 0.0 % | 0.0% |
| 06-JUN-1998 | 1 | 0.0 % | 0.0% |
| 06-JUN-2000 | 1 | 0.0 % | 0.0% |
| 06-MAR-1997 | 1 | 0.0 % | 0.0% |
| 06-MAR-1998 | 3 | 0.1 % | 0.1% |
| 06-MAR-2000 | 4 | 0.1 % | 0.1% |
| 06-MAR-2001 | 1 | 0.0 % | 0.0% |
| 06-MAY-1997 | 2 | 0.0 % | 0.0% |
| 06-MAY-1998 | 3 | 0.1 % | 0.1% |
| 06-MAY-1999 | 5 | 0.1 % | 0.1% |
| 06-NOV-1997 | 5 | 0.1 % | 0.1% |
| 06-NOV-1998 | 5 | 0.1 % | 0.1% |
| 06-NOV-1999 | 2 | 0.0 % | 0.0% |
| 06-NOV-2000 | 1 | 0.0 % | 0.0% |
| 06-OCT-1997 | 5 | 0.1 % | 0.1% |
| 06-OCT-1998 | 11 | 0.3 % | 0.3% |
| 06-OCT-1999 | 6 | 0.1 % | 0.1% |
| 06-OCT-2000 | 1 | 0.0 % | 0.0% |
| 06-SEP-1998 | 1 | 0.0 % | 0.0% |
| 06-SEP-2000 | 3 | 0.1 % | 0.1% |
| 07-APR-1997 | 3 | 0.1 % | 0.1% |
| 07-APR-1998 | 6 | 0.1 % | 0.1% |
| 07-APR-1999 | 4 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 07-APR-2000 | 3 | 0.1 % | 0.1% |
| 07-AUG-1997 | 4 | 0.1 % | 0.1% |
| 07-AUG-1998 | 5 | 0.1 % | 0.1% |
| 07-AUG-1999 | 4 | 0.1 % | 0.1% |
| 07-AUG-2000 | 2 | 0.0 % | 0.0% |
| 07-DEC-1998 | 2 | 0.0 % | 0.0% |
| 07-DEC-1999 | 3 | 0.1 % | 0.1% |
| 07-FEB-1998 | 2 | 0.0 % | 0.0% |
| 07-FEB-1999 | 1 | 0.0 % | 0.0% |
| 07-FEB-2000 | 3 | 0.1 % | 0.1% |
| 07-FEB-2001 | 1 | 0.0 % | 0.0% |
| 07-JAN-1997 | 2 | 0.0 % | 0.0% |
| 07-JAN-1998 | 6 | 0.1 % | 0.1% |
| 07-JAN-1999 | 8 | 0.2 % | 0.2% |
| 07-JAN-2000 | 3 | 0.1 % | 0.1% |
| 07-JUL-1997 | 1 | 0.0 % | 0.0% |
| 07-JUL-1998 | 5 | 0.1 % | 0.1% |
| 07-JUL-1999 | 4 | 0.1 % | 0.1% |
| 07-JUL-2000 | 1 | 0.0 % | 0.0% |
| 07-JUN-1997 | 1 | 0.0 % | 0.0% |
| 07-JUN-1999 | 5 | 0.1 % | 0.1% |
| 07-JUN-2000 | 4 | 0.1 % | 0.1% |
| 07-JUN-2001 | 1 | 0.0 % | 0.0% |
| 07-MAR-1997 | 1 | 0.0 % | 0.0% |
| 07-MAR-1998 | 2 | 0.0 % | 0.0% |
| 07-MAR-1999 | 1 | 0.0 % | 0.0% |
| 07-MAR-2000 | 1 | 0.0 % | 0.0% |
| 07-MAY-1998 | 8 | 0.2 % | 0.2% |
| 07-MAY-1999 | 8 | 0.2 % | 0.2% |
| 07-NOV-1997 | 4 | 0.1 % | 0.1% |
| 07-NOV-1998 | 1 | 0.0 % | 0.0% |
| 07-OCT-1996 | 1 | 0.0 % | 0.0% |
| 07-OCT-1997 | 6 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 07-OCT-1998 | 10 | 0.2 % | 0.2% |
| 07-OCT-1999 | 6 | 0.1 % | 0.1% |
| 07-OCT-2000 | 1 | 0.0 % | 0.0% |
| 07-SEP-1999 | 8 | 0.2 % | 0.2% |
| 07-SEP-2000 | 2 | 0.0 % | 0.0% |
| 08-APR-1997 | 3 | 0.1 % | 0.1% |
| 08-APR-1998 | 5 | 0.1 % | 0.1% |
| 08-APR-1999 | 7 | 0.2 % | 0.2% |
| 08-APR-2000 | 2 | 0.0 % | 0.0% |
| 08-AUG-1997 | 4 | 0.1 % | 0.1% |
| 08-AUG-1998 | 3 | 0.1 % | 0.1% |
| 08-AUG-2000 | 1 | 0.0 % | 0.0% |
| 08-DEC-1997 | 1 | 0.0 % | 0.0% |
| 08-DEC-1998 | 8 | 0.2 % | 0.2% |
| 08-DEC-1999 | 7 | 0.2 % | 0.2% |
| 08-FEB-1997 | 2 | 0.0 % | 0.0% |
| 08-FEB-1999 | 5 | 0.1 % | 0.1% |
| 08-FEB-2000 | 5 | 0.1 % | 0.1% |
| 08-FEB-2001 | 1 | 0.0 % | 0.0% |
| 08-JAN-1997 | 1 | 0.0 % | 0.0% |
| 08-JAN-1998 | 6 | 0.1 % | 0.1% |
| 08-JAN-1999 | 5 | 0.1 % | 0.1% |
| 08-JAN-2000 | 5 | 0.1 % | 0.1% |
| 08-JUL-1997 | 5 | 0.1 % | 0.1% |
| 08-JUL-1998 | 1 | 0.0 % | 0.0% |
| 08-JUL-1999 | 5 | 0.1 % | 0.1% |
| 08-JUN-1998 | 5 | 0.1 % | 0.1% |
| 08-JUN-1999 | 6 | 0.1 % | 0.1% |
| 08-JUN-2000 | 1 | 0.0 % | 0.0% |
| 08-MAR-1999 | 8 | 0.2 % | 0.2% |
| 08-MAR-2000 | 2 | 0.0 % | 0.0% |
| 08-MAY-1998 | 4 | 0.1 % | 0.1% |
| 08-MAY-1999 | 2 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 08-MAY-2000 | 1 | 0.0 % | 0.0% |
| 08-NOV-1997 | 1 | 0.0 % | 0.0% |
| 08-NOV-1999 | 4 | 0.1 % | 0.1% |
| 08-NOV-2000 | 3 | 0.1 % | 0.1% |
| 08-OCT-1996 | 1 | 0.0 % | 0.0% |
| 08-OCT-1997 | 2 | 0.0 % | 0.0% |
| 08-OCT-1998 | 7 | 0.2 % | 0.2% |
| 08-OCT-1999 | 3 | 0.1 % | 0.1% |
| 08-SEP-1997 | 1 | 0.0 % | 0.0% |
| 08-SEP-1998 | 3 | 0.1 % | 0.1% |
| 08-SEP-1999 | 7 | 0.2 % | 0.2% |
| 08-SEP-2000 | 2 | 0.0 % | 0.0% |
| 09-APR-1997 | 4 | 0.1 % | 0.1% |
| 09-APR-1998 | 9 | 0.2 % | 0.2% |
| 09-APR-1999 | 5 | 0.1 % | 0.1% |
| 09-AUG-1998 | 1 | 0.0 % | 0.0% |
| 09-AUG-1999 | 6 | 0.1 % | 0.1% |
| 09-AUG-2000 | 2 | 0.0 % | 0.0% |
| 09-DEC-1997 | 2 | 0.0 % | 0.0% |
| 09-DEC-1998 | 4 | 0.1 % | 0.1% |
| 09-DEC-1999 | 8 | 0.2 % | 0.2% |
| 09-DEC-2000 | 1 | 0.0 % | 0.0% |
| 09-FEB-1998 | 3 | 0.1 % | 0.1% |
| 09-FEB-1999 | 9 | 0.2 % | 0.2% |
| 09-FEB-2000 | 2 | 0.0 % | 0.0% |
| 09-JAN-1997 | 3 | 0.1 % | 0.1% |
| 09-JAN-1998 | 4 | 0.1 % | 0.1% |
| 09-JAN-1999 | 1 | 0.0 % | 0.0% |
| 09-JUL-1997 | 1 | 0.0 % | 0.0% |
| 09-JUL-1998 | 2 | 0.0 % | 0.0% |
| 09-JUL-1999 | 6 | 0.1 % | 0.1% |
| 09-JUN-1998 | 3 | 0.1 % | 0.1% |
| 09-JUN-1999 | 2 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 09-MAR-1998 | 5 | 0.1 % | 0.1% |
| 09-MAR-1999 | 5 | 0.1 % | 0.1% |
| 09-MAR-2000 | 4 | 0.1 % | 0.1% |
| 09-MAY-2000 | 1 | 0.0 % | 0.0% |
| 09-NOV-1998 | 3 | 0.1 % | 0.1% |
| 09-NOV-2000 | 2 | 0.0 % | 0.0% |
| 09-OCT-1997 | 1 | 0.0 % | 0.0% |
| 09-OCT-1998 | 5 | 0.1 % | 0.1% |
| 09-OCT-2000 | 1 | 0.0 % | 0.0% |
| 09-SEP-1997 | 9 | 0.2 % | 0.2% |
| 09-SEP-1998 | 3 | 0.1 % | 0.1% |
| 09-SEP-1999 | 8 | 0.2 % | 0.2% |
| 10-APR-1997 | 3 | 0.1 % | 0.1% |
| 10-APR-1998 | 1 | 0.0 % | 0.0% |
| 10-APR-1999 | 1 | 0.0 % | 0.0% |
| 10-APR-2000 | 1 | 0.0 % | 0.0% |
| 10-APR-2001 | 1 | 0.0 % | 0.0% |
| 10-AUG-1998 | 10 | 0.2 % | 0.2% |
| 10-AUG-1999 | 7 | 0.2 % | 0.2% |
| 10-AUG-2000 | 5 | 0.1 % | 0.1% |
| 10-AUG-2001 | 1 | 0.0 % | 0.0% |
| 10-DEC-1997 | 2 | 0.0 % | 0.0% |
| 10-DEC-1998 | 9 | 0.2 % | 0.2% |
| 10-DEC-1999 | 1 | 0.0 % | 0.0% |
| 10-FEB-1997 | 2 | 0.0 % | 0.0% |
| 10-FEB-1998 | 7 | 0.2 % | 0.2% |
| 10-FEB-1999 | 5 | 0.1 % | 0.1% |
| 10-FEB-2000 | 3 | 0.1 % | 0.1% |
| 10-FEB-2001 | 1 | 0.0 % | 0.0% |
| 10-JAN-1997 | 1 | 0.0 % | 0.0% |
| 10-JAN-1998 | 2 | 0.0 % | 0.0% |
| 10-JAN-2000 | 3 | 0.1 % | 0.1% |
| 10-JAN-2001 | 1 | 0.0 % | 0.0% |

| Variable | Variable Description | |
|----------|-------------------------|-------|
| GMDI | GM DATE OF INTERVIEW (C | ont.) |

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 10-JUL-1997 | 6 | 0.1 % | 0.1% |
| 10-JUL-1998 | 5 | 0.1 % | 0.1% |
| 10-JUL-1999 | 1 | 0.0 % | 0.0% |
| 10-JUL-2000 | 1 | 0.0 % | 0.0% |
| 10-JUL-2001 | 1 | 0.0 % | 0.0% |
| 10-JUN-1997 | 1 | 0.0 % | 0.0% |
| 10-JUN-1998 | 1 | 0.0 % | 0.0% |
| 10-JUN-1999 | 3 | 0.1 % | 0.1% |
| 10-MAR-1998 | 6 | 0.1 % | 0.1% |
| 10-MAR-1999 | 10 | 0.2 % | 0.2% |
| 10-MAR-2000 | 4 | 0.1 % | 0.1% |
| 10-MAR-2001 | 1 | 0.0 % | 0.0% |
| 10-MAY-1999 | 5 | 0.1 % | 0.1% |
| 10-MAY-2000 | 2 | 0.0 % | 0.0% |
| 10-NOV-1997 | 4 | 0.1 % | 0.1% |
| 10-NOV-1998 | 3 | 0.1 % | 0.1% |
| 10-NOV-1999 | 3 | 0.1 % | 0.1% |
| 10-NOV-2000 | 2 | 0.0 % | 0.0% |
| 10-OCT-1996 | 1 | 0.0 % | 0.0% |
| 10-OCT-1997 | 1 | 0.0 % | 0.0% |
| 10-OCT-1998 | 3 | 0.1 % | 0.1% |
| 10-OCT-2000 | 2 | 0.0 % | 0.0% |
| 10-SEP-1997 | 3 | 0.1 % | 0.1% |
| 10-SEP-1998 | 7 | 0.2 % | 0.2% |
| 10-SEP-1999 | 3 | 0.1 % | 0.1% |
| 11-APR-1997 | 1 | 0.0 % | 0.0% |
| 11-APR-1998 | 1 | 0.0 % | 0.0% |
| 11-APR-2000 | 3 | 0.1 % | 0.1% |
| 11-AUG-1997 | 1 | 0.0 % | 0.0% |
| 11-AUG-1998 | 9 | 0.2 % | 0.2% |
| 11-AUG-1999 | 5 | 0.1 % | 0.1% |
| 11-AUG-2000 | 1 | 0.0 % | 0.0% |
| 11-DEC-1996 | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 11-DEC-1997 | 1 | 0.0 % | 0.0% |
| 11-DEC-1998 | 6 | 0.1 % | 0.1% |
| 11-DEC-1999 | 3 | 0.1 % | 0.1% |
| 11-DEC-2000 | 1 | 0.0 % | 0.0% |
| 11-FEB-1997 | 2 | 0.0 % | 0.0% |
| 11-FEB-1998 | 4 | 0.1 % | 0.1% |
| 11-FEB-1999 | 7 | 0.2 % | 0.2% |
| 11-FEB-2000 | 6 | 0.1 % | 0.1% |
| 11-JAN-1997 | 1 | 0.0 % | 0.0% |
| 11-JAN-1999 | 6 | 0.1 % | 0.1% |
| 11-JAN-2000 | 7 | 0.2 % | 0.2% |
| 11-JAN-2001 | 1 | 0.0 % | 0.0% |
| 11-JUL-1998 | 3 | 0.1 % | 0.1% |
| 11-JUL-2000 | 3 | 0.1 % | 0.1% |
| 11-JUL-2001 | 1 | 0.0 % | 0.0% |
| 11-JUN-1997 | 2 | 0.0 % | 0.0% |
| 11-JUN-1998 | 2 | 0.0 % | 0.0% |
| 11-JUN-1999 | 2 | 0.0 % | 0.0% |
| 11-MAR-1997 | 2 | 0.0 % | 0.0% |
| 11-MAR-1998 | 4 | 0.1 % | 0.1% |
| 11-MAR-1999 | 9 | 0.2 % | 0.2% |
| 11-MAY-1998 | 3 | 0.1 % | 0.1% |
| 11-MAY-1999 | 7 | 0.2 % | 0.2% |
| 11-MAY-2000 | 2 | 0.0 % | 0.0% |
| 11-NOV-1998 | 7 | 0.2 % | 0.2% |
| 11-NOV-1999 | 2 | 0.0 % | 0.0% |
| 11-OCT-1998 | 1 | 0.0 % | 0.0% |
| 11-OCT-1999 | 6 | 0.1 % | 0.1% |
| 11-OCT-2000 | 1 | 0.0 % | 0.0% |
| 11-SEP-1997 | 2 | 0.0 % | 0.0% |
| 11-SEP-1998 | 3 | 0.1 % | 0.1% |
| 11-SEP-1999 | 1 | 0.0 % | 0.0% |
| 11-SEP-2000 | 3 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| 12-APR-1999 12-APR-2000 12-APR-2001 12-AUG-1997 12-AUG-1998 12-AUG-1999 12-DEC-1997 12-DEC-2000 12-FEB-1998 | 5 2 1 1 2 8 1 3 4 | 0.1 % 0.0 % 0.0 % 0.0 % 0.0 % 0.0 % 0.1 % | 0.1% 0.0% 0.0% 0.0% 0.0% 0.2% 0.0% |
|---|---|--|--|
| 12-APR-2001 12-AUG-1997 12-AUG-1998 12-AUG-1999 12-DEC-1997 12-DEC-2000 12-FEB-1998 | 1 1 2 8 1 3 | 0.0 % 0.0 % 0.0 % 0.2 % 0.0 % 0.1 % | 0.0% 0.0% 0.0% 0.2% 0.0% |
| 12-AUG-1997 12-AUG-1998 12-AUG-1999 12-DEC-1997 12-DEC-2000 12-FEB-1998 | 1 2 8 1 3 | 0.0 % 0.0 % 0.2 % 0.0 % 0.1 % | 0.0% 0.0% 0.2% 0.0% |
| 12-AUG-1998 12-AUG-1999 12-DEC-1997 12-DEC-2000 12-FEB-1998 | 2 8 1 3 | 0.0 % 0.2 % 0.0 % 0.1 % | 0.0% 0.2% 0.0% |
| 12-AUG-1999 12-DEC-1997 12-DEC-2000 12-FEB-1998 | 8 1 3 | 0.2 % 0.0 % 0.1 % | 0.2% 0.0% |
| 12-DEC-1997 12-DEC-2000 12-FEB-1998 | 1 3 | 0.0 % 0.1 % | 0.0% |
| 12-DEC-2000 12-FEB-1998 | 3 | 0.1 % | |
| 12-FEB-1998 | | | Λ 10/ |
| | 4 | | 0.1% |
| | | 0.1 % | 0.1% |
| 12-FEB-1999 | 6 | 0.1 % | 0.1% |
| 12-FEB-2000 | 3 | 0.1 % | 0.1% |
| 12-JAN-1998 | 5 | 0.1 % | 0.1% |
| 12-JAN-1999 | 13 | 0.3 % | 0.3% |
| 12-JAN-2000 | 4 | 0.1 % | 0.1% |
| 12-JAN-2001 | 1 | 0.0 % | 0.0% |
| 12-JUL-1998 | 1 | 0.0 % | 0.0% |
| 12-JUL-1999 | 3 | 0.1 % | 0.1% |
| 12-JUL-2000 | 2 | 0.0 % | 0.0% |
| 12-JUL-2001 | 1 | 0.0 % | 0.0% |
| 12-JUN-1997 | 2 | 0.0 % | 0.0% |
| 12-JUN-1998 | 6 | 0.1 % | 0.1% |
| 12-JUN-1999 | 1 | 0.0 % | 0.0% |
| 12-JUN-2000 | 2 | 0.0 % | 0.0% |
| 12-MAR-1997 | 3 | 0.1 % | 0.1% |
| 12-MAR-1998 | 4 | 0.1 % | 0.1% |
| 12-MAR-1999 | 7 | 0.2 % | 0.2% |
| 12-MAY-1998 | 5 | 0.1 % | 0.1% |
| 12-MAY-1999 | 7 | 0.2 % | 0.2% |
| 12-MAY-2000 | 1 | 0.0 % | 0.0% |
| 12-NOV-1997 | 6 | 0.1 % | 0.1% |
| 12-NOV-1998 | 2 | 0.0 % | 0.0% |
| 12-NOV-1999 | 3 | 0.1 % | 0.1% |
| 12-NOV-2001 | 1 | 0.0 % | 0.0% |

| Variable | Variable Description | |
|----------|-------------------------|-------|
| GMDI | GM DATE OF INTERVIEW (C | ont.) |

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 12-OCT-1998 | 5 | 0.1 % | 0.1% |
| 12-OCT-1999 | 4 | 0.1 % | 0.1% |
| 12-OCT-2000 | 1 | 0.0 % | 0.0% |
| 12-SEP-1997 | 2 | 0.0 % | 0.0% |
| 12-SEP-1998 | 1 | 0.0 % | 0.0% |
| 12-SEP-1999 | 1 | 0.0 % | 0.0% |
| 13-APR-1998 | 8 | 0.2 % | 0.2% |
| 13-APR-1999 | 13 | 0.3 % | 0.3% |
| 13-APR-2000 | 3 | 0.1 % | 0.1% |
| 13-AUG-1997 | 1 | 0.0 % | 0.0% |
| 13-AUG-1998 | 5 | 0.1 % | 0.1% |
| 13-AUG-1999 | 2 | 0.0 % | 0.0% |
| 13-AUG-2001 | 1 | 0.0 % | 0.0% |
| 13-DEC-1997 | 1 | 0.0 % | 0.0% |
| 13-DEC-1999 | 6 | 0.1 % | 0.1% |
| 13-DEC-2000 | 1 | 0.0 % | 0.0% |
| 13-FEB-1997 | 1 | 0.0 % | 0.0% |
| 13-FEB-1998 | 6 | 0.1 % | 0.1% |
| 13-FEB-1999 | 4 | 0.1 % | 0.1% |
| 13-JAN-1997 | 2 | 0.0 % | 0.0% |
| 13-JAN-1998 | 2 | 0.0 % | 0.0% |
| 13-JAN-1999 | 3 | 0.1 % | 0.1% |
| 13-JAN-2000 | 4 | 0.1 % | 0.1% |
| 13-JUL-1998 | 15 | 0.4 % | 0.4% |
| 13-JUL-1999 | 4 | 0.1 % | 0.1% |
| 13-JUL-2000 | 1 | 0.0 % | 0.0% |
| 13-JUN-1998 | 1 | 0.0 % | 0.0% |
| 13-JUN-2000 | 2 | 0.0 % | 0.0% |
| 13-JUN-2001 | 1 | 0.0 % | 0.0% |
| 13-MAR-1997 | 1 | 0.0 % | 0.0% |
| 13-MAR-1998 | 4 | 0.1 % | 0.1% |
| 13-MAR-1999 | 2 | 0.0 % | 0.0% |
| 13-MAR-2000 | 6 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 13-MAR-2001 | 1 | 0.0 % | 0.0% |
| 13-MAY-1998 | 4 | 0.1 % | 0.1% |
| 13-MAY-1999 | 7 | 0.2 % | 0.2% |
| 13-NOV-1997 | 2 | 0.0 % | 0.0% |
| 13-NOV-1998 | 5 | 0.1 % | 0.1% |
| 13-NOV-2000 | 1 | 0.0 % | 0.0% |
| 13-OCT-1997 | 2 | 0.0 % | 0.0% |
| 13-OCT-1998 | 8 | 0.2 % | 0.2% |
| 13-OCT-1999 | 4 | 0.1 % | 0.1% |
| 13-OCT-2000 | 1 | 0.0 % | 0.0% |
| 13-SEP-1997 | 1 | 0.0 % | 0.0% |
| 13-SEP-1998 | 1 | 0.0 % | 0.0% |
| 13-SEP-1999 | 2 | 0.0 % | 0.0% |
| 13-SEP-2000 | 3 | 0.1 % | 0.1% |
| 14-APR-1997 | 3 | 0.1 % | 0.1% |
| 14-APR-1998 | 6 | 0.1 % | 0.1% |
| 14-APR-1999 | 6 | 0.1 % | 0.1% |
| 14-APR-2000 | 1 | 0.0 % | 0.0% |
| 14-AUG-1997 | 3 | 0.1 % | 0.1% |
| 14-AUG-1998 | 5 | 0.1 % | 0.1% |
| 14-AUG-1999 | 2 | 0.0 % | 0.0% |
| 14-AUG-2000 | 2 | 0.0 % | 0.0% |
| 14-AUG-2001 | 1 | 0.0 % | 0.0% |
| 14-DEC-1998 | 3 | 0.1 % | 0.1% |
| 14-DEC-1999 | 5 | 0.1 % | 0.1% |
| 14-DEC-2000 | 2 | 0.0 % | 0.0% |
| 14-FEB-1998 | 2 | 0.0 % | 0.0% |
| 14-FEB-2000 | 2 | 0.0 % | 0.0% |
| 14-FEB-2001 | 1 | 0.0 % | 0.0% |
| 14-JAN-1997 | 1 | 0.0 % | 0.0% |
| 14-JAN-1998 | 3 | 0.1 % | 0.1% |
| 14-JAN-1999 | 5 | 0.1 % | 0.1% |
| 14-JUL-1997 | 3 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 14-JUL-1998 | 5 | 0.1 % | 0.1% |
| 14-JUL-1999 | 4 | 0.1 % | 0.1% |
| 14-JUL-2000 | 3 | 0.1 % | 0.1% |
| 14-JUN-1999 | 5 | 0.1 % | 0.1% |
| 14-JUN-2000 | 1 | 0.0 % | 0.0% |
| 14-MAR-1997 | 1 | 0.0 % | 0.0% |
| 14-MAR-1998 | 1 | 0.0 % | 0.0% |
| 14-MAR-2000 | 5 | 0.1 % | 0.1% |
| 14-MAR-2001 | 3 | 0.1 % | 0.1% |
| 14-MAY-1997 | 3 | 0.1 % | 0.1% |
| 14-MAY-1998 | 6 | 0.1 % | 0.1% |
| 14-MAY-1999 | 6 | 0.1 % | 0.1% |
| 14-NOV-1996 | 1 | 0.0 % | 0.0% |
| 14-NOV-1997 | 1 | 0.0 % | 0.0% |
| 14-NOV-1998 | 1 | 0.0 % | 0.0% |
| 14-NOV-2000 | 3 | 0.1 % | 0.1% |
| 14-OCT-1996 | 1 | 0.0 % | 0.0% |
| 14-OCT-1997 | 2 | 0.0 % | 0.0% |
| 14-OCT-1998 | 3 | 0.1 % | 0.1% |
| 14-OCT-1999 | 5 | 0.1 % | 0.1% |
| 14-OCT-2000 | 1 | 0.0 % | 0.0% |
| 14-SEP-1998 | 7 | 0.2 % | 0.2% |
| 14-SEP-1999 | 5 | 0.1 % | 0.1% |
| 14-SEP-2000 | 2 | 0.0 % | 0.0% |
| 15-APR-1997 | 2 | 0.0 % | 0.0% |
| 15-APR-1998 | 6 | 0.1 % | 0.1% |
| 15-APR-1999 | 5 | 0.1 % | 0.1% |
| 15-AUG-1997 | 2 | 0.0 % | 0.0% |
| 15-AUG-1998 | 5 | 0.1 % | 0.1% |
| 15-AUG-1999 | 1 | 0.0 % | 0.0% |
| 15-AUG-2000 | 4 | 0.1 % | 0.1% |
| 15-AUG-2001 | 1 | 0.0 % | 0.0% |
| 15-DEC-1997 | 4 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 15-DEC-1998 | 10 | 0.2 % | 0.2% |
| 15-DEC-1999 | 3 | 0.1 % | 0.1% |
| 15-FEB-1997 | 1 | 0.0 % | 0.0% |
| 15-FEB-1999 | 5 | 0.1 % | 0.1% |
| 15-FEB-2000 | 5 | 0.1 % | 0.1% |
| 15-FEB-2001 | 1 | 0.0 % | 0.0% |
| 15-JAN-1997 | 4 | 0.1 % | 0.1% |
| 15-JAN-1998 | 5 | 0.1 % | 0.1% |
| 15-JAN-1999 | 4 | 0.1 % | 0.1% |
| 15-JAN-2000 | 3 | 0.1 % | 0.1% |
| 15-JAN-2001 | 1 | 0.0 % | 0.0% |
| 15-JUL-1997 | 3 | 0.1 % | 0.1% |
| 15-JUL-1998 | 8 | 0.2 % | 0.2% |
| 15-JUL-1999 | 4 | 0.1 % | 0.1% |
| 15-JUN-1998 | 6 | 0.1 % | 0.1% |
| 15-JUN-1999 | 2 | 0.0 % | 0.0% |
| 15-JUN-2000 | 3 | 0.1 % | 0.1% |
| 15-MAR-1999 | 8 | 0.2 % | 0.2% |
| 15-MAR-2000 | 7 | 0.2 % | 0.2% |
| 15-MAY-1997 | 2 | 0.0 % | 0.0% |
| 15-MAY-1998 | 6 | 0.1 % | 0.1% |
| 15-MAY-2000 | 1 | 0.0 % | 0.0% |
| 15-NOV-1996 | 1 | 0.0 % | 0.0% |
| 15-NOV-1998 | 2 | 0.0 % | 0.0% |
| 15-NOV-1999 | 2 | 0.0 % | 0.0% |
| 15-OCT-1997 | 8 | 0.2 % | 0.2% |
| 15-OCT-1998 | 2 | 0.0 % | 0.0% |
| 15-OCT-1999 | 3 | 0.1 % | 0.1% |
| 15-OCT-2000 | 1 | 0.0 % | 0.0% |
| 15-SEP-1997 | 1 | 0.0 % | 0.0% |
| 15-SEP-1998 | 2 | 0.0 % | 0.0% |
| 15-SEP-1999 | 6 | 0.1 % | 0.1% |
| 15-SEP-2000 | 3 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 15-SEP-2001 | 1 | 0.0 % | 0.0% |
| 16-APR-1997 | 2 | 0.0 % | 0.0% |
| 16-APR-1998 | 5 | 0.1 % | 0.1% |
| 16-APR-1999 | 5 | 0.1 % | 0.1% |
| 16-APR-2000 | 1 | 0.0 % | 0.0% |
| 16-APR-2001 | 1 | 0.0 % | 0.0% |
| 16-AUG-1998 | 1 | 0.0 % | 0.0% |
| 16-AUG-1999 | 4 | 0.1 % | 0.1% |
| 16-AUG-2000 | 4 | 0.1 % | 0.1% |
| 16-DEC-1996 | 1 | 0.0 % | 0.0% |
| 16-DEC-1997 | 7 | 0.2 % | 0.2% |
| 16-DEC-1998 | 4 | 0.1 % | 0.1% |
| 16-DEC-1999 | 2 | 0.0 % | 0.0% |
| 16-FEB-1998 | 2 | 0.0 % | 0.0% |
| 16-FEB-1999 | 7 | 0.2 % | 0.2% |
| 16-FEB-2000 | 4 | 0.1 % | 0.1% |
| 16-JAN-1997 | 2 | 0.0 % | 0.0% |
| 16-JAN-1998 | 4 | 0.1 % | 0.1% |
| 16-JAN-1999 | 5 | 0.1 % | 0.1% |
| 16-JAN-2001 | 1 | 0.0 % | 0.0% |
| 16-JUL-1997 | 1 | 0.0 % | 0.0% |
| 16-JUL-1998 | 3 | 0.1 % | 0.1% |
| 16-JUL-1999 | 3 | 0.1 % | 0.1% |
| 16-JUN-1997 | 4 | 0.1 % | 0.1% |
| 16-JUN-1998 | 3 | 0.1 % | 0.1% |
| 16-JUN-1999 | 9 | 0.2 % | 0.2% |
| 16-JUN-2000 | 2 | 0.0 % | 0.0% |
| 16-MAR-1998 | 3 | 0.1 % | 0.1% |
| 16-MAR-1999 | 5 | 0.1 % | 0.1% |
| 16-MAR-2000 | 5 | 0.1 % | 0.1% |
| 16-MAR-2001 | 1 | 0.0 % | 0.0% |
| 16-MAY-1997 | 2 | 0.0 % | 0.0% |
| 16-MAY-1998 | 2 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 16-MAY-2000 | 3 | 0.1 % | 0.1% |
| 16-NOV-1998 | 10 | 0.2 % | 0.2% |
| 16-NOV-1999 | 4 | 0.1 % | 0.1% |
| 16-OCT-1997 | 2 | 0.0 % | 0.0% |
| 16-OCT-1998 | 6 | 0.1 % | 0.1% |
| 16-OCT-1999 | 2 | 0.0 % | 0.0% |
| 16-OCT-2000 | 3 | 0.1 % | 0.1% |
| 16-SEP-1997 | 2 | 0.0 % | 0.0% |
| 16-SEP-1998 | 6 | 0.1 % | 0.1% |
| 16-SEP-1999 | 4 | 0.1 % | 0.1% |
| 17-APR-1997 | 3 | 0.1 % | 0.1% |
| 17-APR-1998 | 10 | 0.2 % | 0.2% |
| 17-APR-1999 | 2 | 0.0 % | 0.0% |
| 17-APR-2000 | 1 | 0.0 % | 0.0% |
| 17-AUG-1998 | 2 | 0.0 % | 0.0% |
| 17-AUG-1999 | 9 | 0.2 % | 0.2% |
| 17-AUG-2000 | 2 | 0.0 % | 0.0% |
| 17-AUG-2001 | 1 | 0.0 % | 0.0% |
| 17-DEC-1997 | 2 | 0.0 % | 0.0% |
| 17-DEC-1998 | 4 | 0.1 % | 0.1% |
| 17-DEC-1999 | 3 | 0.1 % | 0.1% |
| 17-FEB-1998 | 5 | 0.1 % | 0.1% |
| 17-FEB-1999 | 9 | 0.2 % | 0.2% |
| 17-FEB-2000 | 3 | 0.1 % | 0.1% |
| 17-FEB-2001 | 2 | 0.0 % | 0.0% |
| 17-JAN-1997 | 1 | 0.0 % | 0.0% |
| 17-JAN-1998 | 1 | 0.0 % | 0.0% |
| 17-JAN-1999 | 1 | 0.0 % | 0.0% |
| 17-JAN-2000 | 2 | 0.0 % | 0.0% |
| 17-JUL-1997 | 7 | 0.2 % | 0.2% |
| 17-JUL-1998 | 6 | 0.1 % | 0.1% |
| 17-JUL-1999 | 2 | 0.0 % | 0.0% |
| 17-JUL-2000 | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 17-JUN-1998 | 4 | 0.1 % | 0.1% |
| 17-JUN-1999 | 5 | 0.1 % | 0.1% |
| 17-MAR-1997 | 2 | 0.0 % | 0.0% |
| 17-MAR-1998 | 4 | 0.1 % | 0.1% |
| 17-MAR-1999 | 11 | 0.3 % | 0.3% |
| 17-MAR-2000 | 5 | 0.1 % | 0.1% |
| 17-MAY-1999 | 6 | 0.1 % | 0.1% |
| 17-MAY-2000 | 3 | 0.1 % | 0.1% |
| 17-NOV-1997 | 1 | 0.0 % | 0.0% |
| 17-NOV-1998 | 9 | 0.2 % | 0.2% |
| 17-OCT-1997 | 5 | 0.1 % | 0.1% |
| 17-OCT-1998 | 1 | 0.0 % | 0.0% |
| 17-OCT-1999 | 1 | 0.0 % | 0.0% |
| 17-OCT-2000 | 2 | 0.0 % | 0.0% |
| 17-SEP-1997 | 4 | 0.1 % | 0.1% |
| 17-SEP-1998 | 4 | 0.1 % | 0.1% |
| 17-SEP-1999 | 2 | 0.0 % | 0.0% |
| 18-APR-1997 | 1 | 0.0 % | 0.0% |
| 18-APR-1998 | 2 | 0.0 % | 0.0% |
| 18-APR-2000 | 2 | 0.0 % | 0.0% |
| 18-APR-2001 | 2 | 0.0 % | 0.0% |
| 18-AUG-1998 | 8 | 0.2 % | 0.2% |
| 18-AUG-1999 | 5 | 0.1 % | 0.1% |
| 18-AUG-2000 | 1 | 0.0 % | 0.0% |
| 18-DEC-1996 | 2 | 0.0 % | 0.0% |
| 18-DEC-1997 | 2 | 0.0 % | 0.0% |
| 18-DEC-1998 | 4 | 0.1 % | 0.1% |
| 18-DEC-2000 | 2 | 0.0 % | 0.0% |
| 18-FEB-1998 | 7 | 0.2 % | 0.2% |
| 18-FEB-1999 | 6 | 0.1 % | 0.1% |
| 18-FEB-2000 | 3 | 0.1 % | 0.1% |
| 18-JAN-1999 | 6 | 0.1 % | 0.1% |
| 18-JAN-2000 | 7 | 0.2 % | 0.2% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 18-JAN-2001 | 2 | 0.0 % | 0.0% |
| 18-JUL-1997 | 1 | 0.0 % | 0.0% |
| 18-JUL-1998 | 1 | 0.0 % | 0.0% |
| 18-JUL-1999 | 1 | 0.0 % | 0.0% |
| 18-JUN-1997 | 2 | 0.0 % | 0.0% |
| 18-JUN-1998 | 9 | 0.2 % | 0.2% |
| 18-JUN-1999 | 4 | 0.1 % | 0.1% |
| 18-JUN-2000 | 1 | 0.0 % | 0.0% |
| 18-MAR-1997 | 5 | 0.1 % | 0.1% |
| 18-MAR-1998 | 6 | 0.1 % | 0.1% |
| 18-MAR-1999 | 4 | 0.1 % | 0.1% |
| 18-MAR-2000 | 1 | 0.0 % | 0.0% |
| 18-MAY-1998 | 4 | 0.1 % | 0.1% |
| 18-MAY-1999 | 10 | 0.2 % | 0.2% |
| 18-MAY-2000 | 1 | 0.0 % | 0.0% |
| 18-NOV-1997 | 3 | 0.1 % | 0.1% |
| 18-NOV-1998 | 3 | 0.1 % | 0.1% |
| 18-NOV-1999 | 3 | 0.1 % | 0.1% |
| 18-OCT-1998 | 1 | 0.0 % | 0.0% |
| 18-OCT-1999 | 2 | 0.0 % | 0.0% |
| 18-OCT-2000 | 1 | 0.0 % | 0.0% |
| 18-SEP-1997 | 2 | 0.0 % | 0.0% |
| 18-SEP-1998 | 5 | 0.1 % | 0.1% |
| 18-SEP-1999 | 5 | 0.1 % | 0.1% |
| 18-SEP-2000 | 3 | 0.1 % | 0.1% |
| 19-APR-1998 | 1 | 0.0 % | 0.0% |
| 19-APR-1999 | 4 | 0.1 % | 0.1% |
| 19-APR-2000 | 2 | 0.0 % | 0.0% |
| 19-AUG-1997 | 4 | 0.1 % | 0.1% |
| 19-AUG-1998 | 5 | 0.1 % | 0.1% |
| 19-AUG-1999 | 1 | 0.0 % | 0.0% |
| 19-AUG-2000 | 1 | 0.0 % | 0.0% |
| 19-DEC-1997 | 4 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| 19-DEC-1998 1 0.0 % 0.0% 19-FEB-1997 1 0.0 % 0.0% 19-FEB-1998 3 0.1 % 0.1% 19-JEB-1999 3 0.1 % 0.1% 19-JAN-1998 1 0.0 % 0.0% 19-JAN-2000 5 0.1 % 0.1% 19-JUL-1998 1 0.0 % 0.0% 19-JUL-1999 1 0.0 % 0.0% 19-JUL-2000 6 0.1 % 0.1% 19-JUL-2001 1 0.0 % 0.0% 19-JUN-1998 3 0.1 % 0.1% 19-JUN-2000 3 0.1 % 0.1% 19-JUN-2000 3 0.1 % 0.1% 19-MAR-1997 3 0.1 % 0.1% 19-MAR-1999 7 0.2 % 0.2% 19-MAR-2000 1 0.0 % 0.0% 19-MAY-1999 7 0.2 % 0.0% 19-MAY-1999 5 0.1 % 0.1% 19-MAY-1999 5 0.1 % 0.0% 19-MOY-1996 1 | Value | Frequency | % | Valid % |
|--|-------------|-----------|-------|---------|
| 19-FEB-1998 3 0.1 % 0.1% 19-FEB-1999 3 0.1 % 0.1% 19-JAN-1998 1 0.0 % 0.0% 19-JAN-1999 5 0.1 % 0.1% 19-JAN-2000 5 0.1 % 0.1% 19-JUL-1998 1 0.0 % 0.0% 19-JUL-1999 1 0.0 % 0.0% 19-JUL-2000 6 0.1 % 0.1% 19-JUL-2000 1 0.0 % 0.0% 19-JUL-2000 1 0.0 % 0.1% 19-JUN-2000 3 0.1 % 0.1% 19-MAR-1997 3 0.1 % 0.1% 19-MAR-1999 7 0.2 % 0.2% 19-MAR-1999 7 0.2 % 0.2% 19-MAR-2000 1 0.0 % 0.0% 19-MAY-1997 2 0.0 % 0.0% 19-MAY-1998 5 0.1 % 0.1% 19-MAY-1999 8 0.2 % 0.2% 19-MAY-1999 8 0.2 % 0.2% 19-MAY-2000 1 0.0 % 0.0% 19-MOV-1996 1 0.0 % 0.0% 19-NOV-1996 1 0.0 % 0.0% 19-NOV-1996 1 0.0 % 0.0% 19-NOV-1999 3 0.1 % 0.1% 19-NOV-1999 3 0.1 % 0.1% 19-NOV-1999 5 0.1 % 0.1% 19-NOV-1999 1 0.0 % 0.0% 19-SEP-1999 5 0.1 % 0.1% 19-SEP-1999 1 0.0 % 0.0% 19-SEP-1999 1 0.0 % 0 | 19-DEC-1998 | 1 | 0.0 % | 0.0% |
| 19-FEB-1999 19-JAN-1998 1 0.0 % 0.0% 19-JAN-1999 5 0.1 % 0.1% 19-JAN-2000 5 0.1 % 0.1% 19-JUL-1998 1 0.0 % 0.0% 19-JUL-1999 1 0.0 % 0.0% 19-JUL-2000 6 0.1 % 0.1% 19-JUL-2001 1 0.0 % 0.0% 19-JUL-2001 1 0.0 % 0.0% 19-JUN-2000 3 0.1 % 0.1% 19-JUN-2000 3 0.1 % 0.1% 19-JUN-2000 3 0.1 % 0.1% 19-MAR-1997 3 0.1 % 0.1% 19-MAR-1998 7 0.2 % 0.2% 19-MAR-1999 7 0.2 % 0.2% 19-MAR-2000 1 0.0 % 0.0% 19-MAY-1997 2 0.0 % 0.0% 19-MAY-1997 2 0.0 % 0.0% 19-MAY-1998 5 0.1 % 0.1% 19-MAY-1999 8 0.2 % 0.2% 19-MAY-2000 1 0.0 % 0.0% 19-MOV-1996 1 0.0 % 0.0% 19-NOV-1996 1 0.0 % 0.0% 19-NOV-1997 5 0.1 % 0.1% 19-NOV-1999 3 0.1 % 0.1% 19-NOV-1999 3 0.1 % 0.1% 19-OCT-1999 5 0.1 % 0.1% 19-OCT-2000 1 0.0 % 0.0% 19-SEP-1999 2 0.0 % 0.0% 19-SEP-1999 2 0.0 % 0.0% | 19-FEB-1997 | 1 | 0.0 % | 0.0% |
| 19-JAN-1998 1 0.0 % 0.0% 19-JAN-1999 5 0.1 % 0.1% 19-JAN-2000 5 0.1 % 0.1% 19-JUL-1998 1 0.0 % 0.0% 19-JUL-1999 1 1 0.0 % 0.0% 19-JUL-2000 6 0.1 % 0.1% 19-JUL-2001 1 0.0 % 0.0% 19-JUN-1998 3 0.1 % 0.1% 19-JUN-2000 3 0.1 % 0.1% 19-JUN-2000 3 0.1 % 0.1% 19-MAR-1997 3 0.1 % 0.1% 19-MAR-1998 7 0.2 % 0.2% 19-MAR-1999 7 0.2 % 0.2% 19-MAY-1999 7 0.2 % 0.0% 19-MAY-1997 2 0.0 % 0.0% 19-MAY-1998 5 0.1 % 0.1% 19-MAY-1999 8 0.2 % 0.2% 19-MAY-1999 8 0.2 % 0.2% 19-MAY-1999 8 0.2 % 0.2% 19-NOV-1996 1 0.0 % 0.0% 19-NOV-1996 1 0.0 % 0.0% 19-NOV-1997 5 0.1 % 0.1% 19-NOV-1998 4 0.1 % 0.1% 19-OCT-1998 6 0.1 % 0.1% 19-OCT-1999 1 0.0 % 0.0% 19-SEP-1999 2 0.0 % 0.0% 19-SEP-1999 1 0.0 % 0.0% 19-SEP-1999 2 0.0 % 0.0% | 19-FEB-1998 | 3 | 0.1 % | 0.1% |
| 19-JAN-1999 | 19-FEB-1999 | 3 | 0.1 % | 0.1% |
| 19-JAN-2000 | 19-JAN-1998 | 1 | 0.0 % | 0.0% |
| 19-JUL-1998 1 0.0 % 0.0% 19-JUL-1999 1 0.0 % 0.0% 19-JUL-2000 6 0.1 % 0.1% 19-JUN-1998 3 0.1 % 0.1% 19-JUN-2000 3 0.1 % 0.1% 19-MAR-1997 3 0.1 % 0.1% 19-MAR-1998 7 0.2 % 0.2% 19-MAR-1999 7 0.2 % 0.2% 19-MAY-1997 2 0.0 % 0.0% 19-MAY-1998 5 0.1 % 0.1% 19-MAY-1999 8 0.2 % 0.2% 19-MAY-1999 8 0.2 % 0.2% 19-MOY-1996 1 0.0 % 0.0% 19-NOV-1997 5 0.1 % 0.1% 19-NOV-1998 4 0.1 % 0.1% 19-NOV-1999 3 0.1 % 0.1% 19-OCT-1998 6 0.1 % 0.1% 19-OCT-1999 5 0.1 % 0.0% 19-SEP-1997 1 0.0 % 0.0% 19-SEP-1999 2 | 19-JAN-1999 | 5 | 0.1 % | 0.1% |
| 19-JUL-1999 1 0.0 % 0.0% 19-JUL-2000 6 0.1 % 0.1% 19-JUL-2001 1 0.0 % 0.0% 19-JUN-1998 3 0.1 % 0.1% 19-JUN-2000 3 0.1 % 0.1% 19-MAR-1997 3 0.1 % 0.1% 19-MAR-1998 7 0.2 % 0.2% 19-MAR-2000 1 0.0 % 0.0% 19-MAY-1997 2 0.0 % 0.0% 19-MAY-1998 5 0.1 % 0.1% 19-MAY-2000 1 0.0 % 0.0% 19-NOV-1996 1 0.0 % 0.0% 19-NOV-1997 5 0.1 % 0.1% 19-NOV-1998 4 0.1 % 0.1% 19-NOV-1999 3 0.1 % 0.1% 19-OCT-1998 6 0.1 % 0.1% 19-OCT-1999 5 0.1 % 0.0% 19-SEP-1997 1 0.0 % 0.0% 19-SEP-1999 2 0.0 % 0.0% 19-SEP-1999 2 | 19-JAN-2000 | 5 | 0.1 % | 0.1% |
| 19-JUL-2000 6 0.1 % 0.1% 19-JUL-2001 1 0.0 % 0.0% 19-JUN-1998 3 0.1 % 0.1% 19-JUN-2000 3 0.1 % 0.1% 19-MAR-1997 3 0.1 % 0.1% 19-MAR-1998 7 0.2 % 0.2% 19-MAR-1999 7 0.2 % 0.2% 19-MAY-1997 2 0.0 % 0.0% 19-MAY-1998 5 0.1 % 0.1% 19-MAY-1999 8 0.2 % 0.2% 19-MOY-1996 1 0.0 % 0.0% 19-NOV-1997 5 0.1 % 0.1% 19-NOV-1998 4 0.1 % 0.1% 19-NOV-1999 3 0.1 % 0.1% 19-OCT-1998 6 0.1 % 0.1% 19-OCT-1999 5 0.1 % 0.1% 19-SEP-1997 1 0.0 % 0.0% 19-SEP-1998 1 0.0 % 0.0% 19-SEP-1999 2 0.0 % 0.0% 19-SEP-1999 2 | 19-JUL-1998 | 1 | 0.0 % | 0.0% |
| 19-JUL-2001 1 0.0 % 0.0% 19-JUN-1998 3 0.1 % 0.1% 19-JUN-2000 3 0.1 % 0.1% 19-MAR-1997 3 0.1 % 0.1% 19-MAR-1998 7 0.2 % 0.2% 19-MAR-1999 7 0.2 % 0.2% 19-MAY-1997 2 0.0 % 0.0% 19-MAY-1998 5 0.1 % 0.1% 19-MAY-1999 8 0.2 % 0.2% 19-MAY-2000 1 0.0 % 0.0% 19-NOV-1996 1 0.0 % 0.0% 19-NOV-1997 5 0.1 % 0.1% 19-NOV-1998 4 0.1 % 0.1% 19-NOV-1999 3 0.1 % 0.1% 19-OCT-1998 6 0.1 % 0.1% 19-OCT-2000 1 0.0 % 0.0% 19-SEP-1997 1 0.0 % 0.0% 19-SEP-1998 1 0.0 % 0.0% 19-SEP-1999 2 0.0 % 0.0% 19-SEP-2000 3 | 19-JUL-1999 | 1 | 0.0 % | 0.0% |
| 19-JUN-1998 3 0.1 % 0.1% 19-JUN-2000 3 0.1 % 0.1% 19-MAR-1997 3 0.1 % 0.1% 19-MAR-1998 7 0.2 % 0.2% 19-MAR-1999 7 0.2 % 0.2% 19-MAY-1997 2 0.0 % 0.0% 19-MAY-1998 5 0.1 % 0.1% 19-MAY-1999 8 0.2 % 0.2% 19-MAY-2000 1 0.0 % 0.0% 19-NOV-1996 1 0.0 % 0.0% 19-NOV-1997 5 0.1 % 0.1% 19-NOV-1998 4 0.1 % 0.1% 19-NOV-1999 3 0.1 % 0.1% 19-OCT-1998 6 0.1 % 0.1% 19-OCT-1999 5 0.1 % 0.1% 19-SEP-1997 1 0.0 % 0.0% 19-SEP-1998 1 0.0 % 0.0% 19-SEP-1999 2 0.0 % 0.0% 19-SEP-2000 3 0.1 % 0.1% | 19-JUL-2000 | 6 | 0.1 % | 0.1% |
| 19-JUN-2000 3 0.1 % 0.1% 19-MAR-1997 3 0.1 % 0.1% 19-MAR-1998 7 0.2 % 0.2% 19-MAR-1999 7 0.2 % 0.2% 19-MAR-2000 1 0.0 % 0.0% 19-MAY-1997 2 0.0 % 0.0% 19-MAY-1998 5 0.1 % 0.1% 19-MAY-2000 1 0.0 % 0.0% 19-NOV-1996 1 0.0 % 0.0% 19-NOV-1997 5 0.1 % 0.1% 19-NOV-1998 4 0.1 % 0.1% 19-NOV-1999 3 0.1 % 0.1% 19-OCT-1998 6 0.1 % 0.1% 19-OCT-1999 5 0.1 % 0.1% 19-SEP-1997 1 0.0 % 0.0% 19-SEP-1998 1 0.0 % 0.0% 19-SEP-1999 2 0.0 % 0.0% 19-SEP-2000 3 0.1 % 0.1% | 19-JUL-2001 | 1 | 0.0 % | 0.0% |
| 19-MAR-1997 3 0.1 % 0.1% 19-MAR-1998 7 0.2 % 0.2% 19-MAR-1999 7 0.2 % 0.2% 19-MAR-2000 1 0.0 % 0.0% 19-MAY-1997 2 0.0 % 0.0% 19-MAY-1998 5 0.1 % 0.1% 19-MAY-1999 8 0.2 % 0.2% 19-MAY-2000 1 0.0 % 0.0% 19-NOV-1996 1 0.0 % 0.0% 19-NOV-1997 5 0.1 % 0.1% 19-NOV-1998 4 0.1 % 0.1% 19-NOV-1999 3 0.1 % 0.1% 19-OCT-1998 6 0.1 % 0.1% 19-OCT-1999 5 0.1 % 0.1% 19-SEP-1997 1 0.0 % 0.0% 19-SEP-1998 1 0.0 % 0.0% 19-SEP-1999 2 0.0 % 0.0% 19-SEP-2000 3 0.1 % 0.1% | 19-JUN-1998 | 3 | 0.1 % | 0.1% |
| 19-MAR-1998 7 0.2 % 0.2% 19-MAR-1999 7 0.2 % 0.2% 19-MAR-2000 1 0.0 % 0.0% 19-MAY-1997 2 0.0 % 0.0% 19-MAY-1998 5 0.1 % 0.1% 19-MAY-2000 1 0.0 % 0.0% 19-NOV-1996 1 0.0 % 0.0% 19-NOV-1997 5 0.1 % 0.1% 19-NOV-1998 4 0.1 % 0.1% 19-OCT-1998 6 0.1 % 0.1% 19-OCT-1999 5 0.1 % 0.1% 19-OCT-2000 1 0.0 % 0.0% 19-SEP-1997 1 0.0 % 0.0% 19-SEP-1998 1 0.0 % 0.0% 19-SEP-1999 2 0.0 % 0.0% 19-SEP-2000 3 0.1 % 0.1% | 19-JUN-2000 | 3 | 0.1 % | 0.1% |
| 19-MAR-1999 7 0.2 % 0.2% 19-MAR-2000 1 0.0 % 0.0% 19-MAY-1997 2 0.0 % 0.0% 19-MAY-1998 5 0.1 % 0.1% 19-MAY-1999 8 0.2 % 0.2% 19-MAY-2000 1 0.0 % 0.0% 19-NOV-1996 1 0.0 % 0.0% 19-NOV-1997 5 0.1 % 0.1% 19-NOV-1998 4 0.1 % 0.1% 19-NOV-1999 3 0.1 % 0.1% 19-OCT-1998 6 0.1 % 0.1% 19-OCT-1999 5 0.1 % 0.1% 19-SEP-1997 1 0.0 % 0.0% 19-SEP-1998 1 0.0 % 0.0% 19-SEP-1999 2 0.0 % 0.0% 19-SEP-2000 3 0.1 % 0.1% | 19-MAR-1997 | 3 | 0.1 % | 0.1% |
| 19-MAR-2000 1 0.0 % 0.0% 19-MAY-1997 2 0.0 % 0.0% 19-MAY-1998 5 0.1 % 0.1% 19-MAY-1999 8 0.2 % 0.2% 19-MAY-2000 1 0.0 % 0.0% 19-NOV-1996 1 0.0 % 0.0% 19-NOV-1997 5 0.1 % 0.1% 19-NOV-1998 4 0.1 % 0.1% 19-OCT-1998 6 0.1 % 0.1% 19-OCT-1999 5 0.1 % 0.1% 19-OCT-2000 1 0.0 % 0.0% 19-SEP-1997 1 0.0 % 0.0% 19-SEP-1998 1 0.0 % 0.0% 19-SEP-1999 2 0.0 % 0.0% 19-SEP-2000 3 0.1 % 0.1% | 19-MAR-1998 | 7 | 0.2 % | 0.2% |
| 19-MAY-1997 2 0.0 % 0.0% 19-MAY-1998 5 0.1 % 0.1% 19-MAY-1999 8 0.2 % 0.2% 19-MAY-2000 1 0.0 % 0.0% 19-NOV-1996 1 0.0 % 0.0% 19-NOV-1997 5 0.1 % 0.1% 19-NOV-1998 4 0.1 % 0.1% 19-NOV-1999 3 0.1 % 0.1% 19-OCT-1998 6 0.1 % 0.1% 19-OCT-1999 5 0.1 % 0.1% 19-OCT-2000 1 0.0 % 0.0% 19-SEP-1997 1 0.0 % 0.0% 19-SEP-1998 1 0.0 % 0.0% 19-SEP-1999 2 0.0 % 0.0% 19-SEP-2000 3 0.1 % 0.1% | 19-MAR-1999 | 7 | 0.2 % | 0.2% |
| 19-MAY-1998 5 0.1 % 0.1% 19-MAY-1999 8 0.2 % 0.2% 19-MAY-2000 1 0.0 % 0.0% 19-NOV-1996 1 0.0 % 0.0% 19-NOV-1997 5 0.1 % 0.1% 19-NOV-1998 4 0.1 % 0.1% 19-NOV-1999 3 0.1 % 0.1% 19-OCT-1998 6 0.1 % 0.1% 19-OCT-1999 5 0.1 % 0.1% 19-OCT-2000 1 0.0 % 0.0% 19-SEP-1997 1 0.0 % 0.0% 19-SEP-1998 1 0.0 % 0.0% 19-SEP-1999 2 0.0 % 0.0% 19-SEP-2000 3 0.1 % 0.1% | 19-MAR-2000 | 1 | 0.0 % | 0.0% |
| 19-MAY-1999 8 0.2 % 0.2% 19-MAY-2000 1 0.0 % 0.0% 19-NOV-1996 1 0.0 % 0.0% 19-NOV-1997 5 0.1 % 0.1% 19-NOV-1998 4 0.1 % 0.1% 19-NOV-1999 3 0.1 % 0.1% 19-OCT-1998 6 0.1 % 0.1% 19-OCT-2000 1 0.0 % 0.0% 19-SEP-1997 1 0.0 % 0.0% 19-SEP-1998 1 0.0 % 0.0% 19-SEP-1999 2 0.0 % 0.0% 19-SEP-2000 3 0.1 % 0.1% | 19-MAY-1997 | 2 | 0.0 % | 0.0% |
| 19-MAY-2000 1 0.0 % 0.0% 19-NOV-1996 1 0.0 % 0.0% 19-NOV-1997 5 0.1 % 0.1% 19-NOV-1998 4 0.1 % 0.1% 19-NOV-1999 3 0.1 % 0.1% 19-OCT-1998 6 0.1 % 0.1% 19-OCT-1999 5 0.1 % 0.1% 19-OCT-2000 1 0.0 % 0.0% 19-SEP-1997 1 0.0 % 0.0% 19-SEP-1998 1 0.0 % 0.0% 19-SEP-1999 2 0.0 % 0.0% 19-SEP-2000 3 0.1 % 0.1% | 19-MAY-1998 | 5 | 0.1 % | 0.1% |
| 19-NOV-1996 1 0.0 % 0.0% 19-NOV-1997 5 0.1 % 0.1% 19-NOV-1998 4 0.1 % 0.1% 19-NOV-1999 3 0.1 % 0.1% 19-OCT-1998 6 0.1 % 0.1% 19-OCT-1999 5 0.1 % 0.1% 19-OCT-2000 1 0.0 % 0.0% 19-SEP-1997 1 0.0 % 0.0% 19-SEP-1998 1 0.0 % 0.0% 19-SEP-1999 2 0.0 % 0.0% 19-SEP-2000 3 0.1 % 0.1% | 19-MAY-1999 | 8 | 0.2 % | 0.2% |
| 19-NOV-1997 5 0.1 % 0.1% 19-NOV-1998 4 0.1 % 0.1% 19-NOV-1999 3 0.1 % 0.1% 19-OCT-1998 6 0.1 % 0.1% 19-OCT-1999 5 0.1 % 0.1% 19-OCT-2000 1 0.0 % 0.0% 19-SEP-1997 1 0.0 % 0.0% 19-SEP-1998 1 0.0 % 0.0% 19-SEP-1999 2 0.0 % 0.0% 19-SEP-2000 3 0.1 % 0.1% | 19-MAY-2000 | 1 | 0.0 % | 0.0% |
| 19-NOV-1998 4 0.1 % 0.1% 19-NOV-1999 3 0.1 % 0.1% 19-OCT-1998 6 0.1 % 0.1% 19-OCT-1999 5 0.1 % 0.1% 19-OCT-2000 1 0.0 % 0.0% 19-SEP-1997 1 0.0 % 0.0% 19-SEP-1998 1 0.0 % 0.0% 19-SEP-1999 2 0.0 % 0.0% 19-SEP-2000 3 0.1 % 0.1% | 19-NOV-1996 | 1 | 0.0 % | 0.0% |
| 19-NOV-1999 3 0.1 % 0.1% 19-OCT-1998 6 0.1 % 0.1% 19-OCT-1999 5 0.1 % 0.1% 19-OCT-2000 1 0.0 % 0.0% 19-SEP-1997 1 0.0 % 0.0% 19-SEP-1998 1 0.0 % 0.0% 19-SEP-1999 2 0.0 % 0.0% 19-SEP-2000 3 0.1 % 0.1% | 19-NOV-1997 | 5 | 0.1 % | 0.1% |
| 19-OCT-1998 6 0.1 % 0.1% 19-OCT-1999 5 0.1 % 0.1% 19-OCT-2000 1 0.0 % 0.0% 19-SEP-1997 1 0.0 % 0.0% 19-SEP-1998 1 0.0 % 0.0% 19-SEP-1999 2 0.0 % 0.0% 19-SEP-2000 3 0.1 % 0.1% | 19-NOV-1998 | 4 | 0.1 % | 0.1% |
| 19-OCT-1999 5 0.1 % 0.1% 19-OCT-2000 1 0.0 % 0.0% 19-SEP-1997 1 0.0 % 0.0% 19-SEP-1998 1 0.0 % 0.0% 19-SEP-1999 2 0.0 % 0.0% 19-SEP-2000 3 0.1 % 0.1% | 19-NOV-1999 | 3 | 0.1 % | 0.1% |
| 19-OCT-2000 1 0.0 % 0.0% 19-SEP-1997 1 0.0 % 0.0% 19-SEP-1998 1 0.0 % 0.0% 19-SEP-1999 2 0.0 % 0.0% 19-SEP-2000 3 0.1 % 0.1% | 19-OCT-1998 | 6 | 0.1 % | 0.1% |
| 19-SEP-1997 1 0.0 % 0.0% 19-SEP-1998 1 0.0 % 0.0% 19-SEP-1999 2 0.0 % 0.0% 19-SEP-2000 3 0.1 % 0.1% | 19-OCT-1999 | 5 | 0.1 % | 0.1% |
| 19-SEP-1998 1 0.0 % 0.0% 19-SEP-1999 2 0.0 % 0.0% 19-SEP-2000 3 0.1 % 0.1% | 19-OCT-2000 | 1 | 0.0 % | 0.0% |
| 19-SEP-1999 2 0.0 % 0.0% 19-SEP-2000 3 0.1 % 0.1% | 19-SEP-1997 | 1 | 0.0 % | 0.0% |
| 19-SEP-2000 3 0.1 % 0.1% | 19-SEP-1998 | 1 | 0.0 % | 0.0% |
| | 19-SEP-1999 | 2 | 0.0 % | 0.0% |
| 19-SEP-2001 1 0.0 % 0.0% | 19-SEP-2000 | 3 | 0.1 % | 0.1% |
| | 19-SEP-2001 | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 20-APR-1998 | 7 | 0.2 % | 0.2% |
| 20-APR-1999 | 7 | 0.2 % | 0.2% |
| 20-APR-2000 | 2 | 0.0 % | 0.0% |
| 20-AUG-1997 | 3 | 0.1 % | 0.1% |
| 20-AUG-1998 | 10 | 0.2 % | 0.2% |
| 20-AUG-1999 | 1 | 0.0 % | 0.0% |
| 20-DEC-1999 | 2 | 0.0 % | 0.0% |
| 20-DEC-2000 | 1 | 0.0 % | 0.0% |
| 20-FEB-1997 | 1 | 0.0 % | 0.0% |
| 20-FEB-1998 | 3 | 0.1 % | 0.1% |
| 20-FEB-1999 | 3 | 0.1 % | 0.1% |
| 20-FEB-2000 | 1 | 0.0 % | 0.0% |
| 20-FEB-2001 | 1 | 0.0 % | 0.0% |
| 20-JAN-1997 | 1 | 0.0 % | 0.0% |
| 20-JAN-1998 | 2 | 0.0 % | 0.0% |
| 20-JAN-1999 | 8 | 0.2 % | 0.2% |
| 20-JAN-2000 | 5 | 0.1 % | 0.1% |
| 20-JAN-2001 | 1 | 0.0 % | 0.0% |
| 20-JUL-1998 | 7 | 0.2 % | 0.2% |
| 20-JUL-1999 | 7 | 0.2 % | 0.2% |
| 20-JUL-2000 | 2 | 0.0 % | 0.0% |
| 20-JUL-2001 | 1 | 0.0 % | 0.0% |
| 20-JUN-1997 | 2 | 0.0 % | 0.0% |
| 20-JUN-1998 | 1 | 0.0 % | 0.0% |
| 20-JUN-2000 | 1 | 0.0 % | 0.0% |
| 20-JUN-2001 | 1 | 0.0 % | 0.0% |
| 20-MAR-1997 | 2 | 0.0 % | 0.0% |
| 20-MAR-1998 | 5 | 0.1 % | 0.1% |
| 20-MAR-2000 | 7 | 0.2 % | 0.2% |
| 20-MAY-1997 | 2 | 0.0 % | 0.0% |
| 20-MAY-1998 | 11 | 0.3 % | 0.3% |
| 20-MAY-1999 | 8 | 0.2 % | 0.2% |
| 20-NOV-1997 | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| 20-NOV-1998 | 4 | 0.1 % | 0.1% |
|-------------|---|-------|------|
| 20-OCT-1997 | 4 | 0.1 % | 0.1% |
| 20-OCT-1998 | 8 | 0.2 % | 0.2% |
| 20-OCT-2000 | 1 | 0.0 % | 0.0% |
| 20-OCT-2001 | 1 | 0.0 % | 0.0% |
| 20-SEP-1997 | 1 | 0.0 % | 0.0% |
| 20-SEP-1999 | 2 | 0.0 % | 0.0% |
| 20-SEP-2000 | 4 | 0.1 % | 0.1% |
| 21-APR-1998 | 2 | 0.0 % | 0.0% |
| 21-APR-1999 | 7 | 0.2 % | 0.2% |
| 21-APR-2000 | 2 | 0.0 % | 0.0% |
| 21-AUG-1997 | 4 | 0.1 % | 0.1% |
| 21-AUG-1998 | 2 | 0.0 % | 0.0% |
| 21-AUG-1999 | 2 | 0.0 % | 0.0% |
| 21-AUG-2000 | 1 | 0.0 % | 0.0% |
| 21-DEC-1998 | 5 | 0.1 % | 0.1% |
| 21-DEC-1999 | 3 | 0.1 % | 0.1% |
| 21-FEB-1997 | 1 | 0.0 % | 0.0% |
| 21-FEB-1998 | 2 | 0.0 % | 0.0% |
| 21-FEB-1999 | 2 | 0.0 % | 0.0% |
| 21-FEB-2000 | 5 | 0.1 % | 0.1% |
| 21-JAN-1997 | 1 | 0.0 % | 0.0% |
| 21-JAN-1998 | 8 | 0.2 % | 0.2% |
| 21-JAN-1999 | 7 | 0.2 % | 0.2% |
| 21-JAN-2000 | 3 | 0.1 % | 0.1% |
| 21-JUL-1997 | 3 | 0.1 % | 0.1% |
| 21-JUL-1998 | 8 | 0.2 % | 0.2% |
| 21-JUL-1999 | 3 | 0.1 % | 0.1% |
| 21-JUL-2000 | 2 | 0.0 % | 0.0% |
| 21-JUN-1998 | 1 | 0.0 % | 0.0% |
| 21-JUN-1999 | 6 | 0.1 % | 0.1% |
| 21-JUN-2000 | 1 | 0.0 % | 0.0% |
| 21-MAR-1998 | 3 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 21-MAR-2000 | 4 | 0.1 % | 0.1% |
| 21-MAR-2001 | 2 | 0.0 % | 0.0% |
| 21-MAY-1997 | 1 | 0.0 % | 0.0% |
| 21-MAY-1998 | 3 | 0.1 % | 0.1% |
| 21-MAY-1999 | 3 | 0.1 % | 0.1% |
| 21-NOV-1997 | 2 | 0.0 % | 0.0% |
| 21-NOV-1998 | 1 | 0.0 % | 0.0% |
| 21-NOV-2000 | 1 | 0.0 % | 0.0% |
| 21-OCT-1997 | 5 | 0.1 % | 0.1% |
| 21-OCT-1998 | 4 | 0.1 % | 0.1% |
| 21-OCT-1999 | 2 | 0.0 % | 0.0% |
| 21-SEP-1998 | 2 | 0.0 % | 0.0% |
| 21-SEP-1999 | 5 | 0.1 % | 0.1% |
| 21-SEP-2000 | 5 | 0.1 % | 0.1% |
| 22-APR-1997 | 3 | 0.1 % | 0.1% |
| 22-APR-1998 | 2 | 0.0 % | 0.0% |
| 22-APR-1999 | 7 | 0.2 % | 0.2% |
| 22-APR-2001 | 1 | 0.0 % | 0.0% |
| 22-AUG-2000 | 3 | 0.1 % | 0.1% |
| 22-DEC-1997 | 3 | 0.1 % | 0.1% |
| 22-DEC-1998 | 9 | 0.2 % | 0.2% |
| 22-DEC-1999 | 2 | 0.0 % | 0.0% |
| 22-DEC-2000 | 1 | 0.0 % | 0.0% |
| 22-FEB-1998 | 4 | 0.1 % | 0.1% |
| 22-FEB-1999 | 6 | 0.1 % | 0.1% |
| 22-FEB-2000 | 5 | 0.1 % | 0.1% |
| 22-FEB-2001 | 1 | 0.0 % | 0.0% |
| 22-JAN-1997 | 2 | 0.0 % | 0.0% |
| 22-JAN-1998 | 4 | 0.1 % | 0.1% |
| 22-JAN-1999 | 4 | 0.1 % | 0.1% |
| 22-JAN-2000 | 4 | 0.1 % | 0.1% |
| 22-JUL-1997 | 3 | 0.1 % | 0.1% |
| 22-JUL-1998 | 9 | 0.2 % | 0.2% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 22-JUL-1999 | 9 | 0.2 % | 0.2% |
| 22-JUL-2000 | 1 | 0.0 % | 0.0% |
| 22-JUL-2001 | 1 | 0.0 % | 0.0% |
| 22-JUN-1998 | 5 | 0.1 % | 0.1% |
| 22-JUN-1999 | 3 | 0.1 % | 0.1% |
| 22-JUN-2000 | 2 | 0.0 % | 0.0% |
| 22-JUN-2001 | 1 | 0.0 % | 0.0% |
| 22-MAR-1997 | 1 | 0.0 % | 0.0% |
| 22-MAR-1999 | 10 | 0.2 % | 0.2% |
| 22-MAR-2000 | 4 | 0.1 % | 0.1% |
| 22-MAR-2001 | 1 | 0.0 % | 0.0% |
| 22-MAY-1997 | 2 | 0.0 % | 0.0% |
| 22-MAY-1998 | 7 | 0.2 % | 0.2% |
| 22-MAY-1999 | 2 | 0.0 % | 0.0% |
| 22-MAY-2000 | 3 | 0.1 % | 0.1% |
| 22-MAY-2001 | 1 | 0.0 % | 0.0% |
| 22-NOV-1999 | 3 | 0.1 % | 0.1% |
| 22-OCT-1997 | 8 | 0.2 % | 0.2% |
| 22-OCT-1998 | 5 | 0.1 % | 0.1% |
| 22-OCT-1999 | 2 | 0.0 % | 0.0% |
| 22-OCT-2001 | 1 | 0.0 % | 0.0% |
| 22-SEP-1997 | 7 | 0.2 % | 0.2% |
| 22-SEP-1998 | 2 | 0.0 % | 0.0% |
| 22-SEP-1999 | 4 | 0.1 % | 0.1% |
| 22-SEP-2000 | 4 | 0.1 % | 0.1% |
| 23-APR-1997 | 2 | 0.0 % | 0.0% |
| 23-APR-1998 | 2 | 0.0 % | 0.0% |
| 23-APR-1999 | 3 | 0.1 % | 0.1% |
| 23-APR-2001 | 1 | 0.0 % | 0.0% |
| 23-AUG-1999 | 4 | 0.1 % | 0.1% |
| 23-AUG-2000 | 3 | 0.1 % | 0.1% |
| 23-DEC-1997 | 2 | 0.0 % | 0.0% |
| 23-DEC-1998 | 2 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 23-DEC-1999 | 2 | 0.0 % | 0.0% |
| 23-DEC-2000 | 1 | 0.0 % | 0.0% |
| 23-FEB-1998 | 5 | 0.1 % | 0.1% |
| 23-FEB-1999 | 8 | 0.2 % | 0.2% |
| 23-FEB-2000 | 5 | 0.1 % | 0.1% |
| 23-JAN-1997 | 1 | 0.0 % | 0.0% |
| 23-JAN-1998 | 6 | 0.1 % | 0.1% |
| 23-JAN-1999 | 1 | 0.0 % | 0.0% |
| 23-JAN-2000 | 2 | 0.0 % | 0.0% |
| 23-JUL-1997 | 4 | 0.1 % | 0.1% |
| 23-JUL-1998 | 8 | 0.2 % | 0.2% |
| 23-JUL-1999 | 3 | 0.1 % | 0.1% |
| 23-JUN-1997 | 3 | 0.1 % | 0.1% |
| 23-JUN-1998 | 1 | 0.0 % | 0.0% |
| 23-JUN-1999 | 8 | 0.2 % | 0.2% |
| 23-MAR-1998 | 5 | 0.1 % | 0.1% |
| 23-MAR-1999 | 9 | 0.2 % | 0.2% |
| 23-MAR-2000 | 2 | 0.0 % | 0.0% |
| 23-MAY-1997 | 1 | 0.0 % | 0.0% |
| 23-MAY-1998 | 3 | 0.1 % | 0.1% |
| 23-MAY-1999 | 1 | 0.0 % | 0.0% |
| 23-MAY-2000 | 2 | 0.0 % | 0.0% |
| 23-MAY-2001 | 1 | 0.0 % | 0.0% |
| 23-NOV-1998 | 3 | 0.1 % | 0.1% |
| 23-NOV-1999 | 4 | 0.1 % | 0.1% |
| 23-OCT-1997 | 4 | 0.1 % | 0.1% |
| 23-OCT-1998 | 3 | 0.1 % | 0.1% |
| 23-OCT-1999 | 1 | 0.0 % | 0.0% |
| 23-OCT-2000 | 2 | 0.0 % | 0.0% |
| 23-SEP-1997 | 3 | 0.1 % | 0.1% |
| 23-SEP-1998 | 2 | 0.0 % | 0.0% |
| 23-SEP-1999 | 7 | 0.2 % | 0.2% |
| 23-SEP-2000 | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 24-APR-1997 | 4 | 0.1 % | 0.1% |
| 24-APR-1998 | 4 | 0.1 % | 0.1% |
| 24-APR-2000 | 3 | 0.1 % | 0.1% |
| 24-APR-2001 | 1 | 0.0 % | 0.0% |
| 24-AUG-1998 | 9 | 0.2 % | 0.2% |
| 24-AUG-1999 | 5 | 0.1 % | 0.1% |
| 24-AUG-2000 | 2 | 0.0 % | 0.0% |
| 24-DEC-1999 | 1 | 0.0 % | 0.0% |
| 24-FEB-1997 | 3 | 0.1 % | 0.1% |
| 24-FEB-1998 | 7 | 0.2 % | 0.2% |
| 24-FEB-1999 | 6 | 0.1 % | 0.1% |
| 24-FEB-2000 | 5 | 0.1 % | 0.1% |
| 24-FEB-2001 | 2 | 0.0 % | 0.0% |
| 24-JAN-1998 | 2 | 0.0 % | 0.0% |
| 24-JAN-2000 | 3 | 0.1 % | 0.1% |
| 24-JAN-2001 | 2 | 0.0 % | 0.0% |
| 24-JUL-1997 | 3 | 0.1 % | 0.1% |
| 24-JUL-1998 | 7 | 0.2 % | 0.2% |
| 24-JUL-1999 | 2 | 0.0 % | 0.0% |
| 24-JUL-2001 | 1 | 0.0 % | 0.0% |
| 24-JUN-1997 | 4 | 0.1 % | 0.1% |
| 24-JUN-1998 | 5 | 0.1 % | 0.1% |
| 24-JUN-1999 | 9 | 0.2 % | 0.2% |
| 24-MAR-1997 | 1 | 0.0 % | 0.0% |
| 24-MAR-1998 | 7 | 0.2 % | 0.2% |
| 24-MAR-1999 | 5 | 0.1 % | 0.1% |
| 24-MAR-2000 | 5 | 0.1 % | 0.1% |
| 24-MAY-1999 | 8 | 0.2 % | 0.2% |
| 24-MAY-2000 | 1 | 0.0 % | 0.0% |
| 24-NOV-1997 | 2 | 0.0 % | 0.0% |
| 24-NOV-1998 | 7 | 0.2 % | 0.2% |
| 24-NOV-1999 | 2 | 0.0 % | 0.0% |
| 24-NOV-2000 | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| 24-OCT-1996 24-OCT-1997 24-OCT-1998 24-OCT-2000 24-OCT-2001 24-SEP-1997 | 1 | 0.0 % | 0.00/ |
|--|----|-------|-------|
| 24-OCT-1998 24-OCT-2000 24-OCT-2001 | | | 0.0% |
| 24-OCT-2000 24-OCT-2001 | 3 | 0.1 % | 0.1% |
| 24-OCT-2001 | 2 | 0.0 % | 0.0% |
| | 1 | 0.0 % | 0.0% |
| 24-SEP-1997 | 1 | 0.0 % | 0.0% |
| | 5 | 0.1 % | 0.1% |
| 24-SEP-1998 | 5 | 0.1 % | 0.1% |
| 24-SEP-1999 | 6 | 0.1 % | 0.1% |
| 25-APR-1997 | 1 | 0.0 % | 0.0% |
| 25-APR-2000 | 3 | 0.1 % | 0.1% |
| 25-AUG-1997 | 4 | 0.1 % | 0.1% |
| 25-AUG-1998 | 4 | 0.1 % | 0.1% |
| 25-AUG-1999 | 2 | 0.0 % | 0.0% |
| 25-AUG-2000 | 5 | 0.1 % | 0.1% |
| 25-AUG-2001 | 1 | 0.0 % | 0.0% |
| 25-FEB-1997 | 2 | 0.0 % | 0.0% |
| 25-FEB-1998 | 5 | 0.1 % | 0.1% |
| 25-FEB-1999 | 7 | 0.2 % | 0.2% |
| 25-FEB-2000 | 7 | 0.2 % | 0.2% |
| 25-JAN-1997 | 1 | 0.0 % | 0.0% |
| 25-JAN-1999 | 11 | 0.3 % | 0.3% |
| 25-JAN-2000 | 4 | 0.1 % | 0.1% |
| 25-JUL-1999 | 1 | 0.0 % | 0.0% |
| 25-JUL-2000 | 4 | 0.1 % | 0.1% |
| 25-JUL-2001 | 1 | 0.0 % | 0.0% |
| 25-JUN-1997 | 5 | 0.1 % | 0.1% |
| 25-JUN-1998 | 8 | 0.2 % | 0.2% |
| 25-JUN-1999 | 4 | 0.1 % | 0.1% |
| 25-MAR-1997 | 3 | 0.1 % | 0.1% |
| 25-MAR-1998 | 3 | 0.1 % | 0.1% |
| 25-MAR-1999 | 6 | 0.1 % | 0.1% |
| 25-MAR-2001 | 1 | 0.0 % | 0.0% |
| 25-MAY-1999 | 6 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| 25-NOV-1997 | Value | Frequency | % | Valid % |
|--|-------------|-----------|-------|---------|
| 25-NOV-1998 5 0.1 % 0.1% 25-OCT-1999 4 0.1 % 0.1% 25-OCT-2000 3 0.1 % 0.1% 25-SEP-1997 7 0.2 % 0.2% 25-SEP-1998 3 0.1 % 0.1% 25-SEP-1999 2 0.0 % 0.0% 26-APR-1999 5 0.1 % 0.1% 26-APR-1999 5 0.1 % 0.1% 26-APR-2000 4 0.1 % 0.1% 26-AUG-1997 3 0.1 % 0.1% 26-AUG-1998 5 0.1 % 0.1% 26-AUG-1999 2 0.0 % 0.0% 26-DEC-1997 2 0.0 % 0.0% 26-FEB-1998 5 0.1 % 0.1% 26-FEB-1999 5 0.1 % 0.1% 26-FEB-1999 5 0.1 % 0.0% 26-FEB-1999 5 0.1 % 0.1% 26-FEB-1999 5 0.1 % 0.1% 26-JAN-1999 8 0.2 % 0.2% 26-JAN-1999 8 | 25-MAY-2000 | 1 | 0.0 % | 0.0% |
| 25-OCT-1999 | 25-NOV-1997 | 4 | 0.1 % | 0.1% |
| 25-OCT-2000 3 0.1 % 0.1% 25-SEP-1997 7 0.2 % 0.2% 25-SEP-1998 3 0.1 % 0.1% 25-SEP-1998 2 0.0 % 0.0% 25-SEP-2000 1 0.0 % 0.0% 26-APR-1999 5 0.1 % 0.1% 26-AUG-1997 3 0.1 % 0.1% 26-AUG-1997 2 0.0 % 0.0% 26-BEB-1999 5 0.1 % 0.1% 26-EB-1999 5 0.1 % 0.1% 26-FEB-2000 2 0.0 % 0.0% 26-FEB-1998 5 0.1 % 0.1% 26-FEB-2000 2 0.0 % 0.0% 26-FEB-2000 2 0.0 % 0.0% 26-GEB-2000 2 0.0 % 0.0% 26-GEB-2000 2 0.0 % 0.0% 26-JUN-1999 3 0.1 % 0.1% 26-JUN-1999 3 0.1 % 0.1% 26-JUN-1999 3 0.2 % 0.2% 26-JUN-1999 5 0.1 % 0.1% 0.1% 0.1% 0.1% 0.1% 0.1% 0.1 | 25-NOV-1998 | 5 | 0.1 % | 0.1% |
| 25-SEP-1997 7 0.2 % 0.2% 25-SEP-1998 3 0.1 % 0.1% 25-SEP-1999 2 0.0 % 0.0% 25-SEP-2000 1 0.0 % 0.0% 26-APR-1999 5 0.1 % 0.1% 26-APR-2000 4 0.1 % 0.1% 26-AUG-1997 3 0.1 % 0.1% 26-AUG-1998 5 0.1 % 0.0% 26-BEC-1997 2 0.0 % 0.0% 26-FEB-1998 5 0.1 % 0.1% 26-FEB-1999 5 0.1 % 0.1% 26-FEB-2000 2 0.0 % 0.0% 26-JAN-1998 10 0.2 % 0.2% 26-JAN-1999 8 0.2 % 0.2% 26-JAN-2000 2 0.0 % 0.0% 26-JUL-1999 6 0.1 % 0.1% 26-JUL-2001 2 0.0 % 0.0% 26-JUN-1998 5 0.1 % 0.1% 26-JUN-1999 3 0.1 % 0.1% 26-JUN-1999 3 | 25-OCT-1999 | 4 | 0.1 % | 0.1% |
| 25-SEP-1998 3 0.1 % 0.1% 25-SEP-1999 2 0.0 % 0.0% 25-SEP-2000 1 0.0 % 0.0% 26-APR-1999 5 0.1 % 0.1% 26-APR-2000 4 0.1 % 0.1% 26-AUG-1997 3 0.1 % 0.1% 26-AUG-1998 5 0.1 % 0.1% 26-BE-1999 2 0.0 % 0.0% 26-EB-1997 2 0.0 % 0.0% 26-EB-1997 2 0.0 % 0.0% 26-EB-1998 5 0.1 % 0.1% 26-FEB-1998 5 0.1 % 0.1% 26-FEB-1998 5 0.1 % 0.1% 26-FEB-1998 5 0.1 % 0.1% 26-FEB-1999 5 0.1 % 0.1% 26-FEB-2000 2 0.0 % 0.0% 26-JAN-1998 10 0.2 % 0.2% 26-JAN-1999 8 0.2 % 0.2% 26-JAN-2000 2 0.0 % 0.0% 26-JUL-1999 6 0.1 % 0.1% 26-JUL-2000 1 0.0 % 0.0% 26-JUL-2000 1 0.0 % 0.0% 26-JUL-2001 2 0.0 % 0.0% 26-JUN-1999 5 0.1 % 0.1% 26-JUN-1999 5 0.1 % 0.1% 26-JUN-1999 3 0.1 % 0.1% 26-JUN-2000 1 0.0 % 0.0% 26-JUN-2000 1 0.0 % 0 | 25-OCT-2000 | 3 | 0.1 % | 0.1% |
| 25-SEP-1999 2 0.0 % 0.0% 25-SEP-2000 1 0.0 % 0.0% 26-APR-1999 5 0.1 % 0.1% 26-APR-2000 4 0.1 % 0.1% 26-AUG-1997 3 0.1 % 0.1% 26-AUG-1999 2 0.0 % 0.0% 26-DEC-1997 2 0.0 % 0.0% 26-FEB-1998 5 0.1 % 0.1% 26-FEB-1998 5 0.1 % 0.1% 26-FEB-1999 5 0.1 % 0.0% 26-JAN-1998 10 0.2 % 0.2% 26-JAN-1998 10 0.2 % 0.2% 26-JAN-2000 2 0.0 % 0.0% 26-JUL-1999 6 0.1 % 0.1% 26-JUL-2000 1 0.0 % 0.0% 26-JUN-1997 5 0.1 % 0.1% 26-JUN-1998 5 0.1 % 0.1% 26-JUN-1999 6 0.1 % 0.0% 26-JUN-1999 7 0.1 % 0.0% 26-JUN-1998 5 | 25-SEP-1997 | 7 | 0.2 % | 0.2% |
| 25-SEP-2000 | 25-SEP-1998 | 3 | 0.1 % | 0.1% |
| 26-APR-1999 5 0.1 % 0.1% 26-APR-2000 4 0.1 % 0.1% 26-AUG-1997 3 0.1 % 0.1% 26-AUG-1998 5 0.1 % 0.1% 26-AUG-1999 2 0.0 % 0.0% 26-DEC-1997 2 0.0 % 0.0% 26-FEB-1998 5 0.1 % 0.1% 26-FEB-1999 5 0.1 % 0.1% 26-FEB-2000 2 0.0 % 0.0% 26-JAN-1998 10 0.2 % 0.2% 26-JAN-1999 8 0.2 % 0.2% 26-JAN-2000 2 0.0 % 0.0% 26-JUL-1999 6 0.1 % 0.1% 26-JUL-2000 1 0.0 % 0.0% 26-JUN-1997 5 0.1 % 0.1% 26-JUN-1998 5 0.1 % 0.1% 26-JUN-1999 3 | 25-SEP-1999 | 2 | 0.0 % | 0.0% |
| 26-APR-2000 4 0.1 % 0.1% 26-AUG-1997 3 0.1 % 0.1% 26-AUG-1998 5 0.1 % 0.1% 26-AUG-1999 2 0.0 % 0.0% 26-DEC-1997 2 0.0 % 0.0% 26-FEB-1998 5 0.1 % 0.1% 26-FEB-1999 5 0.1 % 0.1% 26-FEB-2000 2 0.0 % 0.0% 26-JAN-1998 10 0.2 % 0.2% 26-JAN-1999 8 0.2 % 0.2% 26-JAN-2000 2 0.0 % 0.0% 26-JUL-1999 6 0.1 % 0.1% 26-JUL-2000 1 0.0 % 0.0% 26-JUN-1997 5 0.1 % 0.1% 26-JUN-1998 5 0.1 % 0.1% 26-JUN-1999 3 | 25-SEP-2000 | 1 | 0.0 % | 0.0% |
| 26-AUG-1997 3 0.1 % 0.1% 26-AUG-1998 5 0.1 % 0.1% 26-AUG-1999 2 0.0 % 0.0% 26-DEC-1997 2 0.0 % 0.0% 26-FEB-1998 5 0.1 % 0.1% 26-FEB-1999 5 0.1 % 0.1% 26-FEB-2000 2 0.0 % 0.0% 26-JAN-1998 10 0.2 % 0.2% 26-JAN-1999 8 0.2 % 0.2% 26-JAN-2000 2 0.0 % 0.0% 26-JUL-1999 6 0.1 % 0.1% 26-JUL-2000 1 0.0 % 0.0% 26-JUN-1997 5 0.1 % 0.1% 26-JUN-1998 5 0.1 % 0.1% 26-JUN-1999 3 0.1 % 0.1% 26-JUN-1999 3 0.1 % 0.1% 26-JUN-1999 3 0.1 % 0.1% 26-JUN-2000 1 0.0 % 0.0% 26-MAR-1999 2 0.0 % 0.0% 26-MAR-1998 4 | 26-APR-1999 | 5 | 0.1 % | 0.1% |
| 26-AUG-1998 5 0.1 % 0.1% 26-AUG-1999 2 0.0 % 0.0% 26-DEC-1997 2 0.0 % 0.0% 26-FEB-1998 5 0.1 % 0.1% 26-FEB-1999 5 0.1 % 0.1% 26-FEB-2000 2 0.0 % 0.0% 26-JAN-1998 10 0.2 % 0.2% 26-JAN-1999 8 0.2 % 0.2% 26-JAN-2000 2 0.0 % 0.0% 26-JUL-1999 6 0.1 % 0.1% 26-JUL-2000 1 0.0 % 0.0% 26-JUN-1997 5 0.1 % 0.1% 26-JUN-1998 5 0.1 % 0.1% 26-JUN-1999 3 0.1 % 0.1% 26-JUN-2000 1 0.0 % 0.0% 26-JUN-2000 1 0.0 % 0.0% 26-MAR-1997 2 0.0 % 0.0% 26-MAR-1998 4 0.1 % 0.1% 26-MAR-1999 7 0.2 % 0.2% 26-MAY-1998 2 | 26-APR-2000 | 4 | 0.1 % | 0.1% |
| 26-AUG-1999 2 0.0 % 0.0% 26-DEC-1997 2 0.0 % 0.0% 26-FEB-1998 5 0.1 % 0.1% 26-FEB-1999 5 0.1 % 0.1% 26-FEB-2000 2 0.0 % 0.0% 26-JAN-1998 10 0.2 % 0.2% 26-JAN-1999 8 0.2 % 0.2% 26-JAN-2000 2 0.0 % 0.0% 26-JUL-1999 6 0.1 % 0.1% 26-JUL-2000 1 0.0 % 0.0% 26-JUN-1997 5 0.1 % 0.1% 26-JUN-1998 5 0.1 % 0.1% 26-JUN-1999 3 0.1 % 0.1% 26-JUN-2000 1 0.0 % 0.0% 26-JUN-2000 1 0.0 % 0.0% 26-MAR-1997 2 0.0 % 0.0% 26-MAR-1998 4 0.1 % 0.1% 26-MAR-1998 4 0.1 % 0.1% 26-MAY-1998 2 0.0 % 0.0% | 26-AUG-1997 | 3 | 0.1 % | 0.1% |
| 26-DEC-1997 2 0.0 % 0.0% 26-FEB-1998 5 0.1 % 0.1% 26-FEB-1999 5 0.1 % 0.1% 26-FEB-2000 2 0.0 % 0.0% 26-JAN-1998 10 0.2 % 0.2% 26-JAN-1999 8 0.2 % 0.2% 26-JAN-2000 2 0.0 % 0.0% 26-JUL-1999 6 0.1 % 0.1% 26-JUL-2000 1 0.0 % 0.0% 26-JUN-1997 5 0.1 % 0.1% 26-JUN-1998 5 0.1 % 0.1% 26-JUN-1999 3 0.1 % 0.1% 26-JUN-2000 1 0.0 % 0.0% 26-JUN-1999 3 0.1 % 0.1% 26-JUN-2000 1 0.0 % 0.0% 26-MAR-1999 3 0.1 % 0.0% 26-MAR-1998 4 0.1 % 0.1% 26-MAY-1998 7 0.2 % 0.2% 26-MAY-1998 2 0.0 % 0.0% | 26-AUG-1998 | 5 | 0.1 % | 0.1% |
| 26-FEB-1998 5 0.1 % 0.1% 26-FEB-1999 5 0.1 % 0.1% 26-FEB-2000 2 0.0 % 0.0% 26-JAN-1998 10 0.2 % 0.2% 26-JAN-1999 8 0.2 % 0.2% 26-JAN-2000 2 0.0 % 0.0% 26-JUL-1999 6 0.1 % 0.1% 26-JUL-2000 1 0.0 % 0.0% 26-JUN-1997 5 0.1 % 0.1% 26-JUN-1998 5 0.1 % 0.1% 26-JUN-1999 3 0.1 % 0.1% 26-JUN-2000 1 0.0 % 0.0% 26-JUN-2000 1 0.0 % 0.0% 26-MAR-1999 3 0.1 % 0.1% 26-MAR-1998 4 0.1 % 0.1% 26-MAR-1999 7 0.2 % 0.2% 26-MAY-1998 2 0.0 % 0.0% | 26-AUG-1999 | 2 | 0.0 % | 0.0% |
| 26-FEB-1999 5 0.1 % 0.1% 26-FEB-2000 2 0.0 % 0.0% 26-JAN-1998 10 0.2 % 0.2% 26-JAN-1999 8 0.2 % 0.2% 26-JAN-2000 2 0.0 % 0.0% 26-JUL-1999 6 0.1 % 0.1% 26-JUL-2000 1 0.0 % 0.0% 26-JUN-1997 5 0.1 % 0.1% 26-JUN-1998 5 0.1 % 0.1% 26-JUN-1999 3 0.1 % 0.1% 26-JUN-2000 1 0.0 % 0.0% 26-JUN-2000 1 0.0 % 0.0% 26-MAR-1997 2 0.0 % 0.0% 26-MAR-1998 4 0.1 % 0.1% 26-MAR-1999 7 0.2 % 0.2% 26-MAY-1998 2 0.0 % 0.0% | 26-DEC-1997 | 2 | 0.0 % | 0.0% |
| 26-FEB-2000 2 0.0 % 0.0% 26-JAN-1998 10 0.2 % 0.2% 26-JAN-1999 8 0.2 % 0.2% 26-JAN-2000 2 0.0 % 0.0% 26-JUL-1999 6 0.1 % 0.1% 26-JUL-2000 1 0.0 % 0.0% 26-JUN-1997 5 0.1 % 0.1% 26-JUN-1998 5 0.1 % 0.1% 26-JUN-1999 3 0.1 % 0.1% 26-JUN-2000 1 0.0 % 0.0% 26-MAR-1997 2 0.0 % 0.0% 26-MAR-1998 4 0.1 % 0.1% 26-MAR-1999 7 0.2 % 0.2% 26-MAY-1998 2 0.0 % 0.0% | 26-FEB-1998 | 5 | 0.1 % | 0.1% |
| 26-JAN-1998 10 0.2 % 0.2% 26-JAN-1999 8 0.2 % 0.2% 26-JAN-2000 2 0.0 % 0.0% 26-JUL-1999 6 0.1 % 0.1% 26-JUL-2000 1 0.0 % 0.0% 26-JUN-1997 2 0.0 % 0.0% 26-JUN-1998 5 0.1 % 0.1% 26-JUN-1999 3 0.1 % 0.1% 26-JUN-2000 1 0.0 % 0.0% 26-MAR-1997 2 0.0 % 0.0% 26-MAR-1998 4 0.1 % 0.1% 26-MAR-1999 7 0.2 % 0.2% 26-MAY-1998 2 0.0 % 0.0% | 26-FEB-1999 | 5 | 0.1 % | 0.1% |
| 26-JAN-1999 8 0.2 % 0.2% 26-JAN-2000 2 0.0 % 0.0% 26-JUL-1999 6 0.1 % 0.1% 26-JUL-2000 1 0.0 % 0.0% 26-JUN-1997 5 0.1 % 0.1% 26-JUN-1998 5 0.1 % 0.1% 26-JUN-1999 3 0.1 % 0.1% 26-JUN-2000 1 0.0 % 0.0% 26-MAR-1997 2 0.0 % 0.0% 26-MAR-1998 4 0.1 % 0.1% 26-MAR-1999 7 0.2 % 0.2% 26-MAY-1998 2 0.0 % 0.0% | 26-FEB-2000 | 2 | 0.0 % | 0.0% |
| 26-JAN-2000 2 0.0 % 0.0% 26-JUL-1999 6 0.1 % 0.1% 26-JUL-2000 1 0.0 % 0.0% 26-JUN-1997 2 0.0 % 0.0% 26-JUN-1998 5 0.1 % 0.1% 26-JUN-1999 3 0.1 % 0.1% 26-JUN-2000 1 0.0 % 0.0% 26-MAR-1997 2 0.0 % 0.0% 26-MAR-1998 4 0.1 % 0.1% 26-MAR-1999 7 0.2 % 0.2% 26-MAY-1998 2 0.0 % 0.0% | 26-JAN-1998 | 10 | 0.2 % | 0.2% |
| 26-JUL-1999 6 0.1 % 0.1% 26-JUL-2000 1 0.0 % 0.0% 26-JUL-2001 2 0.0 % 0.0% 26-JUN-1997 5 0.1 % 0.1% 26-JUN-1998 5 0.1 % 0.1% 26-JUN-1999 3 0.1 % 0.1% 26-JUN-2000 1 0.0 % 0.0% 26-MAR-1997 2 0.0 % 0.0% 26-MAR-1998 4 0.1 % 0.1% 26-MAR-1999 7 0.2 % 0.2% 26-MAY-1998 2 0.0 % 0.0% | 26-JAN-1999 | 8 | 0.2 % | 0.2% |
| 26-JUL-2000 1 0.0 % 0.0% 26-JUL-2001 2 0.0 % 0.0% 26-JUN-1997 5 0.1 % 0.1% 26-JUN-1998 5 0.1 % 0.1% 26-JUN-1999 3 0.1 % 0.1% 26-JUN-2000 1 0.0 % 0.0% 26-MAR-1997 2 0.0 % 0.0% 26-MAR-1998 4 0.1 % 0.1% 26-MAR-1999 7 0.2 % 0.2% 26-MAY-1998 2 0.0 % 0.0% | 26-JAN-2000 | 2 | 0.0 % | 0.0% |
| 26-JUL-2001 2 0.0 % 0.0% 26-JUN-1997 5 0.1 % 0.1% 26-JUN-1998 5 0.1 % 0.1% 26-JUN-1999 3 0.1 % 0.1% 26-JUN-2000 1 0.0 % 0.0% 26-MAR-1997 2 0.0 % 0.0% 26-MAR-1998 4 0.1 % 0.1% 26-MAR-1999 7 0.2 % 0.2% 26-MAY-1998 2 0.0 % 0.0% | 26-JUL-1999 | 6 | 0.1 % | 0.1% |
| 26-JUN-1997 5 0.1 % 0.1% 26-JUN-1998 5 0.1 % 0.1% 26-JUN-1999 3 0.1 % 0.1% 26-JUN-2000 1 0.0 % 0.0% 26-MAR-1997 2 0.0 % 0.0% 26-MAR-1998 4 0.1 % 0.1% 26-MAR-1999 7 0.2 % 0.2% 26-MAY-1998 2 0.0 % 0.0% | 26-JUL-2000 | 1 | 0.0 % | 0.0% |
| 26-JUN-1998 5 0.1 % 0.1% 26-JUN-1999 3 0.1 % 0.1% 26-JUN-2000 1 0.0 % 0.0% 26-MAR-1997 2 0.0 % 0.0% 26-MAR-1998 4 0.1 % 0.1% 26-MAR-1999 7 0.2 % 0.2% 26-MAY-1998 2 0.0 % 0.0% | 26-JUL-2001 | 2 | 0.0 % | 0.0% |
| 26-JUN-1999 3 0.1 % 0.1% 26-JUN-2000 1 0.0 % 0.0% 26-MAR-1997 2 0.0 % 0.0% 26-MAR-1998 4 0.1 % 0.1% 26-MAR-1999 7 0.2 % 0.2% 26-MAY-1998 2 0.0 % 0.0% | 26-JUN-1997 | 5 | 0.1 % | 0.1% |
| 26-JUN-2000 1 0.0 % 0.0% 26-MAR-1997 2 0.0 % 0.0% 26-MAR-1998 4 0.1 % 0.1% 26-MAR-1999 7 0.2 % 0.2% 26-MAY-1998 2 0.0 % 0.0% | 26-JUN-1998 | 5 | 0.1 % | 0.1% |
| 26-MAR-1997 2 0.0 % 0.0% 26-MAR-1998 4 0.1 % 0.1% 26-MAR-1999 7 0.2 % 0.2% 26-MAY-1998 2 0.0 % 0.0% | 26-JUN-1999 | 3 | 0.1 % | 0.1% |
| 26-MAR-1998 4 0.1 % 0.1% 26-MAR-1999 7 0.2 % 0.2% 26-MAY-1998 2 0.0 % 0.0% | 26-JUN-2000 | 1 | 0.0 % | 0.0% |
| 26-MAR-1999 7 0.2 % 0.2% 26-MAY-1998 2 0.0 % 0.0% | 26-MAR-1997 | 2 | 0.0 % | 0.0% |
| 26-MAY-1998 2 0.0 % 0.0% | 26-MAR-1998 | 4 | 0.1 % | 0.1% |
| | 26-MAR-1999 | 7 | 0.2 % | 0.2% |
| 26-MAY-1999 8 0.2 % 0.2% | 26-MAY-1998 | 2 | 0.0 % | 0.0% |
| | 26-MAY-1999 | 8 | 0.2 % | 0.2% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 26-MAY-2000 | 3 | 0.1 % | 0.1% |
| 26-NOV-1997 | 1 | 0.0 % | 0.0% |
| 26-OCT-1998 | 9 | 0.2 % | 0.2% |
| 26-OCT-1999 | 5 | 0.1 % | 0.1% |
| 26-OCT-2000 | 1 | 0.0 % | 0.0% |
| 26-SEP-1997 | 2 | 0.0 % | 0.0% |
| 26-SEP-1998 | 1 | 0.0 % | 0.0% |
| 26-SEP-1999 | 1 | 0.0 % | 0.0% |
| 26-SEP-2000 | 5 | 0.1 % | 0.1% |
| 26-SEP-2001 | 1 | 0.0 % | 0.0% |
| 27-APR-1998 | 6 | 0.1 % | 0.1% |
| 27-APR-1999 | 6 | 0.1 % | 0.1% |
| 27-APR-2000 | 1 | 0.0 % | 0.0% |
| 27-AUG-1997 | 1 | 0.0 % | 0.0% |
| 27-AUG-1998 | 6 | 0.1 % | 0.1% |
| 27-DEC-1997 | 1 | 0.0 % | 0.0% |
| 27-DEC-1999 | 1 | 0.0 % | 0.0% |
| 27-DEC-2000 | 1 | 0.0 % | 0.0% |
| 27-FEB-1997 | 1 | 0.0 % | 0.0% |
| 27-FEB-1998 | 8 | 0.2 % | 0.2% |
| 27-FEB-1999 | 3 | 0.1 % | 0.1% |
| 27-FEB-2001 | 1 | 0.0 % | 0.0% |
| 27-JAN-1997 | 2 | 0.0 % | 0.0% |
| 27-JAN-1998 | 4 | 0.1 % | 0.1% |
| 27-JAN-1999 | 6 | 0.1 % | 0.1% |
| 27-JAN-2000 | 3 | 0.1 % | 0.1% |
| 27-JUL-1998 | 7 | 0.2 % | 0.2% |
| 27-JUL-1999 | 8 | 0.2 % | 0.2% |
| 27-JUL-2000 | 2 | 0.0 % | 0.0% |
| 27-JUL-2001 | 1 | 0.0 % | 0.0% |
| 27-JUN-1997 | 5 | 0.1 % | 0.1% |
| 27-JUN-2000 | 2 | 0.0 % | 0.0% |
| 27-MAR-1997 | 7 | 0.2 % | 0.2% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 27-MAR-1998 | 2 | 0.0 % | 0.0% |
| 27-MAR-1999 | 2 | 0.0 % | 0.0% |
| 27-MAR-2000 | 4 | 0.1 % | 0.1% |
| 27-MAY-1998 | 4 | 0.1 % | 0.1% |
| 27-MAY-1999 | 6 | 0.1 % | 0.1% |
| 27-NOV-1999 | 1 | 0.0 % | 0.0% |
| 27-OCT-1997 | 5 | 0.1 % | 0.1% |
| 27-OCT-1998 | 5 | 0.1 % | 0.1% |
| 27-OCT-1999 | 4 | 0.1 % | 0.1% |
| 27-OCT-2000 | 3 | 0.1 % | 0.1% |
| 27-SEP-1996 | 1 | 0.0 % | 0.0% |
| 27-SEP-1997 | 1 | 0.0 % | 0.0% |
| 27-SEP-1998 | 1 | 0.0 % | 0.0% |
| 27-SEP-1999 | 3 | 0.1 % | 0.1% |
| 27-SEP-2000 | 1 | 0.0 % | 0.0% |
| 28-APR-1998 | 4 | 0.1 % | 0.1% |
| 28-APR-1999 | 6 | 0.1 % | 0.1% |
| 28-APR-2000 | 3 | 0.1 % | 0.1% |
| 28-AUG-1997 | 7 | 0.2 % | 0.2% |
| 28-AUG-1998 | 7 | 0.2 % | 0.2% |
| 28-AUG-1999 | 2 | 0.0 % | 0.0% |
| 28-AUG-2000 | 4 | 0.1 % | 0.1% |
| 28-DEC-1998 | 3 | 0.1 % | 0.1% |
| 28-DEC-1999 | 4 | 0.1 % | 0.1% |
| 28-FEB-1998 | 1 | 0.0 % | 0.0% |
| 28-FEB-1999 | 1 | 0.0 % | 0.0% |
| 28-FEB-2000 | 3 | 0.1 % | 0.1% |
| 28-FEB-2001 | 2 | 0.0 % | 0.0% |
| 28-JAN-1997 | 1 | 0.0 % | 0.0% |
| 28-JAN-1998 | 3 | 0.1 % | 0.1% |
| 28-JAN-1999 | 5 | 0.1 % | 0.1% |
| 28-JAN-2000 | 4 | 0.1 % | 0.1% |
| 28-JUL-1998 | 5 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 28-JUL-1999 | 5 | 0.1 % | 0.1% |
| 28-JUL-2000 | 2 | 0.0 % | 0.0% |
| 28-JUL-2001 | 2 | 0.0 % | 0.0% |
| 28-JUN-1998 | 1 | 0.0 % | 0.0% |
| 28-JUN-1999 | 5 | 0.1 % | 0.1% |
| 28-JUN-2000 | 3 | 0.1 % | 0.1% |
| 28-MAR-1998 | 4 | 0.1 % | 0.1% |
| 28-MAR-2000 | 4 | 0.1 % | 0.1% |
| 28-MAR-2001 | 4 | 0.1 % | 0.1% |
| 28-MAY-1997 | 2 | 0.0 % | 0.0% |
| 28-MAY-1998 | 5 | 0.1 % | 0.1% |
| 28-MAY-1999 | 2 | 0.0 % | 0.0% |
| 28-MAY-2000 | 1 | 0.0 % | 0.0% |
| 28-NOV-1998 | 1 | 0.0 % | 0.0% |
| 28-OCT-1997 | 2 | 0.0 % | 0.0% |
| 28-OCT-1998 | 7 | 0.2 % | 0.2% |
| 28-OCT-1999 | 3 | 0.1 % | 0.1% |
| 28-SEP-1996 | 1 | 0.0 % | 0.0% |
| 28-SEP-1998 | 3 | 0.1 % | 0.1% |
| 28-SEP-1999 | 5 | 0.1 % | 0.1% |
| 28-SEP-2000 | 3 | 0.1 % | 0.1% |
| 29-APR-1997 | 1 | 0.0 % | 0.0% |
| 29-APR-1998 | 5 | 0.1 % | 0.1% |
| 29-APR-1999 | 2 | 0.0 % | 0.0% |
| 29-APR-2000 | 2 | 0.0 % | 0.0% |
| 29-AUG-1997 | 3 | 0.1 % | 0.1% |
| 29-AUG-1998 | 1 | 0.0 % | 0.0% |
| 29-AUG-2000 | 1 | 0.0 % | 0.0% |
| 29-DEC-1997 | 1 | 0.0 % | 0.0% |
| 29-DEC-1998 | 1 | 0.0 % | 0.0% |
| 29-DEC-1999 | 6 | 0.1 % | 0.1% |
| 29-FEB-2000 | 4 | 0.1 % | 0.1% |
| 29-JAN-1997 | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 29-JAN-1998 | 3 | 0.1 % | 0.1% |
| 29-JAN-1999 | 5 | 0.1 % | 0.1% |
| 29-JAN-2000 | 2 | 0.0 % | 0.0% |
| 29-JUL-1997 | 3 | 0.1 % | 0.1% |
| 29-JUL-1998 | 7 | 0.2 % | 0.2% |
| 29-JUL-1999 | 6 | 0.1 % | 0.1% |
| 29-JUL-2000 | 1 | 0.0 % | 0.0% |
| 29-JUN-1998 | 5 | 0.1 % | 0.1% |
| 29-JUN-1999 | 4 | 0.1 % | 0.1% |
| 29-JUN-2000 | 2 | 0.0 % | 0.0% |
| 29-MAR-1998 | 1 | 0.0 % | 0.0% |
| 29-MAR-1999 | 10 | 0.2 % | 0.2% |
| 29-MAR-2000 | 4 | 0.1 % | 0.1% |
| 29-MAY-1998 | 4 | 0.1 % | 0.1% |
| 29-MAY-2001 | 1 | 0.0 % | 0.0% |
| 29-NOV-1998 | 1 | 0.0 % | 0.0% |
| 29-NOV-1999 | 8 | 0.2 % | 0.2% |
| 29-NOV-2000 | 2 | 0.0 % | 0.0% |
| 29-OCT-1997 | 5 | 0.1 % | 0.1% |
| 29-OCT-1998 | 2 | 0.0 % | 0.0% |
| 29-OCT-1999 | 3 | 0.1 % | 0.1% |
| 29-SEP-1997 | 4 | 0.1 % | 0.1% |
| 29-SEP-1998 | 8 | 0.2 % | 0.2% |
| 29-SEP-1999 | 4 | 0.1 % | 0.1% |
| 29-SEP-2000 | 1 | 0.0 % | 0.0% |
| 30-APR-1998 | 7 | 0.2 % | 0.2% |
| 30-APR-1999 | 5 | 0.1 % | 0.1% |
| 30-AUG-1997 | 2 | 0.0 % | 0.0% |
| 30-AUG-1998 | 1 | 0.0 % | 0.0% |
| 30-AUG-1999 | 5 | 0.1 % | 0.1% |
| 30-AUG-2000 | 3 | 0.1 % | 0.1% |
| 30-DEC-1997 | 4 | 0.1 % | 0.1% |
| 30-DEC-1998 | 5 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|------------------------------|
| GMDI | GM DATE OF INTERVIEW (cont.) |

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 30-JAN-1997 | 1 | 0.0 % | 0.0% |
| 30-JAN-1998 | 6 | 0.1 % | 0.1% |
| 30-JAN-1999 | 1 | 0.0 % | 0.0% |
| 30-JAN-2000 | 1 | 0.0 % | 0.0% |
| 30-JUL-1997 | 1 | 0.0 % | 0.0% |
| 30-JUL-1998 | 5 | 0.1 % | 0.1% |
| 30-JUL-1999 | 6 | 0.1 % | 0.1% |
| 30-JUL-2001 | 1 | 0.0 % | 0.0% |
| 30-JUN-1997 | 2 | 0.0 % | 0.0% |
| 30-JUN-1998 | 5 | 0.1 % | 0.1% |
| 30-JUN-1999 | 7 | 0.2 % | 0.2% |
| 30-MAR-1998 | 5 | 0.1 % | 0.1% |
| 30-MAR-1999 | 12 | 0.3 % | 0.3% |
| 30-MAR-2000 | 3 | 0.1 % | 0.1% |
| 30-MAY-2000 | 1 | 0.0 % | 0.0% |
| 30-NOV-1998 | 6 | 0.1 % | 0.1% |
| 30-NOV-1999 | 2 | 0.0 % | 0.0% |
| 30-NOV-2000 | 3 | 0.1 % | 0.1% |
| 30-OCT-1996 | 1 | 0.0 % | 0.0% |
| 30-OCT-1997 | 3 | 0.1 % | 0.1% |
| 30-OCT-1998 | 2 | 0.0 % | 0.0% |
| 30-OCT-1999 | 2 | 0.0 % | 0.0% |
| 30-OCT-2000 | 1 | 0.0 % | 0.0% |
| 30-SEP-1997 | 2 | 0.0 % | 0.0% |
| 30-SEP-1998 | 8 | 0.2 % | 0.2% |
| 30-SEP-1999 | 4 | 0.1 % | 0.1% |
| 31-AUG-1998 | 8 | 0.2 % | 0.2% |
| 31-AUG-1999 | 1 | 0.0 % | 0.0% |
| 31-AUG-2000 | 4 | 0.1 % | 0.1% |
| 31-DEC-1997 | 1 | 0.0 % | 0.0% |
| 31-DEC-1998 | 1 | 0.0 % | 0.0% |
| 31-JAN-1998 | 4 | 0.1 % | 0.1% |
| 31-JAN-2000 | 3 | 0.1 % | 0.1% |

GMDI GM DATE OF INTERVIEW (cont.)

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| 31-JAN-2001 | 1 | 0.0 % | 0.0% |
| 31-JUL-1997 | 4 | 0.1 % | 0.1% |
| 31-JUL-1998 | 12 | 0.3 % | 0.3% |
| 31-JUL-2000 | 2 | 0.0 % | 0.0% |
| 31-MAR-1997 | 3 | 0.1 % | 0.1% |
| 31-MAR-1998 | 7 | 0.2 % | 0.2% |
| 31-MAR-1999 | 8 | 0.2 % | 0.2% |
| 31-MAR-2000 | 4 | 0.1 % | 0.1% |
| 31-MAR-2001 | 1 | 0.0 % | 0.0% |
| 31-MAY-1999 | 1 | 0.0 % | 0.0% |
| 31-MAY-2000 | 1 | 0.0 % | 0.0% |
| 31-MAY-2001 | 1 | 0.0 % | 0.0% |
| 31-OCT-1997 | 1 | 0.0 % | 0.0% |
| 31-OCT-1998 | 2 | 0.0 % | 0.0% |
| 31-OCT-1999 | 1 | 0.0 % | 0.0% |
| 31-OCT-2000 | 1 | 0.0 % | 0.0% |

GM1 CG MEDICATION 1

Start: 51 End: 70 Width: 20

Width: 20 Type: character (ISO) Interval: discrete

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| "FORWARD PLUS" | 1 | 0.0 % | 0.0% |
| -2 | 15 | 0.4 % | 0.4% |
| -4 | 2 | 0.0 % | 0.0% |
| 50 PLUS SUPER AYTINA | 1 | 0.0 % | 0.0% |
| AC-FOLIC | 1 | 0.0 % | 0.0% |
| ACCOLATE | 3 | 0.1 % | 0.1% |
| ACCOLATE 20MG | 1 | 0.0 % | 0.0% |
| ACCUPRIL | 16 | 0.4 % | 0.4% |
| ACCURPRIL | 1 | 0.0 % | 0.0% |
| ACEBUTOLOL | 2 | 0.0 % | 0.0% |
| ACEBUTOLOL HCL | 1 | 0.0 % | 0.0% |
| ACETAMINOPHEN | 4 | 0.1 % | 0.1% |
| ACIPHEX | 1 | 0.0 % | 0.0% |
| ACTIGALL | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM1 | CG MEDICATION 1 (cont.) |

| Value | Frequency | % | Valid % |
|--------------------|-----------|-------|---------|
| ACTOS | 2 | 0.0 % | 0.0% |
| ACYCLOVIR | 2 | 0.0 % | 0.0% |
| ADALAT | 9 | 0.2 % | 0.2% |
| ADALAT CC | 6 | 0.1 % | 0.1% |
| ADVIL | 17 | 0.4 % | 0.4% |
| ADVIL COLD & SINUS | 2 | 0.0 % | 0.0% |
| ADVIL MIGRAINE | 1 | 0.0 % | 0.0% |
| AEROBID | 1 | 0.0 % | 0.0% |
| ALBUTEROL | 7 | 0.2 % | 0.2% |
| ALBUTIROL VENTOLIN | 1 | 0.0 % | 0.0% |
| ALDACTAZIDE | 2 | 0.0 % | 0.0% |
| ALEGRA | 1 | 0.0 % | 0.0% |
| ALEVE | 6 | 0.1 % | 0.1% |
| ALFALFA | 1 | 0.0 % | 0.0% |
| ALLEGRA | 11 | 0.3 % | 0.3% |
| ALLERGAN HYDROCARE | 1 | 0.0 % | 0.0% |
| ALLEVE | 1 | 0.0 % | 0.0% |
| ALLOPURINOL | 1 | 0.0 % | 0.0% |
| ALPHA CF | 1 | 0.0 % | 0.0% |
| ALPHAGAN | 1 | 0.0 % | 0.0% |
| ALPRAZOLAM | 10 | 0.2 % | 0.2% |
| ALTACE | 7 | 0.2 % | 0.2% |
| AMBIEN | 4 | 0.1 % | 0.1% |
| AMITRIPTYLINE | 6 | 0.1 % | 0.1% |
| AMITRIPTYLINE HCL | 2 | 0.0 % | 0.0% |
| AMLODIPINE | 1 | 0.0 % | 0.0% |
| AMOXICILLIN | 2 | 0.0 % | 0.0% |
| AMPICILLIN | 1 | 0.0 % | 0.0% |
| ANACIN | 3 | 0.1 % | 0.1% |
| ANTIVERT | 2 | 0.0 % | 0.0% |
| ARICEPT | 1 | 0.0 % | 0.0% |
| ARIMICEX | 1 | 0.0 % | 0.0% |
| ARMOUR | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| 0144 | OO MEDIOATION 4 (conf.) |
| GM1 | CG MEDICATION 1 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| ARMOUR THYRO | 1 | 0.0 % | 0.0% |
| ARMOUR THYROID | 6 | 0.1 % | 0.1% |
| ARTHROTEC | 5 | 0.1 % | 0.1% |
| ARTIFICIAL TEARS OP | 1 | 0.0 % | 0.0% |
| ASACOL | 1 | 0.0 % | 0.0% |
| ASPIRIN | 132 | 3.2 % | 3.2% |
| ASPIRIN (BABY) | 1 | 0.0 % | 0.0% |
| ASPIRIN CHILDREN'S | 1 | 0.0 % | 0.0% |
| ASPIRIN W CODEIDE 30 | 1 | 0.0 % | 0.0% |
| ASPIRIN-BABY | 1 | 0.0 % | 0.0% |
| ASPRIN | 1 | 0.0 % | 0.0% |
| ATACAND | 1 | 0.0 % | 0.0% |
| ATACANT | 1 | 0.0 % | 0.0% |
| ATENELOL | 2 | 0.0 % | 0.0% |
| ATENOL | 1 | 0.0 % | 0.0% |
| ATENOLOL | 53 | 1.3 % | 1.3% |
| ATIVAN | 9 | 0.2 % | 0.2% |
| ATORVASTATIN CA | 1 | 0.0 % | 0.0% |
| ATROVENT | 1 | 0.0 % | 0.0% |
| ATROVENT INHALER | 1 | 0.0 % | 0.0% |
| AUGMENTIN | 1 | 0.0 % | 0.0% |
| AVALIDE | 1 | 0.0 % | 0.0% |
| AVANDIA | 1 | 0.0 % | 0.0% |
| AVAPRO | 2 | 0.0 % | 0.0% |
| AVISTA | 1 | 0.0 % | 0.0% |
| AXID | 4 | 0.1 % | 0.1% |
| AYTRIN | 1 | 0.0 % | 0.0% |
| AZMACORT | 5 | 0.1 % | 0.1% |
| B 50 | 1 | 0.0 % | 0.0% |
| B-12 | 1 | 0.0 % | 0.0% |
| B50 | 1 | 0.0 % | 0.0% |
| BABY ASPIRIN | 3 | 0.1 % | 0.1% |
| BACLOFEN | 4 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|-------------------------|
| GM1 | CG MEDICATION 1 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| BAYCOL | 2 | 0.0 % | 0.0% |
| BAYER | 1 | 0.0 % | 0.0% |
| BAYER ASPIRIN | 2 | 0.0 % | 0.0% |
| BC POWDER | 2 | 0.0 % | 0.0% |
| BECLOVENT | 2 | 0.0 % | 0.0% |
| BENADRYL | 1 | 0.0 % | 0.0% |
| BENAZEPRIL | 1 | 0.0 % | 0.0% |
| BENEDRYL | 1 | 0.0 % | 0.0% |
| BENTYL | 1 | 0.0 % | 0.0% |
| BENZONATATE | 1 | 0.0 % | 0.0% |
| BEROCCA | 1 | 0.0 % | 0.0% |
| BETACAROTENE | 1 | 0.0 % | 0.0% |
| BETAPACE | 2 | 0.0 % | 0.0% |
| BETIMOL | 3 | 0.1 % | 0.1% |
| BETIMOLX | 1 | 0.0 % | 0.0% |
| BETOPTIC | 2 | 0.0 % | 0.0% |
| BETOPTIC S | 2 | 0.0 % | 0.0% |
| BIO MAX VITAMINS | 1 | 0.0 % | 0.0% |
| BIOTIN | 1 | 0.0 % | 0.0% |
| BLIND (CALCIUM/PLAC) | 1 | 0.0 % | 0.0% |
| BONE UP | 1 | 0.0 % | 0.0% |
| BROMELAIN JOINT EASE | 1 | 0.0 % | 0.0% |
| BRONKAID MIST | 1 | 0.0 % | 0.0% |
| BUFFERIN | 4 | 0.1 % | 0.1% |
| BUMETANIDE | 1 | 0.0 % | 0.0% |
| BUMEX | 4 | 0.1 % | 0.1% |
| BUSPAR | 10 | 0.2 % | 0.2% |
| BUSPIRONE | 1 | 0.0 % | 0.0% |
| BUTALBITAL | 2 | 0.0 % | 0.0% |
| BUTALBITAL/ASA/CAFF | 1 | 0.0 % | 0.0% |
| CADECEM | 1 | 0.0 % | 0.0% |
| CALAN | 6 | 0.1 % | 0.1% |
| CALAN 180SR | 4 | 0.1 % | 0.1% |

| Variable | Variable Description | |
|----------|-------------------------|--|
| GM1 | CG MEDICATION 1 (cont.) | |

| CALAN SR | 4 | | |
|----------------------|----|-------|------|
| | 7 | 0.1 % | 0.1% |
| CALCIUM | 36 | 0.9 % | 0.9% |
| CALCIUM 500 | 1 | 0.0 % | 0.0% |
| CALCIUM CARBONATE | 1 | 0.0 % | 0.0% |
| CALCIUM WITH MAGNESI | 1 | 0.0 % | 0.0% |
| CALCIUM-MAGNESIUM | 1 | 0.0 % | 0.0% |
| CALTRATE | 4 | 0.1 % | 0.1% |
| CAPATEN | 2 | 0.0 % | 0.0% |
| CAPITROL | 2 | 0.0 % | 0.0% |
| CAPITROL CREAM SHAMP | 1 | 0.0 % | 0.0% |
| CAPOTEN | 7 | 0.2 % | 0.2% |
| CAPTOPRIL | 6 | 0.1 % | 0.1% |
| CARBAMAZEPIN | 4 | 0.1 % | 0.1% |
| CARBAMAZEPINE | 4 | 0.1 % | 0.1% |
| CARDENE | 6 | 0.1 % | 0.1% |
| CARDIZEM | 23 | 0.6 % | 0.6% |
| CARDIZEM 30 MG | 1 | 0.0 % | 0.0% |
| CARDIZEM CD | 5 | 0.1 % | 0.1% |
| CARDIZEM-CD | 1 | 0.0 % | 0.0% |
| CARDIZEMCD | 1 | 0.0 % | 0.0% |
| CARDIZEN | 4 | 0.1 % | 0.1% |
| CARDURA | 20 | 0.5 % | 0.5% |
| CARISOPRODOL | 1 | 0.0 % | 0.0% |
| CASTOR OIL | 1 | 0.0 % | 0.0% |
| CATAPRES | 7 | 0.2 % | 0.2% |
| CATAPRES-TTS-3 | 1 | 0.0 % | 0.0% |
| CELEBREX | 18 | 0.4 % | 0.4% |
| CELECOX IB | 1 | 0.0 % | 0.0% |
| CELEXA | 9 | 0.2 % | 0.2% |
| CELLCEPT | 3 | 0.1 % | 0.1% |
| CELONTIN | 1 | 0.0 % | 0.0% |
| CENTRAL-VITE SENIOR | 1 | 0.0 % | 0.0% |
| CENTRIM VITAMINS | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM1 | CG MEDICATION 1 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| CENTRUM | 13 | 0.3 % | 0.3% |
| CENTRUM A ZINC | 1 | 0.0 % | 0.0% |
| CENTRUM SILVER | 6 | 0.1 % | 0.1% |
| CENTRUM SILVER MULTI | 1 | 0.0 % | 0.0% |
| CENTRUM VITAMIN | 1 | 0.0 % | 0.0% |
| CEPHALEXIN | 3 | 0.1 % | 0.1% |
| CHIMARA | 1 | 0.0 % | 0.0% |
| CHLOPROMAZINE | 1 | 0.0 % | 0.0% |
| CHLORDIAZEPOXIDE | 2 | 0.0 % | 0.0% |
| CHLOROTHIAZIDE | 2 | 0.0 % | 0.0% |
| CHLORPHENIRAMINE | 2 | 0.0 % | 0.0% |
| CHLORPHENIRAMINE MAL | 1 | 0.0 % | 0.0% |
| CHLORPROMAZINE | 1 | 0.0 % | 0.0% |
| CHLORPROPAMIDE | 3 | 0.1 % | 0.1% |
| CHROMAGEN | 3 | 0.1 % | 0.1% |
| CHROMIUM PICOLINATE | 1 | 0.0 % | 0.0% |
| CIMETIDINE | 3 | 0.1 % | 0.1% |
| CIPRO | 1 | 0.0 % | 0.0% |
| CITRACAL | 1 | 0.0 % | 0.0% |
| CITRACIL | 1 | 0.0 % | 0.0% |
| CLARITIN | 19 | 0.5 % | 0.5% |
| CLARITIN D | 9 | 0.2 % | 0.2% |
| CLARITIN-D | 7 | 0.2 % | 0.2% |
| CLIMARA PATCH | 1 | 0.0 % | 0.0% |
| CLINDAMYCIN HCL | 1 | 0.0 % | 0.0% |
| CLONAZEPAM | 3 | 0.1 % | 0.1% |
| CLONIDINE | 1 | 0.0 % | 0.0% |
| CLONIDINE HCL | 4 | 0.1 % | 0.1% |
| CLONIDINE HYDROCHLOR | 1 | 0.0 % | 0.0% |
| CLORAZEPATE DIPOTASS | 1 | 0.0 % | 0.0% |
| COD LIVER OIL | 2 | 0.0 % | 0.0% |
| COLCHICINE | 5 | 0.1 % | 0.1% |
| COMBIVENT | 2 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM1 | CG MEDICATION 1 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| CONJ-STROGENE | 1 | 0.0 % | 0.0% |
| CONSTULOSE | 1 | 0.0 % | 0.0% |
| CORDRAN TAPE | 1 | 0.0 % | 0.0% |
| CORGARD | 3 | 0.1 % | 0.1% |
| COSOPT | 1 | 0.0 % | 0.0% |
| COSOPT OPTHALMIC | 1 | 0.0 % | 0.0% |
| COUMADEN | 1 | 0.0 % | 0.0% |
| COUMADIN | 20 | 0.5 % | 0.5% |
| COUMIDIN | 1 | 0.0 % | 0.0% |
| COVERA | 2 | 0.0 % | 0.0% |
| COVERA HS | 3 | 0.1 % | 0.1% |
| COVERA-HS | 2 | 0.0 % | 0.0% |
| COZAAR | 5 | 0.1 % | 0.1% |
| COZAR | 1 | 0.0 % | 0.0% |
| CROLOM 4% EYE DROPS | 1 | 0.0 % | 0.0% |
| CYCLOBENZAPRINE | 2 | 0.0 % | 0.0% |
| CYCRIN | 1 | 0.0 % | 0.0% |
| CYCRIN TABS | 1 | 0.0 % | 0.0% |
| CYSTOSPAZ | 1 | 0.0 % | 0.0% |
| CYTOTEC | 2 | 0.0 % | 0.0% |
| DAMASON-P | 1 | 0.0 % | 0.0% |
| DANAZOL | 1 | 0.0 % | 0.0% |
| DARVOCET-N | 1 | 0.0 % | 0.0% |
| DAYPRO | 12 | 0.3 % | 0.3% |
| DECONAMINE | 1 | 0.0 % | 0.0% |
| DECONGESTANT SR TABL | 1 | 0.0 % | 0.0% |
| DELACORT | 1 | 0.0 % | 0.0% |
| DEMADEX | 2 | 0.0 % | 0.0% |
| DEPAKOTE | 2 | 0.0 % | 0.0% |
| DESIPRAMINE HCL | 1 | 0.0 % | 0.0% |
| DETERNOL | 1 | 0.0 % | 0.0% |
| DEXEDRINE | 3 | 0.1 % | 0.1% |
| DIABELESE | 1 | 0.0 % | 0.0% |

| Variable | Variable Description | |
|----------|-------------------------|--|
| GM1 | CG MEDICATION 1 (cont.) | |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| DIABETA | 4 | 0.1 % | 0.1% |
| DIABINESE | 3 | 0.1 % | 0.1% |
| DIAZEPAM | 1 | 0.0 % | 0.0% |
| DICLOFENAC | 1 | 0.0 % | 0.0% |
| DICLOFENAC SOD | 1 | 0.0 % | 0.0% |
| DICLOFENAC SODIUM | 2 | 0.0 % | 0.0% |
| DICYCLOMINE | 2 | 0.0 % | 0.0% |
| DICYCLOMINE HCL | 1 | 0.0 % | 0.0% |
| DICYCLOMINE HYDROCHL | 1 | 0.0 % | 0.0% |
| DIGOXIN | 3 | 0.1 % | 0.1% |
| DILACOR | 2 | 0.0 % | 0.0% |
| DILACOR XR | 3 | 0.1 % | 0.1% |
| DILANTIN | 11 | 0.3 % | 0.3% |
| DILITIAZEM HCL | 1 | 0.0 % | 0.0% |
| DILTIAZEM | 4 | 0.1 % | 0.1% |
| DILTIAZEM HCL | 4 | 0.1 % | 0.1% |
| DIOVAN | 13 | 0.3 % | 0.3% |
| DIPHENHYDRAMINE HCL | 2 | 0.0 % | 0.0% |
| DIPYRIDAMOLE | 1 | 0.0 % | 0.0% |
| DITROPAN | 2 | 0.0 % | 0.0% |
| DITROPAN XL | 2 | 0.0 % | 0.0% |
| DIURIL | 3 | 0.1 % | 0.1% |
| DOCUSATE | 1 | 0.0 % | 0.0% |
| DOCUSATE SODIUM | 1 | 0.0 % | 0.0% |
| DONNATAL MYLANTA | 1 | 0.0 % | 0.0% |
| DOXAZOSIN | 1 | 0.0 % | 0.0% |
| DOXYCYCLINE | 1 | 0.0 % | 0.0% |
| DURA-VENT | 1 | 0.0 % | 0.0% |
| DYAZIDE | 10 | 0.2 % | 0.2% |
| DYNACIRC | 3 | 0.1 % | 0.1% |
| DYRENIUM | 1 | 0.0 % | 0.0% |
| E 400 | 1 | 0.0 % | 0.0% |
| E 400 DALPHA | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM1 | CG MEDICATION 1 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| E-400 | 1 | 0.0 % | 0.0% |
| EC-NAPROSYN | 1 | 0.0 % | 0.0% |
| ECHINACEA | 2 | 0.0 % | 0.0% |
| ECOTRIN | 6 | 0.1 % | 0.1% |
| ECOTRIN QD | 1 | 0.0 % | 0.0% |
| EFEXOR XR | 1 | 0.0 % | 0.0% |
| EFEXXOR | 1 | 0.0 % | 0.0% |
| EFFEXOR | 9 | 0.2 % | 0.2% |
| EFFEXOR XR | 1 | 0.0 % | 0.0% |
| ELAVIL | 1 | 0.0 % | 0.0% |
| ELDEPRYL | 1 | 0.0 % | 0.0% |
| ENDOCET | 1 | 0.0 % | 0.0% |
| ENTEX | 2 | 0.0 % | 0.0% |
| ERYTHRITYL TETRANTRA | 1 | 0.0 % | 0.0% |
| ESKALITH | 2 | 0.0 % | 0.0% |
| ESKALITH 300MGX2 | 1 | 0.0 % | 0.0% |
| ESTAR | 1 | 0.0 % | 0.0% |
| ESTER C | 1 | 0.0 % | 0.0% |
| ESTER-C | 1 | 0.0 % | 0.0% |
| ESTRACE | 30 | 0.7 % | 0.7% |
| ESTRADERM | 3 | 0.1 % | 0.1% |
| ESTRADIOL | 3 | 0.1 % | 0.1% |
| ESTRADIOL PATCH | 1 | 0.0 % | 0.0% |
| ESTRASE | 2 | 0.0 % | 0.0% |
| ESTRATAB | 4 | 0.1 % | 0.1% |
| ESTRATEST | 1 | 0.0 % | 0.0% |
| ESTRETET | 1 | 0.0 % | 0.0% |
| ESTROGEN | 17 | 0.4 % | 0.4% |
| ESTROGEN (HORMONE RE | 1 | 0.0 % | 0.0% |
| ESTROGEN (PREMARIN) | 1 | 0.0 % | 0.0% |
| ESTROGEN PATCH | 1 | 0.0 % | 0.0% |
| ESTROGEN PREMARIN | 1 | 0.0 % | 0.0% |
| ESTROGEN PROGESTERON | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM1 | CG MEDICATION 1 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| ESTROGEN/PREMARIN | 1 | 0.0 % | 0.0% |
| ESTROGENS | 5 | 0.1 % | 0.1% |
| ESTROGENS CONJUGATED | 1 | 0.0 % | 0.0% |
| ESTROGENS EQUINE | 1 | 0.0 % | 0.0% |
| ESTROPIATE | 1 | 0.0 % | 0.0% |
| ESTROPIPATE | 1 | 0.0 % | 0.0% |
| ESTROSTEP | 1 | 0.0 % | 0.0% |
| ESTROTEST | 1 | 0.0 % | 0.0% |
| ETODOLAC | 1 | 0.0 % | 0.0% |
| EULEXIN | 1 | 0.0 % | 0.0% |
| EULEXIN 125MG | 1 | 0.0 % | 0.0% |
| EXCEDRIN | 4 | 0.1 % | 0.1% |
| EYE DROPS | 1 | 0.0 % | 0.0% |
| FELDENE | 4 | 0.1 % | 0.1% |
| FEOSOL | 1 | 0.0 % | 0.0% |
| FERROUS SULFATE | 3 | 0.1 % | 0.1% |
| FINASTERIDE | 1 | 0.0 % | 0.0% |
| FIORICET | 1 | 0.0 % | 0.0% |
| FIORINAL | 1 | 0.0 % | 0.0% |
| FISH OIL | 1 | 0.0 % | 0.0% |
| FLAX SEED | 1 | 0.0 % | 0.0% |
| FLEXERIL | 3 | 0.1 % | 0.1% |
| FLOMAX | 2 | 0.0 % | 0.0% |
| FLONASE | 2 | 0.0 % | 0.0% |
| FLOVENT | 2 | 0.0 % | 0.0% |
| FLUOXETING | 1 | 0.0 % | 0.0% |
| FLUTICASONE PROPIONA | 2 | 0.0 % | 0.0% |
| FOLIC ACID | 3 | 0.1 % | 0.1% |
| FOSAMAX | 34 | 0.8 % | 0.8% |
| FOSINOPRIL | 2 | 0.0 % | 0.0% |
| FUROSEMIDE | 18 | 0.4 % | 0.4% |
| GALICIC | 1 | 0.0 % | 0.0% |
| GARLIC | 3 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|-------------------------|
| GM1 | CG MEDICATION 1 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| GARLICINOIL | 1 | 0.0 % | 0.0% |
| GEMFIBROZIL | 3 | 0.1 % | 0.1% |
| GENLASIX FUROSEMIDE | 1 | 0.0 % | 0.0% |
| GINGKO BILOBA | 2 | 0.0 % | 0.0% |
| GINKGO | 1 | 0.0 % | 0.0% |
| GINKGO BILOBA | 8 | 0.2 % | 0.2% |
| GINKGO MEMO | 1 | 0.0 % | 0.0% |
| GINKGOLD | 3 | 0.1 % | 0.1% |
| GINKO BILOBA | 5 | 0.1 % | 0.1% |
| GINSENG | 5 | 0.1 % | 0.1% |
| GLIPIZIDE | 1 | 0.0 % | 0.0% |
| GLUCOPHAGE | 36 | 0.9 % | 0.9% |
| GLUCOSAMINE | 7 | 0.2 % | 0.2% |
| GLUCOSAMINECHONDROIT | 1 | 0.0 % | 0.0% |
| GLUCOTROL | 12 | 0.3 % | 0.3% |
| GLUCOTROL XL | 4 | 0.1 % | 0.1% |
| GLULOTROL | 1 | 0.0 % | 0.0% |
| GLUTOFAC | 2 | 0.0 % | 0.0% |
| GLUTUFAC | 1 | 0.0 % | 0.0% |
| GLYBORIDE | 1 | 0.0 % | 0.0% |
| GLYBURIDE | 6 | 0.1 % | 0.1% |
| GLYSET | 1 | 0.0 % | 0.0% |
| GOLDEN SEAL | 1 | 0.0 % | 0.0% |
| GOLDENSEAL | 1 | 0.0 % | 0.0% |
| GUAIFEN P EPHED | 1 | 0.0 % | 0.0% |
| GUAIFENESIN | 4 | 0.1 % | 0.1% |
| GUIAPHED | 1 | 0.0 % | 0.0% |
| HCTZ | 5 | 0.1 % | 0.1% |
| HEMATINIC FORMULA | 1 | 0.0 % | 0.0% |
| HISMANAL | 1 | 0.0 % | 0.0% |
| HOMEBEST NASAL SPRAY | 1 | 0.0 % | 0.0% |
| HORMONES | 1 | 0.0 % | 0.0% |
| HUMIBID | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM1 | CG MEDICATION 1 (cont.) |

| Value | Frequency | % | Valid % |
|---------------------|-----------|-------|---------|
| HUMULIN | 1 | 0.0 % | 0.0% |
| HUMULIN 10/30 | 1 | 0.0 % | 0.0% |
| HUMULIN 70/30 | 7 | 0.2 % | 0.2% |
| HUMULIN N | 6 | 0.1 % | 0.1% |
| HUMULIN R | 1 | 0.0 % | 0.0% |
| HYDROCHLOROT | 2 | 0.0 % | 0.0% |
| HYDROCHLOROTHIAZIDE | 24 | 0.6 % | 0.6% |
| HYDROCHLORTHIAZIDE | 1 | 0.0 % | 0.0% |
| HYDROCODONE | 4 | 0.1 % | 0.1% |
| HYDRODIURIL | 1 | 0.0 % | 0.0% |
| HYDROPINE | 2 | 0.0 % | 0.0% |
| HYDROXYCHLOROQUINE | 1 | 0.0 % | 0.0% |
| HYDROXYUREA | 1 | 0.0 % | 0.0% |
| HYDROXYZINE HCL | 1 | 0.0 % | 0.0% |
| HYPERCINE | 1 | 0.0 % | 0.0% |
| HYROCHLOROTHIAZIDE | 1 | 0.0 % | 0.0% |
| HYTRIN | 13 | 0.3 % | 0.3% |
| HYZAAR | 10 | 0.2 % | 0.2% |
| IBERET FOLIC | 1 | 0.0 % | 0.0% |
| IBUPROFEN | 29 | 0.7 % | 0.7% |
| IBUPROFIN | 1 | 0.0 % | 0.0% |
| IBUPROIEN | 1 | 0.0 % | 0.0% |
| IMDUR | 2 | 0.0 % | 0.0% |
| IMITREX | 2 | 0.0 % | 0.0% |
| INDAPAMIDE | 6 | 0.1 % | 0.1% |
| INDERAL | 7 | 0.2 % | 0.2% |
| INDERAL-LA | 1 | 0.0 % | 0.0% |
| INDERAL-SR | 1 | 0.0 % | 0.0% |
| INDERALLA | 1 | 0.0 % | 0.0% |
| INDEROL | 1 | 0.0 % | 0.0% |
| INDOMETHACIN | 2 | 0.0 % | 0.0% |
| INSULIN | 12 | 0.3 % | 0.3% |
| INSULIN 70/30 | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| 0144 | OO MEDIOATION 4 (conf.) |
| GM1 | CG MEDICATION 1 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| INSULIN NOVOLIN 70/3 | 1 | 0.0 % | 0.0% |
| INSULIN SYRINGE | 7 | 0.2 % | 0.2% |
| INTERFERON | 1 | 0.0 % | 0.0% |
| INTERFERON ALFA 26 | 1 | 0.0 % | 0.0% |
| IRON | 5 | 0.1 % | 0.1% |
| IRON FERGON PILLS | 1 | 0.0 % | 0.0% |
| IRON SLOWFE | 1 | 0.0 % | 0.0% |
| IRON TAB | 1 | 0.0 % | 0.0% |
| IRON TABLETS | 1 | 0.0 % | 0.0% |
| ISMO | 1 | 0.0 % | 0.0% |
| ISOPTIN | 3 | 0.1 % | 0.1% |
| ISOSORBIDE | 3 | 0.1 % | 0.1% |
| ISOSORBIDE MONONITRA | 2 | 0.0 % | 0.0% |
| ISOSORBIDECR | 1 | 0.0 % | 0.0% |
| ISULIN | 1 | 0.0 % | 0.0% |
| JUICE PLUS | 1 | 0.0 % | 0.0% |
| K DUR | 6 | 0.1 % | 0.1% |
| K-DUR | 5 | 0.1 % | 0.1% |
| K-DUR TAB | 1 | 0.0 % | 0.0% |
| KEFLEX | 1 | 0.0 % | 0.0% |
| KERLONE | 5 | 0.1 % | 0.1% |
| KETOPROFEN | 1 | 0.0 % | 0.0% |
| KLONAPIN | 1 | 0.0 % | 0.0% |
| KLONOPIN | 7 | 0.2 % | 0.2% |
| KLOR-CON | 5 | 0.1 % | 0.1% |
| KONSYL | 1 | 0.0 % | 0.0% |
| LAC-HYDRIN | 2 | 0.0 % | 0.0% |
| LACTASE ENZYME | 1 | 0.0 % | 0.0% |
| LAMISIL | 2 | 0.0 % | 0.0% |
| LAMISIN | 1 | 0.0 % | 0.0% |
| LANOSIN | 1 | 0.0 % | 0.0% |
| LANOXIN | 20 | 0.5 % | 0.5% |
| LASIX | 9 | 0.2 % | 0.2% |

| Variable | Variable Description |
|----------|-------------------------|
| GM1 | CG MEDICATION 1 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| LEBERIX | 1 | 0.0 % | 0.0% |
| LECITHIN | 3 | 0.1 % | 0.1% |
| LEDER | 1 | 0.0 % | 0.0% |
| LESCOL | 11 | 0.3 % | 0.3% |
| LEVBID | 2 | 0.0 % | 0.0% |
| LEVOTHROID | 4 | 0.1 % | 0.1% |
| LEVOTHYROID | 1 | 0.0 % | 0.0% |
| LEVOTHYROXINE (SYNTH | 1 | 0.0 % | 0.0% |
| LEVOXIN | 1 | 0.0 % | 0.0% |
| LEVOXYL | 20 | 0.5 % | 0.5% |
| LIBRAX | 4 | 0.1 % | 0.1% |
| LIPITOR | 50 | 1.2 % | 1.2% |
| LISINOPRIL | 13 | 0.3 % | 0.3% |
| LITHIUM | 1 | 0.0 % | 0.0% |
| LITHONATE | 1 | 0.0 % | 0.0% |
| LIVIFOL | 1 | 0.0 % | 0.0% |
| LOESTREN | 1 | 0.0 % | 0.0% |
| LOESTRIN | 3 | 0.1 % | 0.1% |
| LOESTRIN-FE | 1 | 0.0 % | 0.0% |
| LOPERAMIDE | 1 | 0.0 % | 0.0% |
| LOPESSOR | 1 | 0.0 % | 0.0% |
| LOPID | 5 | 0.1 % | 0.1% |
| LOPRESSOR | 19 | 0.5 % | 0.5% |
| LORANZEPAN | 1 | 0.0 % | 0.0% |
| LORAZEPAM | 7 | 0.2 % | 0.2% |
| LORTAB | 1 | 0.0 % | 0.0% |
| LOTENSIN | 8 | 0.2 % | 0.2% |
| LOTENSIN 10MG QD | 1 | 0.0 % | 0.0% |
| LOTENSIN BENAZEPRIL | 1 | 0.0 % | 0.0% |
| LOTENSIN HCT | 8 | 0.2 % | 0.2% |
| LOVASTATIN | 1 | 0.0 % | 0.0% |
| LOZOL | 6 | 0.1 % | 0.1% |
| LUVOK | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM1 | CG MEDICATION 1 (cont.) |

| MAALOX 1 0.0 % 0.0% MASNESIUM CHLORIDE 1 0.0 % 0.0% MAVIK 3 0.1 % 0.1% MAXAIR 1 0.0 % 0.0% MAXIDEX 1 0.0 % 0.0% MAZIDE 2 0.0 % 0.0% MAZICON 3 0.1 % 0.1% MECLIZINE 1 0.0 % 0.0% MECLIZINE HCL 1 0.0 % 0.0% MEDROXY PROGESTERONE 1 0.0 % 0.0% MEDROXYPROGESTERONE 3 0.1 % 0.1% MELATONIN 4 0.1 % 0.0% MEPROSAMATE 2 0.0 % 0.0% MESTINON 1 0.0 % 0.0% METHINGHOL 3 0.1 % 0.1% METHINGHOL 3 0.1 % 0.0% METHINGHOL 3 0.1 % 0.0% METHINGHOL 1 0.0 % 0.0% METHINGHOL | Value | Frequency | % | Valid % |
|---|----------------------|-----------|-------|---------|
| MAVIK 3 0.1 % 0.0% MAXAIR 1 0.0 % 0.0% MAXIDEX 1 0.0 % 0.0% MAZIDE 2 0.0 % 0.0% MAZICON 3 0.1 % 0.1% MECLIZINE 1 0.0 % 0.0% MECLIZINE HCL 1 0.0 % 0.0% MEDROXY PROGESTERONE 1 0.0 % 0.0% MEDROXYPROGESTERONE 3 0.1 % 0.1% MELATONIN 4 0.1 % 0.0% MEPROBAMATE 2 0.0 % 0.0% MEPROBAMATE 2 0.0 % 0.0% MESTINON 1 0.0 % 0.0% METAMUCIL 3 0.1 % 0.1% METHORIN HCL 3 0.1 % 0.1% METHORIN HCL 1 0.0 % 0.0% METHYLDOPA 4 0.1 % 0.0% METHYLDOPA 4 0.1 % 0.0% METOROLOL | MAALOX | 1 | 0.0 % | 0.0% |
| MAXAIR 1 0.0% 0.0% MAXIDEX 1 0.0% 0.0% MAZICON 3 0.1% 0.1% MECLIZINE 1 0.0% 0.0% MECLIZINE HCL 1 0.0% 0.0% MEDROXY PROGESTERONE 1 0.0% 0.0% MEDROXYPROGESTERONE 3 0.1% 0.1% MELATONIN 4 0.1% 0.0% MEPROBAMATE 2 0.0% 0.0% MESTINON 1 0.0% 0.0% METAMUCIL 3 0.1% 0.1% METHORIN HCL 3 0.1% 0.1% METHORAMOL 1 0.0% 0.0% METHYLDOPA 4 0.1% 0.0% METHYLDOPA 4 0.1% 0.0% METOROLO 1 0.0% 0.0% METOPROCOL 1 0.0% 0.0% METOPROLOL TARTRATE 2 0.0% 0.0% METOROLOL TARTRATE | MAGNESIUM CHLORIDE | 1 | 0.0 % | 0.0% |
| MAXIDEX 1 0.0% 0.0% MAZICON 3 0.1% 0.1% MECLIZINE 1 0.0% 0.0% MECLIZINE HCL 1 0.0% 0.0% MEDROXY PROGESTERONE 1 0.0% 0.0% MEDROXYPROGESTERONE 3 0.1% 0.1% MELATONIN 4 0.1% 0.0% MEPROBAMATE 2 0.0% 0.0% MESTINON 1 0.0% 0.0% METHOCAL 3 0.1% 0.1% METFORMIN HCL 3 0.1% 0.1% METHISCHOL 1 0.0% 0.0% METHOCARBAMOL 1 0.0% 0.0% METHYLDOPA 4 0.1% 0.0% METHYLPREDNISOLONE 1 0.0% 0.0% METOPROCOL 1 0.0% 0.0% METOPROLOL 13 0.3% 0.3% METOPROLOL TARTRATE 2 0.0% 0.0% METRONID | MAVIK | 3 | 0.1 % | 0.1% |
| MAXZIDE 2 0.0 % 0.0% MAZICON 3 0.1 % 0.1% MECLIZINE 1 0.0 % 0.0% MECLIZINE HCL 1 0.0 % 0.0% MEDROXY PROGESTERONE 1 0.0 % 0.0% MEDROXYPROGESTERONE 3 0.1 % 0.1% MELATONIN 4 0.1 % 0.1% MENEST 1 0.0 % 0.0% MEPROBAMATE 2 0.0 % 0.0% METHMUCIL 3 0.1 % 0.1% METHORIN HCL 3 0.1 % 0.1% METHISCHOL 1 0.0 % 0.0% METHOCARBAMOL 1 0.0 % 0.0% METHYLDOPA 4 0.1 % 0.0% METHYLPREDNISOLONE 1 0.0 % 0.0% METOROCOL 1 0.0 % 0.0% METOPROLOL 13 0.3 % 0.3% METOROLOL TARTRATE 2 0.0 % 0.0% | MAXAIR | 1 | 0.0 % | 0.0% |
| MAZICON 3 0.1 % 0.1% MECLIZINE 1 0.0 % 0.0% MECLIZINE HCL 1 0.0 % 0.0% MEDROXY PROGESTERONE 1 0.0 % 0.0% MEDROXYPROGESTERONE 3 0.1 % 0.1% MELATONIN 4 0.1 % 0.1% MENEST 1 0.0 % 0.0% MEPROBAMATE 2 0.0 % 0.0% MESTINON 1 0.0 % 0.0% METAMUCIL 3 0.1 % 0.1% METHOCARINI HCL 3 0.1 % 0.1% METHISCHOL 1 0.0 % 0.0% METHOCARBAMOL 1 0.0 % 0.0% METHYLDOPA 4 0.1 % 0.1% METHYLPREDNISOLONE 1 0.0 % 0.0% METOCLOPRAMIDE 2 0.0 % 0.0% METOPROCOL 13 0.3 % 0.3% METOPROLOL TARTRATE 2 0.0 % 0.0% < | MAXIDEX | 1 | 0.0 % | 0.0% |
| MECLIZINE 1 0.0 % 0.0% MECLIZINE HCL 1 0.0 % 0.0% MEDROXY PROGESTERONE 1 0.0 % 0.0% MEDROXYPROGESTERONE 3 0.1 % 0.1% MELATONIN 4 0.1 % 0.1% MENEST 1 0.0 % 0.0% MEPROBAMATE 2 0.0 % 0.0% MESTINON 1 0.0 % 0.0% METAMUCIL 3 0.1 % 0.1% METHOKIN HCL 3 0.1 % 0.1% METHISCHOL 1 0.0 % 0.0% METHYLDOPA 4 0.1 % 0.0% METHYLPREDNISOLONE 1 0.0 % 0.0% METOCLOPRAMIDE 2 0.0 % 0.0% < | MAXZIDE | 2 | 0.0 % | 0.0% |
| MECLIZINE HCL 1 0.0 % 0.0% MEDROXY PROGESTERONE 1 0.0 % 0.0% MEDROXYPROGESTERONE 3 0.1 % 0.1% MELATONIN 4 0.1 % 0.1% MENEST 1 0.0 % 0.0% MEPROBAMATE 2 0.0 % 0.0% MESTINON 1 0.0 % 0.0% METAMUCIL 3 0.1 % 0.1% METFORMIN HCL 3 0.1 % 0.1% METFORMIN HCL 3 0.1 % 0.0% METHISCHOL 1 0.0 % 0.0% METHOCARBAMOL 1 0.0 % 0.0% METHYLDOPA 4 0.1 % 0.1% METHYLPREDNISOLONE 1 0.0 % 0.0% METOPROCOL 1 0.0 % 0.0% METOPROCOL 1 0.0 % 0.0% METOPROLOL TARTRATE 2 0.0 % 0.0% METRONIDAZOLE 1 0.0 % 0.0% | MAZICON | 3 | 0.1 % | 0.1% |
| MEDROXY PROGESTERONE 1 0.0 % 0.0% MEDROXYPROGESTERONE 3 0.1 % 0.1% MELATONIN 4 0.1 % 0.1% MENEST 1 0.0 % 0.0% MEPROBAMATE 2 0.0 % 0.0% MESTINON 1 0.0 % 0.0% METAMUCIL 3 0.1 % 0.1% METFORMIN HCL 3 0.1 % 0.1% METHISCHOL 1 0.0 % 0.0% METHOCARBAMOL 1 0.0 % 0.0% METHYLDOPA 4 0.1 % 0.1% METHYLPREDNISOLONE 1 0.0 % 0.0% METOPROCOL 1 0.0 % 0.0% METOPROCOL 1 0.0 % 0.0% METOPROLOL TARTRATE 2 0.0 % 0.0% METRENIDOZOLE 1 0.0 % 0.0% METRONIDAZOLE 1 0.0 % 0.0% MEYACOR 3 0.1 % 0.0% | MECLIZINE | 1 | 0.0 % | 0.0% |
| MEDROXYPROGESTERONE 3 0.1 % 0.1% MELATONIN 4 0.1 % 0.1% MENEST 1 0.0 % 0.0% MEPROBAMATE 2 0.0 % 0.0% MESTINON 1 0.0 % 0.0% METAMUCIL 3 0.1 % 0.1% METFORMIN HCL 3 0.1 % 0.1% METHISCHOL 1 0.0 % 0.0% METHOCARBAMOL 1 0.0 % 0.0% METHYLDOPA 4 0.1 % 0.1% METOLOPRAMIDE 2 0.0 % 0.0% METOPROCOL 1 0.0 % 0.0% METOPROLOL 13 0.3 % 0.3% METOPROLOL TARTRATE 2 0.0 % 0.0% METRENIDOZOLE 1 0.0 % 0.0% METRONIDAZOLE 1 0.0 % 0.0% METRONIDAZOLE 1 0.0 % 0.0% MEVACOR 3 0.1 % 0.0% <t< td=""><td>MECLIZINE HCL</td><td>1</td><td>0.0 %</td><td>0.0%</td></t<> | MECLIZINE HCL | 1 | 0.0 % | 0.0% |
| MELATONIN 4 0.1 % 0.1% MENEST 1 0.0 % 0.0% MEPROBAMATE 2 0.0 % 0.0% MESTINON 1 0.0 % 0.0% METAMUCIL 3 0.1 % 0.1% METFORMIN HCL 3 0.1 % 0.1% METHISCHOL 1 0.0 % 0.0% METHOCARBAMOL 1 0.0 % 0.0% METHYLDOPA 4 0.1 % 0.1% METHYLPREDNISOLONE 1 0.0 % 0.0% METOCLOPRAMIDE 2 0.0 % 0.0% METOPROCOL 1 0.0 % 0.0% METOPROLOL 13 0.3 % 0.3% METOPROLOL TARTRATE 2 0.0 % 0.0% METRENIDOZOLE 1 0.0 % 0.0% METRONIDAZOLE 1 0.0 % 0.0% MEVACOR 3 0.1 % 0.0% MEVACORE 1 0.0 % 0.0% MIA | MEDROXY PROGESTERONE | 1 | 0.0 % | 0.0% |
| MENEST 1 0.0 % 0.0% MEPROBAMATE 2 0.0 % 0.0% MESTINON 1 0.0 % 0.0% METAMUCIL 3 0.1 % 0.1% METFORMIN HCL 3 0.1 % 0.1% METHISCHOL 1 0.0 % 0.0% METHOCARBAMOL 1 0.0 % 0.0% METHYLDOPA 4 0.1 % 0.1% METHYLPREDNISOLONE 1 0.0 % 0.0% METOCLOPRAMIDE 2 0.0 % 0.0% METOPROCOL 1 0.0 % 0.0% METOPROLOL TARTRATE 2 0.0 % 0.0% METRENIDOZOLE 1 0.0 % 0.0% METRONIDAZOLE 1 0.0 % 0.0% MEVACOR 3 0.1 % 0.0% MEVACORE 1 0.0 % 0.0% MIACALCIN 2 0.0 % 0.0% MICEBRAL FORTE 1 0.0 % 0.0% | MEDROXYPROGESTERONE | 3 | 0.1 % | 0.1% |
| MEPROBAMATE 2 0.0 % 0.0% MESTINON 1 0.0 % 0.0% METAMUCIL 3 0.1 % 0.1% METFORMIN HCL 3 0.1 % 0.1% METHISCHOL 1 0.0 % 0.0% METHOCARBAMOL 1 0.0 % 0.0% METHYLDOPA 4 0.1 % 0.1% METHYLPREDNISOLONE 1 0.0 % 0.0% METOPROCOL 1 0.0 % 0.0% METOPROCOL 1 0.0 % 0.0% METOPROLOL TARTRATE 2 0.0 % 0.0% METRENIDOZOLE 1 0.0 % 0.0% METRONIDAZOLE 1 0.0 % 0.0% MEVACOR 3 0.1 % 0.1% MEVACORE 1 0.0 % 0.0% MIACALCIN 2 0.0 % 0.0% MICEBRAL FORTE 1 0.0 % 0.0% MICRO-K EXTENCAPS 1 0.0 % 0.0% | MELATONIN | 4 | 0.1 % | 0.1% |
| MESTINON 1 0.0 % 0.0% METAMUCIL 3 0.1 % 0.1% METFORMIN HCL 3 0.1 % 0.1% METHISCHOL 1 0.0 % 0.0% METHOCARBAMOL 1 0.0 % 0.0% METHYLDOPA 4 0.1 % 0.1% METHYLPREDNISOLONE 1 0.0 % 0.0% METOCLOPRAMIDE 2 0.0 % 0.0% METOPROCOL 1 0.0 % 0.0% METOPROLOL 13 0.3 % 0.3% METOPROLOL TARTRATE 2 0.0 % 0.0% METRENIDOZOLE 1 0.0 % 0.0% METRONIDAZOLE 1 0.0 % 0.0% MEVACOR 3 0.1 % 0.1% MEVACORE 1 0.0 % 0.0% MIACALCIN 2 0.0 % 0.0% MICEBRAL FORTE 1 0.0 % 0.0% MICRO-K EXTENCAPS 1 0.0 % 0.0% | MENEST | 1 | 0.0 % | 0.0% |
| METAMUCIL 3 0.1 % 0.1% METFORMIN HCL 3 0.1 % 0.1% METHISCHOL 1 0.0 % 0.0% METHOCARBAMOL 1 0.0 % 0.0% METHYLDOPA 4 0.1 % 0.1% METHYLPREDNISOLONE 1 0.0 % 0.0% METOCLOPRAMIDE 2 0.0 % 0.0% METOPROCOL 1 0.0 % 0.0% METOPROLOL 13 0.3 % 0.3% METOPROLOL TARTRATE 2 0.0 % 0.0% METRENIDOZOLE 1 0.0 % 0.0% METRONIDAZOLE 1 0.0 % 0.0% MEVACOR 3 0.1 % 0.1% MEVACORE 1 0.0 % 0.0% MIACALCIN 2 0.0 % 0.0% MICEBRAL FORTE 1 0.0 % 0.0% MICRO-K EXTENCAPS 1 0.0 % 0.0% | MEPROBAMATE | 2 | 0.0 % | 0.0% |
| METFORMIN HCL 3 0.1 % 0.1% METHISCHOL 1 0.0 % 0.0% METHOCARBAMOL 1 0.0 % 0.0% METHYLDOPA 4 0.1 % 0.1% METHYLPREDNISOLONE 1 0.0 % 0.0% METOCLOPRAMIDE 2 0.0 % 0.0% METOPROCOL 1 0.0 % 0.0% METOPROLOL 13 0.3 % 0.3% METOPROLOL TARTRATE 2 0.0 % 0.0% METRENIDOZOLE 1 0.0 % 0.0% METRONIDAZOLE 1 0.0 % 0.0% MEVACOR 3 0.1 % 0.1% MEVACORE 1 0.0 % 0.0% MICCO-K EXTENCAPS 1 0.0 % 0.0% MICRO-K EXTENCAPS 1 0.0 % 0.0% | MESTINON | 1 | 0.0 % | 0.0% |
| METHISCHOL 1 0.0 % 0.0% METHOCARBAMOL 1 0.0 % 0.0% METHYLDOPA 4 0.1 % 0.1% METHYLPREDNISOLONE 1 0.0 % 0.0% METOCLOPRAMIDE 2 0.0 % 0.0% METOPROCOL 1 0.0 % 0.0% METOPROLOL 13 0.3 % 0.3% METOPROLOL TARTRATE 2 0.0 % 0.0% METRENIDOZOLE 1 0.0 % 0.0% METRONIDAZOLE 1 0.0 % 0.0% MEVACOR 3 0.1 % 0.1% MEVACORE 1 0.0 % 0.0% MIACALCIN 2 0.0 % 0.0% MICEBRAL FORTE 1 0.0 % 0.0% MICRO-K EXTENCAPS 1 0.0 % 0.0% | METAMUCIL | 3 | 0.1 % | 0.1% |
| METHOCARBAMOL 1 0.0 % 0.0% METHYLDOPA 4 0.1 % 0.1% METHYLPREDNISOLONE 1 0.0 % 0.0% METOCLOPRAMIDE 2 0.0 % 0.0% METOPROCOL 1 0.0 % 0.0% METOPROLOL TARTRATE 2 0.0 % 0.0% METRENIDOZOLE 1 0.0 % 0.0% METRONIDAZOLE 1 0.0 % 0.0% MEVACOR 3 0.1 % 0.1% MEVACORE 1 0.0 % 0.0% MIACALCIN 2 0.0 % 0.0% MICEBRAL FORTE 1 0.0 % 0.0% MICRO-K EXTENCAPS 1 0.0 % 0.0% | METFORMIN HCL | 3 | 0.1 % | 0.1% |
| METHYLDOPA 4 0.1 % 0.1% METHYLPREDNISOLONE 1 0.0 % 0.0% METOCLOPRAMIDE 2 0.0 % 0.0% METOPROCOL 1 0.0 % 0.0% METOPROLOL TARTRATE 2 0.0 % 0.0% METRENIDOZOLE 1 0.0 % 0.0% METRONIDAZOLE 1 0.0 % 0.0% MEVACOR 3 0.1 % 0.1% MEVACORE 1 0.0 % 0.0% MIACALCIN 2 0.0 % 0.0% MICEBRAL FORTE 1 0.0 % 0.0% MICRO-K EXTENCAPS 1 0.0 % 0.0% | METHISCHOL | 1 | 0.0 % | 0.0% |
| METHYLPREDNISOLONE 1 0.0 % 0.0% METOCLOPRAMIDE 2 0.0 % 0.0% METOPROCOL 1 0.0 % 0.0% METOPROLOL 13 0.3 % 0.3% METOPROLOL TARTRATE 2 0.0 % 0.0% METRENIDOZOLE 1 0.0 % 0.0% METRONIDAZOLE 1 0.0 % 0.0% MEVACOR 3 0.1 % 0.1% MEVACORE 1 0.0 % 0.0% MIACALCIN 2 0.0 % 0.0% MICEBRAL FORTE 1 0.0 % 0.0% MICRO-K EXTENCAPS 1 0.0 % 0.0% | METHOCARBAMOL | 1 | 0.0 % | 0.0% |
| METOCLOPRAMIDE 2 0.0 % 0.0% METOPROCOL 1 0.0 % 0.0% METOPROLOL 13 0.3 % 0.3% METOPROLOL TARTRATE 2 0.0 % 0.0% METRENIDOZOLE 1 0.0 % 0.0% METRONIDAZOLE 1 0.0 % 0.0% MEVACOR 3 0.1 % 0.1% MEVACORE 1 0.0 % 0.0% MIACALCIN 2 0.0 % 0.0% MICEBRAL FORTE 1 0.0 % 0.0% MICRO-K EXTENCAPS 1 0.0 % 0.0% | METHYLDOPA | 4 | 0.1 % | 0.1% |
| METOPROCOL 1 0.0 % 0.0% METOPROLOL 13 0.3 % 0.3% METOPROLOL TARTRATE 2 0.0 % 0.0% METRENIDOZOLE 1 0.0 % 0.0% METRONIDAZOLE 1 0.0 % 0.0% MEVACOR 3 0.1 % 0.1% MEVACORE 1 0.0 % 0.0% MIACALCIN 2 0.0 % 0.0% MICEBRAL FORTE 1 0.0 % 0.0% MICRO-K EXTENCAPS 1 0.0 % 0.0% | METHYLPREDNISOLONE | 1 | 0.0 % | 0.0% |
| METOPROLOL 13 0.3 % 0.3% METOPROLOL TARTRATE 2 0.0 % 0.0% METRENIDOZOLE 1 0.0 % 0.0% METRONIDAZOLE 1 0.0 % 0.0% MEVACOR 3 0.1 % 0.1% MEVACORE 1 0.0 % 0.0% MIACALCIN 2 0.0 % 0.0% MICEBRAL FORTE 1 0.0 % 0.0% MICRO-K EXTENCAPS 1 0.0 % 0.0% | METOCLOPRAMIDE | 2 | 0.0 % | 0.0% |
| METOPROLOL TARTRATE 2 0.0 % 0.0% METRENIDOZOLE 1 0.0 % 0.0% METRONIDAZOLE 1 0.0 % 0.0% MEVACOR 3 0.1 % 0.1% MEVACORE 1 0.0 % 0.0% MIACALCIN 2 0.0 % 0.0% MICEBRAL FORTE 1 0.0 % 0.0% MICRO-K EXTENCAPS 1 0.0 % 0.0% | METOPROCOL | 1 | 0.0 % | 0.0% |
| METRENIDOZOLE 1 0.0 % 0.0% METRONIDAZOLE 1 0.0 % 0.0% MEVACOR 3 0.1 % 0.1% MEVACORE 1 0.0 % 0.0% MIACALCIN 2 0.0 % 0.0% MICEBRAL FORTE 1 0.0 % 0.0% MICRO-K EXTENCAPS 1 0.0 % 0.0% | METOPROLOL | 13 | 0.3 % | 0.3% |
| METRONIDAZOLE 1 0.0 % 0.0% MEVACOR 3 0.1 % 0.1% MEVACORE 1 0.0 % 0.0% MIACALCIN 2 0.0 % 0.0% MICEBRAL FORTE 1 0.0 % 0.0% MICRO-K EXTENCAPS 1 0.0 % 0.0% | METOPROLOL TARTRATE | 2 | 0.0 % | 0.0% |
| MEVACOR 3 0.1 % 0.1% MEVACORE 1 0.0 % 0.0% MIACALCIN 2 0.0 % 0.0% MICEBRAL FORTE 1 0.0 % 0.0% MICRO-K EXTENCAPS 1 0.0 % 0.0% | METRENIDOZOLE | 1 | 0.0 % | 0.0% |
| MEVACORE 1 0.0 % 0.0% MIACALCIN 2 0.0 % 0.0% MICEBRAL FORTE 1 0.0 % 0.0% MICRO-K EXTENCAPS 1 0.0 % 0.0% | METRONIDAZOLE | 1 | 0.0 % | 0.0% |
| MIACALCIN 2 0.0 % 0.0% MICEBRAL FORTE 1 0.0 % 0.0% MICRO-K EXTENCAPS 1 0.0 % 0.0% | MEVACOR | 3 | 0.1 % | 0.1% |
| MICEBRAL FORTE 1 0.0 % 0.0% MICRO-K EXTENCAPS 1 0.0 % 0.0% | MEVACORE | 1 | 0.0 % | 0.0% |
| MICRO-K EXTENCAPS 1 0.0 % 0.0% | MIACALCIN | 2 | 0.0 % | 0.0% |
| | MICEBRAL FORTE | 1 | 0.0 % | 0.0% |
| MICRONASE 3 0.1 % 0.1% | MICRO-K EXTENCAPS | 1 | 0.0 % | 0.0% |
| | MICRONASE | 3 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|-------------------------|
| GM1 | CG MEDICATION 1 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| MIDRIN | 1 | 0.0 % | 0.0% |
| MILANTA W DONNATAL | 1 | 0.0 % | 0.0% |
| MILK THISTLE | 2 | 0.0 % | 0.0% |
| MINITRAN | 2 | 0.0 % | 0.0% |
| MONOPRIL | 10 | 0.2 % | 0.2% |
| MOTOFEN | 1 | 0.0 % | 0.0% |
| MOTRIN | 28 | 0.7 % | 0.7% |
| MOTRIN IB | 1 | 0.0 % | 0.0% |
| MUCO-FEN-LA | 1 | 0.0 % | 0.0% |
| MULIT-VITAMINS | 1 | 0.0 % | 0.0% |
| MULTI VITAMIN | 43 | 1.0 % | 1.0% |
| MULTI VITAMIN E | 1 | 0.0 % | 0.0% |
| MULTI VITAMINS | 39 | 0.9 % | 0.9% |
| MULTI-VITAMIN | 17 | 0.4 % | 0.4% |
| MULTI-VITAMIN MINER | 1 | 0.0 % | 0.0% |
| MULTI-VITAMINS | 14 | 0.3 % | 0.3% |
| MULTIGENICS INTENSIV | 1 | 0.0 % | 0.0% |
| MULTIPLE VITAMINS | 5 | 0.1 % | 0.1% |
| MULTIVITAMIN | 41 | 1.0 % | 1.0% |
| MULTIVITAMINS | 3 | 0.1 % | 0.1% |
| NADOLOL | 7 | 0.2 % | 0.2% |
| NAPREALAN | 1 | 0.0 % | 0.0% |
| NAPRELAN | 1 | 0.0 % | 0.0% |
| NAPROSYN | 3 | 0.1 % | 0.1% |
| NAPROSYNE | 1 | 0.0 % | 0.0% |
| NAPROXEN | 15 | 0.4 % | 0.4% |
| NAPROXEN SODIUM | 5 | 0.1 % | 0.1% |
| NASACORT | 2 | 0.0 % | 0.0% |
| NE/CON | 1 | 0.0 % | 0.0% |
| NECON | 1 | 0.0 % | 0.0% |
| NEORAL | 1 | 0.0 % | 0.0% |
| NEPLOXA | 1 | 0.0 % | 0.0% |
| NEURONTIN | 4 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|-------------------------|
| GM1 | CG MEDICATION 1 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|--------|---------|
| NIACIN | 4 | 0.1 % | 0.1% |
| NIFEDIPINE | 1 | 0.0 % | 0.0% |
| NITROGLYCERIN | 1 | 0.0 % | 0.0% |
| NITROGLYCERIN TRANSD | 1 | 0.0 % | 0.0% |
| NITROLINGUAL SPRAY | 1 | 0.0 % | 0.0% |
| NITROSTAT | 2 | 0.0 % | 0.0% |
| NONE | 489 | 11.8 % | 11.8% |
| NONI | 3 | 0.1 % | 0.1% |
| NONI JUICE | 2 | 0.0 % | 0.0% |
| NORFLEX | 1 | 0.0 % | 0.0% |
| NORMODYNE | 1 | 0.0 % | 0.0% |
| NORTRIPTYLINE | 2 | 0.0 % | 0.0% |
| NORVASC | 42 | 1.0 % | 1.0% |
| NOVOLIN | 1 | 0.0 % | 0.0% |
| NOVOLIN 70/30 | 2 | 0.0 % | 0.0% |
| NTG PATCH | 1 | 0.0 % | 0.0% |
| NYQUIL | 1 | 0.0 % | 0.0% |
| NYSTATIN | 2 | 0.0 % | 0.0% |
| OAT BRAN | 1 | 0.0 % | 0.0% |
| OCUMETER | 1 | 0.0 % | 0.0% |
| OCUPRESS | 1 | 0.0 % | 0.0% |
| OCUVITE | 1 | 0.0 % | 0.0% |
| OCUVITE EXTRA | 1 | 0.0 % | 0.0% |
| OCUVITE-EXTRA | 1 | 0.0 % | 0.0% |
| OGEN | 5 | 0.1 % | 0.1% |
| OMEGA 3 FISH OIL | 1 | 0.0 % | 0.0% |
| OMEGA-3 EPA | 1 | 0.0 % | 0.0% |
| ONE A DAY | 1 | 0.0 % | 0.0% |
| ONE A DAY VITAMIN | 1 | 0.0 % | 0.0% |
| ORTHO-CYCLEN | 1 | 0.0 % | 0.0% |
| ORTHO-DIENESTROL | 1 | 0.0 % | 0.0% |
| ORTHOCYCLEN | 1 | 0.0 % | 0.0% |
| ORUVAIL | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM1 | CG MEDICATION 1 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| OS-CAL | 6 | 0.1 % | 0.1% |
| OSCAL | 2 | 0.0 % | 0.0% |
| OSTEO-BI-FLEX | 2 | 0.0 % | 0.0% |
| OTHER HERBAL | 1 | 0.0 % | 0.0% |
| OVCON | 1 | 0.0 % | 0.0% |
| OXAZEPAM | 1 | 0.0 % | 0.0% |
| OXYBUTNIN CHLORIDE | 1 | 0.0 % | 0.0% |
| OXYCODONE | 1 | 0.0 % | 0.0% |
| OXYCODONE HCL | 1 | 0.0 % | 0.0% |
| OXYCONTIN | 2 | 0.0 % | 0.0% |
| OYSTER CALCIUM | 1 | 0.0 % | 0.0% |
| OYSTER SHELL | 1 | 0.0 % | 0.0% |
| OYSTER SHELL CALCIUM | 1 | 0.0 % | 0.0% |
| PAMELOR | 3 | 0.1 % | 0.1% |
| PAMINE | 1 | 0.0 % | 0.0% |
| PANCREASE | 1 | 0.0 % | 0.0% |
| PARLODEL | 3 | 0.1 % | 0.1% |
| PAROXETINE HCL | 1 | 0.0 % | 0.0% |
| PAXIL | 28 | 0.7 % | 0.7% |
| PENICILLIN | 3 | 0.1 % | 0.1% |
| PENTOXIFYLLINE | 3 | 0.1 % | 0.1% |
| PEPCID | 8 | 0.2 % | 0.2% |
| PEPCID AC | 3 | 0.1 % | 0.1% |
| PERIOGARD | 1 | 0.0 % | 0.0% |
| PERSANTINE | 1 | 0.0 % | 0.0% |
| PHENAZOPYRIDINE | 1 | 0.0 % | 0.0% |
| PHENOBARBITOL | 1 | 0.0 % | 0.0% |
| PHENYLPROPANOLOMINE | 1 | 0.0 % | 0.0% |
| PHOSLO | 3 | 0.1 % | 0.1% |
| PILOCARPINE HYDROCHL | 1 | 0.0 % | 0.0% |
| PIROXICAM | 2 | 0.0 % | 0.0% |
| PLAQUENIL | 1 | 0.0 % | 0.0% |
| PLAQUINIL | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM1 | CG MEDICATION 1 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| PLAVIX | 1 | 0.0 % | 0.0% |
| PLENDIL | 12 | 0.3 % | 0.3% |
| PLENDIL 10 MG | 1 | 0.0 % | 0.0% |
| PLENDIL 5MG | 1 | 0.0 % | 0.0% |
| POSICOR | 1 | 0.0 % | 0.0% |
| POTASSIUM | 3 | 0.1 % | 0.1% |
| POTASSIUM CHL | 2 | 0.0 % | 0.0% |
| POTASSIUM CHLORIDE | 7 | 0.2 % | 0.2% |
| POTASSIUM-CHLORIDE | 1 | 0.0 % | 0.0% |
| PRAVACHOL | 25 | 0.6 % | 0.6% |
| PRAZOSIN | 2 | 0.0 % | 0.0% |
| PRECOSE | 1 | 0.0 % | 0.0% |
| PREDISONE | 1 | 0.0 % | 0.0% |
| PREDNISONE | 16 | 0.4 % | 0.4% |
| PREDNISONE ACECTATE | 1 | 0.0 % | 0.0% |
| PREMARIN | 188 | 4.6 % | 4.6% |
| PREMARIN .3 MG | 1 | 0.0 % | 0.0% |
| PREMARIN 0.625 MG | 1 | 0.0 % | 0.0% |
| PREMBRO | 1 | 0.0 % | 0.0% |
| PREMPHASE | 2 | 0.0 % | 0.0% |
| PREMPO | 1 | 0.0 % | 0.0% |
| PREMPRO | 60 | 1.5 % | 1.5% |
| PREVACID | 9 | 0.2 % | 0.2% |
| PREVACID LANSOPRAZOL | 1 | 0.0 % | 0.0% |
| PRILOSEC | 49 | 1.2 % | 1.2% |
| PRIMARIN | 1 | 0.0 % | 0.0% |
| PRIMIDONE | 2 | 0.0 % | 0.0% |
| PRIMPRO | 1 | 0.0 % | 0.0% |
| PRINIDIDE | 1 | 0.0 % | 0.0% |
| PRINIVIL | 8 | 0.2 % | 0.2% |
| PRINIVIL 40 | 1 | 0.0 % | 0.0% |
| PRINZIDE | 2 | 0.0 % | 0.0% |
| PROBENECID | 2 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM1 | CG MEDICATION 1 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| PROBENECID COLCHICIN | 1 | 0.0 % | 0.0% |
| PROCAINAMIDE | 1 | 0.0 % | 0.0% |
| PROCAINAMIDE HCL | 2 | 0.0 % | 0.0% |
| PROCARDIA | 14 | 0.3 % | 0.3% |
| PROCARDIA (XL) | 1 | 0.0 % | 0.0% |
| PROCARDIA XL | 8 | 0.2 % | 0.2% |
| PROCARDIA-XL | 1 | 0.0 % | 0.0% |
| PROCARDIZ XL | 1 | 0.0 % | 0.0% |
| PROFEN | 1 | 0.0 % | 0.0% |
| PROGESTERONE | 2 | 0.0 % | 0.0% |
| PROGESTIN | 1 | 0.0 % | 0.0% |
| PROLEVE HERBAL F/PRO | 1 | 0.0 % | 0.0% |
| PROMETHAZINE DM | 1 | 0.0 % | 0.0% |
| PROPANOLOL | 4 | 0.1 % | 0.1% |
| PROPATYL | 1 | 0.0 % | 0.0% |
| PROPOXYPHENE | 2 | 0.0 % | 0.0% |
| PROPRANOL | 1 | 0.0 % | 0.0% |
| PROPRANOLOL | 3 | 0.1 % | 0.1% |
| PROPULSID | 3 | 0.1 % | 0.1% |
| PROPULSID 20 MG | 1 | 0.0 % | 0.0% |
| PROPUSID | 1 | 0.0 % | 0.0% |
| PROSAC | 1 | 0.0 % | 0.0% |
| PROSCAR | 5 | 0.1 % | 0.1% |
| PROSOM | 1 | 0.0 % | 0.0% |
| PROSTATE FORMULA | 1 | 0.0 % | 0.0% |
| PROVENTIL | 5 | 0.1 % | 0.1% |
| PROVERA | 8 | 0.2 % | 0.2% |
| PROZAC | 48 | 1.2 % | 1.2% |
| PULMICORT TURBUHALER | 1 | 0.0 % | 0.0% |
| PYRACOL | 1 | 0.0 % | 0.0% |
| QUINAGLUTE | 1 | 0.0 % | 0.0% |
| QUINAGLUTE DURATABS | 1 | 0.0 % | 0.0% |
| QUINAPRIL | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM1 | CG MEDICATION 1 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| QUINIDEX | 1 | 0.0 % | 0.0% |
| QUINIDEX EXTENTABS | 4 | 0.1 % | 0.1% |
| QUININE SULFATE | 2 | 0.0 % | 0.0% |
| RALOXIFENE | 1 | 0.0 % | 0.0% |
| RANITIDINE | 14 | 0.3 % | 0.3% |
| RANITIDINETABLETSUSP | 1 | 0.0 % | 0.0% |
| REFRESH TEARS | 1 | 0.0 % | 0.0% |
| REFUSED | 3 | 0.1 % | 0.1% |
| REHAB FORTE | 1 | 0.0 % | 0.0% |
| RELAFEN | 19 | 0.5 % | 0.5% |
| RELAFIN | 1 | 0.0 % | 0.0% |
| REMERON | 2 | 0.0 % | 0.0% |
| RESERPINE | 1 | 0.0 % | 0.0% |
| RESTORIL | 2 | 0.0 % | 0.0% |
| REZULIN | 7 | 0.2 % | 0.2% |
| RISPERDAL | 1 | 0.0 % | 0.0% |
| ROYAL JELLY | 1 | 0.0 % | 0.0% |
| RYTHMOL | 2 | 0.0 % | 0.0% |
| SALAGEN | 2 | 0.0 % | 0.0% |
| SALINE NASAL SPRAY | 1 | 0.0 % | 0.0% |
| SAW PALMETTO | 3 | 0.1 % | 0.1% |
| SECTRAL | 6 | 0.1 % | 0.1% |
| SELEGILINE | 1 | 0.0 % | 0.0% |
| SENOKOT | 2 | 0.0 % | 0.0% |
| SEPTA | 1 | 0.0 % | 0.0% |
| SEREVENT | 6 | 0.1 % | 0.1% |
| SERZONE | 5 | 0.1 % | 0.1% |
| SERZONENEFAZODONEHCL | 1 | 0.0 % | 0.0% |
| SILVER CENTRUM | 1 | 0.0 % | 0.0% |
| SINEMET CR | 1 | 0.0 % | 0.0% |
| SINGULAIR | 1 | 0.0 % | 0.0% |
| SKELAXIN | 2 | 0.0 % | 0.0% |
| SLO-BID | 2 | 0.0 % | 0.0% |
| | | | |

| Variable | Variable Description |
|----------|-------------------------|
| GM1 | CG MEDICATION 1 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| SLOW-K | 1 | 0.0 % | 0.0% |
| SMZ/TMP DS | 1 | 0.0 % | 0.0% |
| SOMA | 1 | 0.0 % | 0.0% |
| SOMINEX | 2 | 0.0 % | 0.0% |
| SOXAMAX | 1 | 0.0 % | 0.0% |
| SPORANOX | 1 | 0.0 % | 0.0% |
| ST JOHN'S WORT (HERB | 1 | 0.0 % | 0.0% |
| ST. JOHN'S WORT | 2 | 0.0 % | 0.0% |
| ST. JOHNS WART | 1 | 0.0 % | 0.0% |
| STROVITE | 2 | 0.0 % | 0.0% |
| SUCRAL FATE | 1 | 0.0 % | 0.0% |
| SUCRALFATE | 3 | 0.1 % | 0.1% |
| SUDAFED | 3 | 0.1 % | 0.1% |
| SULFAETHOXAZOLE | 1 | 0.0 % | 0.0% |
| SULFAMETH | 1 | 0.0 % | 0.0% |
| SULFASALAZINE | 1 | 0.0 % | 0.0% |
| SULINDAC | 1 | 0.0 % | 0.0% |
| SUNRISE | 1 | 0.0 % | 0.0% |
| SUPER AYTINAL | 1 | 0.0 % | 0.0% |
| SUPER GINKGO | 1 | 0.0 % | 0.0% |
| SYNTHOID | 1 | 0.0 % | 0.0% |
| SYNTHROID | 110 | 2.7 % | 2.7% |
| SYNTHROID TABS | 1 | 0.0 % | 0.0% |
| TAGAMENT | 3 | 0.1 % | 0.1% |
| TAGAMET | 5 | 0.1 % | 0.1% |
| TAMBOCO | 1 | 0.0 % | 0.0% |
| TAMOXIFEN | 8 | 0.2 % | 0.2% |
| TAMOXIFEN CITRATE | 1 | 0.0 % | 0.0% |
| TARKA | 3 | 0.1 % | 0.1% |
| TEGRETOL | 4 | 0.1 % | 0.1% |
| TEMAZAPAM | 1 | 0.0 % | 0.0% |
| TEMAZEPAM | 2 | 0.0 % | 0.0% |
| TENEX | 2 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM1 | CG MEDICATION 1 (cont.) |

| Value | Frequency | % | Valid % |
|---------------------|-----------|-------|---------|
| TENEX 2 MG | 1 | 0.0 % | 0.0% |
| TENORMIN | 6 | 0.1 % | 0.1% |
| TERMONIN | 1 | 0.0 % | 0.0% |
| TEXNORMIN | 1 | 0.0 % | 0.0% |
| THEO-DUR | 4 | 0.1 % | 0.1% |
| THEOPHYLINE | 1 | 0.0 % | 0.0% |
| THEOPHYLLINE | 4 | 0.1 % | 0.1% |
| THEOPHYLLINE CR | 1 | 0.0 % | 0.0% |
| THERAGRA-M | 1 | 0.0 % | 0.0% |
| THERAGRAN- M | 1 | 0.0 % | 0.0% |
| THERAGRAN-M | 2 | 0.0 % | 0.0% |
| THERAPEUTIC FORMULA | 1 | 0.0 % | 0.0% |
| THERAPEUTIC M | 1 | 0.0 % | 0.0% |
| THORAZINE | 1 | 0.0 % | 0.0% |
| THYROID | 6 | 0.1 % | 0.1% |
| THYROID USP1 | 1 | 0.0 % | 0.0% |
| THYROID-USP | 1 | 0.0 % | 0.0% |
| TIAZAC | 11 | 0.3 % | 0.3% |
| TIAZEC | 1 | 0.0 % | 0.0% |
| TICLID | 3 | 0.1 % | 0.1% |
| TIMOLOL | 2 | 0.0 % | 0.0% |
| TIMOLOL MALEATE | 2 | 0.0 % | 0.0% |
| TIMOPTIC | 4 | 0.1 % | 0.1% |
| TIMOPTIC XE | 1 | 0.0 % | 0.0% |
| TIMOPTIC-XE | 1 | 0.0 % | 0.0% |
| TOLAZAMIDE | 6 | 0.1 % | 0.1% |
| TOLINASE | 3 | 0.1 % | 0.1% |
| TOPROL | 3 | 0.1 % | 0.1% |
| TOPROL XL | 4 | 0.1 % | 0.1% |
| TRANSDERMAL-NTG | 1 | 0.0 % | 0.0% |
| TRANXENE | 1 | 0.0 % | 0.0% |
| TRAZADONE | 1 | 0.0 % | 0.0% |
| TRAZADONE HCL | 2 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| 0144 | OO MEDIOATION 4 (conf.) |
| GM1 | CG MEDICATION 1 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| TRAZODONE | 6 | 0.1 % | 0.1% |
| TRAZODONE HCL | 1 | 0.0 % | 0.0% |
| TRENTAL | 5 | 0.1 % | 0.1% |
| TRIAM | 1 | 0.0 % | 0.0% |
| TRIAMATERENE | 1 | 0.0 % | 0.0% |
| TRIAMCINOLONE | 3 | 0.1 % | 0.1% |
| TRIAMCINOLONE ACETON | 1 | 0.0 % | 0.0% |
| TRIAMTERENE | 19 | 0.5 % | 0.5% |
| TRIAMTERENE HCTZ | 2 | 0.0 % | 0.0% |
| TRIAMTERENE/HCT | 1 | 0.0 % | 0.0% |
| TRIAMTERENE/HCT Z | 1 | 0.0 % | 0.0% |
| TRIAMTERERENE | 1 | 0.0 % | 0.0% |
| TRIMETHOPRIM | 1 | 0.0 % | 0.0% |
| TRIMOX | 1 | 0.0 % | 0.0% |
| TRINSICON | 3 | 0.1 % | 0.1% |
| TRINTAL | 1 | 0.0 % | 0.0% |
| TRIPHASIL | 1 | 0.0 % | 0.0% |
| TROCAL | 1 | 0.0 % | 0.0% |
| TROVAN | 1 | 0.0 % | 0.0% |
| TRUESOFT | 1 | 0.0 % | 0.0% |
| TRUSOPT (EYE DROPS) | 1 | 0.0 % | 0.0% |
| TUMS | 5 | 0.1 % | 0.1% |
| TYLENOL | 58 | 1.4 % | 1.4% |
| TYLENOL EX. STRENGTH | 1 | 0.0 % | 0.0% |
| TYLENOL EXTRA STRENG | 1 | 0.0 % | 0.0% |
| TYLENOL SINUS | 3 | 0.1 % | 0.1% |
| U PRO | 1 | 0.0 % | 0.0% |
| ULTRA VITA TIME | 1 | 0.0 % | 0.0% |
| ULTRA-MEGA | 1 | 0.0 % | 0.0% |
| ULTRAM | 7 | 0.2 % | 0.2% |
| ULTRAMEGA | 1 | 0.0 % | 0.0% |
| UNI DUR | 2 | 0.0 % | 0.0% |
| UNI-DUR | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM1 | CG MEDICATION 1 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| UNIDUR | 1 | 0.0 % | 0.0% |
| UNIPHYL | 5 | 0.1 % | 0.1% |
| UNIVASC | 2 | 0.0 % | 0.0% |
| UNKNOWN | 1 | 0.0 % | 0.0% |
| VALIUM | 4 | 0.1 % | 0.1% |
| VALSARTIN | 1 | 0.0 % | 0.0% |
| VANCENASE | 5 | 0.1 % | 0.1% |
| VANCERIL | 1 | 0.0 % | 0.0% |
| VANCOMYCIN | 3 | 0.1 % | 0.1% |
| VANCOMYCIN-HCL | 1 | 0.0 % | 0.0% |
| VASERETIC | 1 | 0.0 % | 0.0% |
| VASOTEC | 26 | 0.6 % | 0.6% |
| VENTOLIN | 5 | 0.1 % | 0.1% |
| VERAPAMIC | 1 | 0.0 % | 0.0% |
| VERAPAMIL | 30 | 0.7 % | 0.7% |
| VERAPAMIL HCI | 1 | 0.0 % | 0.0% |
| VERELAN | 4 | 0.1 % | 0.1% |
| VICODIN | 1 | 0.0 % | 0.0% |
| VICON FORTE CAPSULE | 1 | 0.0 % | 0.0% |
| VIO XX | 1 | 0.0 % | 0.0% |
| VIOXX | 5 | 0.1 % | 0.1% |
| VIRGIN EARTH ULTIMAT | 1 | 0.0 % | 0.0% |
| VISTARIL | 3 | 0.1 % | 0.1% |
| VISTRIL | 1 | 0.0 % | 0.0% |
| VIT B | 1 | 0.0 % | 0.0% |
| VIT C | 1 | 0.0 % | 0.0% |
| VIT E | 2 | 0.0 % | 0.0% |
| VITAMIN | 8 | 0.2 % | 0.2% |
| VITAMIN A | 1 | 0.0 % | 0.0% |
| VITAMIN B | 8 | 0.2 % | 0.2% |
| VITAMIN B (AND) C | 1 | 0.0 % | 0.0% |
| VITAMIN B1 | 1 | 0.0 % | 0.0% |
| VITAMIN B12 | 3 | 0.1 % | 0.1% |

| Variable | Variable Description | |
|----------|-------------------------|--|
| GM1 | CG MEDICATION 1 (cont.) | |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| VITAMIN C | 59 | 1.4 % | 1.4% |
| VITAMIN D | 2 | 0.0 % | 0.0% |
| VITAMIN E | 51 | 1.2 % | 1.2% |
| VITAMIN MULTI | 1 | 0.0 % | 0.0% |
| VITAMIN-B1 | 1 | 0.0 % | 0.0% |
| VITAMIN-C | 3 | 0.1 % | 0.1% |
| VITAMIN-E | 2 | 0.0 % | 0.0% |
| VITAMINE E | 1 | 0.0 % | 0.0% |
| VITAMINE-E | 1 | 0.0 % | 0.0% |
| VITAMINS | 15 | 0.4 % | 0.4% |
| VITAMINS MULTI | 1 | 0.0 % | 0.0% |
| VITMAIN C | 1 | 0.0 % | 0.0% |
| VOLTAREN | 3 | 0.1 % | 0.1% |
| WARFARIN SOP | 1 | 0.0 % | 0.0% |
| WELLNESS SOURCE | 2 | 0.0 % | 0.0% |
| WOMEN'S HEALTH INITI | 1 | 0.0 % | 0.0% |
| XALATAN | 4 | 0.1 % | 0.1% |
| XANAX | 18 | 0.4 % | 0.4% |
| XANEX | 1 | 0.0 % | 0.0% |
| ZALATAN | 1 | 0.0 % | 0.0% |
| ZANTAC | 9 | 0.2 % | 0.2% |
| ZANTAC 300 | 1 | 0.0 % | 0.0% |
| ZANTAL | 1 | 0.0 % | 0.0% |
| ZAROXOLYN | 4 | 0.1 % | 0.1% |
| ZERIT | 1 | 0.0 % | 0.0% |
| ZESTERAL | 1 | 0.0 % | 0.0% |
| ZESTORETIC | 3 | 0.1 % | 0.1% |
| ZESTRIL | 24 | 0.6 % | 0.6% |
| ZESTRIL 10MG | 1 | 0.0 % | 0.0% |
| ZIAC | 6 | 0.1 % | 0.1% |
| ZINC | 2 | 0.0 % | 0.0% |
| ZINC "50" | 1 | 0.0 % | 0.0% |
| ZOCAR | 1 | 0.0 % | 0.0% |
| | | | |

GM1 CG MEDICATION 1 (cont.)

| Value | Frequency | % | Valid % |
|--------------|-----------|-------|---------|
| ZOCOR | 20 | 0.5 % | 0.5% |
| ZOLOFT | 50 | 1.2 % | 1.2% |
| ZOLOFT 50 MG | 1 | 0.0 % | 0.0% |
| ZOMIG | 2 | 0.0 % | 0.0% |
| ZOVIA | 4 | 0.1 % | 0.1% |
| ZOVIRAX | 1 | 0.0 % | 0.0% |
| ZYPREXA | 4 | 0.1 % | 0.1% |
| ZYRTEC | 3 | 0.1 % | 0.1% |

G1C1

CG MEDICATION 1 CODE1

Start: 71 End: 79 Width: 9.2

Type: numeric (ISO) Interval: discrete

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 3 | 0.1 % | 0.1% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 507 | 12.3 % | 12.3% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 4 | 0.1 % | 0.1% |
| 2.00 | (ANA) Analgesic | 304 | 7.4 % | 7.4% |
| 3.00 | (ANES) Anesthetic | 1 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 37 | 0.9 % | 0.9% |
| 5.00 | (ANTC) Anticonvulsive | 5 | 0.1 % | 0.1% |
| 6.00 | (ANTD) Antidote | 3 | 0.1 % | 0.1% |
| 7.00 | (ANTF) Antifungal | 5 | 0.1 % | 0.1% |
| 8.00 | (ANTH) Antihistaminic | 58 | 1.4 % | 1.4% |
| 9.00 | (ANTI) Anti-inflammatory | 151 | 3.7 % | 3.7% |
| 10.00 | (ANTIV) Antivertigo | 1 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 14 | 0.3 % | 0.3% |
| 12.00 | (ANTP) Antiparasitic | 4 | 0.1 % | 0.1% |
| 13.00 | (ANTS) Antiseptic | 1 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 3 | 0.1 % | 0.1% |
| 15.00 | (ANTV) Antiviral | 5 | 0.1 % | 0.1% |
| 16.00 | (CNS) Central Nervous System | 104 | 2.5 % | 2.5% |
| 17.00 | (CON) Contraceptive | 11 | 0.3 % | 0.3% |
| 18.00 | (CO/CO) Cough & Cold | 12 | 0.3 % | 0.3% |

| Variable Variable | able | De | escri | pt | 10 |
|-------------------|------|----|-------|----|----|
|-------------------|------|----|-------|----|----|

G1C1 CG MEDICATION 1 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|--------|---------|
| 19.00 | (CV) Cardiovascular | 895 | 21.7 % | 21.7% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 7 | 0.2 % | 0.2% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 142 | 3.4 % | 3.4% |
| 25.00 | (ENT) Ear, Nose or Throat | 7 | 0.2 % | 0.2% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 163 | 3.9 % | 3.9% |
| 28.00 | (GU) Genitourinary | 50 | 1.2 % | 1.2% |
| 29.00 | (GYN) Gynecologic | 5 | 0.1 % | 0.1% |
| 30.00 | (HEM) Hematologic | 59 | 1.4 % | 1.4% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 522 | 12.6 % | 12.6% |
| 33.00 | (HYP) Hypnotic | 12 | 0.3 % | 0.3% |
| 34.00 | (IM) Immunologic | 3 | 0.1 % | 0.1% |
| 35.00 | (LAX) Laxative | 4 | 0.1 % | 0.1% |
| 36.00 | (MIG) Migraine | 1 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 51 | 1.2 % | 1.2% |
| 38.00 | (NAR) Narcotic | 5 | 0.1 % | 0.1% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 4 | 0.1 % | 0.1% |
| 41.00 | (NUT) Nutritional | 528 | 12.8 % | 12.8% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 39 | 0.9 % | 0.9% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 148 | 3.6 % | 3.6% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 9 | 0.2 % | 0.2% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 23 | 0.6 % | 0.6% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 26 | 0.6 % | 0.6% |
| 49.00 | (PUL) Pulmonary | 85 | 2.1 % | 2.1% |
| 50.00 | (SED) Sedative | 21 | 0.5 % | 0.5% |
| 51.00 | (STE) Steroid | 23 | 0.6 % | 0.6% |

G1C1 CG MEDICATION 1 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|-------|---------|
| 52.00 | (TOP) Topical | 5 | 0.1 % | 0.1% |
| 53.00 | (TRAN) Tranquilizer | 29 | 0.7 % | 0.7% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 22 | 0.5 % | 0.5% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 2 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 6 | 0.1 % | 0.1% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -4.00 | 99.00 | 23.01 | 16.21 |

G1C2

CG MEDICATION 1 CODE2

Start: 80 End: 88 Width: 9.2

Type: numeric (ISO) Interval: discrete

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 3181 | 77.0 % | 77.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 36 | 0.9 % | 0.9% |
| 2.00 | (ANA) Analgesic | 53 | 1.3 % | 1.3% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 42 | 1.0 % | 1.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 2 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 19 | 0.5 % | 0.5% |
| 9.00 | (ANTI) Anti-inflammatory | 13 | 0.3 % | 0.3% |
| 10.00 | (ANTIV) Antivertigo | 1 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 8 | 0.2 % | 0.2% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 1 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 39 | 0.9 % | 0.9% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |

| Vari | able | |
|------|------|--|
| | | |

Variable Description

G1C2

CG MEDICATION 1 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 18.00 | (CO/CO) Cough & Cold | 21 | 0.5 % | 0.5% |
| 19.00 | (CV) Cardiovascular | 42 | 1.0 % | 1.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 3 | 0.1 % | 0.1% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 3 | 0.1 % | 0.1% |
| 24.00 | (END) Endocrine | 126 | 3.1 % | 3.1% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 1 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 12 | 0.3 % | 0.3% |
| 28.00 | (GU) Genitourinary | 89 | 2.2 % | 2.2% |
| 29.00 | (GYN) Gynecologic | 40 | 1.0 % | 1.0% |
| 30.00 | (HEM) Hematologic | 72 | 1.7 % | 1.7% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 36 | 0.9 % | 0.9% |
| 33.00 | (HYP) Hypnotic | 5 | 0.1 % | 0.1% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 6 | 0.1 % | 0.1% |
| 36.00 | (MIG) Migraine | 4 | 0.1 % | 0.1% |
| 37.00 | (MS) Musculoskeletal | 44 | 1.1 % | 1.1% |
| 38.00 | (NAR) Narcotic | 4 | 0.1 % | 0.1% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 6 | 0.1 % | 0.1% |
| 41.00 | (NUT) Nutritional | 5 | 0.1 % | 0.1% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 40 | 1.0 % | 1.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 2 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 107 | 2.6 % | 2.6% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 1 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 3 | 0.1 % | 0.1% |
| 50.00 | (SED) Sedative | 22 | 0.5 % | 0.5% |

G1C2

CG MEDICATION 1 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|-------|---------|
| 51.00 | (STE) Steroid | 7 | 0.2 % | 0.2% |
| 52.00 | (TOP) Topical | 3 | 0.1 % | 0.1% |
| 53.00 | (TRAN) Tranquilizer | 29 | 0.7 % | 0.7% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 1 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|------|-------|
| 4129 | -2.00 | 60.00 | 4.78 | 14.31 |

G1C3

CG MEDICATION 1 CODE3

Start: 89 End: 97 Width: 9.2

Type: numeric (ISO) Interval: discrete

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 3993 | 96.7 % | 96.7% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 5 | 0.1 % | 0.1% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 2 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 1 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 2 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 3 | 0.1 % | 0.1% |
| 10.00 | (ANTIV) Antivertigo | 2 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 4 | 0.1 % | 0.1% |
| 12.00 | (ANTP) Antiparasitic | 1 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 1 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 3 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|----------------------|
| | |

G1C3 CG MEDICATION 1 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 1 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 9 | 0.2 % | 0.2% |
| 29.00 | (GYN) Gynecologic | 35 | 0.8 % | 0.8% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 4 | 0.1 % | 0.1% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 1 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 2 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 26 | 0.6 % | 0.6% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |

G1C3 CG MEDICATION 1 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|-------|---------|
| 50.00 | (SED) Sedative | 10 | 0.2 % | 0.2% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 3 | 0.1 % | 0.1% |
| 53.00 | (TRAN) Tranquilizer | 21 | 0.5 % | 0.5% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 53.00 | -0.78 | 7.20 |

G1C4

Start: 98 End: 106 Width: 9.2

Type: numeric (ISO)
Interval: discrete

CG MEDICATION 1 CODE4

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|-------------------------|----------------------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4114 | 99.6 % | 99.6% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % 0.0 % 0.0 % | 0.0% 0.0% 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | | |
| 9.00 | (ANTI) Anti-inflammatory | | | |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G1C4 CG MEDICATION 1 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|--|-----------|-------|---------|
| 16.00 | (CNS) Central Nervous System | 2 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 1 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 9 | 0.2 % | 0.2% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |

Variable Variable Description

G1C4 CG MEDICATION 1 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|-------|---------|
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 1 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 2 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 53.00 | -1.83 | 2.83 |

GM2

Start: 107 End: 126 Width: 20

Type: character (ISO)
Interval: discrete

CG MEDICATION 2

| Value | Frequency | % | Valid % |
|----------------------|-----------|--------|---------|
| -2 | 546 | 13.2 % | 13.2% |
| ACCOLATE | 5 | 0.1 % | 0.1% |
| ACCOLATE ZAFIRLUKAST | 1 | 0.0 % | 0.0% |
| ACCUPRIL | 5 | 0.1 % | 0.1% |
| ACEBUTOLOL | 1 | 0.0 % | 0.0% |
| ACETAMINOPHEN | 2 | 0.0 % | 0.0% |
| ACETOMINOPHEN | 1 | 0.0 % | 0.0% |
| ACIDOPHILUS | 1 | 0.0 % | 0.0% |
| ACTIFED | 1 | 0.0 % | 0.0% |
| ACTIGALL | 3 | 0.1 % | 0.1% |
| ACTOS | 1 | 0.0 % | 0.0% |
| ACTRON | 4 | 0.1 % | 0.1% |
| ADALAT | 7 | 0.2 % | 0.2% |
| ADALAT CC | 1 | 0.0 % | 0.0% |
| ADVANDIA | 1 | 0.0 % | 0.0% |
| ADVIL | 15 | 0.4 % | 0.4% |
| AEROBID | 3 | 0.1 % | 0.1% |
| ALBUTEROL | 7 | 0.2 % | 0.2% |

| Variable | Variable Description |
|----------|-------------------------|
| GM2 | CG MEDICATION 2 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| ALBUTEROL INHALER | 2 | 0.0 % | 0.0% |
| ALBUTEROL SULFATE | 3 | 0.1 % | 0.1% |
| ALDACTAZIDE | 2 | 0.0 % | 0.0% |
| ALDACTONE | 3 | 0.1 % | 0.1% |
| ALEVE | 1 | 0.0 % | 0.0% |
| ALGIN | 1 | 0.0 % | 0.0% |
| ALIDINIUM | 1 | 0.0 % | 0.0% |
| ALKA SELTZER | 1 | 0.0 % | 0.0% |
| ALKA-SELTZER | 2 | 0.0 % | 0.0% |
| ALLEGRA | 12 | 0.3 % | 0.3% |
| ALLERGY | 1 | 0.0 % | 0.0% |
| ALLOPURINOL | 4 | 0.1 % | 0.1% |
| ALLOPURINOL ZYLOPRIM | 1 | 0.0 % | 0.0% |
| ALOE CAPSULES | 1 | 0.0 % | 0.0% |
| ALPHAGAN | 3 | 0.1 % | 0.1% |
| ALPRAZOLAM | 5 | 0.1 % | 0.1% |
| ALTACE | 1 | 0.0 % | 0.0% |
| AMARYL | 6 | 0.1 % | 0.1% |
| AMBIEN | 8 | 0.2 % | 0.2% |
| AMEBAN | 1 | 0.0 % | 0.0% |
| AMEN | 4 | 0.1 % | 0.1% |
| AMERGE | 1 | 0.0 % | 0.0% |
| AMILORIDE | 1 | 0.0 % | 0.0% |
| AMITRIPTYLINE | 7 | 0.2 % | 0.2% |
| AMITRIPTYLINE HCL | 3 | 0.1 % | 0.1% |
| AMOXICILLIN | 4 | 0.1 % | 0.1% |
| AMOXIL | 1 | 0.0 % | 0.0% |
| AMOXILILLIN | 1 | 0.0 % | 0.0% |
| ANTI-INFLAMMATORY | 1 | 0.0 % | 0.0% |
| ANTIVERT | 2 | 0.0 % | 0.0% |
| ARAVA 10MG QD | 1 | 0.0 % | 0.0% |
| ARIMICEX | 1 | 0.0 % | 0.0% |
| ARIMIDEX | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM2 | CG MEDICATION 2 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| ARMOUR | 1 | 0.0 % | 0.0% |
| ARMOUR THYROID | 1 | 0.0 % | 0.0% |
| ARTHRED-6 | 1 | 0.0 % | 0.0% |
| ARTHROTEC | 1 | 0.0 % | 0.0% |
| ASACOL | 1 | 0.0 % | 0.0% |
| ASPIRIN | 91 | 2.2 % | 2.2% |
| ASPIRIN COATED | 1 | 0.0 % | 0.0% |
| ASPRIN | 3 | 0.1 % | 0.1% |
| ATARAX | 1 | 0.0 % | 0.0% |
| ATENALOL | 2 | 0.0 % | 0.0% |
| ATENOCOL | 1 | 0.0 % | 0.0% |
| ATENOLOL | 45 | 1.1 % | 1.1% |
| ATHRUZ (MULTIVITAMIN | 1 | 0.0 % | 0.0% |
| ATIVAN | 11 | 0.3 % | 0.3% |
| ATORVASTATIN | 1 | 0.0 % | 0.0% |
| ATORVASTATIN CA | 1 | 0.0 % | 0.0% |
| ATORVASTATIN CALCIUM | 1 | 0.0 % | 0.0% |
| ATROVENT | 2 | 0.0 % | 0.0% |
| AVAPRO | 2 | 0.0 % | 0.0% |
| AXID | 2 | 0.0 % | 0.0% |
| AYGESTIN | 1 | 0.0 % | 0.0% |
| AZATHIOPRINE | 2 | 0.0 % | 0.0% |
| AZMACORT | 3 | 0.1 % | 0.1% |
| AZMACORT AEROSOL | 1 | 0.0 % | 0.0% |
| AZMACURT | 1 | 0.0 % | 0.0% |
| B COMPLEX | 1 | 0.0 % | 0.0% |
| B-12 | 1 | 0.0 % | 0.0% |
| B-C POWDER | 1 | 0.0 % | 0.0% |
| B-COMPLEX | 3 | 0.1 % | 0.1% |
| B-COMPLEX PLUS VIT. | 1 | 0.0 % | 0.0% |
| B50 COMPLEX | 1 | 0.0 % | 0.0% |
| BABY ASPIRIN | 4 | 0.1 % | 0.1% |
| BAYCOL | 3 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|-------------------------|
| GM2 | CG MEDICATION 2 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| BAYER ASPIRIN | 1 | 0.0 % | 0.0% |
| BC POWDER | 2 | 0.0 % | 0.0% |
| BECLOVENT | 1 | 0.0 % | 0.0% |
| BECONASE | 2 | 0.0 % | 0.0% |
| BEDOYECTA | 2 | 0.0 % | 0.0% |
| BEE POLLEN | 1 | 0.0 % | 0.0% |
| BENADRYL | 6 | 0.1 % | 0.1% |
| BENAZEPRIL | 1 | 0.0 % | 0.0% |
| BENEDRYL | 1 | 0.0 % | 0.0% |
| BENTYL | 3 | 0.1 % | 0.1% |
| BENZTROPINE | 1 | 0.0 % | 0.0% |
| BEROCA PLUS | 1 | 0.0 % | 0.0% |
| BERPLEX PLUS | 2 | 0.0 % | 0.0% |
| BET OPTIC | 1 | 0.0 % | 0.0% |
| BETA CAROTENE | 2 | 0.0 % | 0.0% |
| BETAGAN | 1 | 0.0 % | 0.0% |
| BETALIN | 1 | 0.0 % | 0.0% |
| BETAXOLOL | 1 | 0.0 % | 0.0% |
| BETAXOLOL HCL | 1 | 0.0 % | 0.0% |
| BETIMOL | 1 | 0.0 % | 0.0% |
| BETOPIC | 1 | 0.0 % | 0.0% |
| BIAXIN | 1 | 0.0 % | 0.0% |
| BIOCAL | 1 | 0.0 % | 0.0% |
| BLIND STUDY MED | 1 | 0.0 % | 0.0% |
| BLINDED DRUG STUDY | 1 | 0.0 % | 0.0% |
| BLINDED STUDY DRUG | 1 | 0.0 % | 0.0% |
| BLUE GREEN ALGAE | 1 | 0.0 % | 0.0% |
| BONEMEAL | 1 | 0.0 % | 0.0% |
| BROMOCRIPTINE MESYLA | 1 | 0.0 % | 0.0% |
| BRONCHOLATE CAPSULES | 2 | 0.0 % | 0.0% |
| BUFFERIN | 2 | 0.0 % | 0.0% |
| BUMETANIDE | 1 | 0.0 % | 0.0% |
| BUMEX | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM2 | CG MEDICATION 2 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| BUSPAR | 5 | 0.1 % | 0.1% |
| BUTALBITAL | 1 | 0.0 % | 0.0% |
| C 500 | 1 | 0.0 % | 0.0% |
| CAL-1000 | 1 | 0.0 % | 0.0% |
| CALAN | 5 | 0.1 % | 0.1% |
| CALAN SR | 1 | 0.0 % | 0.0% |
| CALAN SR 240 | 1 | 0.0 % | 0.0% |
| CALCIO | 1 | 0.0 % | 0.0% |
| CALCIUM | 60 | 1.5 % | 1.5% |
| CALCIUM 1000 | 1 | 0.0 % | 0.0% |
| CALCIUM 600 | 2 | 0.0 % | 0.0% |
| CALCIUM CARBONATE | 1 | 0.0 % | 0.0% |
| CALCIUM LACTATE | 1 | 0.0 % | 0.0% |
| CALCIUM WITH D | 1 | 0.0 % | 0.0% |
| CALCIUM WITH VITAM | 1 | 0.0 % | 0.0% |
| CALCIUM/MAGNESIUM/ZI | 1 | 0.0 % | 0.0% |
| CALORAD | 1 | 0.0 % | 0.0% |
| CALTRATE | 2 | 0.0 % | 0.0% |
| CAPOTEN | 8 | 0.2 % | 0.2% |
| CAPTOPRIL | 2 | 0.0 % | 0.0% |
| CARBAMAZEPINE | 2 | 0.0 % | 0.0% |
| CARDENE | 1 | 0.0 % | 0.0% |
| CARDENE SR | 1 | 0.0 % | 0.0% |
| CARDIZEM | 9 | 0.2 % | 0.2% |
| CARDIZEM CD | 1 | 0.0 % | 0.0% |
| CARDIZEM-C-D | 1 | 0.0 % | 0.0% |
| CARDIZEN | 3 | 0.1 % | 0.1% |
| CARDURA | 11 | 0.3 % | 0.3% |
| CARISOPRODOL | 2 | 0.0 % | 0.0% |
| CARISOPRODOL(SOMA CM | 1 | 0.0 % | 0.0% |
| CARTIA | 1 | 0.0 % | 0.0% |
| CATAFLAM | 1 | 0.0 % | 0.0% |
| CATAPRES | 4 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|-------------------------|
| GM2 | CG MEDICATION 2 (cont.) |

| Value | Frequency | % | Valid % |
|------------------|-----------|-------|---------|
| CATAPRES-TTS-3 | 1 | 0.0 % | 0.0% |
| CELEBREX | 6 | 0.1 % | 0.1% |
| CELEXA | 2 | 0.0 % | 0.0% |
| CELLCEPT | 1 | 0.0 % | 0.0% |
| CENTRAX | 1 | 0.0 % | 0.0% |
| CENTRUM | 14 | 0.3 % | 0.3% |
| CENTRUM SILVER | 2 | 0.0 % | 0.0% |
| CEPHALEXIN | 1 | 0.0 % | 0.0% |
| CHLOR-4 | 1 | 0.0 % | 0.0% |
| CHLORDIAZEPOX | 1 | 0.0 % | 0.0% |
| CHLORDIAZEPOXIDE | 2 | 0.0 % | 0.0% |
| CHLOROTHIAZIDE | 1 | 0.0 % | 0.0% |
| CHLORPROMAZINE | 2 | 0.0 % | 0.0% |
| CHLORTHALIDONE | 2 | 0.0 % | 0.0% |
| CHONDROITINASE | 1 | 0.0 % | 0.0% |
| CIMETIDINE | 9 | 0.2 % | 0.2% |
| CIPRO | 3 | 0.1 % | 0.1% |
| CIPRO ANTIBOTIC | 1 | 0.0 % | 0.0% |
| CITRACAL | 3 | 0.1 % | 0.1% |
| CITROFEL | 1 | 0.0 % | 0.0% |
| CLARITAN | 1 | 0.0 % | 0.0% |
| CLARITAN-D | 1 | 0.0 % | 0.0% |
| CLARITIN | 27 | 0.7 % | 0.7% |
| CLARITIN D | 1 | 0.0 % | 0.0% |
| CLARITIN-D | 2 | 0.0 % | 0.0% |
| CLIMARA | 1 | 0.0 % | 0.0% |
| CLINDAMYCIN HCL | 1 | 0.0 % | 0.0% |
| CLINORIL | 1 | 0.0 % | 0.0% |
| CLONAZEPAM | 3 | 0.1 % | 0.1% |
| CLONIDINE | 5 | 0.1 % | 0.1% |
| CLONIDINE HCL | 4 | 0.1 % | 0.1% |
| CLORAZ DIPOT | 1 | 0.0 % | 0.0% |
| COD LIVER OIL | 2 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM2 | CG MEDICATION 2 (cont.) |

| COENZYME Q10 | 1 | | |
|----------------------|----|-------|------|
| | | 0.0 % | 0.0% |
| COLCHICINE | 1 | 0.0 % | 0.0% |
| COLESTID | 4 | 0.1 % | 0.1% |
| COMPAZINE | 1 | 0.0 % | 0.0% |
| CONTRIN | 1 | 0.0 % | 0.0% |
| COQ-10 | 1 | 0.0 % | 0.0% |
| COQIO | 1 | 0.0 % | 0.0% |
| CORGARD | 2 | 0.0 % | 0.0% |
| CORTISONE (EYE-DROP) | 1 | 0.0 % | 0.0% |
| COSOFT | 1 | 0.0 % | 0.0% |
| COSOPT | 2 | 0.0 % | 0.0% |
| COSOPT OPTHALMIC | 1 | 0.0 % | 0.0% |
| COUMADIN | 20 | 0.5 % | 0.5% |
| COVERA | 1 | 0.0 % | 0.0% |
| COVERA HC | 1 | 0.0 % | 0.0% |
| COVERA HS | 1 | 0.0 % | 0.0% |
| COZAAR | 17 | 0.4 % | 0.4% |
| CUMADIN | 1 | 0.0 % | 0.0% |
| CVARDIZEM | 1 | 0.0 % | 0.0% |
| CYTOTEC | 4 | 0.1 % | 0.1% |
| CYTOXAN | 1 | 0.0 % | 0.0% |
| DARVOCET | 7 | 0.2 % | 0.2% |
| DARVOCET N 100 | 1 | 0.0 % | 0.0% |
| DARVOCET-N | 1 | 0.0 % | 0.0% |
| DAYPRO | 7 | 0.2 % | 0.2% |
| DELTASONE | 1 | 0.0 % | 0.0% |
| DEMADEX | 2 | 0.0 % | 0.0% |
| DEPAKOTE | 3 | 0.1 % | 0.1% |
| DESIPRAMINE | 1 | 0.0 % | 0.0% |
| DESIPRAMINE HCL | 1 | 0.0 % | 0.0% |
| DESYREL | 2 | 0.0 % | 0.0% |
| DETROL | 3 | 0.1 % | 0.1% |
| DIAZEPAM | 2 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM2 | CG MEDICATION 2 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| DIAZIDE | 2 | 0.0 % | 0.0% |
| DIAZOXIDE | 2 | 0.0 % | 0.0% |
| DIBROMM | 1 | 0.0 % | 0.0% |
| DICYCLOMINE | 1 | 0.0 % | 0.0% |
| DIETARY SUPPLEMENT | 1 | 0.0 % | 0.0% |
| DIGOXIN | 5 | 0.1 % | 0.1% |
| DILACOR | 1 | 0.0 % | 0.0% |
| DILANTIN | 2 | 0.0 % | 0.0% |
| DILTIAZEM | 3 | 0.1 % | 0.1% |
| DILTIAZEM ER | 1 | 0.0 % | 0.0% |
| DILTIAZEM HCL EXTEND | 1 | 0.0 % | 0.0% |
| DIMETAPP | 1 | 0.0 % | 0.0% |
| DIOVAN | 2 | 0.0 % | 0.0% |
| DIOZIDE | 1 | 0.0 % | 0.0% |
| DIPHENHYDRAMINE HCL | 2 | 0.0 % | 0.0% |
| DIPIVEFRIN | 1 | 0.0 % | 0.0% |
| DIPIVEFRIN HCL | 1 | 0.0 % | 0.0% |
| DITROPAN | 2 | 0.0 % | 0.0% |
| DITROPAN XL | 1 | 0.0 % | 0.0% |
| DIURIL | 1 | 0.0 % | 0.0% |
| DIVALPROEX | 1 | 0.0 % | 0.0% |
| DIVALPROEX SODIUM | 1 | 0.0 % | 0.0% |
| DOCUSATE | 1 | 0.0 % | 0.0% |
| DOCUSATE NA | 1 | 0.0 % | 0.0% |
| DONE | 2 | 0.0 % | 0.0% |
| DONNATAL | 4 | 0.1 % | 0.1% |
| DRIXORAL | 1 | 0.0 % | 0.0% |
| DURADRIN | 1 | 0.0 % | 0.0% |
| DYAZIDE | 6 | 0.1 % | 0.1% |
| DYNACIRC | 1 | 0.0 % | 0.0% |
| DYRENIUM | 1 | 0.0 % | 0.0% |
| E 400 IU | 1 | 0.0 % | 0.0% |
| ECHINACEA | 2 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM2 | CG MEDICATION 2 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| ECOTRIN | 8 | 0.2 % | 0.2% |
| EFFEXOR | 5 | 0.1 % | 0.1% |
| EFFEXOR XR | 1 | 0.0 % | 0.0% |
| ELAVIL | 5 | 0.1 % | 0.1% |
| ELAVIL 50 MG | 1 | 0.0 % | 0.0% |
| ELEVIL | 1 | 0.0 % | 0.0% |
| ELEVITES | 3 | 0.1 % | 0.1% |
| ENALAPRIL MALEATE | 1 | 0.0 % | 0.0% |
| ENTERIC ASPIRIN | 1 | 0.0 % | 0.0% |
| ENTERIC COATED ASPIR | 1 | 0.0 % | 0.0% |
| ENTEX | 1 | 0.0 % | 0.0% |
| ENZYMATIC THERAPY | 1 | 0.0 % | 0.0% |
| EPOGEN | 1 | 0.0 % | 0.0% |
| ERYTHROMYCIN | 1 | 0.0 % | 0.0% |
| ESGIC PLUS | 1 | 0.0 % | 0.0% |
| ESTER-C | 1 | 0.0 % | 0.0% |
| ESTRACE | 9 | 0.2 % | 0.2% |
| ESTRADERM | 2 | 0.0 % | 0.0% |
| ESTRADERM PATCH | 2 | 0.0 % | 0.0% |
| ESTRADIOL | 4 | 0.1 % | 0.1% |
| ESTRASE | 1 | 0.0 % | 0.0% |
| ESTRATAB | 4 | 0.1 % | 0.1% |
| ESTRATEST | 2 | 0.0 % | 0.0% |
| ESTRATESTRIN | 1 | 0.0 % | 0.0% |
| ESTRIOL | 3 | 0.1 % | 0.1% |
| ESTROBALANCE | 1 | 0.0 % | 0.0% |
| ESTROGEN | 12 | 0.3 % | 0.3% |
| ESTROPIATE | 1 | 0.0 % | 0.0% |
| ESTROPIPATE | 1 | 0.0 % | 0.0% |
| ESTROTAB | 1 | 0.0 % | 0.0% |
| ETODOLAC | 2 | 0.0 % | 0.0% |
| ETODOLAL | 1 | 0.0 % | 0.0% |
| EUTHYROX | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM2 | CG MEDICATION 2 (cont.) |

| Value Frequency % Valid % EVISTA 8 0.2 % 0.2% EX LAX 1 0.0 % 0.0% EXCEDERIN 1 0.0 % 0.0% EXCEDRIN MIGRAINE 1 0.0 % 0.0% EXCEDRIN PM 3 0.1 % 0.1% EXEDRIN 1 0.0 % 0.0% EXTRA STRENGTH TYLEN 1 0.0 % 0.0% EYE BRIGHT 1 0.0 % 0.0% FAROSEMIDE 1 0.0 % 0.0% FEMAPRIN 1 0.0 % 0.0% FERROUS SULFATE 7 0.2 % 0.2% FIBER 1 0.0 % 0.0% FIBER 1 0.0 % 0.0% FISHOIL 1 0.0 % 0.0% FILOR-D 1 0.0 % 0.0% FLOVENT 3 0.1 % 0.0% FLUOR-OP 1 0.0 % 0.0% FLUOROMETHOLONE 1< | | | | |
|--|----------------------|-----------|-------|---------|
| EX LAX EXCEDERIN EXCEDERIN 1 0.0% 0.0% EXCEDRIN 4 0.1% 0.1% EXCEDRIN MIGRAINE 1 0.0% 0.0% EXCEDRIN PM 3 0.1% 0.0% EXEDRIN 1 0.0% 0.0% EXERDRIN 1 0.0% 0.0% EXTRA STRENGTH TYLEN 1 0.0% 0.0% EYE BRIGHT 1 0.0% 0.0% FAMOTIDINE 1 0.0% 0.0% FEMAPRIN 1 0.0% 0.0% FERROUS SULFATE 7 0.2% 0.2% FIBER 1 0.0% 0.0% FISH OIL 1 0.0% 0.0% FLEXTRA DS 1 0.0% 0.0% FLONASE 6 0.1% 0.1% FLOVENT FLOVENT FLOWER ESSENCES(HERB 1 0.0% 0.0% FLUOROMETHOLONE FLUOROMETHOLONE FULOR SULFATE 1 0.0% 0.0% FLUORE ESSENCES 1 0.0% 0.0% FLUORE FLUORE TLUORE TLUORE | Value | Frequency | % | Valid % |
| EXCEDERIN 1 0.0 % 0.0% EXCEDRIN 4 0.1 % 0.1% EXCEDRIN MIGRAINE 1 0.0 % 0.0% EXCEDRIN PM 3 0.1 % 0.1% EXEDRIN PM 3 0.1 % 0.0% EXEDRIN MIGRAINE 1 0.0 % 0.0% EXTRA STRENGTH TYLEN 1 0.0 % 0.0% EYE BRIGHT 1 0.0 % 0.0% EYE BRIGHT 1 0.0 % 0.0% FAROSEMIDE 1 0.0 % 0.0% FEMAPRIN 1 0.0 % 0.0% FEMAPRIN 1 0.0 % 0.0% FERROUS SULFATE 7 0.2 % 0.2% FIBER 1 0.0 % 0.0% FISH OIL 1 0.0 % 0.0% FLEXTRA DS 1 0.0 % 0.0% FLEXTRA DS 1 0.0 % 0.0% FLONASE 6 0.1 % 0.1% FLOVENT 3 0.1 % 0.1% FLOVENT 1 0.0 % 0.0% FLOVENT 1 0.0 % 0.0 % FL | EVISTA | 8 | 0.2 % | 0.2% |
| EXCEDRIN HIGRAINE EXCEDRIN MIGRAINE EXCEDRIN MIGRAINE EXCEDRIN PM 3 0.1 % 0.0% EXCEDRIN PM 3 0.1 % 0.0% EXEDRIN 1 0.0 % 0.0% EXTRA STRENGTH TYLEN 1 0.0 % 0.0% EYE BRIGHT 1 0.0 % 0.0% FAMOTIDINE 1 0.0 % 0.0% FAROSEMIDE 1 0.0 % 0.0% FERROUS SULFATE 7 0.2 % 0.2% FIBER 1 0.0 % 0.0% FIBER 1 0.0 % 0.0% FISH OIL 1 0.0 % 0.0% FLEXTRA DS 1 0.0 % 0.0% FLONASE 6 0.1 % 0.1% FLONASE FLONASE 6 0.1 % 0.1% FLOVENT FLOWER ESSENCES(HERB 1 0.0 % 0.0% FLUOR-OP 1 0.0 % 0.0% FLUOROMETHOLONE FLUOROMETHOLONE FLUORE I 0.0 % 0.0% FOLATE FOLIA CAID FOLIA CAID FOLIA CAID FOSAMAX 1 0.0 % 0.0% FOSAMAX FOSIMAX FOSIMAX FOSIMAX FOSIMAX FOSIMAX FOSIMAX FOSIMAX FOSOMAX FUNGS NAIL TINCTURE 1 0.0 % 0.0% FOSOMAX FOSIMAX FO | EX LAX | 1 | 0.0 % | 0.0% |
| EXCEDRIN MIGRAINE EXCEDRIN PM SACEDRIN EXEDRIN EXEDRIN 1 0.0 % 0.0% EXTRA STRENGTH TYLEN 1 0.0 % 0.0% EYE BRIGHT 1 0.0 % 0.0% FAMOTIDINE 1 0.0 % 0.0% FAROSEMIDE 1 0.0 % 0.0% FERROUS SULFATE 7 0.2 % 0.2% FIBER 1 0.0 % 0.0% FIBERCON 1 0.0 % 0.0% FIEXTRA DS 1 0.0 % 0.0% FLEXTRA DS 1 0.0 % 0.0% FLEXTRA DS 1 0.0 % 0.0% FLONASE 6 0.1 % 0.1% FLONASE 6 0.1 % 0.1% FLOVENT FLOWER ESSENCES (HERB 1 0.0 % 0.0% FLUOROMETHOLONE FLUOROMETHOLONE FLUOROMETHOLONE FULUR DISTRICT FOLIC ACID FOLIC ACID FOLIC ACID FOSAMAX 1 0.0 % 0.0% FOSAMAX FOSIMAX FOSOMAX FOSOMAX FOSOMAX FOSOMAX FUNGI NAIL TINCTURE 1 0.0 % 0.0% FOSOMAX FUNGI NAIL TINCTURE 1 0.0 % 0.0% FOSOMAX FOSOMAX FUNGI NAIL TINCTURE 1 0.0 % 0.0% FOSOMAX FOSOMAX FOSOMAX FUNGI NAIL TINCTURE | EXCEDERIN | 1 | 0.0 % | 0.0% |
| EXCEDRIN PM EXEDRIN EXEDRIN 1 0.0 % 0.0% EXTRA STRENGTH TYLEN 1 0.0 % 0.0% EYE BRIGHT 1 0.0 % 0.0% FAMOTIDINE 1 0.0 % 0.0% FAROSEMIDE 1 0.0 % 0.0% FERROUS SULFATE 7 0.2 % 0.2% FIBER 1 0.0 % 0.0% FIBERCON 1 0.0 % 0.0% FIEXTRA DS FIONASE FLONASE 6 0.1 % 0.1% FLOVENT FLOWER ESSENCES(HERB 1 0.0 % 0.0% FLUOROMETHOLONE FLUOROMETHOLONE FULUR SULFATE 1 0.0 % 0.0% FOLATE 1 0.0 % 0.0% FOLAMAX 1 0.0 % 0.0% FOSAMAX 1 0.0 % 0.0% FOSOMAX FOSOMAX 1 0.0 % 0.0% FOSOMAX FOSOMAX 1 0.0 % 0.0% FUNGINALITINCTURE | EXCEDRIN | 4 | 0.1 % | 0.1% |
| EXEDRIN EXTRA STRENGTH TYLEN EYE BRIGHT 1 0.0 % 0.0% FAMOTIDINE 1 0.0 % 0.0% FAROSEMIDE 1 0.0 % 0.0% FERMAPRIN 1 0.0 % 0.0% FERROUS SULFATE 7 0.2 % 0.2% FIBER 1 0.0 % 0.0% FISH OIL FLEXTRA DS 1 0.0 % 0.0% FLONASE 6 0.1 % 0.1% FLOVENT FLOVENT FLOWER ESSENCES(HERB 1 0.0 % 0.0% FLUOROMETHOLONE FLUOROMETHOLONE FOLITE FOLIC ACID FOLATE FOLIC ACID FOSAMAX FOSAMAX FOSOMAX FOSOMAX FOSOMAX FOSOMAX FOSOMAX FOSOMAX FOSOMAX FOSOMAX FOSOMAX FUNOS 0.0% FOSOMAX FOSOMAX FUNOS 0.0% FOSOMAX FOSOMAX FUNOS 0.0% FOLOW FOLOW FOLOW FOLOW FOLOW FOLOW FOSOMAX FOSOMAX FOSOMAX FUNOS 0.0% FOSOMAX FOSOMAX FUNOS 0.0% FOSOMAX FOSOMAX FUNOS 0.0% FOSOMAX FOSOMAX FOSOMAX FUNOS 0.0% FOSOMAX FOSOMAX FUNOS 0.0% FUNOS 0.0% FOSOMAX FUNOS 0.0% FUNOS 0.0% FUNOS 0.0% FUNOS 0.0% FUNOS 0.0% FOSOMAX FUNOS 0.0% FUNOS | EXCEDRIN MIGRAINE | 1 | 0.0 % | 0.0% |
| EXTRA STRENGTH TYLEN 1 0.0 % 0.0% EYE BRIGHT 1 0.0 % 0.0% FAMOTIDINE 1 0.0 % 0.0% FAROSEMIDE 1 0.0 % 0.0% FEMAPRIN 1 0.0 % 0.0% FERROUS SULFATE 7 0.2 % 0.2% FIBER 1 0.0 % 0.0% FIBERCON 1 0.0 % 0.0% FISH OIL 1 0.0 % 0.0% FLEXTRA DS 1 0.0 % 0.0% FLONASE 6 0.1 % 0.1% FLOR-D 1 0.0 % 0.0% FLOR-D 1 0.0 % 0.0% FLOWER ESSENCES(HERB 1 0.0 % 0.0% FLUOR-OP 1 0.0 % 0.0% FLUOROMETHOLONE 1 0.0 % 0.0% FUUNCETINE 1 0.0 % 0.0% FOLITE 1 0.0 % 0.0% FOLITE <td< td=""><td>EXCEDRIN PM</td><td>3</td><td>0.1 %</td><td>0.1%</td></td<> | EXCEDRIN PM | 3 | 0.1 % | 0.1% |
| EYE BRIGHT 1 0.0 % 0.0% FAMOTIDINE 1 0.0 % 0.0% FAROSEMIDE 1 0.0 % 0.0% FEMAPRIN 1 0.0 % 0.0% FERROUS SULFATE 7 0.2 % 0.2% FIBER 1 0.0 % 0.0% FIBERCON 1 0.0 % 0.0% FISH OIL 1 0.0 % 0.0% FLEXTRA DS 1 0.0 % 0.0% FLONASE 6 0.1 % 0.1% FLOR-D 1 0.0 % 0.0% FLOVENT 3 0.1 % 0.1% FLUOR-OP 1 0.0 % 0.0% FLUOR-OP 1 0.0 % 0.0% FLUORETINE 1 0.0 % 0.0% FLUORETINE 1 0.0 % 0.0% FOLITE 1 0.0 % 0.0% FOLITE 1 0.0 % 0.0% FOLITE 1 0.0 % | EXEDRIN | 1 | 0.0 % | 0.0% |
| FAMOTIDINE 1 0.0 % 0.0% FAROSEMIDE 1 0.0 % 0.0% FEMAPRIN 1 0.0 % 0.0% FERROUS SULFATE 7 0.2 % 0.2% FIBER 1 0.0 % 0.0% FIBERCON 1 0.0 % 0.0% FISH OIL 1 0.0 % 0.0% FLEXTRA DS 1 0.0 % 0.0% FLONASE 6 0.1 % 0.1% FLOR-D 1 0.0 % 0.0% FLOVENT 3 0.1 % 0.1% FLUOR-OP 1 0.0 % 0.0% FLUOR-OP 1 0.0 % 0.0% FLUORETINE 1 0.0 % 0.0% FLUORETINE 1 0.0 % 0.0% FOLATE 1 0.0 % 0.0% FOLIC ACID 8 0.2 % 0.2% FOLKMEDICINE 1 0.0 % 0.0% FOSAMAX 1 0.0 | EXTRA STRENGTH TYLEN | 1 | 0.0 % | 0.0% |
| FAROSEMIDE 1 0.0 % 0.0% FEMAPRIN 1 0.0 % 0.0% FERROUS SULFATE 7 0.2 % 0.2% FIBER 1 0.0 % 0.0% FIBERCON 1 0.0 % 0.0% FISH OIL 1 0.0 % 0.0% FLEXTRA DS 1 0.0 % 0.0% FLONASE 6 0.1 % 0.1% FLOR-D 1 0.0 % 0.0% FLOVENT 3 0.1 % 0.1% FLUOR-OP 1 0.0 % 0.0% FLUOR-OP 1 0.0 % 0.0% FLUORETINE 1 0.0 % 0.0% FLUORETINE 1 0.0 % 0.0% FOLATE 1 0.0 % 0.0% FOLIC ACID 8 0.2 % 0.2% FOLKMEDICINE 1 0.0 % 0.0% FOSAMAX 15 0.4 % 0.4% FOSOMAX 1 0.0 % | EYE BRIGHT | 1 | 0.0 % | 0.0% |
| FEMAPRIN 1 0.0 % 0.0% FERROUS SULFATE 7 0.2 % 0.2% FIBER 1 0.0 % 0.0% FIBERCON 1 0.0 % 0.0% FISH OIL 1 0.0 % 0.0% FLEXTRA DS 1 0.0 % 0.0% FLONASE 6 0.1 % 0.1% FLOR-D 1 0.0 % 0.0% FLOVENT 3 0.1 % 0.1% FLOWER ESSENCES(HERB 1 0.0 % 0.0% FLUOR-OP 1 0.0 % 0.0% FLUOROMETHOLONE 1 0.0 % 0.0% FLUOXETINE 1 0.0 % 0.0% FOLATE 1 0.0 % 0.0% FOLATE 1 0.0 % 0.0% FOLKMEDICINE 1 0.0 % 0.0% FOSAMAX 15 0.4 % 0.4% FOSOMAX 1 0.0 % 0.0% FOSOMAX 1 | FAMOTIDINE | 1 | 0.0 % | 0.0% |
| FERROUS SULFATE 7 0.2 % 0.2% FIBER 1 0.0 % 0.0% FIBERCON 1 0.0 % 0.0% FISH OIL 1 0.0 % 0.0% FLEXTRA DS 1 0.0 % 0.0% FLONASE 6 0.1 % 0.1% FLOR-D 1 0.0 % 0.0% FLOVENT 3 0.1 % 0.1% FLOWER ESSENCES(HERB 1 0.0 % 0.0% FLUOR-OP 1 0.0 % 0.0% FLUOROMETHOLONE 1 0.0 % 0.0% FLUOXETINE 1 0.0 % 0.0% FURBIPROFEN 1 0.0 % 0.0% FOLATE 1 0.0 % 0.0% FOLIC ACID 8 0.2 % 0.2% FOLKMEDICINE 1 0.0 % 0.0% FOSAMAX 15 0.4 % 0.4% FOSOMAX 1 0.0 % 0.0% FOSOMAX 1 | FAROSEMIDE | 1 | 0.0 % | 0.0% |
| FIBER 1 0.0 % 0.0% FIBERCON 1 0.0 % 0.0% FISH OIL 1 0.0 % 0.0% FLEXTRA DS 1 0.0 % 0.0% FLONASE 6 0.1 % 0.1% FLOR-D 1 0.0 % 0.0% FLOVENT 3 0.1 % 0.1% FLOWER ESSENCES(HERB 1 0.0 % 0.0% FLUOR-OP 1 0.0 % 0.0% FLUOXETINE 1 0.0 % 0.0% FLUOXETINE 1 0.0 % 0.0% FOLATE 1 0.0 % 0.0% FOLIC ACID 8 0.2 % 0.2% FOLKMEDICINE 1 0.0 % 0.0% FOSAMAX 15 0.4 % 0.4% FOSOMAX 1 0.0 % 0.0% FUNGI NAIL TINCTURE 1 0.0 % 0.0% | FEMAPRIN | 1 | 0.0 % | 0.0% |
| FIBERCON 1 0.0 % 0.0% FISH OIL 1 0.0 % 0.0% FLEXTRA DS 1 0.0 % 0.0% FLONASE 6 0.1 % 0.1% FLOR-D 1 0.0 % 0.0% FLOVENT 3 0.1 % 0.1% FLOWER ESSENCES(HERB 1 0.0 % 0.0% FLUOR-OP 1 0.0 % 0.0% FLUOXETINE 1 0.0 % 0.0% FLUOXETINE 1 0.0 % 0.0% FOLATE 1 0.0 % 0.0% FOLATE 1 0.0 % 0.0% FOLIC ACID 8 0.2 % 0.2% FOLKMEDICINE 1 0.0 % 0.0% FOSAMAX 15 0.4 % 0.4% FOSOMAX 1 0.0 % 0.0% FUNGI NAIL TINCTURE 1 0.0 % 0.0% | FERROUS SULFATE | 7 | 0.2 % | 0.2% |
| FISH OIL 1 0.0 % 0.0% FLEXTRA DS 1 0.0 % 0.0% FLONASE 6 0.1 % 0.1% FLOR-D 1 0.0 % 0.0% FLOVENT 3 0.1 % 0.1% FLOWER ESSENCES(HERB 1 0.0 % 0.0% FLUOR-OP 1 0.0 % 0.0% FLUOROMETHOLONE 1 0.0 % 0.0% FLUOXETINE 1 0.0 % 0.0% FLURBIPROFEN 1 0.0 % 0.0% FOLATE 1 0.0 % 0.0% FOLIC ACID 8 0.2 % 0.2% FOLKMEDICINE 1 0.0 % 0.0% FOSAMAX 15 0.4 % 0.4% FOSIMAX 1 0.0 % 0.0% FOSOMAX 1 0.0 % 0.0% FUNGI NAIL TINCTURE 1 0.0 % 0.0% | FIBER | 1 | 0.0 % | 0.0% |
| FLEXTRA DS 1 0.0 % 0.0% FLONASE 6 0.1 % 0.1% FLOR-D 1 0.0 % 0.0% FLOVENT 3 0.1 % 0.1% FLOWER ESSENCES(HERB 1 0.0 % 0.0% FLUOR-OP 1 0.0 % 0.0% FLUOROMETHOLONE 1 0.0 % 0.0% FLUOXETINE 1 0.0 % 0.0% FLURBIPROFEN 1 0.0 % 0.0% FOLATE 1 0.0 % 0.0% FOLIC ACID 8 0.2 % 0.2% FOLKMEDICINE 1 0.0 % 0.0% FOSAMAX 15 0.4 % 0.4% FOSIMAX 1 0.0 % 0.0% FUNGI NAIL TINCTURE 1 0.0 % 0.0% | FIBERCON | 1 | 0.0 % | 0.0% |
| FLONASE 6 0.1 % 0.1% FLOR-D 1 0.0 % 0.0% FLOVENT 3 0.1 % 0.1% FLOWER ESSENCES(HERB 1 0.0 % 0.0% FLUOR-OP 1 0.0 % 0.0% FLUOROMETHOLONE 1 0.0 % 0.0% FLUOXETINE 1 0.0 % 0.0% FLURBIPROFEN 1 0.0 % 0.0% FOLATE 1 0.0 % 0.0% FOLIC ACID 8 0.2 % 0.2% FOLKMEDICINE 1 0.0 % 0.0% FOSAMAX 15 0.4 % 0.4% FOSIMAX 1 0.0 % 0.0% FUNGI NAIL TINCTURE 1 0.0 % 0.0% | FISH OIL | 1 | 0.0 % | 0.0% |
| FLOR-D 1 0.0 % 0.0% FLOVENT 3 0.1 % 0.1% FLOWER ESSENCES(HERB 1 0.0 % 0.0% FLUOR-OP 1 0.0 % 0.0% FLUOROMETHOLONE 1 0.0 % 0.0% FLUOXETINE 1 0.0 % 0.0% FLURBIPROFEN 1 0.0 % 0.0% FOLATE 1 0.0 % 0.0% FOLIC ACID 8 0.2 % 0.2% FOLKMEDICINE 1 0.0 % 0.0% FOSAMAX 15 0.4 % 0.4% FOSIMAX 1 0.0 % 0.0% FOSOMAX 1 0.0 % 0.0% FUNGI NAIL TINCTURE 1 0.0 % 0.0% | FLEXTRA DS | 1 | 0.0 % | 0.0% |
| FLOVENT 3 0.1 % 0.1% FLOWER ESSENCES(HERB 1 0.0 % 0.0% FLUOR-OP 1 0.0 % 0.0% FLUOROMETHOLONE 1 0.0 % 0.0% FLUOXETINE 1 0.0 % 0.0% FLURBIPROFEN 1 0.0 % 0.0% FOLATE 1 0.0 % 0.0% FOLIC ACID 8 0.2 % 0.2% FOLKMEDICINE 1 0.0 % 0.0% FOSAMAX 15 0.4 % 0.4% FOSIMAX 1 0.0 % 0.0% FOSOMAX 1 0.0 % 0.0% FUNGI NAIL TINCTURE 1 0.0 % 0.0% | FLONASE | 6 | 0.1 % | 0.1% |
| FLOWER ESSENCES(HERB 1 0.0 % 0.0% FLUOR-OP 1 0.0 % 0.0% FLUOROMETHOLONE 1 0.0 % 0.0% FLUOXETINE 1 0.0 % 0.0% FLURBIPROFEN 1 0.0 % 0.0% FOLATE 1 0.0 % 0.0% FOLIC ACID 8 0.2 % 0.2% FOLKMEDICINE 1 0.0 % 0.0% FOSAMAX 15 0.4 % 0.4% FOSIMAX 1 0.0 % 0.0% FOSOMAX 1 0.0 % 0.0% FUNGI NAIL TINCTURE 1 0.0 % 0.0% | FLOR-D | 1 | 0.0 % | 0.0% |
| FLUOR-OP 1 0.0 % 0.0% FLUOROMETHOLONE 1 0.0 % 0.0% FLUOXETINE 1 0.0 % 0.0% FLURBIPROFEN 1 0.0 % 0.0% FOLATE 1 0.0 % 0.0% FOLIC ACID 8 0.2 % 0.2% FOLKMEDICINE 1 0.0 % 0.0% FOSAMAX 15 0.4 % 0.4% FOSIMAX 1 0.0 % 0.0% FOSOMAX 1 0.0 % 0.0% FUNGI NAIL TINCTURE 1 0.0 % 0.0% | FLOVENT | 3 | 0.1 % | 0.1% |
| FLUOROMETHOLONE 1 0.0 % 0.0% FLUOXETINE 1 0.0 % 0.0% FLURBIPROFEN 1 0.0 % 0.0% FOLATE 1 0.0 % 0.0% FOLIC ACID 8 0.2 % 0.2% FOLKMEDICINE 1 0.0 % 0.0% FOSAMAX 15 0.4 % 0.4% FOSIMAX 1 0.0 % 0.0% FOSOMAX 1 0.0 % 0.0% FUNGI NAIL TINCTURE 1 0.0 % 0.0% | FLOWER ESSENCES(HERB | 1 | 0.0 % | 0.0% |
| FLUOXETINE 1 0.0 % 0.0% FLURBIPROFEN 1 0.0 % 0.0% FOLATE 1 0.0 % 0.0% FOLIC ACID 8 0.2 % 0.2% FOLKMEDICINE 1 0.0 % 0.0% FOSAMAX 15 0.4 % 0.4% FOSIMAX 1 0.0 % 0.0% FOSOMAX 1 0.0 % 0.0% FUNGI NAIL TINCTURE 1 0.0 % 0.0% | FLUOR-OP | 1 | 0.0 % | 0.0% |
| FLURBIPROFEN 1 0.0 % 0.0% FOLATE 1 0.0 % 0.0% FOLIC ACID 8 0.2 % 0.2% FOLKMEDICINE 1 0.0 % 0.0% FOSAMAX 15 0.4 % 0.4% FOSIMAX 1 0.0 % 0.0% FOSOMAX 1 0.0 % 0.0% FUNGI NAIL TINCTURE 1 0.0 % 0.0% | FLUOROMETHOLONE | 1 | 0.0 % | 0.0% |
| FOLATE 1 0.0 % 0.0% FOLIC ACID 8 0.2 % 0.2% FOLKMEDICINE 1 0.0 % 0.0% FOSAMAX 15 0.4 % 0.4% FOSIMAX 1 0.0 % 0.0% FOSOMAX 1 0.0 % 0.0% FUNGI NAIL TINCTURE 1 0.0 % 0.0% | FLUOXETINE | 1 | 0.0 % | 0.0% |
| FOLIC ACID 8 0.2 % 0.2% FOLKMEDICINE 1 0.0 % 0.0% FOSAMAX 15 0.4 % 0.4% FOSIMAX 1 0.0 % 0.0% FOSOMAX 1 0.0 % 0.0% FUNGI NAIL TINCTURE 1 0.0 % 0.0% | FLURBIPROFEN | 1 | 0.0 % | 0.0% |
| FOLKMEDICINE 1 0.0 % 0.0% FOSAMAX 15 0.4 % 0.4% FOSIMAX 1 0.0 % 0.0% FOSOMAX 1 0.0 % 0.0% FUNGI NAIL TINCTURE 1 0.0 % 0.0% | FOLATE | 1 | 0.0 % | 0.0% |
| FOSAMAX 15 0.4 % 0.4% FOSIMAX 1 0.0 % 0.0% FOSOMAX 1 0.0 % 0.0% FUNGI NAIL TINCTURE 1 0.0 % 0.0% | FOLIC ACID | 8 | 0.2 % | 0.2% |
| FOSIMAX 1 0.0 % 0.0% FOSOMAX 1 0.0 % 0.0% FUNGI NAIL TINCTURE 1 0.0 % 0.0% | FOLKMEDICINE | 1 | 0.0 % | 0.0% |
| FOSOMAX 1 0.0 % 0.0% FUNGI NAIL TINCTURE 1 0.0 % 0.0% | FOSAMAX | 15 | 0.4 % | 0.4% |
| FUNGI NAIL TINCTURE 1 0.0 % 0.0% | FOSIMAX | 1 | 0.0 % | 0.0% |
| | FOSOMAX | 1 | 0.0 % | 0.0% |
| FUROSEMIDE 21 0.5 % 0.5% | FUNGI NAIL TINCTURE | 1 | 0.0 % | 0.0% |
| | FUROSEMIDE | 21 | 0.5 % | 0.5% |

| Variable | Variable Description |
|----------|-------------------------|
| GM2 | CG MEDICATION 2 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| GARLIC | 2 | 0.0 % | 0.0% |
| GARLIC EXTRACT | 1 | 0.0 % | 0.0% |
| GARLIC OIL | 1 | 0.0 % | 0.0% |
| GAUNFACINE | 1 | 0.0 % | 0.0% |
| GEMFIBROZIL | 4 | 0.1 % | 0.1% |
| GENTLE LAXATIVE | 1 | 0.0 % | 0.0% |
| GERACIN SILVER | 1 | 0.0 % | 0.0% |
| GERIATRIC PHARMA | 1 | 0.0 % | 0.0% |
| GINGKO | 1 | 0.0 % | 0.0% |
| GINGKO BILOBA | 3 | 0.1 % | 0.1% |
| GINKGO BILOBA | 10 | 0.2 % | 0.2% |
| GINKGO BILUBA | 1 | 0.0 % | 0.0% |
| GINKGO-MEMO | 1 | 0.0 % | 0.0% |
| GINKO BILOBA | 3 | 0.1 % | 0.1% |
| GINSENG | 5 | 0.1 % | 0.1% |
| GINSENG ROOT | 1 | 0.0 % | 0.0% |
| GLAVIR | 1 | 0.0 % | 0.0% |
| GLIPIZIDE | 1 | 0.0 % | 0.0% |
| GLOCOSAMINE | 1 | 0.0 % | 0.0% |
| GLOUCOSAMINE | 1 | 0.0 % | 0.0% |
| GLUCOPHAGE | 14 | 0.3 % | 0.3% |
| GLUCOSAMINE | 4 | 0.1 % | 0.1% |
| GLUCOSAMINE SULFATE | 2 | 0.0 % | 0.0% |
| GLUCOTROL | 9 | 0.2 % | 0.2% |
| GLUCOTROL XL | 6 | 0.1 % | 0.1% |
| GLUTOFAC | 1 | 0.0 % | 0.0% |
| GLYBURIDE | 17 | 0.4 % | 0.4% |
| GLYBURIDE-MICRO | 1 | 0.0 % | 0.0% |
| GLYNASE | 1 | 0.0 % | 0.0% |
| GOLDEN SEAL | 1 | 0.0 % | 0.0% |
| GROWTH HORMONE (HGH) | 1 | 0.0 % | 0.0% |
| GUAIFED | 1 | 0.0 % | 0.0% |
| GUAIFENESIN | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM2 | CG MEDICATION 2 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| GUANFACINE | 2 | 0.0 % | 0.0% |
| HCTZ | 17 | 0.4 % | 0.4% |
| HI-CAL | 1 | 0.0 % | 0.0% |
| HISMANAL | 2 | 0.0 % | 0.0% |
| HRT | 1 | 0.0 % | 0.0% |
| HUMILIN R | 1 | 0.0 % | 0.0% |
| HUMULIN | 1 | 0.0 % | 0.0% |
| HUMULIN R | 2 | 0.0 % | 0.0% |
| HUMULIN-N | 1 | 0.0 % | 0.0% |
| HY-PHEN | 1 | 0.0 % | 0.0% |
| HYDRALAZINE HCL | 4 | 0.1 % | 0.1% |
| HYDRO-CHLOROTHAZIDE | 1 | 0.0 % | 0.0% |
| HYDROCHLORATHIZIDE | 1 | 0.0 % | 0.0% |
| HYDROCHLOROT | 1 | 0.0 % | 0.0% |
| HYDROCHLOROTHIAZIDE | 28 | 0.7 % | 0.7% |
| HYDROCHLORTHIAZIDE | 1 | 0.0 % | 0.0% |
| HYDROCODONE | 3 | 0.1 % | 0.1% |
| HYDROCODONE BITARTRA | 1 | 0.0 % | 0.0% |
| HYDROCORTISONE | 3 | 0.1 % | 0.1% |
| HYDRODIURIL | 1 | 0.0 % | 0.0% |
| HYDROPINE | 1 | 0.0 % | 0.0% |
| HYDROXYZINE | 2 | 0.0 % | 0.0% |
| HYLOREL | 1 | 0.0 % | 0.0% |
| HYOSCYAMINE | 4 | 0.1 % | 0.1% |
| HYOSCYAMINESULFATE | 1 | 0.0 % | 0.0% |
| HYOSOPHEN | 1 | 0.0 % | 0.0% |
| HYROCORTISONE | 1 | 0.0 % | 0.0% |
| HYTRIN | 11 | 0.3 % | 0.3% |
| HYZAAR | 13 | 0.3 % | 0.3% |
| HYZAAR TABS | 1 | 0.0 % | 0.0% |
| I/CON | 1 | 0.0 % | 0.0% |
| IBUPROFEN | 23 | 0.6 % | 0.6% |
| IMDUR | 7 | 0.2 % | 0.2% |

| Variable | Variable Description |
|----------|-------------------------|
| GM2 | CG MEDICATION 2 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| IMITREX | 2 | 0.0 % | 0.0% |
| INDAPAMIDE | 9 | 0.2 % | 0.2% |
| INDERAL | 6 | 0.1 % | 0.1% |
| INDERAL SR | 1 | 0.0 % | 0.0% |
| INDOCIN | 1 | 0.0 % | 0.0% |
| INDOMETHACIN | 1 | 0.0 % | 0.0% |
| INSTANT PROTEIN | 1 | 0.0 % | 0.0% |
| INSULATARD NPH | 1 | 0.0 % | 0.0% |
| INSULIN | 1 | 0.0 % | 0.0% |
| INSULIN SYRINGE | 3 | 0.1 % | 0.1% |
| IPRATROPIUM BROMIDE | 1 | 0.0 % | 0.0% |
| IPRATROPIUM-BROMIDE | 1 | 0.0 % | 0.0% |
| IPRATROPUIM | 1 | 0.0 % | 0.0% |
| IRON | 3 | 0.1 % | 0.1% |
| ISOPTIN | 2 | 0.0 % | 0.0% |
| ISORDIL | 1 | 0.0 % | 0.0% |
| ISOSORBIDE | 8 | 0.2 % | 0.2% |
| ISOSORBIDE DINITRATE | 1 | 0.0 % | 0.0% |
| K DUR | 4 | 0.1 % | 0.1% |
| K-DUR | 2 | 0.0 % | 0.0% |
| KAVA KAVA | 2 | 0.0 % | 0.0% |
| KEFLEX | 1 | 0.0 % | 0.0% |
| KELP | 1 | 0.0 % | 0.0% |
| KERFLEX | 1 | 0.0 % | 0.0% |
| KERLONE | 2 | 0.0 % | 0.0% |
| KETOPROFEN | 1 | 0.0 % | 0.0% |
| KLONOPIN | 10 | 0.2 % | 0.2% |
| KLOR-CON | 2 | 0.0 % | 0.0% |
| L-THYROXINE | 1 | 0.0 % | 0.0% |
| LANDFIN | 1 | 0.0 % | 0.0% |
| LANOXIN | 22 | 0.5 % | 0.5% |
| LANOXIN 125MG | 1 | 0.0 % | 0.0% |
| LASIX | 11 | 0.3 % | 0.3% |

| Variable | Variable Description |
|----------|-------------------------|
| GM2 | CG MEDICATION 2 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| LECITHIN | 4 | 0.1 % | 0.1% |
| LENOXIN | 1 | 0.0 % | 0.0% |
| LESCOL | 12 | 0.3 % | 0.3% |
| LESCOL 20MG BID | 1 | 0.0 % | 0.0% |
| LEVOFLOXACIN | 1 | 0.0 % | 0.0% |
| LEVOTHROID | 6 | 0.1 % | 0.1% |
| LEVOTHYROID | 1 | 0.0 % | 0.0% |
| LEVOTHYROXINE | 2 | 0.0 % | 0.0% |
| LEVOTHYROXINE SODIUM | 1 | 0.0 % | 0.0% |
| LEVOXYL | 7 | 0.2 % | 0.2% |
| LIBRAX | 4 | 0.1 % | 0.1% |
| LIPITOR | 29 | 0.7 % | 0.7% |
| LISINOPRIL | 6 | 0.1 % | 0.1% |
| LITHIUM | 1 | 0.0 % | 0.0% |
| LITHIUM CARBONATE | 1 | 0.0 % | 0.0% |
| LODINE | 1 | 0.0 % | 0.0% |
| LOESTRIN | 1 | 0.0 % | 0.0% |
| LOPERAMIDE HCL | 1 | 0.0 % | 0.0% |
| LOPID | 5 | 0.1 % | 0.1% |
| LOPPESSOR | 1 | 0.0 % | 0.0% |
| LOPRESSOR | 5 | 0.1 % | 0.1% |
| LORAZEPAM | 14 | 0.3 % | 0.3% |
| LORAZEPAM 1MG | 1 | 0.0 % | 0.0% |
| LORTAB | 3 | 0.1 % | 0.1% |
| LOTENSIN | 14 | 0.3 % | 0.3% |
| LOTENSIN HCT | 6 | 0.1 % | 0.1% |
| LOTREL | 1 | 0.0 % | 0.0% |
| LOTRISONE CREAM | 1 | 0.0 % | 0.0% |
| LOVASTATIN | 1 | 0.0 % | 0.0% |
| LOZOL | 1 | 0.0 % | 0.0% |
| LUDIOMIL | 1 | 0.0 % | 0.0% |
| MAALOX | 1 | 0.0 % | 0.0% |
| MADROXY PROGESTERONE | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM2 | CG MEDICATION 2 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| MAGNESIUM | 2 | 0.0 % | 0.0% |
| MAGNESIUM CITRATE | 3 | 0.1 % | 0.1% |
| MAGNESIUM OXIDE | 1 | 0.0 % | 0.0% |
| MARINOL | 1 | 0.0 % | 0.0% |
| MAVIK | 4 | 0.1 % | 0.1% |
| MAXIDE | 1 | 0.0 % | 0.0% |
| MAXIDEX | 2 | 0.0 % | 0.0% |
| MAXINE | 1 | 0.0 % | 0.0% |
| MAXIZIDE | 1 | 0.0 % | 0.0% |
| MAXZIDE | 4 | 0.1 % | 0.1% |
| MECLIZINE | 2 | 0.0 % | 0.0% |
| MECLIZINE HCL | 5 | 0.1 % | 0.1% |
| MECLIZINE HYDROCHLOR | 1 | 0.0 % | 0.0% |
| MEDIC | 1 | 0.0 % | 0.0% |
| MEDROXXPROGESTERONE | 1 | 0.0 % | 0.0% |
| MEDROXY PROGESTERONE | 1 | 0.0 % | 0.0% |
| MEDROXYPROGES. | 1 | 0.0 % | 0.0% |
| MEDROXYPROGEST | 2 | 0.0 % | 0.0% |
| MEDROXYPROGESTERONE | 9 | 0.2 % | 0.2% |
| MEGA-CHEL | 1 | 0.0 % | 0.0% |
| MEGAMEN | 1 | 0.0 % | 0.0% |
| MELATONIN | 3 | 0.1 % | 0.1% |
| MENEST | 1 | 0.0 % | 0.0% |
| MEPROBAMATE | 1 | 0.0 % | 0.0% |
| MESTINON | 1 | 0.0 % | 0.0% |
| METAMUCIL | 1 | 0.0 % | 0.0% |
| METHISCHOL | 2 | 0.0 % | 0.0% |
| METHOCARBAMOL | 2 | 0.0 % | 0.0% |
| METHYPROGESTRONE | 1 | 0.0 % | 0.0% |
| METOCLOPRAMIDE | 3 | 0.1 % | 0.1% |
| METOCLOPRAMIDE HCL | 1 | 0.0 % | 0.0% |
| METOPROLOL | 7 | 0.2 % | 0.2% |
| METRONIDAZOLE | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM2 | CG MEDICATION 2 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| MEVACOR | 5 | 0.1 % | 0.1% |
| MIACALCIN | 2 | 0.0 % | 0.0% |
| MICARDIS | 1 | 0.0 % | 0.0% |
| MICRONASE | 1 | 0.0 % | 0.0% |
| MIDRIN | 3 | 0.1 % | 0.1% |
| MILK THISTLE | 1 | 0.0 % | 0.0% |
| MILLENIUM MULTIVITAM | 1 | 0.0 % | 0.0% |
| MILTOWN | 1 | 0.0 % | 0.0% |
| MINERAL FORMULA | 1 | 0.0 % | 0.0% |
| MONOPRIL | 3 | 0.1 % | 0.1% |
| MORFLEX | 1 | 0.0 % | 0.0% |
| MOTRIM | 1 | 0.0 % | 0.0% |
| MOTRIN | 9 | 0.2 % | 0.2% |
| MSM | 1 | 0.0 % | 0.0% |
| MUCO-FEN-LA | 1 | 0.0 % | 0.0% |
| MULTI VITAMIN | 37 | 0.9 % | 0.9% |
| MULTI VITAMINS | 29 | 0.7 % | 0.7% |
| MULTI-VITAMIN | 12 | 0.3 % | 0.3% |
| MULTI-VITAMINS | 13 | 0.3 % | 0.3% |
| MULTIMINERAL | 1 | 0.0 % | 0.0% |
| MULTIPLE VITAMIN | 3 | 0.1 % | 0.1% |
| MULTIPLE VITAMINS | 2 | 0.0 % | 0.0% |
| MULTIRET FOLIC | 1 | 0.0 % | 0.0% |
| MULTIVITA | 1 | 0.0 % | 0.0% |
| MULTIVITAMIN | 36 | 0.9 % | 0.9% |
| MULTIVITAMIN FORMULA | 1 | 0.0 % | 0.0% |
| MULTIVITAMIN PACK | 1 | 0.0 % | 0.0% |
| MULTIVITAMIN+HERBS | 1 | 0.0 % | 0.0% |
| MULTIVITAMIN/MINERAL | 1 | 0.0 % | 0.0% |
| MULTIVITAMINS | 6 | 0.1 % | 0.1% |
| MULTIVITE | 1 | 0.0 % | 0.0% |
| MYSOLINE | 1 | 0.0 % | 0.0% |
| NADOLOL | 7 | 0.2 % | 0.2% |

| Variable | Variable Description |
|----------|-------------------------|
| GM2 | CG MEDICATION 2 (cont.) |

| NADOLOL TABS 1 0.0 % 0.0% NAPRELAN 5 0.1 % 0.1% NAPROSYN 3 0.1 % 0.1% NAPROXEN 11 0.3 % 0.3% NAPROXEN SODIUM 2 0.0 % 0.0% NASONEX 1 0.0 % 0.0% NATROL ST JOHN'S WOR 1 0.0 % 0.0% NATURE'S BOUNTY 3 0.1 % 0.1% NAVANE 4 0.1 % 0.0% NECFAZODONE HCL 1 0.0 % 0.0% NEURONTIN 5 0.1 % 0.1% NEURONTIN 5 0.1 % 0.1% NEVRONTIN 1 0.0 % 0.0% NIACIN 5 0.1 % 0.1% NIACIN 5 0.1 % 0.1% NIFEDIPINE 2 0.0 % 0.0% NIFEDIPINE 2 0.0 % 0.0% NITROSPAY 04 1 0.0 % 0.0% NITROSPAY 04 | Value | Frequency | % | Valid % |
|--|----------------------|-----------|--------|---------|
| NAPROSYN 3 0.1 % 0.1% NAPROXEN 11 0.3 % 0.3% NAPROXEN SODIUM 2 0.0 % 0.0% NASONEX 1 0.0 % 0.0% NATROL ST JOHN'S WOR 1 0.0 % 0.0% NATURE'S BOUNTY 3 0.1 % 0.1% NAVANE 4 0.1 % 0.0% NEFAZODONE HCL 1 0.0 % 0.0% NEORAL 2 0.0 % 0.0% NEURONTIN 5 0.1 % 0.1% NEVRONTIN 1 0.0 % 0.0% NIASPAN 1 0.0 % 0.0% NIASPAN 1 0.0 % 0.0% NIFEDIPINE 2 0.0 % 0.0% NITGOLYCERIN TRANS 1 0.0 % 0.0% NITRO-DUR 3 0.1 % 0.0% NITROGEYCELINE 1 0.0 % 0.0% NITROGLYCERINE 1 0.0 % 0.0% NITROSTA | NADOLOL TABS | 1 | 0.0 % | 0.0% |
| NAPROXEN 11 0.3% 0.3% NAPROXEN SODIUM 2 0.0% 0.0% NASONEX 1 0.0% 0.0% NATROL ST JOHN'S WOR 1 0.0% 0.0% NATURE'S BOUNTY 3 0.1% 0.1% NAVANE 4 0.1% 0.1% NEFAZODONE HCL 1 0.0% 0.0% NEORAL 2 0.0% 0.0% NEURONTIN 5 0.1% 0.1% NEVRONTIN 1 0.0% 0.0% NIASPAN 1 0.0% 0.0% NIFEDIPINE 2 0.0% 0.0% NIFEDIPINE 2 0.0% 0.0% NITROSLYCERIN TRANS 1 0.0% 0.0% NITRO-DUR 3 0.1% 0.1% NITROBID 1 0.0% 0.0% NITROGLYCERIN 1 0.0% 0.0% NITROGLYCERINE 1 0.0% 0.0% NITROSTAT | NAPRELAN | 5 | 0.1 % | 0.1% |
| NAPROXEN SODIUM 2 0.0% 0.0% NASONEX 1 0.0% 0.0% NATROL ST JOHN'S WOR 1 0.0% 0.0% NATURE'S BOUNTY 3 0.1% 0.1% NAVANE 4 0.1% 0.1% NEFAZODONE HCL 1 0.0% 0.0% NEORAL 2 0.0% 0.0% NEURONTIN 5 0.1% 0.1% NEVRONTIN 1 0.0% 0.0% NIAGIN 5 0.1% 0.1% NIASPAN 1 0.0% 0.0% NITEOBIPINE 2 0.0% 0.0% NITROSLYCERIN TRANS 1 0.0% 0.0% NITRO-DUR 3 0.1% 0.0% NITROSPAY 04 1 0.0% 0.0% NITROSUTAT 1 0.0% 0.0% NITROSTAT 1 0.0% 0.0% NITROSTAT 3 0.1% 0.1% NONE 466 | NAPROSYN | 3 | 0.1 % | 0.1% |
| NASONEX 1 0.0 % 0.0% NATROL ST JOHN'S WOR 1 0.0 % 0.0% NATURE'S BOUNTY 3 0.1 % 0.1% NAVANE 4 0.1 % 0.1% NEFAZODONE HCL 1 0.0 % 0.0% NEORAL 2 0.0 % 0.0% NEURONTIN 5 0.1 % 0.1% NIACIN 5 0.1 % 0.1% NIASPAN 1 0.0 % 0.0% NITROBLYCERIN TRANS 1 0.0 % 0.0% NITRO SPRAY 04 1 0.0 % 0.0% NITRO-DUR 3 0.1 % 0.1% NITROBID 1 0.0 % 0.0% NITROCYCLINE 1 0.0 % 0.0% NITROFURANTOIN 1 0.0 % 0.0% NITROGLYCERINE 1 0.0 % 0.0% NITROSTAT 3 0.1 % 0.0% NONE 466 11.3 % 11.3% NONE <td>NAPROXEN</td> <td>11</td> <td>0.3 %</td> <td>0.3%</td> | NAPROXEN | 11 | 0.3 % | 0.3% |
| NATROL ST JOHN'S WOR 1 0.0% 0.0% NATURE'S BOUNTY 3 0.1% 0.1% NAVANE 4 0.1% 0.1% NEFAZODONE HCL 1 0.0% 0.0% NEORAL 2 0.0% 0.0% NEURONTIN 5 0.1% 0.1% NIACIN 5 0.1% 0.0% NIACIN 5 0.1% 0.0% NIASPAN 1 0.0% 0.0% NITEOLIPINE 2 0.0% 0.0% NITROSLYCERIN TRANS 1 0.0% 0.0% NITRO-DUR 3 0.1% 0.1% NITRO-DUR 3 0.1% 0.1% NITROSID 1 0.0% 0.0% NITROCYCLINE 1 0.0% 0.0% NITROGLYCERIN 9 0.2% 0.2% NITROGLYCERINE 1 0.0% 0.0% NITROSTAT 3 0.1 0.0% NONE 466 | NAPROXEN SODIUM | 2 | 0.0 % | 0.0% |
| NATURE'S BOUNTY NAVANE NAVANE NEFAZODONE HCL NEGRAL NEURONTIN NEURONTIN NIACIN NIASPAN NITROSPRAY 04 NITRO-DUR NITROSUCCEINE NITROGLYCERIN NITROGLYCERINE NITROGLYCERINE NITROSLYCERINE NITROSHAT NITROGLYCERINE NITROGLYCERINE NITROSHAT NON' NON' NON' NON' NON' NONE A66 11.3 % 11.3% NON' NONE A66 11.3 % NON' NONE A66 NON' NONE A66 NON' NONE A66 NON' NONE A67 A67 A67 A67 A67 A67 A67 A6 | NASONEX | 1 | 0.0 % | 0.0% |
| NAVANE NEFAZODONE HCL NEFAZODONE HCL 1 0.0 % 0.0% NEORAL 2 0.0 % 0.0% NEURONTIN NEVRONTIN NIACIN NIACIN NIASPAN NIFEDIPINE 1 0.0 % 0.0% NITOGLYCERIN TRANS 1 0.0 % 0.0% NITRO-DUR NITRO-DUR NITROFURANTOIN NITROGLYCERIN NITROGLYCERINE 1 0.0 % 0.0% NITROGLYCERINE 1 0.0 % 0.0% NITROSTAT 3 0.1 % 0.1% NITROSTAT 3 0.1 % 0.1% NONE NONE 466 11.3 % 11.3% NONI JUICE 1 0.0 % 0.0% NORFLEX NORFLEX NORTRIPTYLINE 1 0.0 % 0.0% NORTRIPTYLINE HCL 1 0.0 % 0.0% | NATROL ST JOHN'S WOR | 1 | 0.0 % | 0.0% |
| NEFAZODONE HCL 1 0.0 % 0.0% NEORAL 2 0.0 % 0.0% NEURONTIN 5 0.1 % 0.1% NEVRONTIN 1 0.0 % 0.0% NIACIN 5 0.1 % 0.1% NIASPAN 1 0.0 % 0.0% NIFEDIPINE 2 0.0 % 0.0% NITOGLYCERIN TRANS 1 0.0 % 0.0% NITRO SPRAY 04 1 0.0 % 0.0% NITRO-DUR 3 0.1 % 0.1% NITROBID 1 0.0 % 0.0% NITROGLYCLINE 1 0.0 % 0.0% NITROFURANTOIN 1 0.0 % 0.0% NITROGLYCERINE 1 0.0 % 0.0% NITROSTAT 3 0.1 % 0.1% NONE 466 11.3 % 11.3% NONE 466 11.3 % 11.3% NORDETTE 28 1 0.0 % 0.0% NORFLEX | NATURE'S BOUNTY | 3 | 0.1 % | 0.1% |
| NEORAL 2 0.0 % 0.0% NEURONTIN 5 0.1 % 0.1% NEVRONTIN 1 0.0 % 0.0% NIACIN 5 0.1 % 0.1% NIASPAN 1 0.0 % 0.0% NIFEDIPINE 2 0.0 % 0.0% NITROSLYCERIN TRANS 1 0.0 % 0.0% NITRO SPRAY 04 1 0.0 % 0.0% NITRO-DUR 3 0.1 % 0.1% NITROBID 1 0.0 % 0.0% NITROCYCLINE 1 0.0 % 0.0% NITROFURANTOIN 1 0.0 % 0.0% NITROGLYCERINE 1 0.0 % 0.0% NITROSTAT 3 0.1 % 0.1% NIZATIDINE 1 0.0 % 0.0% NONE 466 11.3 % 11.3% NONI JUICE 1 0.0 % 0.0% NORTELEX 1 0.0 % 0.0% NORTRIPTYLINE HCL | NAVANE | 4 | 0.1 % | 0.1% |
| NEURONTIN 5 0.1 % 0.1% NEVRONTIN 1 0.0 % 0.0% NIACIN 5 0.1 % 0.1% NIASPAN 1 0.0 % 0.0% NIFEDIPINE 2 0.0 % 0.0% NITOGLYCERIN TRANS 1 0.0 % 0.0% NITRO SPRAY 04 1 0.0 % 0.0% NITRO-DUR 3 0.1 % 0.1% NITROFURANTOIN 1 0.0 % 0.0% NITROCYCLINE 1 0.0 % 0.0% NITROFURANTOIN 1 0.0 % 0.0% NITROGLYCERIN # 0.0 % 0.0% NITROGLYCERINE 1 0.0 % 0.0% NITROSTAT 1 0.0 % 0.0% NITROSTAT 1 0.0 % 0.0% NONE 466 11.3 % 11.3% NONI JUICE 1 0.0 % 0.0% NORFLEX 1 0.0 % 0.0% NORFLEX 1 0.0 % 0.0% NORFLEX 1 0.0 % 0.0% NORTRIPTYLINE 1 0.0 % 0.0% NORTRIPTYLINE 1 0.0 % 0.0% NORTRIPTYLINE 1 0.0 % 0.0% | NEFAZODONE HCL | 1 | 0.0 % | 0.0% |
| NEVRONTIN 1 0.0 % 0.0% NIACIN 5 0.1 % 0.1% NIASPAN 1 0.0 % 0.0% NIFEDIPINE 2 0.0 % 0.0% NITOGLYCERIN TRANS 1 0.0 % 0.0% NITRO SPRAY 04 1 0.0 % 0.0% NITRO-DUR 3 0.1 % 0.1% NITROBID 1 0.0 % 0.0% NITROCYCLINE 1 0.0 % 0.0% NITROFURANTOIN 1 0.0 % 0.0% NITROGLYCERINE 1 0.0 % 0.0% NITROGLYCERINE 1 0.0 % 0.0% NITROSTAT 3 0.1 % 0.1% NIZATIDINE 1 0.0 % 0.0% NONE 466 11.3 % 11.3% NONI JUICE 1 0.0 % 0.0% NORTELEX 1 0.0 % 0.0% NORTIPTYLINE 1 0.0 % 0.0% NORTRIPTYLINE | NEORAL | 2 | 0.0 % | 0.0% |
| NIACIN 5 0.1 % 0.1% NIASPAN 1 0.0 % 0.0% NIFEDIPINE 2 0.0 % 0.0% NITOGLYCERIN TRANS 1 0.0 % 0.0% NITRO SPRAY 04 1 0.0 % 0.0% NITRO-DUR 3 0.1 % 0.1% NITROBID 1 0.0 % 0.0% NITROCYCLINE 1 0.0 % 0.0% NITROFURANTOIN 1 0.0 % 0.0% NITROGLYCERIN 9 0.2 % 0.2% NITROGLYCERINE 1 0.0 % 0.0% NITROSTAT 3 0.1 % 0.1% NONE 466 11.3 % 11.3% NONE 466 11.3 % 11.3% NONE 466 11.3 % 0.0% NORFLEX 1 0.0 % 0.0% NORTRIPTYLINE 1 0.0 % 0.0% NORTRIPTYLINE HCL 1 0.0 % 0.0% | NEURONTIN | 5 | 0.1 % | 0.1% |
| NIASPAN 1 0.0 % 0.0% NIFEDIPINE 2 0.0 % 0.0% NITOGLYCERIN TRANS 1 0.0 % 0.0% NITRO SPRAY 04 1 0.0 % 0.0% NITRO-DUR 3 0.1 % 0.1% NITROBID 1 0.0 % 0.0% NITROCYCLINE 1 0.0 % 0.0% NITROFURANTOIN 1 0.0 % 0.0% NITROGLYCERIN 9 0.2 % 0.2% NITROSTAT 3 0.1 % 0.0% NIZATIDINE 1 0.0 % 0.0% NONE 466 11.3 % 11.3% NONI JUICE 1 0.0 % 0.0% NORDETTE 28 1 0.0 % 0.0% NORFLEX 1 0.0 % 0.0% NORTRIPTYLINE 1 0.0 % 0.0% NORTRIPTYLINE HCL 1 0.0 % 0.0% | NEVRONTIN | 1 | 0.0 % | 0.0% |
| NIFEDIPINE 2 0.0 % 0.0% NITOGLYCERIN TRANS 1 0.0 % 0.0% NITRO SPRAY 04 1 0.0 % 0.0% NITRO-DUR 3 0.1 % 0.1% NITROBID 1 0.0 % 0.0% NITROCYCLINE 1 0.0 % 0.0% NITROFURANTOIN 1 0.0 % 0.0% NITROGLYCERIN 9 0.2 % 0.2% NITROSTAT 3 0.1 % 0.0% NIZATIDINE 1 0.0 % 0.0% NONE 466 11.3 % 11.3% NONI JUICE 1 0.0 % 0.0% NORDETTE 28 1 0.0 % 0.0% NORFLEX 1 0.0 % 0.0% NORTRIPTYLINE 1 0.0 % 0.0% NORTRIPTYLINE HCL 1 0.0 % 0.0% | NIACIN | 5 | 0.1 % | 0.1% |
| NITOGLYCERIN TRANS 1 0.0 % 0.0% NITRO SPRAY 04 1 0.0 % 0.0% NITRO-DUR 3 0.1 % 0.1% NITROBID 1 0.0 % 0.0% NITROCYCLINE 1 0.0 % 0.0% NITROFURANTOIN 1 0.0 % 0.0% NITROGLYCERIN 9 0.2 % 0.2% NITROSTAT 3 0.1 % 0.1% NIZATIDINE 1 0.0 % 0.0% NONE 466 11.3 % 11.3% NONI JUICE 1 0.0 % 0.0% NORDETTE 28 1 0.0 % 0.0% NORFLEX 1 0.0 % 0.0% NORTRIPTYLINE 1 0.0 % 0.0% NORTRIPTYLINE HCL 1 0.0 % 0.0% | NIASPAN | 1 | 0.0 % | 0.0% |
| NITRO SPRAY 04 1 0.0 % 0.0% NITRO-DUR 3 0.1 % 0.1% NITROBID 1 0.0 % 0.0% NITROCYCLINE 1 0.0 % 0.0% NITROFURANTOIN 1 0.0 % 0.0% NITROGLYCERIN 9 0.2 % 0.2% NITROSTAT 3 0.1 % 0.1% NIZATIDINE 1 0.0 % 0.0% NONE 466 11.3 % 11.3% NONI JUICE 1 0.0 % 0.0% NORDETTE 28 1 0.0 % 0.0% NORFLEX 1 0.0 % 0.0% NORTRIPTYLINE 1 0.0 % 0.0% NORTRIPTYLINE HCL 1 0.0 % 0.0% | NIFEDIPINE | 2 | 0.0 % | 0.0% |
| NITRO-DUR 3 0.1 % 0.1% NITROBID 1 0.0 % 0.0% NITROCYCLINE 1 0.0 % 0.0% NITROFURANTOIN 1 0.0 % 0.0% NITROGLYCERIN 9 0.2 % 0.2% NITROSTAT 3 0.1 % 0.1% NIZATIDINE 1 0.0 % 0.0% NONE 466 11.3 % 11.3% NONI JUICE 1 0.0 % 0.0% NORDETTE 28 1 0.0 % 0.0% NORFLEX 1 0.0 % 0.0% NORTRIPTYLINE 1 0.0 % 0.0% NORTRIPTYLINE HCL 1 0.0 % 0.0% | NITOGLYCERIN TRANS | 1 | 0.0 % | 0.0% |
| NITROBID 1 0.0 % 0.0% NITROCYCLINE 1 0.0 % 0.0% NITROFURANTOIN 1 0.0 % 0.0% NITROGLYCERIN 9 0.2 % 0.2% NITROSTAT 1 0.0 % 0.0% NIZATIDINE 1 0.0 % 0.0% NONE 466 11.3 % 11.3% NONI JUICE 1 0.0 % 0.0% NORDETTE 28 1 0.0 % 0.0% NORFLEX 1 0.0 % 0.0% NORTRIPTYLINE 1 0.0 % 0.0% NORTRIPTYLINE HCL 1 0.0 % 0.0% | NITRO SPRAY 04 | 1 | 0.0 % | 0.0% |
| NITROCYCLINE 1 0.0 % 0.0% NITROFURANTOIN 1 0.0 % 0.0% NITROGLYCERINE 9 0.2 % 0.2% NITROSTAT 3 0.1 % 0.1% NIZATIDINE 1 0.0 % 0.0% NONE 466 11.3 % 11.3% NONI JUICE 1 0.0 % 0.0% NORDETTE 28 1 0.0 % 0.0% NORFLEX 1 0.0 % 0.0% NORTRIPTYLINE 1 0.0 % 0.0% NORTRIPTYLINE HCL 1 0.0 % 0.0% | NITRO-DUR | 3 | 0.1 % | 0.1% |
| NITROFURANTOIN 1 0.0 % 0.0% NITROGLYCERINE 9 0.2 % 0.2% NITROSTAT 1 0.0 % 0.0% NIZATIDINE 1 0.0 % 0.0% NONE 466 11.3 % 11.3% NONI JUICE 1 0.0 % 0.0% NORDETTE 28 1 0.0 % 0.0% NORFLEX 1 0.0 % 0.0% NORTRIPTYLINE 1 0.0 % 0.0% NORTRIPTYLINE HCL 1 0.0 % 0.0% | NITROBID | 1 | 0.0 % | 0.0% |
| NITROGLYCERINE 9 0.2 % 0.2% NITROGLYCERINE 1 0.0 % 0.0% NITROSTAT 3 0.1 % 0.1% NIZATIDINE 1 0.0 % 0.0% NONE 466 11.3 % 11.3% NONI JUICE 1 0.0 % 0.0% NORDETTE 28 1 0.0 % 0.0% NORFLEX 1 0.0 % 0.0% NORTRIPTYLINE 1 0.0 % 0.0% NORTRIPTYLINE HCL 1 0.0 % 0.0% | NITROCYCLINE | 1 | 0.0 % | 0.0% |
| NITROGLYCERINE 1 0.0 % 0.0% NITROSTAT 3 0.1 % 0.1% NIZATIDINE 1 0.0 % 0.0% NONE 466 11.3 % 11.3% NONI JUICE 1 0.0 % 0.0% NORDETTE 28 1 0.0 % 0.0% NORFLEX 1 0.0 % 0.0% NORTRIPTYLINE 1 0.0 % 0.0% NORTRIPTYLINE HCL 1 0.0 % 0.0% | NITROFURANTOIN | 1 | 0.0 % | 0.0% |
| NITROSTAT 3 0.1 % 0.1% NIZATIDINE 1 0.0 % 0.0% NONE 466 11.3 % 11.3% NONI JUICE 1 0.0 % 0.0% NORDETTE 28 1 0.0 % 0.0% NORFLEX 1 0.0 % 0.0% NORTRIPTYLINE 1 0.0 % 0.0% NORTRIPTYLINE HCL 1 0.0 % 0.0% | NITROGLYCERIN | 9 | 0.2 % | 0.2% |
| NIZATIDINE 1 0.0 % 0.0% NONE 466 11.3 % 11.3% NONI JUICE 1 0.0 % 0.0% NORDETTE 28 1 0.0 % 0.0% NORFLEX 1 0.0 % 0.0% NORTRIPTYLINE 1 0.0 % 0.0% NORTRIPTYLINE HCL 1 0.0 % 0.0% | NITROGLYCERINE | 1 | 0.0 % | 0.0% |
| NONE 466 11.3 % 11.3% NONI JUICE 1 0.0 % 0.0% NORDETTE 28 1 0.0 % 0.0% NORFLEX 1 0.0 % 0.0% NORTRIPTYLINE 1 0.0 % 0.0% NORTRIPTYLINE HCL 1 0.0 % 0.0% | NITROSTAT | 3 | 0.1 % | 0.1% |
| NONI JUICE 1 0.0 % 0.0% NORDETTE 28 1 0.0 % 0.0% NORFLEX 1 0.0 % 0.0% NORTRIPTYLINE 1 0.0 % 0.0% NORTRIPTYLINE HCL 1 0.0 % 0.0% | NIZATIDINE | 1 | 0.0 % | 0.0% |
| NORDETTE 28 1 0.0 % 0.0% NORFLEX 1 0.0 % 0.0% NORTRIPTYLINE 1 0.0 % 0.0% NORTRIPTYLINE HCL 1 0.0 % 0.0% | NONE | 466 | 11.3 % | 11.3% |
| NORFLEX 1 0.0 % 0.0% NORTRIPTYLINE 1 0.0 % 0.0% NORTRIPTYLINE HCL 1 0.0 % 0.0% | NONI JUICE | 1 | 0.0 % | 0.0% |
| NORTRIPTYLINE 1 0.0 % 0.0% NORTRIPTYLINE HCL 1 0.0 % 0.0% | NORDETTE 28 | 1 | 0.0 % | 0.0% |
| NORTRIPTYLINE HCL 1 0.0 % 0.0% | NORFLEX | 1 | 0.0 % | 0.0% |
| | NORTRIPTYLINE | 1 | 0.0 % | 0.0% |
| NORVASC 29 0.7 % 0.7% | NORTRIPTYLINE HCL | 1 | 0.0 % | 0.0% |
| | NORVASC | 29 | 0.7 % | 0.7% |

| Variable | Variable Description |
|----------|-------------------------|
| GM2 | CG MEDICATION 2 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| NORVSAC | 1 | 0.0 % | 0.0% |
| NOVOLIN N | 1 | 0.0 % | 0.0% |
| NUTRI-CALM | 1 | 0.0 % | 0.0% |
| OCCUVITE | 1 | 0.0 % | 0.0% |
| OCEAN | 1 | 0.0 % | 0.0% |
| OCUFLOX | 1 | 0.0 % | 0.0% |
| OCUPRESS | 1 | 0.0 % | 0.0% |
| OCUVITE | 3 | 0.1 % | 0.1% |
| OGEN | 1 | 0.0 % | 0.0% |
| ONE A DAY VITAMINS | 1 | 0.0 % | 0.0% |
| ONE DAILY VITAMIN | 1 | 0.0 % | 0.0% |
| ORINASE | 1 | 0.0 % | 0.0% |
| ORTHO NOVUM BIRTH CO | 1 | 0.0 % | 0.0% |
| ORTHONOVUM | 1 | 0.0 % | 0.0% |
| ORUDIS | 1 | 0.0 % | 0.0% |
| ORUVAIL | 3 | 0.1 % | 0.1% |
| OS CAL | 1 | 0.0 % | 0.0% |
| OS-CAL | 2 | 0.0 % | 0.0% |
| OSCAL | 3 | 0.1 % | 0.1% |
| OSTEOMIN | 1 | 0.0 % | 0.0% |
| OTHER HERBAL | 1 | 0.0 % | 0.0% |
| OTHER NUTRITIONAL | 1 | 0.0 % | 0.0% |
| OXAZEPAM | 3 | 0.1 % | 0.1% |
| OXYBUTYNIN | 1 | 0.0 % | 0.0% |
| OXYMETAZOLINE | 1 | 0.0 % | 0.0% |
| OYSTER SHELL CALCIUM | 1 | 0.0 % | 0.0% |
| PAIN RELIEVER | 1 | 0.0 % | 0.0% |
| PAMALOR | 1 | 0.0 % | 0.0% |
| PAMELOR | 2 | 0.0 % | 0.0% |
| PAPAVERINE | 2 | 0.0 % | 0.0% |
| PAPAVERINE HCL | 2 | 0.0 % | 0.0% |
| PAXIL | 14 | 0.3 % | 0.3% |
| PENICILLAN | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM2 | CG MEDICATION 2 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| PEPCID | 4 | 0.1 % | 0.1% |
| PEPCID AC | 3 | 0.1 % | 0.1% |
| PERCOCET | 2 | 0.0 % | 0.0% |
| PERPHENAZINE | 2 | 0.0 % | 0.0% |
| PHENAZOPYRIDIN | 1 | 0.0 % | 0.0% |
| PHENOBARBITAL | 3 | 0.1 % | 0.1% |
| PHENYTOIN | 1 | 0.0 % | 0.0% |
| PHEROKEL | 1 | 0.0 % | 0.0% |
| PILOCARPINE | 2 | 0.0 % | 0.0% |
| PILOCARPINE HCL | 2 | 0.0 % | 0.0% |
| PIROXICAN | 1 | 0.0 % | 0.0% |
| PLAQUENIL SULFATE | 1 | 0.0 % | 0.0% |
| PLAVIX | 4 | 0.1 % | 0.1% |
| PLENDIL | 6 | 0.1 % | 0.1% |
| PLROXICAM | 1 | 0.0 % | 0.0% |
| POLY C | 1 | 0.0 % | 0.0% |
| POTASSIUM | 15 | 0.4 % | 0.4% |
| POTASSIUM CHLORIDE | 5 | 0.1 % | 0.1% |
| POTASSIUM CL | 1 | 0.0 % | 0.0% |
| POTASSIUM GLUCONATE | 1 | 0.0 % | 0.0% |
| PRAVACHOL | 17 | 0.4 % | 0.4% |
| PRAVACHOL 20 MG | 1 | 0.0 % | 0.0% |
| PRAZOSIN HCL | 3 | 0.1 % | 0.1% |
| PRECOSE | 3 | 0.1 % | 0.1% |
| PRED FORTE | 1 | 0.0 % | 0.0% |
| PREDNISONE | 9 | 0.2 % | 0.2% |
| PREMARIM | 1 | 0.0 % | 0.0% |
| PREMARIN | 127 | 3.1 % | 3.1% |
| PREMARIN TABS | 1 | 0.0 % | 0.0% |
| PREMARIN(ESTROGEN) | 1 | 0.0 % | 0.0% |
| PREMENSTRUAL SUPPLEM | 1 | 0.0 % | 0.0% |
| PREMPHASE | 1 | 0.0 % | 0.0% |
| PREMPRO | 22 | 0.5 % | 0.5% |

| Variable | Variable Description |
|----------|-------------------------|
| GM2 | CG MEDICATION 2 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| PREMRIN | 1 | 0.0 % | 0.0% |
| PREVACID | 10 | 0.2 % | 0.2% |
| PRILOSEC | 38 | 0.9 % | 0.9% |
| PRILOSEC 10MG | 1 | 0.0 % | 0.0% |
| PRINIVIL | 9 | 0.2 % | 0.2% |
| PRINZIDE | 2 | 0.0 % | 0.0% |
| PRO-FLEX | 1 | 0.0 % | 0.0% |
| PROBANTHINE | 1 | 0.0 % | 0.0% |
| PROBENE CID COLCHINE | 1 | 0.0 % | 0.0% |
| PROBENECID | 1 | 0.0 % | 0.0% |
| PROCARDIA | 11 | 0.3 % | 0.3% |
| PROCARDIA XL | 4 | 0.1 % | 0.1% |
| PROGESTERONE | 10 | 0.2 % | 0.2% |
| PROGESTRIN | 1 | 0.0 % | 0.0% |
| PROLEVE | 1 | 0.0 % | 0.0% |
| PROMETRIUM | 1 | 0.0 % | 0.0% |
| PROPANOLOL | 2 | 0.0 % | 0.0% |
| PROPANOLOL HCL | 1 | 0.0 % | 0.0% |
| PROPOXY N | 1 | 0.0 % | 0.0% |
| PROPOXYPHENE | 3 | 0.1 % | 0.1% |
| PROPOXYPHENE HCL | 1 | 0.0 % | 0.0% |
| PROPOXYPHONE | 1 | 0.0 % | 0.0% |
| PROPRANOLOL | 2 | 0.0 % | 0.0% |
| PROPRANOLOL HCL | 2 | 0.0 % | 0.0% |
| PROPULSID | 3 | 0.1 % | 0.1% |
| PROSCAR | 4 | 0.1 % | 0.1% |
| PROSLIMVX5 | 1 | 0.0 % | 0.0% |
| PROSTATE SUPPLEMENT | 1 | 0.0 % | 0.0% |
| PROVARA | 1 | 0.0 % | 0.0% |
| PROVERA | 28 | 0.7 % | 0.7% |
| PROVERA MEDROXYPROGE | 1 | 0.0 % | 0.0% |
| PROZAC | 28 | 0.7 % | 0.7% |
| PSEUDOEPHEDRINE | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM2 | CG MEDICATION 2 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| PSYILLIUM HUSK | 1 | 0.0 % | 0.0% |
| PULMICORT | 1 | 0.0 % | 0.0% |
| PULMOSIN | 1 | 0.0 % | 0.0% |
| PYCNOGENAL | 1 | 0.0 % | 0.0% |
| QUANTERRA | 1 | 0.0 % | 0.0% |
| QUINAGLUTE | 3 | 0.1 % | 0.1% |
| QUINAGLUTE DURA-TABS | 1 | 0.0 % | 0.0% |
| QUINAPRIL | 5 | 0.1 % | 0.1% |
| QUINIDEX | 2 | 0.0 % | 0.0% |
| QUININE | 1 | 0.0 % | 0.0% |
| QUININE BISULFATE | 1 | 0.0 % | 0.0% |
| RANITIDINE | 10 | 0.2 % | 0.2% |
| RANITIDINE HCL | 1 | 0.0 % | 0.0% |
| REDUX | 1 | 0.0 % | 0.0% |
| REGLAN | 2 | 0.0 % | 0.0% |
| RELAFEN | 15 | 0.4 % | 0.4% |
| RELAFEN 500MG | 1 | 0.0 % | 0.0% |
| REMERON | 1 | 0.0 % | 0.0% |
| RESTORIL | 1 | 0.0 % | 0.0% |
| REUMATOL | 1 | 0.0 % | 0.0% |
| REZULIN | 4 | 0.1 % | 0.1% |
| RHINOCORT | 2 | 0.0 % | 0.0% |
| RIBAVARIN USP | 1 | 0.0 % | 0.0% |
| RITALIN | 1 | 0.0 % | 0.0% |
| ROLAIDS | 1 | 0.0 % | 0.0% |
| ROYAL JELLY | 1 | 0.0 % | 0.0% |
| RYTHMOL | 1 | 0.0 % | 0.0% |
| SALSALATE | 6 | 0.1 % | 0.1% |
| SAW PALMETTO | 2 | 0.0 % | 0.0% |
| SENOKOT | 2 | 0.0 % | 0.0% |
| SEPTRA-DS | 1 | 0.0 % | 0.0% |
| SEREVENT | 6 | 0.1 % | 0.1% |
| SERZONE | 5 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|-------------------------|
| GM2 | CG MEDICATION 2 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| SEVERENT | 1 | 0.0 % | 0.0% |
| SIMVASTATIN | 1 | 0.0 % | 0.0% |
| SINEMET CR | 2 | 0.0 % | 0.0% |
| SINGULAIR | 3 | 0.1 % | 0.1% |
| SINUTABS | 2 | 0.0 % | 0.0% |
| SLOW K | 1 | 0.0 % | 0.0% |
| SLOW-K | 2 | 0.0 % | 0.0% |
| SLOWK | 1 | 0.0 % | 0.0% |
| SOYA LECITHIN | 1 | 0.0 % | 0.0% |
| SOYMAX | 1 | 0.0 % | 0.0% |
| SPECTRO-MULTIVITAMIN | 1 | 0.0 % | 0.0% |
| SPORANOX | 1 | 0.0 % | 0.0% |
| ST JOHN'S WART | 1 | 0.0 % | 0.0% |
| ST JOHN'S WARTS | 1 | 0.0 % | 0.0% |
| ST JOHN'S WORT | 1 | 0.0 % | 0.0% |
| ST JOHNS WORT | 2 | 0.0 % | 0.0% |
| ST. JOHN'S WORT | 1 | 0.0 % | 0.0% |
| ST. JOHNS WORT | 1 | 0.0 % | 0.0% |
| STELAZINE | 2 | 0.0 % | 0.0% |
| STRESS TABS | 1 | 0.0 % | 0.0% |
| STRESS TABS+ZINC | 1 | 0.0 % | 0.0% |
| SUDAFED | 3 | 0.1 % | 0.1% |
| SULFAMETHOXAZOLE | 1 | 0.0 % | 0.0% |
| SULINDAC | 1 | 0.0 % | 0.0% |
| SUNTHROID | 1 | 0.0 % | 0.0% |
| SUPER AYTINAL | 1 | 0.0 % | 0.0% |
| SYNTHROID | 74 | 1.8 % | 1.8% |
| SYTHROID | 1 | 0.0 % | 0.0% |
| TAGAMENT | 1 | 0.0 % | 0.0% |
| TAGAMET | 6 | 0.1 % | 0.1% |
| TAHEEBO TEA | 1 | 0.0 % | 0.0% |
| TAMOXIFEN | 3 | 0.1 % | 0.1% |
| TAMOXIFEN CITRATE | 2 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM2 | CG MEDICATION 2 (cont.) |

| Value | Frequency | % | Valid % |
|------------------|-----------|-------|---------|
| TARKA | 1 | 0.0 % | 0.0% |
| TAVIST | 1 | 0.0 % | 0.0% |
| TEGRETOL | 2 | 0.0 % | 0.0% |
| TEMAZEPAM | 4 | 0.1 % | 0.1% |
| TEMAZEPAMX | 1 | 0.0 % | 0.0% |
| TEMAZEPAN | 1 | 0.0 % | 0.0% |
| TENEX 1 MG | 1 | 0.0 % | 0.0% |
| TENNORMIN | 1 | 0.0 % | 0.0% |
| TENORETIC | 2 | 0.0 % | 0.0% |
| TENORMIN | 4 | 0.1 % | 0.1% |
| THEO-DUR | 3 | 0.1 % | 0.1% |
| THEOPHENYLLIN | 1 | 0.0 % | 0.0% |
| THEOPHYLLINE | 5 | 0.1 % | 0.1% |
| THEOPHYLLINE-CR | 1 | 0.0 % | 0.0% |
| THERAGRAN | 2 | 0.0 % | 0.0% |
| THERAGRAN M | 2 | 0.0 % | 0.0% |
| THERAGRAN STRESS | 1 | 0.0 % | 0.0% |
| THERAVIT | 1 | 0.0 % | 0.0% |
| THORAZINE | 2 | 0.0 % | 0.0% |
| THYROID | 3 | 0.1 % | 0.1% |
| TIAZAC | 7 | 0.2 % | 0.2% |
| TIBOLONE | 1 | 0.0 % | 0.0% |
| TICLID | 1 | 0.0 % | 0.0% |
| TIMOLOL | 3 | 0.1 % | 0.1% |
| TIMOPTIC | 4 | 0.1 % | 0.1% |
| TOLAZAMIDE | 3 | 0.1 % | 0.1% |
| TOLINASE | 1 | 0.0 % | 0.0% |
| TOLMETIN SODIUM | 1 | 0.0 % | 0.0% |
| TOMAXIFEN | 1 | 0.0 % | 0.0% |
| TOP ROL XL | 1 | 0.0 % | 0.0% |
| TOPROL | 3 | 0.1 % | 0.1% |
| TOPROL XL | 2 | 0.0 % | 0.0% |
| TOPROL-XL | 3 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|-------------------------|
| GM2 | CG MEDICATION 2 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| TOPROLXL | 1 | 0.0 % | 0.0% |
| TRAZODONE | 1 | 0.0 % | 0.0% |
| TRAZODONE HCL | 1 | 0.0 % | 0.0% |
| TRENTAL | 8 | 0.2 % | 0.2% |
| TRI-KORT | 3 | 0.1 % | 0.1% |
| TRIAM | 1 | 0.0 % | 0.0% |
| TRIAM TERENE | 1 | 0.0 % | 0.0% |
| TRIAMCINOLONE ACETON | 1 | 0.0 % | 0.0% |
| TRIAMTERENE | 28 | 0.7 % | 0.7% |
| TRIAMTERENE HCTZ | 2 | 0.0 % | 0.0% |
| TRIAMTERINE | 2 | 0.0 % | 0.0% |
| TRIMETHOPR | 1 | 0.0 % | 0.0% |
| TRIMETHOPRIM SULFATE | 3 | 0.1 % | 0.1% |
| TRINSICON | 1 | 0.0 % | 0.0% |
| TRUSOPT | 2 | 0.0 % | 0.0% |
| TUMS | 1 | 0.0 % | 0.0% |
| TYLENOL | 34 | 0.8 % | 0.8% |
| TYLENOL #3 | 1 | 0.0 % | 0.0% |
| TYLENOL ARTHRITIS | 1 | 0.0 % | 0.0% |
| TYLENOL PM | 2 | 0.0 % | 0.0% |
| TYLENOL X-STRENGTH | 1 | 0.0 % | 0.0% |
| TYLENOL/CODEINE 3 | 1 | 0.0 % | 0.0% |
| ULTRAM | 3 | 0.1 % | 0.1% |
| UNA DE GATO | 1 | 0.0 % | 0.0% |
| UNIPHYL | 2 | 0.0 % | 0.0% |
| UNIVASC | 2 | 0.0 % | 0.0% |
| VALERIAN ROOT | 1 | 0.0 % | 0.0% |
| VALERIN | 1 | 0.0 % | 0.0% |
| VALIUM | 2 | 0.0 % | 0.0% |
| VANCENASE | 1 | 0.0 % | 0.0% |
| VANCERIL | 2 | 0.0 % | 0.0% |
| VANCERIL INHALER | 1 | 0.0 % | 0.0% |
| VANORIL | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM2 | CG MEDICATION 2 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| VASERETIC | 5 | 0.1 % | 0.1% |
| VASOTEC | 20 | 0.5 % | 0.5% |
| VENACTON | 1 | 0.0 % | 0.0% |
| VENTOLIN | 5 | 0.1 % | 0.1% |
| VERAMPIL | 1 | 0.0 % | 0.0% |
| VERAPAMIL | 15 | 0.4 % | 0.4% |
| VERAPAMIL HCL | 1 | 0.0 % | 0.0% |
| VERAPAMIL SA | 1 | 0.0 % | 0.0% |
| VERAPOMIL | 1 | 0.0 % | 0.0% |
| VERELAN | 3 | 0.1 % | 0.1% |
| VIAGRA | 1 | 0.0 % | 0.0% |
| VIOXX | 1 | 0.0 % | 0.0% |
| VISTARIL | 1 | 0.0 % | 0.0% |
| VIT C | 5 | 0.1 % | 0.1% |
| VIT E | 7 | 0.2 % | 0.2% |
| VIT. C | 1 | 0.0 % | 0.0% |
| VIT. E | 1 | 0.0 % | 0.0% |
| VITA-LEA MULTI-VITAM | 1 | 0.0 % | 0.0% |
| VITA-MINERALS | 1 | 0.0 % | 0.0% |
| VITALEA MULTIVITAMIN | 1 | 0.0 % | 0.0% |
| VITAMIN | 7 | 0.2 % | 0.2% |
| VITAMIN & MIN SUPPLE | 1 | 0.0 % | 0.0% |
| VITAMIN A | 3 | 0.1 % | 0.1% |
| VITAMIN B | 16 | 0.4 % | 0.4% |
| VITAMIN B 12 | 1 | 0.0 % | 0.0% |
| VITAMIN B COMPLEX | 1 | 0.0 % | 0.0% |
| VITAMIN B-12 | 1 | 0.0 % | 0.0% |
| VITAMIN B-C | 1 | 0.0 % | 0.0% |
| VITAMIN B12 | 3 | 0.1 % | 0.1% |
| VITAMIN B6 | 4 | 0.1 % | 0.1% |
| VITAMIN C | 60 | 1.5 % | 1.5% |
| VITAMIN D | 11 | 0.3 % | 0.3% |
| VITAMIN E | 108 | 2.6 % | 2.6% |

| Variable | Variable Description |
|----------|-------------------------|
| GM2 | CG MEDICATION 2 (cont.) |

| Value | Frequency | % | Valid % |
|-------------------|-----------|-------|---------|
| VITAMIN ONE A DAY | 1 | 0.0 % | 0.0% |
| VITAMIN-E | 8 | 0.2 % | 0.2% |
| VITAMIN-MULTI | 1 | 0.0 % | 0.0% |
| VITAMINE | 1 | 0.0 % | 0.0% |
| VITAMINE E | 1 | 0.0 % | 0.0% |
| VITAMINS | 6 | 0.1 % | 0.1% |
| VITAMINS-CENTRUM | 1 | 0.0 % | 0.0% |
| VIVELLE | 1 | 0.0 % | 0.0% |
| VIVELLE .05 | 1 | 0.0 % | 0.0% |
| VOLTAREN | 3 | 0.1 % | 0.1% |
| WARFARIN | 2 | 0.0 % | 0.0% |
| WELL BUTRIN | 1 | 0.0 % | 0.0% |
| WELLBUTRIN | 3 | 0.1 % | 0.1% |
| WELLNESS SOURCE | 2 | 0.0 % | 0.0% |
| XALATAN | 2 | 0.0 % | 0.0% |
| XANAX | 9 | 0.2 % | 0.2% |
| XANEX | 1 | 0.0 % | 0.0% |
| ZAFIRLUKAST | 1 | 0.0 % | 0.0% |
| ZANTAC | 13 | 0.3 % | 0.3% |
| ZAROXOLYN | 2 | 0.0 % | 0.0% |
| ZESTRAL | 1 | 0.0 % | 0.0% |
| ZESTRIL | 21 | 0.5 % | 0.5% |
| ZESTRIL-PRINEVIL | 1 | 0.0 % | 0.0% |
| ZIAC | 8 | 0.2 % | 0.2% |
| ZINC | 1 | 0.0 % | 0.0% |
| ZOCOR | 30 | 0.7 % | 0.7% |
| ZOLOFT | 33 | 0.8 % | 0.8% |
| ZOMIG | 1 | 0.0 % | 0.0% |
| ZOVIRAX | 1 | 0.0 % | 0.0% |
| ZYPREXA | 2 | 0.0 % | 0.0% |
| ZYRTEC | 3 | 0.1 % | 0.1% |

Variable Description

G2C1

CG MEDICATION 2 CODE1

Start: 127 End: 135 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1014 | 24.6 % | 24.6% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 4 | 0.1 % | 0.1% |
| 2.00 | (ANA) Analgesic | 237 | 5.7 % | 5.7% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 36 | 0.9 % | 0.9% |
| 5.00 | (ANTC) Anticonvulsive | 8 | 0.2 % | 0.2% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 2 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 62 | 1.5 % | 1.5% |
| 9.00 | (ANTI) Anti-inflammatory | 100 | 2.4 % | 2.4% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 13 | 0.3 % | 0.3% |
| 12.00 | (ANTP) Antiparasitic | 2 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 1 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 1 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 97 | 2.3 % | 2.3% |
| 17.00 | (CON) Contraceptive | 5 | 0.1 % | 0.1% |
| 18.00 | (CO/CO) Cough & Cold | 12 | 0.3 % | 0.3% |
| 19.00 | (CV) Cardiovascular | 737 | 17.8 % | 17.8% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 2 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 2 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 85 | 2.1 % | 2.1% |
| 25.00 | (ENT) Ear, Nose or Throat | 5 | 0.1 % | 0.1% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 156 | 3.8 % | 3.8% |
| 28.00 | (GU) Genitourinary | 61 | 1.5 % | 1.5% |
| 29.00 | (GYN) Gynecologic | 7 | 0.2 % | 0.2% |

| Variable | Variable Description |
|----------|----------------------|
| | |

G2C1 CG MEDICATION 2 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|--------|---------|
| 30.00 | (HEM) Hematologic | 51 | 1.2 % | 1.2% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 362 | 8.8 % | 8.8% |
| 33.00 | (HYP) Hypnotic | 9 | 0.2 % | 0.2% |
| 34.00 | (IM) Immunologic | 4 | 0.1 % | 0.1% |
| 35.00 | (LAX) Laxative | 10 | 0.2 % | 0.2% |
| 36.00 | (MIG) Migraine | 3 | 0.1 % | 0.1% |
| 37.00 | (MS) Musculoskeletal | 36 | 0.9 % | 0.9% |
| 38.00 | (NAR) Narcotic | 14 | 0.3 % | 0.3% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 1 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 627 | 15.2 % | 15.2% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 36 | 0.9 % | 0.9% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 98 | 2.4 % | 2.4% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 3 | 0.1 % | 0.1% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 11 | 0.3 % | 0.3% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 26 | 0.6 % | 0.6% |
| 49.00 | (PUL) Pulmonary | 82 | 2.0 % | 2.0% |
| 50.00 | (SED) Sedative | 16 | 0.4 % | 0.4% |
| 51.00 | (STE) Steroid | 19 | 0.5 % | 0.5% |
| 52.00 | (TOP) Topical | 2 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 37 | 0.9 % | 0.9% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 22 | 0.5 % | 0.5% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 1 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 3 | 0.1 % | 0.1% |
| 99.00 | Medication with outstanding code | 7 | 0.2 % | 0.2% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 99.00 | 20.36 | 17.87 |

Variable Description

G2C2

CG MEDICATION 2 CODE2

Start: 136 End: 144 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 3275 | 79.3 % | 79.3% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 32 | 0.8 % | 0.8% |
| 2.00 | (ANA) Analgesic | 46 | 1.1 % | 1.1% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 25 | 0.6 % | 0.6% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 1 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 14 | 0.3 % | 0.3% |
| 9.00 | (ANTI) Anti-inflammatory | 18 | 0.4 % | 0.4% |
| 10.00 | (ANTIV) Antivertigo | 2 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 10 | 0.2 % | 0.2% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 30 | 0.7 % | 0.7% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 17 | 0.4 % | 0.4% |
| 19.00 | (CV) Cardiovascular | 35 | 0.8 % | 0.8% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 4 | 0.1 % | 0.1% |
| 22.00 | (DIAG) Diagnostic | 5 | 0.1 % | 0.1% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 79 | 1.9 % | 1.9% |
| 25.00 | (ENT) Ear, Nose or Throat | 3 | 0.1 % | 0.1% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 19 | 0.5 % | 0.5% |
| 28.00 | (GU) Genitourinary | 110 | 2.7 % | 2.7% |
| 29.00 | (GYN) Gynecologic | 33 | 0.8 % | 0.8% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G2C2 CG MEDICATION 2 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 30.00 | (HEM) Hematologic | 86 | 2.1 % | 2.1% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 22 | 0.5 % | 0.5% |
| 33.00 | (HYP) Hypnotic | 7 | 0.2 % | 0.2% |
| 34.00 | (IM) Immunologic | 2 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 3 | 0.1 % | 0.1% |
| 36.00 | (MIG) Migraine | 4 | 0.1 % | 0.1% |
| 37.00 | (MS) Musculoskeletal | 22 | 0.5 % | 0.5% |
| 38.00 | (NAR) Narcotic | 5 | 0.1 % | 0.1% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 7 | 0.2 % | 0.2% |
| 41.00 | (NUT) Nutritional | 3 | 0.1 % | 0.1% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 3 | 0.1 % | 0.1% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 37 | 0.9 % | 0.9% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 5 | 0.1 % | 0.1% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 102 | 2.5 % | 2.5% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 3 | 0.1 % | 0.1% |
| 50.00 | (SED) Sedative | 15 | 0.4 % | 0.4% |
| 51.00 | (STE) Steroid | 16 | 0.4 % | 0.4% |
| 52.00 | (TOP) Topical | 4 | 0.1 % | 0.1% |
| 53.00 | (TRAN) Tranquilizer | 22 | 0.5 % | 0.5% |
| 54.00 | (X-RAY) X-ray Contrast | 1 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 2 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|------|-------|
| 4129 | -2.00 | 60.00 | 4.26 | 13.97 |

Variable Description

G2C3

CG MEDICATION 2 CODE3

Start: 145 End: 153 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 3986 | 96.5 % | 96.5% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 1 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 2 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 1 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 1 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 1 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 8 | 0.2 % | 0.2% |
| 11.00 | (ANTN) Antineoplastic | 13 | 0.3 % | 0.3% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 1 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 9 | 0.2 % | 0.2% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 1 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 1 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 1 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 10 | 0.2 % | 0.2% |
| 29.00 | (GYN) Gynecologic | 14 | 0.3 % | 0.3% |

| Variable | Variable Description |
|----------|-------------------------------|
| G2C3 | CG MEDICATION 2 CODE3 (cont.) |

CG MEDICATION 2 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 3 | 0.1 % | 0.1% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 10 | 0.2 % | 0.2% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 2 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 2 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 5 | 0.1 % | 0.1% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 21 | 0.5 % | 0.5% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 12 | 0.3 % | 0.3% |
| 51.00 | (STE) Steroid | 4 | 0.1 % | 0.1% |
| 52.00 | (TOP) Topical | 1 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 19 | 0.5 % | 0.5% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 53.00 | -0.75 | 7.26 |

Variable Description

G2C4

CG MEDICATION 2 CODE4

Start: 154 End: 162 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4112 | 99.6 % | 99.6% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 1 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G2C4 CG MEDICATION 2 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 9 | 0.2 % | 0.2% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 2 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 5 | 0.1 % | 0.1% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 53.00 | -1.80 | 3.20 |

Variable Description

GM3

CG MEDICATION 3

Start: 163 End: 182 Width: 20

Type: character (ISO)
Interval: discrete

| Value Frequency % Valid % -2 1077 26.1 % 26.1 % ACCOLATE 3 0.1 % 0.1% ACCUPRIL 8 0.2 % 0.2% ACEBUTOLOL 1 0.0 % 0.0% ACEDATASOL 1 0.0 % 0.0% ACIDOLPHILUS 1 0.0 % 0.0% ACIDOPHILUS 2 0.0 % 0.0% ACTOS 1 0.0 % 0.0% ACTOS 1 0.0 % 0.0% ADALAT 6 0.1 % 0.1% ADALAT CC 7 0.2 % 0.2% ADALAT CC 1 0.0 % 0.0% ADALATT-CC 1 0.0 % 0.0% AFROBID 1 0.0 % 0.0% AGRYLIN 1 0.0 % 0.0% ALBUTEROL 5 0.1 % 0.0% ALEVE 3 0.1 % 0.0% ALEVE 1 0.0 % | OG WEDIOATION 3 | | | |
|--|-------------------|-----------|--------|---------|
| ACCOLATE 3 0.1% 0.1% ACCUPRIL 8 0.2% 0.2% ACEBUTOLOL 1 0.0% 0.0% ACETASOL 1 0.0% 0.0% ACIDOLPHILUS 1 0.0% 0.0% ACTOS 1 0.0% 0.0% ADALAT 6 0.1% 0.1% ADALAT CC 7 0.2% 0.2% ADALAT-CC 1 0.0% 0.0% ADVIL 19 0.5% 0.5% AFROBID 1 0.0% 0.0% AGRYLIN 1 0.0% 0.0% ALBUTEROL 5 0.1% 0.0% ALEVE 3 0.1% 0.0% ALEAFA 1 0.0% 0.0% ALFAFA 1 0.0% 0.0% ALEAGN 1 0.0% 0.0% ALLEG 1 0.0% 0.0% ALLEG 1 0.0% 0.0% <tr< td=""><td>Value</td><td>Frequency</td><td>%</td><td>Valid %</td></tr<> | Value | Frequency | % | Valid % |
| ACCUPRIL 8 0.2% 0.2% ACEBUTOLOL 1 0.0% 0.0% ACETASOL 1 0.0% 0.0% ACIDOLPHILUS 1 0.0% 0.0% ACIDOPHILUS 2 0.0% 0.0% ACIDOS 1 0.0% 0.0% ADALAT 6 0.1% 0.1% ADALAT CC 7 0.2% 0.2% ADALAT: CC 1 0.0% 0.0% ADALATI-CC 1 0.0% 0.0% ADVIL 19 0.5% 0.5% AFROBID 1 0.0% 0.0% AGRYLIN 1 0.0% 0.0% ALBUTEROL 5 0.1% 0.1% ALBUTEROL SULFATE 2 0.0% 0.0% ALEVE 3 0.1% 0.0% ALEAFA 1 0.0% 0.0% ALFALFA 1 0.0% 0.0% ALLAS ELIZER 1 0.0% <t< td=""><td>-2</td><td>1077</td><td>26.1 %</td><td>26.1%</td></t<> | -2 | 1077 | 26.1 % | 26.1% |
| ACEBUTOLOL 1 0.0% 0.0% ACETASOL 1 0.0% 0.0% ACIDOLPHILUS 1 0.0% 0.0% ACIDOPHILUS 2 0.0% 0.0% ACTOS 1 0.0% 0.0% ADALAT 6 0.1% 0.1% ADALAT CC 7 0.2% 0.2% ADALATI-CC 1 0.0% 0.0% ADALATI-CC 1 0.0% 0.0% ADVIL 19 0.5% 0.5% AFROBID 1 0.0% 0.0% AGRYLIN 1 0.0% 0.0% AGRYLIN 1 0.0% 0.0% ALBUTEROL 5 0.1% 0.1% ALBUTEROL 5 0.1% 0.1% ALEVE 3 0.1% 0.0% ALEAFA 1 0.0% 0.0% ALFALFA 1 0.0% 0.0% ALLEG 1 0.0% 0.0% < | ACCOLATE | 3 | 0.1 % | 0.1% |
| ACETASOL 1 0.0% 0.0% ACIDOLPHILUS 1 0.0% 0.0% ACIDOPHILUS 2 0.0% 0.0% ACIDOPHILUS 2 0.0% 0.0% ACTOS 1 0.0% 0.0% ADALAT 6 0.1 % 0.1% ADALAT CC 7 0.2% 0.2% ADALAT: CC 1 0.0% 0.0% AFROBID 1 0.0% 0.0% AGRYLIN 1 0.0% 0.0% AGRYLIN 1 0.0% 0.0% ALBUTEROL 5 0.1% 0.1% 0.1% ALBUTEROL 5 0.1% 0.1% 0.1% ALEVE 3 0.1% 0.1% 0.0% ALEVE 3 0.1% 0.0% 0.0% ALEVE 3 0.1% 0.0% 0.0% ALEVE 3 0.1% 0.0% 0.0% ALEAFAA 1 0.0% 0.0% 0.0% ALEAFAA 1 0.0% 0.0% 0.0% ALEAFAA 1 0.0% 0.0% 0.0% 0.0% ALEGRA 1 0.0% 0.0% 0.0% ALEGRA 1 0.0% 0.0% 0.0% ALLEGRA 1 0.0% 0.0% 0.0% ALLEGRA 1 0.0% 0.0% 0.0% ALLEGRA 1 0.0% 0.0% 0.0% 0.0% ALLEGRA 1 0.0% 0.0% 0.0% 0.0% ALLEGRA 1 0.0% 0.0% 0.0% ALLEGRA 1 0.0% 0.0% 0.0% 0.0% ALLEGRA 1 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% 0. | ACCUPRIL | 8 | 0.2 % | 0.2% |
| ACIDOLPHILUS ACIDOPHILUS ACIDOPHILUS ACTOS ACTOS ADALAT ADALAT ADALAT CC ADALAT: CC ADAL | ACEBUTOLOL | 1 | 0.0 % | 0.0% |
| ACIDOPHILUS ACTOS ACTOS ADALAT ADALAT CC ADALAT CC ADALAT: CC ADALAT: CC ADALAT-CC ADA | ACETASOL | 1 | 0.0 % | 0.0% |
| ACTOS ADALAT ADALAT ADALAT CC ADALAT: CC ADALAT: CC ADALAT: CC ADALAT-CC ADALAT-CC ADALAT-CC ADVIL ADALAT-CC ADVIL AGRYLIN ALBUTEROL ALBUTEROL ALEVE ALFAFA ALEVE ALFAFA ALFAFA ALFAFA ALFAFA ALGIN AC/ALOH ALKA-SELTZER ALLEG ALLEGRA ALLEGRA ALLEGRA ALLEGRA ALLEGRA ALLEGRA ALLEGRA ALPAGAN ALTACE ALTACE ALTACE ALTACE ALTACE(RAMIPRIL) AMARYL O.0 % O. | ACIDOLPHILUS | 1 | 0.0 % | 0.0% |
| ADALAT CC 7 0.2 % 0.2% ADALAT CC 1 0.0 % 0.0% ADVIL 19 0.5 % 0.5% 0.5% AFROBID 1 0.0 % 0.0% AGRYLIN 1 0.0 % 0.0% ALBUTEROL 5 0.1 % 0.1% ALBUTEROL 5 0.1 % 0.1% ALBUTEROL SULFATE 2 0.0 % 0.0% 0.0% ALEVE 3 0.1 % 0.1% 0.1% ALFAFA 1 0.0 % 0.0% 0.0% ALFALFA 1 0.0 % 0.0% 0.0% ALFALFA 1 0.0 % 0.0% 0.0% ALFALFA 1 0.0 % 0.0% 0.0% ALGIN AC/ALOH 1 0.0 % 0.0% 0.0% ALLEGRA 1 0.0 % 0.0% 0.0% ALLEGRA 1 0.0 % 0.0% 0.0% ALLEGRA 7 0.2 % 0.2% ALLEGRA 7 0.2 % 0.2% ALLEGRA 1 0.0 % 0.0% 0.0% ALLEGRA 1 0.0 % 0.0% 0.0% ALLEGRA 1 0.0 % 0.0% 0.0% 0.0% ALLEGRA 1 0.0 % 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% 0 | ACIDOPHILUS | 2 | 0.0 % | 0.0% |
| ADALAT CC ADALAT: CC ADALAT: CC ADALAT: CC ADALATT-CC ADVIL ADVIL AFROBID AGRYLIN ALBUTEROL ALEVE ALEVE ALEFAA ALEVE ALEFAA ALIGIN AC/ALOH ALKA-SELTZER ALLEG ALLEGRA ALLEGRA ALLEGRA ALLEGRA ALLEGRA ALLEGRA ALLEGRA ALLEGRA ALPAGAN ALTACE ALTACE AMARYL AND | ACTOS | 1 | 0.0 % | 0.0% |
| ADALAT: CC | ADALAT | 6 | 0.1 % | 0.1% |
| ADALATT-CC 1 1 0.0 % 0.0% ADVIL 19 0.5 % 0.5% AFROBID 1 0.0 % 0.0% AGRYLIN 1 0.0 % 0.0% ALBUTEROL 5 0.1 % 0.1% ALBUTEROL SULFATE 2 0.0 % 0.0% ALFAFA 1 0.0 % 0.0% ALFAFA 1 0.0 % 0.0% ALFALFA 1 0.0 % 0.0% ALFALFA 1 0.0 % 0.0% ALGIN AC/ALOH 1 0.0 % 0.0% ALKA-SELTZER 1 0.0 % 0.0% ALL26 1 0.0 % 0.0% ALLEGRA 7 0.2 % 0.2% ALLEGRA 7 0.2 % 0.2% ALLEGRA 1 0.0 % 0.0% ALLEGRA 7 0.2 % 0.2% ALLEGRA 1 0.0 % 0.0% ALLPHAGAN 1 0.0 % 0.0% ALLPHAGAN 1 0.0 % 0.0% ALPRAZOLAM 4 0.1 % 0.1% ALTACE 4 0.1 % 0.1% ALTACE 4 0.1 % 0.1% ALTACE 5 0.1 % 0.0% AMARYL 6 0.1 % 0.0% | ADALAT CC | 7 | 0.2 % | 0.2% |
| ADVIL 19 0.5 % 0.5% AFROBID 10.0 % 0.0% AGRYLIN 11 0.0 % 0.0% 11 0.0 % 0.0% ALBUTEROL 5 0.1 % 0.1% ALBUTEROL 5 0.1 % 0.1% ALEVE 3 0.1 % 0.1% 11 0.0 % 0.0 % 11 0.0 % 0.0 | ADALAT: CC | 1 | 0.0 % | 0.0% |
| AFROBID AGRYLIN ALBUTEROL ALBUTEROL SULFATE ALEVE ALFAFA ALFAFA ALFALFA ALGIN AC/ALOH ALL26 ALL27 ALL26 ALL28 ALL29 ALL29 | ADALATT-CC | 1 | 0.0 % | 0.0% |
| AGRYLIN 1 0.0 % 0.0% ALBUTEROL 5 0.1 % 0.1% ALBUTEROL SULFATE 2 0.0 % 0.0% ALEVE 3 0.1 % 0.1% ALFAFA 1 0.0 % 0.0% ALFALFA 1 0.0 % 0.0% ALGIN AC/ALOH 1 0.0 % 0.0% ALKA-SELTZER 1 0.0 % 0.0% ALL26 1 0.0 % 0.0% ALL26 1 0.0 % 0.0% ALLBEE WITH C 1 0.0 % 0.0% ALLEGRA 7 0.2 % 0.2% ALLEGRA 7 0.2 % 0.2% ALLEGRAN 1 0.0 % 0.0% ALLOPURINOL 4 0.1 % 0.1% ALPHAGAN 2 0.0 % 0.0% ALPHAGAN 4 0.1 % 0.1% ALPHAGAN 4 0.1 % 0.1% ALTACE 4 0.1 % 0.1% ALTACE 4 0.1 % 0.1% ALTACE 4 0.1 % 0.0% AMARYL 6 0.1 % 0.0% | ADVIL | 19 | 0.5 % | 0.5% |
| ALBUTEROL ALBUTEROL SULFATE ALEVE ALFAFA ALFAFA ALGIN AC/ALOH ALKA-SELTZER ALLEGRA ALLEGRA ALLEGRA ALLEGRA ALLEGRA ALLEGRA ALLOPURINOL ALLPHAGAN ALTACE ALTACE ALTACE AMARYL ALBUTEROL SOLO 10 0.0% SOLO | AFROBID | 1 | 0.0 % | 0.0% |
| ALBUTEROL SULFATE 2 0.0 % 0.0% ALEVE 3 0.1 % 0.1% ALFAFA 1 0.0 % 0.0% ALFALFA 1 0.0 % 0.0% ALGIN AC/ALOH 1 0.0 % 0.0% ALKA-SELTZER 1 0.0 % 0.0% ALL26 1 0.0 % 0.0% ALLBEE WITH C 1 0.0 % 0.0% ALLEGRA 7 0.2 % 0.2% ALLEGRA 7 0.2 % 0.2% ALLERGAN 1 0.0 % 0.0% ALLOPURINOL 4 0.1 % 0.1% ALPHAGAN 2 0.0 % 0.0% ALPHAGAN 4 0.1 % 0.1% ALPRAZOLAM 4 0.1 % 0.1% ALTACE 4 0.1 % 0.1% AMARYL 6 0.1 % 0.0% AMARYL 6 0.1 % 0.0% | AGRYLIN | 1 | 0.0 % | 0.0% |
| ALEVE 3 0.1 % 0.1% ALFAFA 1 0.0 % 0.0% ALFALFA 1 0.0 % 0.0% ALGIN AC/ALOH 1 0.0 % 0.0% ALKA-SELTZER 1 0.0 % 0.0% ALL26 1 0.0 % 0.0% ALLBEE WITH C 1 0.0 % 0.0% ALLEGRA 7 0.2 % 0.2% ALLERGAN 1 0.0 % 0.0% ALLOPURINOL 4 0.1 % 0.1% ALPHAGAN 2 0.0 % 0.0% ALPHAGAN 4 0.1 % 0.1% ALPRAZOLAM 4 0.1 % 0.1% ALTACE 4 0.1 % 0.1% ALTACE 4 0.1 % 0.1% AMARYL 6 0.1 % 0.0% | ALBUTEROL | 5 | 0.1 % | 0.1% |
| ALFAFA 1 0.0 % 0.0% ALFALFA 1 0.0 % 0.0% ALGIN AC/ALOH 1 0.0 % 0.0% ALKA-SELTZER 1 0.0 % 0.0% ALL26 1 0.0 % 0.0% ALLBEE WITH C 1 0.0 % 0.0% ALLEGRA 7 0.2 % 0.2% ALLEGRA 1 0.0 % 0.0% ALLERGAN 1 0.0 % 0.0% ALLOPURINOL 4 0.1 % 0.1% ALPHAGAN 2 0.0 % 0.0% ALPHAGAN 4 0.1 % 0.1% ALPRAZOLAM 4 0.1 % 0.1% ALTACE 4 0.1 % 0.1% ALTACE 4 0.1 % 0.1% AMARYL 6 0.1 % 0.0% | ALBUTEROL SULFATE | 2 | 0.0 % | 0.0% |
| ALFALFA 1 0.0 % 0.0% ALGIN AC/ALOH 1 0.0 % 0.0% ALKA-SELTZER 1 0.0 % 0.0% ALL26 1 0.0 % 0.0% ALLBEE WITH C 1 0.0 % 0.0% ALLEGRA 7 0.2 % 0.2% ALLERGAN 1 0.0 % 0.0% ALLOPURINOL 4 0.1 % 0.1% ALPHAGAN 2 0.0 % 0.0% ALPRAZOLAM 4 0.1 % 0.1% ALTACE 4 0.1 % 0.1% ALTACE 4 0.1 % 0.1% AMARYL 6 0.1 % 0.0% | ALEVE | 3 | 0.1 % | 0.1% |
| ALGIN AC/ALOH 1 0.0 % 0.0% ALKA-SELTZER 1 0.0 % 0.0% ALL26 1 0.0 % 0.0% ALLBEE WITH C 1 0.0 % 0.0% ALLEGRA 7 0.2 % 0.2% ALLERGAN 1 0.0 % 0.0% ALLOPURINOL 4 0.1 % 0.1% ALPHAGAN 2 0.0 % 0.0% ALPRAZOLAM 4 0.1 % 0.1% ALTACE 4 0.1 % 0.1% ALTACE 4 0.1 % 0.1% AMARYL 6 0.1 % 0.0% | ALFAFA | 1 | 0.0 % | 0.0% |
| ALKA-SELTZER 1 0.0 % 0.0% ALL26 1 0.0 % 0.0% ALLBEE WITH C 1 0.0 % 0.0% ALLEGRA 7 0.2 % 0.2% ALLERGAN 1 0.0 % 0.0% ALLOPURINOL 4 0.1 % 0.1% ALPHAGAN 2 0.0 % 0.0% ALPRAZOLAM 4 0.1 % 0.1% ALTACE 4 0.1 % 0.1% ALTACE 4 0.1 % 0.1% ALTACE(RAMIPRIL) 1 0.0 % 0.0% AMARYL 6 0.1 % 0.1% | ALFALFA | 1 | 0.0 % | 0.0% |
| ALL26 1 0.0 % 0.0% ALLBEE WITH C 1 0.0 % 0.0% ALLEGRA 7 0.2 % 0.2% ALLERGAN 1 0.0 % 0.0% ALLOPURINOL 4 0.1 % 0.1% ALPHAGAN 2 0.0 % 0.0% ALPRAZOLAM 4 0.1 % 0.1% ALTACE 4 0.1 % 0.1% ALTACE(RAMIPRIL) 1 0.0 % 0.0% AMARYL 6 0.1 % 0.1% | ALGIN AC/ALOH | 1 | 0.0 % | 0.0% |
| ALLBEE WITH C 1 0.0 % 0.0% ALLEGRA 7 0.2 % 0.2% ALLERGAN 1 0.0 % 0.0% ALLOPURINOL 4 0.1 % 0.1% ALPHAGAN 2 0.0 % 0.0% ALPRAZOLAM 4 0.1 % 0.1% ALTACE 4 0.1 % 0.1% ALTACE(RAMIPRIL) 1 0.0 % 0.0% AMARYL 6 0.1 % 0.1% | ALKA-SELTZER | 1 | 0.0 % | 0.0% |
| ALLEGRA 7 0.2 % 0.2% ALLERGAN 1 0.0 % 0.0% ALLOPURINOL 4 0.1 % 0.1% ALPHAGAN 2 0.0 % 0.0% ALPRAZOLAM 4 0.1 % 0.1% ALTACE 4 0.1 % 0.1% ALTACE(RAMIPRIL) 1 0.0 % 0.0% AMARYL 6 0.1 % 0.1% | ALL26 | 1 | 0.0 % | 0.0% |
| ALLERGAN 1 0.0 % 0.0% ALLOPURINOL 4 0.1 % 0.1% ALPHAGAN 2 0.0 % 0.0% ALPRAZOLAM 4 0.1 % 0.1% ALTACE 4 0.1 % 0.1% ALTACE(RAMIPRIL) 1 0.0 % 0.0% AMARYL 6 0.1 % 0.1% | ALLBEE WITH C | 1 | 0.0 % | 0.0% |
| ALLOPURINOL 4 0.1 % 0.1% ALPHAGAN 2 0.0 % 0.0% ALPRAZOLAM 4 0.1 % 0.1% ALTACE 4 0.1 % 0.1% ALTACE(RAMIPRIL) 1 0.0 % 0.0% AMARYL 6 0.1 % 0.1% | ALLEGRA | 7 | 0.2 % | 0.2% |
| ALPHAGAN 2 0.0 % 0.0% ALPRAZOLAM 4 0.1 % 0.1% ALTACE 4 0.1 % 0.1% ALTACE(RAMIPRIL) 1 0.0 % 0.0% AMARYL 6 0.1 % 0.1% | ALLERGAN | 1 | 0.0 % | 0.0% |
| ALPRAZOLAM 4 0.1 % 0.1% ALTACE 4 0.1 % 0.1% ALTACE(RAMIPRIL) 1 0.0 % 0.0% AMARYL 6 0.1 % 0.1% | ALLOPURINOL | 4 | 0.1 % | 0.1% |
| ALTACE 4 0.1 % 0.1% ALTACE(RAMIPRIL) 1 0.0 % 0.0% AMARYL 6 0.1 % 0.1% | ALPHAGAN | 2 | 0.0 % | 0.0% |
| ALTACE(RAMIPRIL) 1 0.0 % 0.0% AMARYL 6 0.1 % 0.1% | ALPRAZOLAM | 4 | 0.1 % | 0.1% |
| AMARYL 6 0.1% 0.1% | ALTACE | 4 | 0.1 % | 0.1% |
| | ALTACE(RAMIPRIL) | 1 | 0.0 % | 0.0% |
| AMBIEN 6 0.1% 0.1% | AMARYL | 6 | 0.1 % | 0.1% |
| | AMBIEN | 6 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|-------------------------|
| 0110 | 00.11710.1710.10 (|
| GM3 | CG MEDICATION 3 (cont.) |

| Value | Frequency | % | Valid % |
|---------------------|-----------|-------|---------|
| AMBROTOSE | 1 | 0.0 % | 0.0% |
| AMITRIPTYLINE | 5 | 0.1 % | 0.1% |
| AMITRIPTYLINE HCL | 5 | 0.1 % | 0.1% |
| AMITRPTYLINE | 1 | 0.0 % | 0.0% |
| AMLODIPINE BESYLATE | 2 | 0.0 % | 0.0% |
| AMOXICILLIN | 2 | 0.0 % | 0.0% |
| ANTIVERT | 1 | 0.0 % | 0.0% |
| APAP | 2 | 0.0 % | 0.0% |
| ARICEPT | 2 | 0.0 % | 0.0% |
| ARMOUR THYROID | 4 | 0.1 % | 0.1% |
| ARTHRITIS EASE | 1 | 0.0 % | 0.0% |
| ARTRI-NON | 1 | 0.0 % | 0.0% |
| ASCORBIC | 3 | 0.1 % | 0.1% |
| ASCORBIC ACID | 1 | 0.0 % | 0.0% |
| ASCRIPTIN | 1 | 0.0 % | 0.0% |
| ASENDIN | 1 | 0.0 % | 0.0% |
| ASPIRIN | 88 | 2.1 % | 2.1% |
| ASPIRIN (BABY) | 2 | 0.0 % | 0.0% |
| ASPIRIN LOW DOSE | 1 | 0.0 % | 0.0% |
| ASPIRIN QD | 1 | 0.0 % | 0.0% |
| ATAVAN | 1 | 0.0 % | 0.0% |
| ATENOLOL | 38 | 0.9 % | 0.9% |
| ATENOLOL AQ NASAL | 1 | 0.0 % | 0.0% |
| ATENOLOL CHLORTHAL | 1 | 0.0 % | 0.0% |
| ATIVAN | 6 | 0.1 % | 0.1% |
| ATORVASTATIN | 2 | 0.0 % | 0.0% |
| ATORVASTATIN CA | 1 | 0.0 % | 0.0% |
| ATROVENT | 1 | 0.0 % | 0.0% |
| AXID | 5 | 0.1 % | 0.1% |
| AZATHIOPRINE | 1 | 0.0 % | 0.0% |
| AZMACORT | 7 | 0.2 % | 0.2% |
| B COMPLEX | 2 | 0.0 % | 0.0% |
| BACITRACIN | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| 0110 | 00.11710.1710.10 (|
| GM3 | CG MEDICATION 3 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| BACTRIN | 1 | 0.0 % | 0.0% |
| BAYER | 1 | 0.0 % | 0.0% |
| BAYER ASPIRIN | 2 | 0.0 % | 0.0% |
| BECLOMETHASONE DIPRO | 2 | 0.0 % | 0.0% |
| BECLOVENT | 1 | 0.0 % | 0.0% |
| BECONASE | 1 | 0.0 % | 0.0% |
| BENADRYL | 2 | 0.0 % | 0.0% |
| BENTYL | 1 | 0.0 % | 0.0% |
| BENZONATATE | 1 | 0.0 % | 0.0% |
| BETA CAROTENE | 1 | 0.0 % | 0.0% |
| BETACAROTENE | 1 | 0.0 % | 0.0% |
| BETAGAM | 1 | 0.0 % | 0.0% |
| BETAPACE | 1 | 0.0 % | 0.0% |
| BETAXOLOL | 1 | 0.0 % | 0.0% |
| BETOPIC | 1 | 0.0 % | 0.0% |
| BETOPIC S | 1 | 0.0 % | 0.0% |
| BIAXIN | 1 | 0.0 % | 0.0% |
| BLUE GREEN ALGAE | 1 | 0.0 % | 0.0% |
| BROMOPHEN | 1 | 0.0 % | 0.0% |
| BRONKAID MIST | 1 | 0.0 % | 0.0% |
| BUMETANIDE | 2 | 0.0 % | 0.0% |
| BUSPAR | 6 | 0.1 % | 0.1% |
| BUTALBITAL | 2 | 0.0 % | 0.0% |
| CALAN | 1 | 0.0 % | 0.0% |
| CALAN SR | 4 | 0.1 % | 0.1% |
| CALAN SRTE | 1 | 0.0 % | 0.0% |
| CALCIUM | 64 | 1.6 % | 1.6% |
| CALCIUM 500 | 1 | 0.0 % | 0.0% |
| CALCIUM 500 D | 1 | 0.0 % | 0.0% |
| CALCIUM CARBONATE | 1 | 0.0 % | 0.0% |
| CALCIUM MAGNESIUM | 2 | 0.0 % | 0.0% |
| CALCIUM W/VITAMIN D | 1 | 0.0 % | 0.0% |
| CALCIUM- VITAMIN D | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM3 | CG MEDICATION 3 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| CALMS | 1 | 0.0 % | 0.0% |
| CALTRATE | 2 | 0.0 % | 0.0% |
| CAPITRIL | 1 | 0.0 % | 0.0% |
| CAPOTRIL | 1 | 0.0 % | 0.0% |
| CAPTOPRIL | 7 | 0.2 % | 0.2% |
| CARAFATE | 1 | 0.0 % | 0.0% |
| CARBAMAZEPINE | 2 | 0.0 % | 0.0% |
| CARDIZEM | 13 | 0.3 % | 0.3% |
| CARDIZEM CD | 2 | 0.0 % | 0.0% |
| CARDURA | 11 | 0.3 % | 0.3% |
| CATAFLAM | 2 | 0.0 % | 0.0% |
| CEFACLOR | 1 | 0.0 % | 0.0% |
| CEFTIN | 1 | 0.0 % | 0.0% |
| CELEBREX | 3 | 0.1 % | 0.1% |
| CELEXA | 2 | 0.0 % | 0.0% |
| CENTRUM | 10 | 0.2 % | 0.2% |
| CENTRUM MULTIVITAMIN | 1 | 0.0 % | 0.0% |
| CENTRUM SILVER | 4 | 0.1 % | 0.1% |
| CENTRUM VITAMIN | 1 | 0.0 % | 0.0% |
| CEPHALEXIN | 1 | 0.0 % | 0.0% |
| CEREBYX | 1 | 0.0 % | 0.0% |
| CHELATED | 1 | 0.0 % | 0.0% |
| CHLOR-TRIMETON | 2 | 0.0 % | 0.0% |
| CHLORDIAZEPOXIDE | 5 | 0.1 % | 0.1% |
| CHLORPHENIRAMINE | 1 | 0.0 % | 0.0% |
| CHLORPROPAMIDE | 2 | 0.0 % | 0.0% |
| CHLORTHALIDONE | 2 | 0.0 % | 0.0% |
| CHLORTRIMETON | 1 | 0.0 % | 0.0% |
| CHLORZOXAZONE | 2 | 0.0 % | 0.0% |
| CHONDROITIN | 1 | 0.0 % | 0.0% |
| CHONDROITIN-GLUCOSAM | 1 | 0.0 % | 0.0% |
| CHROMIUM | 1 | 0.0 % | 0.0% |
| CHRONDNITEN | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM3 | CG MEDICATION 3 (cont.) |

| Value | Frequency | % | Valid % |
|---------------------|-----------|-------|---------|
| CILOXAN | 1 | 0.0 % | 0.0% |
| CIMETIDINE | 1 | 0.0 % | 0.0% |
| CIPRO | 2 | 0.0 % | 0.0% |
| CIPROFLOXACIN | 1 | 0.0 % | 0.0% |
| CITRACAL | 3 | 0.1 % | 0.1% |
| CITRUCEL | 1 | 0.0 % | 0.0% |
| CLARATIN | 1 | 0.0 % | 0.0% |
| CLARATIN D | 1 | 0.0 % | 0.0% |
| CLARITIN | 7 | 0.2 % | 0.2% |
| CLARITIN D | 6 | 0.1 % | 0.1% |
| CLARITIN-D | 5 | 0.1 % | 0.1% |
| CLIDINIUM | 1 | 0.0 % | 0.0% |
| CLIMARA | 2 | 0.0 % | 0.0% |
| CLONAZEPAM | 6 | 0.1 % | 0.1% |
| CLONIDINE | 5 | 0.1 % | 0.1% |
| CLONIDINE HCL | 1 | 0.0 % | 0.0% |
| CLORAZEPATE | 3 | 0.1 % | 0.1% |
| CO-Q10 | 1 | 0.0 % | 0.0% |
| COD LIVER OIL | 2 | 0.0 % | 0.0% |
| CODEINE | 2 | 0.0 % | 0.0% |
| COENZYME Q10 | 2 | 0.0 % | 0.0% |
| COLCHICINE | 2 | 0.0 % | 0.0% |
| COLESTID | 1 | 0.0 % | 0.0% |
| COLON CLEANSE | 1 | 0.0 % | 0.0% |
| COMBIVENT | 1 | 0.0 % | 0.0% |
| COMPLEX B | 1 | 0.0 % | 0.0% |
| CONJ ESTROGENS | 1 | 0.0 % | 0.0% |
| CONJUGATED ESTROGEN | 1 | 0.0 % | 0.0% |
| CONTRIN | 1 | 0.0 % | 0.0% |
| CORGARD | 1 | 0.0 % | 0.0% |
| COSOPT | 1 | 0.0 % | 0.0% |
| COUGH | 1 | 0.0 % | 0.0% |
| COUGH SYRUP | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM3 | CG MEDICATION 3 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| COUMADIN | 13 | 0.3 % | 0.3% |
| COVERA | 2 | 0.0 % | 0.0% |
| COZAAR | 6 | 0.1 % | 0.1% |
| CRANBERRY EXTRACT | 1 | 0.0 % | 0.0% |
| CYCLOBENZAPRINE | 2 | 0.0 % | 0.0% |
| CYCLOBENZAPRINE HCL | 1 | 0.0 % | 0.0% |
| CYCRIN | 3 | 0.1 % | 0.1% |
| CYPROHEPTADINE HCL | 1 | 0.0 % | 0.0% |
| CYTOMEL | 1 | 0.0 % | 0.0% |
| CYTOTEC | 1 | 0.0 % | 0.0% |
| DADELION GOLDEN SEAL | 1 | 0.0 % | 0.0% |
| DAILY MULTIVITAMIN | 1 | 0.0 % | 0.0% |
| DAILY VITAMIN | 1 | 0.0 % | 0.0% |
| DALMANE | 2 | 0.0 % | 0.0% |
| DAMASON-P | 3 | 0.1 % | 0.1% |
| DARVOCET | 1 | 0.0 % | 0.0% |
| DARVOCET-N | 1 | 0.0 % | 0.0% |
| DAYPRO | 2 | 0.0 % | 0.0% |
| DECONSAL | 1 | 0.0 % | 0.0% |
| DEPAKOTE | 1 | 0.0 % | 0.0% |
| DESCONSIL | 1 | 0.0 % | 0.0% |
| DESIPRAMINE HCL | 1 | 0.0 % | 0.0% |
| DESIRYL | 1 | 0.0 % | 0.0% |
| DETROL | 3 | 0.1 % | 0.1% |
| DEXTROL | 1 | 0.0 % | 0.0% |
| DIABETA | 2 | 0.0 % | 0.0% |
| DIAMOX | 2 | 0.0 % | 0.0% |
| DIAZEPAM | 2 | 0.0 % | 0.0% |
| DICYCLOMIDE | 1 | 0.0 % | 0.0% |
| DICYCLOMINE | 6 | 0.1 % | 0.1% |
| DIFLUCAN | 1 | 0.0 % | 0.0% |
| DIFLUNISAL | 1 | 0.0 % | 0.0% |
| DILACOR XR | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM3 | CG MEDICATION 3 (cont.) |

| DILANTIN 7 0.2 % 0.2% DILTIAZAM-XR 1 0.0 % 0.0% DILTIAZEM 3 0.1 % 0.1% DILTIAZEM ER 1 0.0 % 0.0% DICVAN 3 0.1 % 0.1% DIOVAN 3 0.1 % 0.0% DIPHENOXYLATE 1 0.0 % 0.0% DIPYRIDAMOLE 3 0.1 % 0.1% DISALCID 1 0.0 % 0.0% DITROPAN 2 0.0 % 0.0% DITROPAN/XL 1 0.0 % 0.0% DOXEPIN 2 0.0 % 0.0% DOXEPIN HCL 2 0.0 % 0.0% DOXEPIN HCL 2 0.0 % 0.0% DOXYCYCLINE 1 0.0 % 0.0% DVAZIDE 1 0.0 % 0.0% DYAZIDE 1 0.0 % 0.0% ECHINACHEA 1 0.0 % 0.0% ECHINACHEA 1 | Value | Frequency | % | Valid % |
|---|----------------|-----------|-------|---------|
| DILTIAZEM 3 0.1 % 0.0% DILTIAZEM ER 1 0.0 % 0.0% DIOVAN 3 0.1 % 0.1% DIOVAN HCT 1 0.0 % 0.0% DIPHENOXYLATE 1 0.0 % 0.0% DIPYRIDAMOLE 3 0.1 % 0.1% DISALGID 1 0.0 % 0.0% DITROPAN 2 0.0 % 0.0% DITROPAN/XL 1 0.0 % 0.0% DONE 5 0.1 % 0.1% DOXEPIN 2 0.0 % 0.0% DOXEPIN HCL 2 0.0 % 0.0% DOXYCYCLINE 1 0.0 % 0.0% DVAZIDE 1 0.0 % 0.0% DYAZIDE 1 0.0 % 0.0% DYJOXSIN 1 0.0 % 0.0% E HINACEA 1 0.0 % 0.0% ECHINACEA 1 0.0 % 0.0% EFFEXOR 2 <td< td=""><td>DILANTIN</td><td>7</td><td>0.2 %</td><td>0.2%</td></td<> | DILANTIN | 7 | 0.2 % | 0.2% |
| DILTIAZEM ER 1 0.0% 0.0% DILTIAZEM HCL 2 0.0% 0.0% DIOVAN 3 0.1% 0.1% DIOVAN HCT 1 0.0% 0.0% DIPHENOXYLATE 1 0.0% 0.0% DIPYRIDAMOLE 3 0.1% 0.1% DISALCID 1 0.0% 0.0% DITROPAN 2 0.0% 0.0% DITROPANIXL 1 0.0% 0.0% DONE 5 0.1% 0.1% DOXEPIN 2 0.0% 0.0% DOXEPIN HCL 2 0.0% 0.0% DOXYCYCLINE 1 0.0% 0.0% DURACT 1 0.0% 0.0% DYAZIDE 13 0.3% 0.3% DYJOXSIN 1 0.0% 0.0% ECHINACEA 1 0.0% 0.0% ECHINACEA 1 0.0% 0.0% ECOTRIN 12 0.3% | DILTIAZAM-XR | 1 | 0.0 % | 0.0% |
| DILTIAZEM HCL 2 0.0 % 0.0% DIOVAN 3 0.1 % 0.1% DIOVAN HCT 1 0.0 % 0.0% DIPHENOXYLATE 1 0.0 % 0.0% DIPYRIDAMOLE 3 0.1 % 0.1% DISALCID 1 0.0 % 0.0% DITROPAN 2 0.0 % 0.0% DOTROPAN/XL 1 0.0 % 0.0% DONE 5 0.1 % 0.1% DOXEPIN 2 0.0 % 0.0% DOXYCYCLINE 1 0.0 % 0.0% DVAZIDE 1 0.0 % 0.0% DYAZIDE 1 0.0 % 0.0% DYJOXSIN 1 0.0 % 0.0% ECHINACEA 1 0.0 % 0.0% ECHINACEA 1 0.0 % 0.0% ECFFEXOR 2 0.0 % 0.0% EFFEXOR 1 0.0 % 0.0% EFFEXOR 1 0.0 | DILTIAZEM | 3 | 0.1 % | 0.1% |
| DIOVAN 3 0.1 % 0.1% DIOVAN HCT 1 0.0 % 0.0% DIPHENOXYLATE 1 0.0 % 0.0% DIPYRIDAMOLE 3 0.1 % 0.1% DISALCID 1 0.0 % 0.0% DITROPAN 2 0.0 % 0.0% DITROPAN/XL 1 0.0 % 0.0% DONE 5 0.1 % 0.1% DOXEPIN 2 0.0 % 0.0% DOXEPIN HCL 2 0.0 % 0.0% DOXYCYCLINE 1 0.0 % 0.0% DVAZIDE 1 0.0 % 0.0% DYAZIDE 1 0.0 % 0.0% DYJOXSIN 1 0.0 % 0.0% ECHINACEA 1 0.0 % 0.0% ECHINACHEA 1 0.0 % 0.0% ECFFEXOR 2 0.0 % 0.0% EFFEXOR 1 0.0 % 0.0% EFFEXOR 1 0.0 | DILTIAZEM ER | 1 | 0.0 % | 0.0% |
| DIOVAN HCT 1 0.0 % 0.0% DIPHENOXYLATE 1 0.0 % 0.0% DIPYRIDAMOLE 3 0.1 % 0.1% DISALCID 1 0.0 % 0.0% DITROPAN 2 0.0 % 0.0% DITROPAN/XL 1 0.0 % 0.0% DONE 5 0.1 % 0.1% DOXEPIN 2 0.0 % 0.0% DOXEPIN HCL 2 0.0 % 0.0% DOXYCYCLINE 1 0.0 % 0.0% DVAZIDE 1 0.0 % 0.0% DYAZIDE 1 0.0 % 0.0% DYJOXSIN 1 0.0 % 0.0% ECHINACEA 1 0.0 % 0.0% ECHINACEA 1 0.0 % 0.0% ECOTRIN 12 0.3 % 0.3% EFFEXOR 2 0.0 % 0.0% EFFEXOR 2 0.0 % 0.0% EFFEXOR 1 0.0 | DILTIAZEM HCL | 2 | 0.0 % | 0.0% |
| DIPHENOXYLATE 1 0.0 % 0.0% DIPYRIDAMOLE 3 0.1 % 0.1% DISALCID 1 0.0 % 0.0% DITROPAN 2 0.0 % 0.0% DITROPAN/XL 1 0.0 % 0.0% DONE 5 0.1 % 0.1% DOXEPIN 2 0.0 % 0.0% DOXYCYCLINE 1 0.0 % 0.0% DVAZIDE 1 0.0 % 0.0% DYAZIDE 1 0.0 % 0.0% DYJOXSIN 1 0.0 % 0.0% ECHINACEA 1 0.0 % 0.0% ECHINACEA 1 0.0 % 0.0% ECOTRIN 12 0.3 % 0.3% EFFEXOR 2 0.0 % 0.0% EFFEXOR XR 1 0.0 % 0.0% ENCOSPIRIN 1 0.0 % 0.0% ENTERICASPIRIN 1 0.0 % 0.0% ENTERICASPIRIN 1 | DIOVAN | 3 | 0.1 % | 0.1% |
| DIPYRIDAMOLE 3 0.1 % 0.1% DISALCID 1 0.0 % 0.0% DITROPAN 2 0.0 % 0.0% DOTROPAN/XL 1 0.0 % 0.0% DONE 5 0.1 % 0.1% DOXEPIN 2 0.0 % 0.0% DOXEPIN HCL 2 0.0 % 0.0% DOXYCYCLINE 1 0.0 % 0.0% DURACT 1 0.0 % 0.0% DYAZIDE 13 0.3 % 0.3% DYJOXSIN 1 0.0 % 0.0% ECHINACEA 1 0.0 % 0.0% ECHINACHEA 1 0.0 % 0.0% ECHINACHEA 1 0.0 % 0.0% EFFEXOR 2 0.0 % 0.0% EFFEXOR 2 0.0 % 0.0% EFFEXOR XR 1 0.0 % 0.0% ENCOSPIRIN 1 0.0 % 0.0% ENTERICASPIRIN 1 < | DIOVAN HCT | 1 | 0.0 % | 0.0% |
| DISALCID 1 0.0 % 0.0% DITROPAN 2 0.0 % 0.0% DITROPAN/XL 1 0.0 % 0.0% DONE 5 0.1 % 0.1% DOXEPIN 2 0.0 % 0.0% DOXPEDIN HCL 2 0.0 % 0.0% DOXYCYCLINE 1 0.0 % 0.0% DURACT 1 0.0 % 0.0% DXAZIDE 1 0.0 % 0.0% DYJOXSIN 1 0.0 % 0.0% ECHINACEA 1 0.0 % 0.0% ECHINACHEA 1 0.0 % 0.0% ECOTRIN 12 0.3 % 0.3% EFFEXOR 2 0.0 % 0.0% EFFEXOR XR 1 0.0 % 0.0% ENCOSPIRIN 1 0.0 % 0.0% ENTERICASPIRIN 1 0.0 % 0.0% ERY TAB 1 0.0 % 0.0% ESGIC 1 0.0 %< | DIPHENOXYLATE | 1 | 0.0 % | 0.0% |
| DITROPAN 2 0.0 % 0.0% DITROPAN/XL 1 0.0 % 0.0% DONE 5 0.1 % 0.1% DOXEPIN 2 0.0 % 0.0% DOXEPIN HCL 2 0.0 % 0.0% DOXYCYCLINE 1 0.0 % 0.0% DURACT 1 0.0 % 0.0% DYAZIDE 1 0.0 % 0.0% DYJOXSIN 1 0.0 % 0.0% ECHINACEA 1 0.0 % 0.0% ECHINACHEA 1 0.0 % 0.0% ECOTRIN 12 0.3 % 0.3% EFFEXOR 2 0.0 % 0.0% EFFEXOR XR 1 0.0 % 0.0% ENCOSPIRIN 1 0.0 % 0.0% ENTERICASPIRIN 1 0.0 % 0.0% ERY TAB 1 0.0 % 0.0% ERY TAB 1 0.0 % 0.0% | DIPYRIDAMOLE | 3 | 0.1 % | 0.1% |
| DITROPAN/XL 1 0.0 % 0.0% DONE 5 0.1 % 0.1% DOXEPIN 2 0.0 % 0.0% DOXEPIN HCL 2 0.0 % 0.0% DOXYCYCLINE 1 0.0 % 0.0% DURACT 1 0.0 % 0.0% DXAZIDE 1 0.0 % 0.0% DYJOXSIN 1 0.0 % 0.0% ECHINACEA 1 0.0 % 0.0% ECHINACHEA 1 0.0 % 0.0% ECOTRIN 12 0.3 % 0.3% EFFEXOR 2 0.0 % 0.0% EFFEXOR XR 1 0.0 % 0.0% ELAVIL 9 0.2 % 0.2% ENCOSPIRIN 1 0.0 % 0.0% ENTERICASPIRIN 1 0.0 % 0.0% ERY TAB 1 0.0 % 0.0% ESGIC 1 0.0 % 0.0% | DISALCID | 1 | 0.0 % | 0.0% |
| DONE 5 0.1 % 0.1% DOXEPIN 2 0.0 % 0.0% DOXEPIN HCL 2 0.0 % 0.0% DOXYCYCLINE 1 0.0 % 0.0% DURACT 1 0.0 % 0.0% DXAZIDE 1 0.0 % 0.0% DYJOXSIN 1 0.0 % 0.0% ECHINACEA 1 0.0 % 0.0% ECHINACHEA 1 0.0 % 0.0% ECOTRIN 12 0.3 % 0.3% EFFEXOR 2 0.0 % 0.0% EFFEXOR XR 1 0.0 % 0.0% ENCOSPIRIN 1 0.0 % 0.0% ENCOSPIRIN 1 0.0 % 0.0% EQUATE 1 0.0 % 0.0% ERY TAB 1 0.0 % 0.0% ESGIC 1 0.0 % 0.0% | DITROPAN | 2 | 0.0 % | 0.0% |
| DOXEPIN 2 0.0 % 0.0% DOXEPIN HCL 2 0.0 % 0.0% DOXYCYCLINE 1 0.0 % 0.0% DURACT 1 0.0 % 0.0% DXAZIDE 1 0.0 % 0.0% DYJOXSIN 1 0.0 % 0.0% E 1000 1 0.0 % 0.0% ECHINACEA 1 0.0 % 0.0% ECHINACHEA 1 0.0 % 0.0% ECOTRIN 12 0.3 % 0.3% EFFEXOR 2 0.0 % 0.0% EFFEXOR XR 1 0.0 % 0.0% ENCOSPIRIN 1 0.0 % 0.0% ENTERICASPIRIN 1 0.0 % 0.0% EQUATE 1 0.0 % 0.0% ERY TAB 1 0.0 % 0.0% ESGIC 1 0.0 % 0.0% | DITROPAN/XL | 1 | 0.0 % | 0.0% |
| DOXEPIN HCL 2 0.0 % 0.0% DOXYCYCLINE 1 0.0 % 0.0% DURACT 1 0.0 % 0.0% DXAZIDE 1 0.0 % 0.0% DYJOXSIN 1 0.0 % 0.0% E 1000 1 0.0 % 0.0% ECHINACEA 1 0.0 % 0.0% ECHINACHEA 1 0.0 % 0.0% ECOTRIN 12 0.3 % 0.3% EFFEXOR 2 0.0 % 0.0% EFFEXOR XR 1 0.0 % 0.0% ELAVIL 9 0.2 % 0.2% ENCOSPIRIN 1 0.0 % 0.0% ENTERICASPIRIN 1 0.0 % 0.0% EQUATE 1 0.0 % 0.0% ERY TAB 1 0.0 % 0.0% ESGIC 1 0.0 % 0.0% | DONE | 5 | 0.1 % | 0.1% |
| DOXYCYCLINE 1 0.0 % 0.0% DURACT 1 0.0 % 0.0% DXAZIDE 1 0.0 % 0.0% DYAZIDE 13 0.3 % 0.3% DYJOXSIN 1 0.0 % 0.0% E 1000 1 0.0 % 0.0% ECHINACEA 1 0.0 % 0.0% ECHINACHEA 1 0.0 % 0.0% ECOTRIN 12 0.3 % 0.3% EFFEXOR 2 0.0 % 0.0% EFFEXOR XR 1 0.0 % 0.0% ELAVIL 9 0.2 % 0.2% ENCOSPIRIN 1 0.0 % 0.0% ENTERICASPIRIN 1 0.0 % 0.0% EQUATE 1 0.0 % 0.0% ERY TAB 1 0.0 % 0.0% ESGIC 1 0.0 % 0.0% | DOXEPIN | 2 | 0.0 % | 0.0% |
| DURACT 1 0.0 % 0.0% DXAZIDE 1 0.0 % 0.0% DYAZIDE 13 0.3 % 0.3% DYJOXSIN 1 0.0 % 0.0% E 1000 1 0.0 % 0.0% ECHINACEA 1 0.0 % 0.0% ECHINACHEA 1 0.0 % 0.0% ECOTRIN 12 0.3 % 0.3% EFFEXOR 2 0.0 % 0.0% EFFEXOR XR 1 0.0 % 0.0% ELAVIL 9 0.2 % 0.2% ENCOSPIRIN 1 0.0 % 0.0% ENTERICASPIRIN 1 0.0 % 0.0% EQUATE 1 0.0 % 0.0% ERY TAB 1 0.0 % 0.0% ESGIC 1 0.0 % 0.0% | DOXEPIN HCL | 2 | 0.0 % | 0.0% |
| DXAZIDE 1 0.0 % 0.0% DYAZIDE 13 0.3 % 0.3% DYJOXSIN 1 0.0 % 0.0% E 1000 1 0.0 % 0.0% ECHINACEA 1 0.0 % 0.0% ECHINACHEA 1 0.0 % 0.0% ECOTRIN 12 0.3 % 0.3% EFFEXOR 2 0.0 % 0.0% EFFEXOR XR 1 0.0 % 0.0% ELAVIL 9 0.2 % 0.2% ENCOSPIRIN 1 0.0 % 0.0% ENTERICASPIRIN 1 0.0 % 0.0% EQUATE 1 0.0 % 0.0% ERY TAB 1 0.0 % 0.0% ESGIC 1 0.0 % 0.0% | DOXYCYCLINE | 1 | 0.0 % | 0.0% |
| DYAZIDE 13 0.3 % 0.3% DYJOXSIN 1 0.0 % 0.0% E 1000 1 0.0 % 0.0% ECHINACEA 1 0.0 % 0.0% ECHINACHEA 1 0.0 % 0.0% ECOTRIN 12 0.3 % 0.3% EFFEXOR 2 0.0 % 0.0% EFFEXOR XR 1 0.0 % 0.0% ELAVIL 9 0.2 % 0.2% ENCOSPIRIN 1 0.0 % 0.0% ENTERICASPIRIN 1 0.0 % 0.0% EQUATE 1 0.0 % 0.0% ERY TAB 1 0.0 % 0.0% ESGIC 1 0.0 % 0.0% | DURACT | 1 | 0.0 % | 0.0% |
| DYJOXSIN 1 0.0 % 0.0% E 1000 1 0.0 % 0.0% ECHINACEA 1 0.0 % 0.0% ECHINACHEA 1 0.0 % 0.0% ECOTRIN 12 0.3 % 0.3% EFFEXOR 2 0.0 % 0.0% EFFEXOR XR 1 0.0 % 0.0% ELAVIL 9 0.2 % 0.2% ENCOSPIRIN 1 0.0 % 0.0% ENTERICASPIRIN 1 0.0 % 0.0% EQUATE 1 0.0 % 0.0% ERY TAB 1 0.0 % 0.0% ESGIC 1 0.0 % 0.0% | DXAZIDE | 1 | 0.0 % | 0.0% |
| E 1000 1 0.0 % 0.0% ECHINACEA 1 0.0 % 0.0% ECHINACHEA 1 0.0 % 0.0% ECOTRIN 12 0.3 % 0.3% EFFEXOR 2 0.0 % 0.0% EFFEXOR XR 1 0.0 % 0.0% ELAVIL 9 0.2 % 0.2% ENCOSPIRIN 1 0.0 % 0.0% ENTERICASPIRIN 1 0.0 % 0.0% EQUATE 1 0.0 % 0.0% ERY TAB 1 0.0 % 0.0% ESGIC 1 0.0 % 0.0% | DYAZIDE | 13 | 0.3 % | 0.3% |
| ECHINACEA 1 0.0 % 0.0% ECHINACHEA 1 0.0 % 0.0% ECOTRIN 12 0.3 % 0.3% EFFEXOR 2 0.0 % 0.0% EFFEXOR XR 1 0.0 % 0.0% ELAVIL 9 0.2 % 0.2% ENCOSPIRIN 1 0.0 % 0.0% ENTERICASPIRIN 1 0.0 % 0.0% EQUATE 1 0.0 % 0.0% ERY TAB 1 0.0 % 0.0% ESGIC 1 0.0 % 0.0% | DYJOXSIN | 1 | 0.0 % | 0.0% |
| ECHINACHEA 1 0.0 % 0.0% ECOTRIN 12 0.3 % 0.3% EFFEXOR 2 0.0 % 0.0% EFFEXOR XR 1 0.0 % 0.0% ELAVIL 9 0.2 % 0.2% ENCOSPIRIN 1 0.0 % 0.0% ENTERICASPIRIN 1 0.0 % 0.0% EQUATE 1 0.0 % 0.0% ERY TAB 1 0.0 % 0.0% ESGIC 1 0.0 % 0.0% | E 1000 | 1 | 0.0 % | 0.0% |
| ECOTRIN 12 0.3 % 0.3% EFFEXOR 2 0.0 % 0.0% EFFEXOR XR 1 0.0 % 0.0% ELAVIL 9 0.2 % 0.2% ENCOSPIRIN 1 0.0 % 0.0% ENTERICASPIRIN 1 0.0 % 0.0% EQUATE 1 0.0 % 0.0% ERY TAB 1 0.0 % 0.0% ESGIC 1 0.0 % 0.0% | ECHINACEA | 1 | 0.0 % | 0.0% |
| EFFEXOR 2 0.0 % 0.0% EFFEXOR XR 1 0.0 % 0.0% ELAVIL 9 0.2 % 0.2% ENCOSPIRIN 1 0.0 % 0.0% ENTERICASPIRIN 1 0.0 % 0.0% EQUATE 1 0.0 % 0.0% ERY TAB 1 0.0 % 0.0% ESGIC 1 0.0 % 0.0% | ECHINACHEA | 1 | 0.0 % | 0.0% |
| EFFEXOR XR 1 0.0 % 0.0% ELAVIL 9 0.2 % 0.2% ENCOSPIRIN 1 0.0 % 0.0% ENTERICASPIRIN 1 0.0 % 0.0% EQUATE 1 0.0 % 0.0% ERY TAB 1 0.0 % 0.0% ESGIC 1 0.0 % 0.0% | ECOTRIN | 12 | 0.3 % | 0.3% |
| ELAVIL 9 0.2 % 0.2% ENCOSPIRIN 1 0.0 % 0.0% ENTERICASPIRIN 1 0.0 % 0.0% EQUATE 1 0.0 % 0.0% ERY TAB 1 0.0 % 0.0% ESGIC 1 0.0 % 0.0% | EFFEXOR | 2 | 0.0 % | 0.0% |
| ENCOSPIRIN 1 0.0 % 0.0% ENTERICASPIRIN 1 0.0 % 0.0% EQUATE 1 0.0 % 0.0% ERY TAB 1 0.0 % 0.0% ESGIC 1 0.0 % 0.0% | EFFEXOR XR | 1 | 0.0 % | 0.0% |
| ENTERICASPIRIN 1 0.0 % 0.0% EQUATE 1 0.0 % 0.0% ERY TAB 1 0.0 % 0.0% ESGIC 1 0.0 % 0.0% | ELAVIL | 9 | 0.2 % | 0.2% |
| EQUATE 1 0.0 % 0.0% ERY TAB 1 0.0 % 0.0% ESGIC 1 0.0 % 0.0% | ENCOSPIRIN | 1 | 0.0 % | 0.0% |
| ERY TAB 1 0.0 % 0.0% ESGIC 1 0.0 % 0.0% | ENTERICASPIRIN | 1 | 0.0 % | 0.0% |
| ESGIC 1 0.0 % 0.0% | EQUATE | 1 | 0.0 % | 0.0% |
| | ERY TAB | 1 | 0.0 % | 0.0% |
| ESTORA TAB 2 0.0 % 0.0% | ESGIC | 1 | 0.0 % | 0.0% |
| | ESTORA TAB | 2 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM3 | CG MEDICATION 3 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| ESTRACE | 5 | 0.1 % | 0.1% |
| ESTRADIOL | 4 | 0.1 % | 0.1% |
| ESTRASE | 1 | 0.0 % | 0.0% |
| ESTRATAB | 2 | 0.0 % | 0.0% |
| ESTRIOL | 1 | 0.0 % | 0.0% |
| ESTROGEN | 8 | 0.2 % | 0.2% |
| ESTROGENS | 1 | 0.0 % | 0.0% |
| ESTROPIATE | 1 | 0.0 % | 0.0% |
| ESTROPIPATE | 2 | 0.0 % | 0.0% |
| ESTROVIS | 1 | 0.0 % | 0.0% |
| EVENING PRIMROSE OIL | 1 | 0.0 % | 0.0% |
| EVISTA | 8 | 0.2 % | 0.2% |
| EXCEDRIN | 1 | 0.0 % | 0.0% |
| EXCEDRINE PM | 1 | 0.0 % | 0.0% |
| FELDENE | 1 | 0.0 % | 0.0% |
| FENESIN | 1 | 0.0 % | 0.0% |
| FEOSOL | 1 | 0.0 % | 0.0% |
| FERROUS SULFATE | 7 | 0.2 % | 0.2% |
| FERROUS SULFATE ELIX | 1 | 0.0 % | 0.0% |
| FIBERCON | 1 | 0.0 % | 0.0% |
| FIORINAC | 1 | 0.0 % | 0.0% |
| FIORINAL | 1 | 0.0 % | 0.0% |
| FISH OIL | 2 | 0.0 % | 0.0% |
| FLAX SEED OIL | 1 | 0.0 % | 0.0% |
| FLEXERIL | 2 | 0.0 % | 0.0% |
| FLONASE | 2 | 0.0 % | 0.0% |
| FLONASE FLUTICASONE | 1 | 0.0 % | 0.0% |
| FLOVENT | 3 | 0.1 % | 0.1% |
| FLUOROMETHOLONE | 1 | 0.0 % | 0.0% |
| FLUOXETINE | 2 | 0.0 % | 0.0% |
| FLURBIPROFEN | 2 | 0.0 % | 0.0% |
| FOLIC ACID | 12 | 0.3 % | 0.3% |
| FOLIC ACID 1MG QD | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM3 | CG MEDICATION 3 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| FOSAMAX | 16 | 0.4 % | 0.4% |
| FOSOMAX | 1 | 0.0 % | 0.0% |
| FRUIT JUICE CAPS | 4 | 0.1 % | 0.1% |
| FUFOSEMIDE | 1 | 0.0 % | 0.0% |
| FULVIC ACID SUPER CO | 1 | 0.0 % | 0.0% |
| FUROSEMIDE | 15 | 0.4 % | 0.4% |
| FUROSEXMINE | 1 | 0.0 % | 0.0% |
| GARLIC | 6 | 0.1 % | 0.1% |
| GARLIC OIL | 1 | 0.0 % | 0.0% |
| GARLIC TABLETS | 1 | 0.0 % | 0.0% |
| GEMFIBROZIL | 3 | 0.1 % | 0.1% |
| GEMFRIBROZIL | 1 | 0.0 % | 0.0% |
| GENTLE IRON 30 MG | 1 | 0.0 % | 0.0% |
| GERITOL | 1 | 0.0 % | 0.0% |
| GINGER | 1 | 0.0 % | 0.0% |
| GINGKO BILOBA | 1 | 0.0 % | 0.0% |
| GINKGO | 1 | 0.0 % | 0.0% |
| GINKGO BILOBA | 5 | 0.1 % | 0.1% |
| GINKGOBILOBA EXTRACT | 1 | 0.0 % | 0.0% |
| GINKO | 1 | 0.0 % | 0.0% |
| GINKO BILOBA | 3 | 0.1 % | 0.1% |
| GINKO BOLBA | 1 | 0.0 % | 0.0% |
| GINKO-BILOBA | 1 | 0.0 % | 0.0% |
| GINKOBA | 1 | 0.0 % | 0.0% |
| GINSENG | 7 | 0.2 % | 0.2% |
| GLIPIZIDE | 2 | 0.0 % | 0.0% |
| GLIPZIDE | 1 | 0.0 % | 0.0% |
| GLUCOPHAGE | 18 | 0.4 % | 0.4% |
| GLUCOSAMINE | 4 | 0.1 % | 0.1% |
| GLUCOSAMINE CHONDROI | 1 | 0.0 % | 0.0% |
| GLUCOSAMINE SULFATE | 4 | 0.1 % | 0.1% |
| GLUCOTROL | 8 | 0.2 % | 0.2% |
| GLUCOTROL XL | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM3 | CG MEDICATION 3 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| GLYBURIDE | 9 | 0.2 % | 0.2% |
| GLYBURIDE MICRONASE | 1 | 0.0 % | 0.0% |
| GUALFENEX | 1 | 0.0 % | 0.0% |
| GUANFACINE HCL | 1 | 0.0 % | 0.0% |
| HAIR-FORMULA-MULTIVA | 1 | 0.0 % | 0.0% |
| HCTZ | 8 | 0.2 % | 0.2% |
| HERBS | 1 | 0.0 % | 0.0% |
| HIGH ENERGY PACK | 1 | 0.0 % | 0.0% |
| HRT | 1 | 0.0 % | 0.0% |
| HSN-W | 1 | 0.0 % | 0.0% |
| HTCZ | 1 | 0.0 % | 0.0% |
| HUMIBID | 1 | 0.0 % | 0.0% |
| HUMULIN | 1 | 0.0 % | 0.0% |
| HUMULIN 70/30 | 2 | 0.0 % | 0.0% |
| HUMULIN N | 4 | 0.1 % | 0.1% |
| HYDRALAZINE HCL | 1 | 0.0 % | 0.0% |
| HYDROCHLORIC THIAZID | 1 | 0.0 % | 0.0% |
| HYDROCHLOROT | 2 | 0.0 % | 0.0% |
| HYDROCHLOROT TAB | 1 | 0.0 % | 0.0% |
| HYDROCHLOROTHIAISE | 1 | 0.0 % | 0.0% |
| HYDROCHLOROTHIAZ | 2 | 0.0 % | 0.0% |
| HYDROCHLOROTHIAZIDE | 31 | 0.8 % | 0.8% |
| HYDROCHLOROTHIAZINE | 1 | 0.0 % | 0.0% |
| HYDROCHOLOROTHIAZINE | 1 | 0.0 % | 0.0% |
| HYDROCHOROTHIAZIDE | 1 | 0.0 % | 0.0% |
| HYDROCODONE | 2 | 0.0 % | 0.0% |
| HYDROXYCHLOROQUINESU | 1 | 0.0 % | 0.0% |
| HYDROXYZINE | 2 | 0.0 % | 0.0% |
| HYDROXYZINE HCL | 3 | 0.1 % | 0.1% |
| HYDROXYZINE PROMOATE | 1 | 0.0 % | 0.0% |
| HYOSOPHEN | 1 | 0.0 % | 0.0% |
| HYOSOYAMINE | 1 | 0.0 % | 0.0% |
| HYTRIN | 6 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|-------------------------|
| GM3 | CG MEDICATION 3 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| HYZAAR | 4 | 0.1 % | 0.1% |
| IBPROFEN (SPELLING) | 1 | 0.0 % | 0.0% |
| IBUPROFEN | 15 | 0.4 % | 0.4% |
| IBUPROFEN GEL | 1 | 0.0 % | 0.0% |
| IMITREX | 3 | 0.1 % | 0.1% |
| INDAPAMIDE | 4 | 0.1 % | 0.1% |
| INDERAL | 5 | 0.1 % | 0.1% |
| INDOMETHACIN | 1 | 0.0 % | 0.0% |
| INDOMETHALIN | 1 | 0.0 % | 0.0% |
| INSULIN | 6 | 0.1 % | 0.1% |
| INSULIN HUMULIN N 30 | 1 | 0.0 % | 0.0% |
| INSULIN SYRINGE | 1 | 0.0 % | 0.0% |
| INTAL | 1 | 0.0 % | 0.0% |
| INTERFERON | 1 | 0.0 % | 0.0% |
| IODINE TINCTURE | 1 | 0.0 % | 0.0% |
| IPRATROPIUM BROMIDE | 2 | 0.0 % | 0.0% |
| IRON | 2 | 0.0 % | 0.0% |
| IRON SULFATE | 1 | 0.0 % | 0.0% |
| ISMO | 1 | 0.0 % | 0.0% |
| ISOPTIN | 2 | 0.0 % | 0.0% |
| ISORDIL | 1 | 0.0 % | 0.0% |
| ISOSORBIDE | 3 | 0.1 % | 0.1% |
| ISOSORBIDE DINITRATE | 1 | 0.0 % | 0.0% |
| K DUR | 3 | 0.1 % | 0.1% |
| K-DUR | 5 | 0.1 % | 0.1% |
| K-DUR 20MEQ SA TABLE | 1 | 0.0 % | 0.0% |
| KEFLEX | 1 | 0.0 % | 0.0% |
| KLONIPIN | 1 | 0.0 % | 0.0% |
| KLONOPIN | 2 | 0.0 % | 0.0% |
| KLOR-CON | 4 | 0.1 % | 0.1% |
| KU-ZYME | 1 | 0.0 % | 0.0% |
| L-THYROXINE | 1 | 0.0 % | 0.0% |
| LAMISIL | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM3 | CG MEDICATION 3 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| LANOSPRAZOLE | 1 | 0.0 % | 0.0% |
| LANOXIN | 26 | 0.6 % | 0.6% |
| LASIX | 10 | 0.2 % | 0.2% |
| LECITHIN | 3 | 0.1 % | 0.1% |
| LESCOL | 4 | 0.1 % | 0.1% |
| LEVAQUIN | 2 | 0.0 % | 0.0% |
| LEVO-T | 3 | 0.1 % | 0.1% |
| LEVOTHROID | 3 | 0.1 % | 0.1% |
| LEVOTHYROID | 1 | 0.0 % | 0.0% |
| LEVOTHYROXINE | 1 | 0.0 % | 0.0% |
| LEVOTHYROXINE SODIUM | 4 | 0.1 % | 0.1% |
| LEVOXYL | 9 | 0.2 % | 0.2% |
| LIBRAX | 2 | 0.0 % | 0.0% |
| LIMBITROL | 1 | 0.0 % | 0.0% |
| LIPITOR | 29 | 0.7 % | 0.7% |
| LIPOTOR | 1 | 0.0 % | 0.0% |
| LISINOPRIL | 5 | 0.1 % | 0.1% |
| LITHIUM | 2 | 0.0 % | 0.0% |
| LITHIUM CARB | 1 | 0.0 % | 0.0% |
| LODINE | 4 | 0.1 % | 0.1% |
| LOESTRIN | 1 | 0.0 % | 0.0% |
| LOMOTIL | 2 | 0.0 % | 0.0% |
| LOPID | 1 | 0.0 % | 0.0% |
| LOPRESOR | 1 | 0.0 % | 0.0% |
| LOPRESSOR | 2 | 0.0 % | 0.0% |
| LORAZEPAM | 10 | 0.2 % | 0.2% |
| LORCET | 4 | 0.1 % | 0.1% |
| LOTENSIN | 4 | 0.1 % | 0.1% |
| LOTENSIN HCT | 3 | 0.1 % | 0.1% |
| LOTREL | 2 | 0.0 % | 0.0% |
| MAALOX | 2 | 0.0 % | 0.0% |
| MAXAIR | 1 | 0.0 % | 0.0% |
| MAXALT | 1 | 0.0 % | 0.0% |

| Variable | Variable Description | |
|----------|-------------------------|--|
| GM3 | CG MEDICATION 3 (cont.) | |

| | 1 | | |
|----------------------|-----------|-------|---------|
| Value | Frequency | % | Valid % |
| MAXZIDE | 2 | 0.0 % | 0.0% |
| MECLAZINE | 1 | 0.0 % | 0.0% |
| MECLIZINE | 3 | 0.1 % | 0.1% |
| MECLIZINEHYDROCHLORI | 1 | 0.0 % | 0.0% |
| MEDROXY PROGESTERON | 1 | 0.0 % | 0.0% |
| MEDROXY PROGESTERONE | 2 | 0.0 % | 0.0% |
| MEDROXYPR | 1 | 0.0 % | 0.0% |
| MEDROXYPROGESTERONE | 5 | 0.1 % | 0.1% |
| MEGA TAURINE CAPS | 1 | 0.0 % | 0.0% |
| MEGA-FLEX | 1 | 0.0 % | 0.0% |
| MELATONIN | 1 | 0.0 % | 0.0% |
| MEN'S SAW PALMETTO | 1 | 0.0 % | 0.0% |
| MENEST | 1 | 0.0 % | 0.0% |
| MENOPOISE | 1 | 0.0 % | 0.0% |
| MESTINON | 1 | 0.0 % | 0.0% |
| METAMUCIL | 1 | 0.0 % | 0.0% |
| METHISCHOL | 1 | 0.0 % | 0.0% |
| METHOCARBAMOL | 1 | 0.0 % | 0.0% |
| METHYLDOPA | 2 | 0.0 % | 0.0% |
| METHYLPHENIDATE | 1 | 0.0 % | 0.0% |
| METOCLOPRAMIDE | 1 | 0.0 % | 0.0% |
| METOPROLOL | 11 | 0.3 % | 0.3% |
| METROPROLOL | 1 | 0.0 % | 0.0% |
| MEVACOR | 7 | 0.2 % | 0.2% |
| MIACALCIN | 1 | 0.0 % | 0.0% |
| MIACALCIN NASAL SPRA | 2 | 0.0 % | 0.0% |
| MICRONASE | 1 | 0.0 % | 0.0% |
| MIDRIN | 1 | 0.0 % | 0.0% |
| MINERALS | 1 | 0.0 % | 0.0% |
| MIRAPEX | 1 | 0.0 % | 0.0% |
| MONOPRIL | 9 | 0.2 % | 0.2% |
| MORINDA CITRIFOLIA | 1 | 0.0 % | 0.0% |
| MORPHINE SULFATE | 1 | 0.0 % | 0.0% |
| | | | |

| Variable | Variable Description |
|----------|-------------------------|
| GM3 | CG MEDICATION 3 (cont.) |

| Value | Frequency | % | Valid % |
|-------------------|-----------|-------|---------|
| MOTRIM | 1 | 0.0 % | 0.0% |
| MOTRIN | 9 | 0.2 % | 0.2% |
| MOTRIN SINUS | 1 | 0.0 % | 0.0% |
| MUCO-FEN-LA | 2 | 0.0 % | 0.0% |
| MULTI VITAMIN | 16 | 0.4 % | 0.4% |
| MULTI VITAMINS | 19 | 0.5 % | 0.5% |
| MULTI-VITAMIN | 14 | 0.3 % | 0.3% |
| MULTI-VITAMINS | 12 | 0.3 % | 0.3% |
| MULTIPLE VITAMIN | 2 | 0.0 % | 0.0% |
| MULTIPLE VITAMINS | 3 | 0.1 % | 0.1% |
| MULTIVITAFORMULA | 1 | 0.0 % | 0.0% |
| MULTIVITAMIN | 31 | 0.8 % | 0.8% |
| MULTIVITAMINA | 1 | 0.0 % | 0.0% |
| MULTIVITAMINS | 5 | 0.1 % | 0.1% |
| MULTIVITE | 1 | 0.0 % | 0.0% |
| MULTVITAMIN | 1 | 0.0 % | 0.0% |
| MYLANTA | 1 | 0.0 % | 0.0% |
| NADOLOL | 8 | 0.2 % | 0.2% |
| NALDECON | 1 | 0.0 % | 0.0% |
| NAPRELAN | 1 | 0.0 % | 0.0% |
| NAPROSYN | 3 | 0.1 % | 0.1% |
| NAPROVEN | 1 | 0.0 % | 0.0% |
| NAPROXEN | 8 | 0.2 % | 0.2% |
| NAPROXEN SODIUM | 1 | 0.0 % | 0.0% |
| NASACORT | 3 | 0.1 % | 0.1% |
| NASONEX | 2 | 0.0 % | 0.0% |
| NEURONTIN | 3 | 0.1 % | 0.1% |
| NIACIN | 6 | 0.1 % | 0.1% |
| NIACINAMIDE | 1 | 0.0 % | 0.0% |
| NIFEDIPINE | 2 | 0.0 % | 0.0% |
| NITRO PATCH | 1 | 0.0 % | 0.0% |
| NITRO-DUR | 2 | 0.0 % | 0.0% |
| NITRODUR | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM3 | CG MEDICATION 3 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|--------|---------|
| NITROGLYCERIN | 3 | 0.1 % | 0.1% |
| NITROSTAT | 4 | 0.1 % | 0.1% |
| NONE | 464 | 11.2 % | 11.2% |
| NORFLEX | 1 | 0.0 % | 0.0% |
| NORPRAMIN | 1 | 0.0 % | 0.0% |
| NORTRIPTILINE | 1 | 0.0 % | 0.0% |
| NORTRIPTYLINE | 1 | 0.0 % | 0.0% |
| NORTRIPTYLINE HCL | 1 | 0.0 % | 0.0% |
| NORVASC | 14 | 0.3 % | 0.3% |
| NORVASGIN | 1 | 0.0 % | 0.0% |
| NOVOLIN | 1 | 0.0 % | 0.0% |
| NU-JOINT | 1 | 0.0 % | 0.0% |
| OCUVITE | 3 | 0.1 % | 0.1% |
| OCUVITE EXTRA | 1 | 0.0 % | 0.0% |
| ONE A DAY VITAMIN | 1 | 0.0 % | 0.0% |
| ORINASE | 1 | 0.0 % | 0.0% |
| ORTHO NOVUM | 1 | 0.0 % | 0.0% |
| ORTHO-EST | 1 | 0.0 % | 0.0% |
| ORTHOTRI CYCLEN | 1 | 0.0 % | 0.0% |
| ORUVAIL | 1 | 0.0 % | 0.0% |
| OS-CAL | 3 | 0.1 % | 0.1% |
| OSCAL | 1 | 0.0 % | 0.0% |
| OSTMAN | 1 | 0.0 % | 0.0% |
| OTHER HERBAL | 1 | 0.0 % | 0.0% |
| OTHER NUTRITIONAL | 1 | 0.0 % | 0.0% |
| OXYBUTYNIN | 1 | 0.0 % | 0.0% |
| OXYBUTYNIN CHLORIDE | 1 | 0.0 % | 0.0% |
| OXYCODONE | 1 | 0.0 % | 0.0% |
| OYSCO | 1 | 0.0 % | 0.0% |
| OYSTER SHELL CALCIUM | 1 | 0.0 % | 0.0% |
| PAMPRIN | 1 | 0.0 % | 0.0% |
| PAPYA ENZYME | 1 | 0.0 % | 0.0% |
| PATCHARIDE | 1 | 0.0 % | 0.0% |

| Variable | Variable Description | |
|----------|-------------------------|--|
| GM3 | CG MEDICATION 3 (cont.) | |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| PAXIL | 16 | 0.4 % | 0.4% |
| PENTOXIFYLLINE | 2 | 0.0 % | 0.0% |
| PEPCID | 3 | 0.1 % | 0.1% |
| PEPCID AC | 2 | 0.0 % | 0.0% |
| PERCOCET | 2 | 0.0 % | 0.0% |
| PERPHENAZINE | 3 | 0.1 % | 0.1% |
| PERSANTINE | 1 | 0.0 % | 0.0% |
| PHENOBARBITAL | 6 | 0.1 % | 0.1% |
| PHENOBARBITOL | 1 | 0.0 % | 0.0% |
| PHENTERMINE-HCL | 1 | 0.0 % | 0.0% |
| PHENTERNMINEH CL | 1 | 0.0 % | 0.0% |
| PHILOSTAT | 1 | 0.0 % | 0.0% |
| PILOCAR | 1 | 0.0 % | 0.0% |
| PILOCARPINE | 1 | 0.0 % | 0.0% |
| PILOSTAT | 2 | 0.0 % | 0.0% |
| PIROXICAM | 1 | 0.0 % | 0.0% |
| PLAQUANIL | 1 | 0.0 % | 0.0% |
| PLAQUENIL | 1 | 0.0 % | 0.0% |
| PLAQUENIL SULFATE | 1 | 0.0 % | 0.0% |
| PLAQUNIL | 1 | 0.0 % | 0.0% |
| PLAVIX | 4 | 0.1 % | 0.1% |
| PLENDIL | 3 | 0.1 % | 0.1% |
| POPROLXL | 1 | 0.0 % | 0.0% |
| POTASSIUM | 10 | 0.2 % | 0.2% |
| POTASSIUM CHL | 1 | 0.0 % | 0.0% |
| POTASSIUM CL | 1 | 0.0 % | 0.0% |
| POTASSIUM TABLETS | 1 | 0.0 % | 0.0% |
| PRAVACHOL | 10 | 0.2 % | 0.2% |
| PRAZOSIN | 1 | 0.0 % | 0.0% |
| PRECOSE | 1 | 0.0 % | 0.0% |
| PREDNISOLONE | 1 | 0.0 % | 0.0% |
| PREDNISOLONE ACETATE | 1 | 0.0 % | 0.0% |
| PREDNISONE | 17 | 0.4 % | 0.4% |

| Variable | Variable Description |
|----------|-------------------------|
| GM3 | CG MEDICATION 3 (cont.) |

| Value | Frequency | % | Valid % |
|--------------------|-----------|-------|---------|
| PREMARIN | 77 | 1.9 % | 1.9% |
| PREMAVIDE | 1 | 0.0 % | 0.0% |
| PREMPRO | 27 | 0.7 % | 0.7% |
| PRENATAL MR90 | 1 | 0.0 % | 0.0% |
| PREVACID | 9 | 0.2 % | 0.2% |
| PRILOSEC | 24 | 0.6 % | 0.6% |
| PRIMROSE OIL | 1 | 0.0 % | 0.0% |
| PRINIVIL | 3 | 0.1 % | 0.1% |
| PROBANTHENE | 1 | 0.0 % | 0.0% |
| PROBANTHINE | 1 | 0.0 % | 0.0% |
| PROBENECID | 3 | 0.1 % | 0.1% |
| PROCAINAMIDE-HCL | 1 | 0.0 % | 0.0% |
| PROCARDIA | 7 | 0.2 % | 0.2% |
| PROCARDIA XL | 4 | 0.1 % | 0.1% |
| PROGESTERONE | 2 | 0.0 % | 0.0% |
| PROMETRIUM | 1 | 0.0 % | 0.0% |
| PROPANOLOL | 2 | 0.0 % | 0.0% |
| PROPIMEX | 1 | 0.0 % | 0.0% |
| PROPOLIS-PLUS | 1 | 0.0 % | 0.0% |
| PROPOX | 1 | 0.0 % | 0.0% |
| PROPOXY N | 1 | 0.0 % | 0.0% |
| PROPRANOLOL | 11 | 0.3 % | 0.3% |
| PROPRANOLOL HCL | 1 | 0.0 % | 0.0% |
| PROPRANOLOL-HCL | 1 | 0.0 % | 0.0% |
| PROPULSID | 4 | 0.1 % | 0.1% |
| PROPULSIO | 1 | 0.0 % | 0.0% |
| PROSCAR | 5 | 0.1 % | 0.1% |
| PROSOM | 1 | 0.0 % | 0.0% |
| PROVASMIN | 1 | 0.0 % | 0.0% |
| PROVENTIL | 5 | 0.1 % | 0.1% |
| PROVENTIL INHALER | 1 | 0.0 % | 0.0% |
| PROVERA | 10 | 0.2 % | 0.2% |
| PROVERA-AMENCYCRIN | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM3 | CG MEDICATION 3 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| PROZAC | 22 | 0.5 % | 0.5% |
| PSEUDOEPHEDRINE HCL | 1 | 0.0 % | 0.0% |
| PULMOSIN | 1 | 0.0 % | 0.0% |
| PYEDNISONE | 1 | 0.0 % | 0.0% |
| QUANTERA | 1 | 0.0 % | 0.0% |
| QUINIDEX | 1 | 0.0 % | 0.0% |
| QUININE SULFATE | 3 | 0.1 % | 0.1% |
| RALOXIFENE HCL | 1 | 0.0 % | 0.0% |
| RANITIDINE | 3 | 0.1 % | 0.1% |
| REGLAN | 1 | 0.0 % | 0.0% |
| RELAFEN | 13 | 0.3 % | 0.3% |
| REMERON | 2 | 0.0 % | 0.0% |
| RESTORIL | 1 | 0.0 % | 0.0% |
| REZULIN | 4 | 0.1 % | 0.1% |
| RIBAVIRIN | 1 | 0.0 % | 0.0% |
| RITALIN | 1 | 0.0 % | 0.0% |
| ROBAXIN | 1 | 0.0 % | 0.0% |
| ROLAIDS | 1 | 0.0 % | 0.0% |
| SAW PALMETTO COMPLEX | 1 | 0.0 % | 0.0% |
| SAW PALMETTO PROSTAT | 1 | 0.0 % | 0.0% |
| SAW-PALMETTO | 2 | 0.0 % | 0.0% |
| SAW/PALMETTO | 1 | 0.0 % | 0.0% |
| SELDANE | 1 | 0.0 % | 0.0% |
| SELDEANE | 1 | 0.0 % | 0.0% |
| SELEGILINE | 1 | 0.0 % | 0.0% |
| SELENIUM | 1 | 0.0 % | 0.0% |
| SELENIUM DISULFIDE | 4 | 0.1 % | 0.1% |
| SENEKOT | 1 | 0.0 % | 0.0% |
| SENNA | 1 | 0.0 % | 0.0% |
| SENOKOT | 1 | 0.0 % | 0.0% |
| SENOKOT-S | 1 | 0.0 % | 0.0% |
| SEREVENT | 1 | 0.0 % | 0.0% |
| SEROPHENE | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM3 | CG MEDICATION 3 (cont.) |

| Value | Frequency | % | Valid % |
|--------------------|-----------|-------|---------|
| SERZONE | 5 | 0.1 % | 0.1% |
| SIMVASTATIN | 3 | 0.1 % | 0.1% |
| SINGULAIR | 2 | 0.0 % | 0.0% |
| SINGULAR | 1 | 0.0 % | 0.0% |
| SKELAXIN | 1 | 0.0 % | 0.0% |
| SKULL CAP | 2 | 0.0 % | 0.0% |
| SLOW NIACIN | 1 | 0.0 % | 0.0% |
| SLOW-K | 1 | 0.0 % | 0.0% |
| SM TMP DS | 1 | 0.0 % | 0.0% |
| SMZ/TMP DS 800-160 | 1 | 0.0 % | 0.0% |
| SNYTHROID | 1 | 0.0 % | 0.0% |
| SOTALOL HCL | 1 | 0.0 % | 0.0% |
| SPIRONOLACTONE | 2 | 0.0 % | 0.0% |
| SPIRULINA | 1 | 0.0 % | 0.0% |
| ST JOHN'S WART | 1 | 0.0 % | 0.0% |
| ST JOHN'S WORT | 1 | 0.0 % | 0.0% |
| ST JOHNS WORT | 1 | 0.0 % | 0.0% |
| ST. JOHN'S WART | 1 | 0.0 % | 0.0% |
| ST. JOHN'S WORT | 4 | 0.1 % | 0.1% |
| STELAZINE | 3 | 0.1 % | 0.1% |
| STRESS FORMULA | 1 | 0.0 % | 0.0% |
| STRESS TABS | 1 | 0.0 % | 0.0% |
| SULFAMETHOXAZOLE | 1 | 0.0 % | 0.0% |
| SULINDAC | 1 | 0.0 % | 0.0% |
| SYNTHROID | 51 | 1.2 % | 1.2% |
| SYNTHROID TABS | 1 | 0.0 % | 0.0% |
| TAGAMET | 5 | 0.1 % | 0.1% |
| TAMBOCOR | 2 | 0.0 % | 0.0% |
| TARKA | 1 | 0.0 % | 0.0% |
| TEGRETOL | 1 | 0.0 % | 0.0% |
| TEMAZEPAM | 5 | 0.1 % | 0.1% |
| TENORETIC | 1 | 0.0 % | 0.0% |
| TENORMIN | 3 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|-------------------------|
| GM3 | CG MEDICATION 3 (cont.) |

| Value | Frequency | % | Valid % |
|-------------------|-----------|-------|---------|
| TERAZOSIN | 1 | 0.0 % | 0.0% |
| TERAZOSIN HCL | 2 | 0.0 % | 0.0% |
| TERFENADINE | 1 | 0.0 % | 0.0% |
| THEO-DUR | 1 | 0.0 % | 0.0% |
| THEODUR | 1 | 0.0 % | 0.0% |
| THEOPHYLLINE | 3 | 0.1 % | 0.1% |
| THERAGRAM M | 1 | 0.0 % | 0.0% |
| THERAGRAM-M | 2 | 0.0 % | 0.0% |
| THERAGRAN M | 3 | 0.1 % | 0.1% |
| THERAGRAN-M | 2 | 0.0 % | 0.0% |
| THIORIDAZINE | 1 | 0.0 % | 0.0% |
| THYROID | 1 | 0.0 % | 0.0% |
| TIAZAC | 2 | 0.0 % | 0.0% |
| TICLID | 2 | 0.0 % | 0.0% |
| TIMOLOL EYE DROPS | 1 | 0.0 % | 0.0% |
| TIMOPTIC | 2 | 0.0 % | 0.0% |
| TOLAZAMIDE | 3 | 0.1 % | 0.1% |
| TOPROL | 2 | 0.0 % | 0.0% |
| TOPROL XL | 1 | 0.0 % | 0.0% |
| TRACE MINERALS | 1 | 0.0 % | 0.0% |
| TRAZADONE | 1 | 0.0 % | 0.0% |
| TRAZODONE | 7 | 0.2 % | 0.2% |
| TRAZODONE HCL | 1 | 0.0 % | 0.0% |
| TRENTAL | 1 | 0.0 % | 0.0% |
| TRI-LEVLEN | 2 | 0.0 % | 0.0% |
| TRIAMT | 1 | 0.0 % | 0.0% |
| TRIAMTER | 1 | 0.0 % | 0.0% |
| TRIAMTERANE | 1 | 0.0 % | 0.0% |
| TRIAMTERENE | 11 | 0.3 % | 0.3% |
| TRILAFON | 1 | 0.0 % | 0.0% |
| TRIMOX | 1 | 0.0 % | 0.0% |
| TRINORINYL | 1 | 0.0 % | 0.0% |
| TUMS | 3 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|-------------------------|
| GM3 | CG MEDICATION 3 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| TYELONOL | 1 | 0.0 % | 0.0% |
| TYLENOL | 43 | 1.0 % | 1.0% |
| TYLENOL ALLERGY | 1 | 0.0 % | 0.0% |
| TYLENOL ARTHRITIS | 1 | 0.0 % | 0.0% |
| TYLENOL PM | 4 | 0.1 % | 0.1% |
| TYLENOL SINUS | 2 | 0.0 % | 0.0% |
| ULTRA B-100 COMPLEX | 1 | 0.0 % | 0.0% |
| ULTRAM | 4 | 0.1 % | 0.1% |
| ULTRUM | 1 | 0.0 % | 0.0% |
| UNIPHYL | 3 | 0.1 % | 0.1% |
| UNISOM | 1 | 0.0 % | 0.0% |
| UROCIT | 1 | 0.0 % | 0.0% |
| UROCIT-K | 3 | 0.1 % | 0.1% |
| VALERIAN | 1 | 0.0 % | 0.0% |
| VALIUM | 5 | 0.1 % | 0.1% |
| VALLIUM | 1 | 0.0 % | 0.0% |
| VALSARTAN | 1 | 0.0 % | 0.0% |
| VANCENASE | 5 | 0.1 % | 0.1% |
| VANCENASE NASAL SPRA | 1 | 0.0 % | 0.0% |
| VANCERIL | 2 | 0.0 % | 0.0% |
| VANCERIL INHALER | 2 | 0.0 % | 0.0% |
| VASERETIC | 4 | 0.1 % | 0.1% |
| VASERETIO | 1 | 0.0 % | 0.0% |
| VASOTEC | 13 | 0.3 % | 0.3% |
| VENACON | 1 | 0.0 % | 0.0% |
| VENTILIN | 1 | 0.0 % | 0.0% |
| VENTOLIN | 2 | 0.0 % | 0.0% |
| VERAPAMIL | 16 | 0.4 % | 0.4% |
| VERAPAMIL HCI | 1 | 0.0 % | 0.0% |
| VERAPAMIL HYDROCHLOR | 1 | 0.0 % | 0.0% |
| VERAPAMIL SR | 1 | 0.0 % | 0.0% |
| VERELAN | 2 | 0.0 % | 0.0% |
| VICODIN | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM3 | CG MEDICATION 3 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| VICON FORTE | 2 | 0.0 % | 0.0% |
| VICOPROFEN | 1 | 0.0 % | 0.0% |
| VIOXX | 3 | 0.1 % | 0.1% |
| VIRACEPT | 1 | 0.0 % | 0.0% |
| VISTARIL | 1 | 0.0 % | 0.0% |
| VIT C | 2 | 0.0 % | 0.0% |
| VIT E | 3 | 0.1 % | 0.1% |
| VIT. C. | 1 | 0.0 % | 0.0% |
| VIT. E | 1 | 0.0 % | 0.0% |
| VITAFORTE | 1 | 0.0 % | 0.0% |
| VITAMIN | 2 | 0.0 % | 0.0% |
| VITAMIN A | 5 | 0.1 % | 0.1% |
| VITAMIN B | 5 | 0.1 % | 0.1% |
| VITAMIN B COMPLEX | 1 | 0.0 % | 0.0% |
| VITAMIN B COMPLEX + | 1 | 0.0 % | 0.0% |
| VITAMIN B-12 | 2 | 0.0 % | 0.0% |
| VITAMIN B-6 | 2 | 0.0 % | 0.0% |
| VITAMIN B12 | 4 | 0.1 % | 0.1% |
| VITAMIN B6 | 1 | 0.0 % | 0.0% |
| VITAMIN C | 65 | 1.6 % | 1.6% |
| VITAMIN C 500MG | 1 | 0.0 % | 0.0% |
| VITAMIN CENTRUM SILV | 1 | 0.0 % | 0.0% |
| VITAMIN D | 7 | 0.2 % | 0.2% |
| VITAMIN E | 117 | 2.8 % | 2.8% |
| VITAMIN E 1000 | 1 | 0.0 % | 0.0% |
| VITAMIN E 400IU | 1 | 0.0 % | 0.0% |
| VITAMIN ONE-A-DAY | 1 | 0.0 % | 0.0% |
| VITAMIN-A | 1 | 0.0 % | 0.0% |
| VITAMIN-B12 | 1 | 0.0 % | 0.0% |
| VITAMIN-C | 4 | 0.1 % | 0.1% |
| VITAMIN-CENTRUM | 1 | 0.0 % | 0.0% |
| VITAMIN-E | 5 | 0.1 % | 0.1% |
| VITAMINA E | 1 | 0.0 % | 0.0% |

Variable Variable Description

GM3 CG MEDICATION 3 (cont.)

| Value | Frequency | % | Valid % |
|----------------|-----------|-------|---------|
| VITAMINE | 1 | 0.0 % | 0.0% |
| VITAMINS | 9 | 0.2 % | 0.2% |
| VOLMAX ER | 4 | 0.1 % | 0.1% |
| VOLTAREN | 2 | 0.0 % | 0.0% |
| WARFARIN | 1 | 0.0 % | 0.0% |
| WELL BUTRIN | 1 | 0.0 % | 0.0% |
| WELLBUTRIN | 5 | 0.1 % | 0.1% |
| WOMAN'S CHOICE | 1 | 0.0 % | 0.0% |
| XALATAN | 2 | 0.0 % | 0.0% |
| XANAX | 7 | 0.2 % | 0.2% |
| ZANTAC | 11 | 0.3 % | 0.3% |
| ZEFAZONE | 1 | 0.0 % | 0.0% |
| ZESTORETIC | 6 | 0.1 % | 0.1% |
| ZESTRIL | 16 | 0.4 % | 0.4% |
| ZIAC | 2 | 0.0 % | 0.0% |
| ZINC | 5 | 0.1 % | 0.1% |
| ZOCOR | 30 | 0.7 % | 0.7% |
| ZOCOR 10MG | 1 | 0.0 % | 0.0% |
| ZOLOFT | 28 | 0.7 % | 0.7% |
| ZYLOPRIM | 1 | 0.0 % | 0.0% |
| ZYPREXA | 2 | 0.0 % | 0.0% |
| ZYRTEC | 3 | 0.1 % | 0.1% |

G3C1

Start: 183 End: 191 Width: 9.2

Type: numeric (ISO) Interval: discrete

CG MEDICATION 3 CODE1

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1546 | 37.4 % | 37.4% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 3 | 0.1 % | 0.1% |
| 2.00 | (ANA) Analgesic | 235 | 5.7 % | 5.7% |
| 3.00 | (ANES) Anesthetic | 2 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 29 | 0.7 % | 0.7% |

| Variable | Variable Description | on |
|----------|----------------------|----|
|----------|----------------------|----|

G3C1 CG MEDICATION 3 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|------------------------------|-----------|--------|---------|
| 5.00 | (ANTC) Anticonvulsive | 13 | 0.3 % | 0.3% |
| 6.00 | (ANTD) Antidote | 1 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 3 | 0.1 % | 0.1% |
| 8.00 | (ANTH) Antihistaminic | 49 | 1.2 % | 1.2% |
| 9.00 | (ANTI) Anti-inflammatory | 73 | 1.8 % | 1.8% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 8 | 0.2 % | 0.2% |
| 12.00 | (ANTP) Antiparasitic | 7 | 0.2 % | 0.2% |
| 13.00 | (ANTS) Antiseptic | 3 | 0.1 % | 0.1% |
| 14.00 | (ANTT) Antitussive | 3 | 0.1 % | 0.1% |
| 15.00 | (ANTV) Antiviral | 2 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 83 | 2.0 % | 2.0% |
| 17.00 | (CON) Contraceptive | 6 | 0.1 % | 0.1% |
| 18.00 | (CO/CO) Cough & Cold | 8 | 0.2 % | 0.2% |
| 19.00 | (CV) Cardiovascular | 568 | 13.8 % | 13.8% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 1 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 2 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 2 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 80 | 1.9 % | 1.9% |
| 25.00 | (ENT) Ear, Nose or Throat | 5 | 0.1 % | 0.1% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 113 | 2.7 % | 2.7% |
| 28.00 | (GU) Genitourinary | 38 | 0.9 % | 0.9% |
| 29.00 | (GYN) Gynecologic | 1 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 29 | 0.7 % | 0.7% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 247 | 6.0 % | 6.0% |
| 33.00 | (HYP) Hypnotic | 11 | 0.3 % | 0.3% |
| 34.00 | (IM) Immunologic | 2 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 7 | 0.2 % | 0.2% |
| 36.00 | (MIG) Migraine | 1 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 38 | 0.9 % | 0.9% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G3C1 CG MEDICATION 3 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|--------|---------|
| 38.00 | (NAR) Narcotic | 2 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 1 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 591 | 14.3 % | 14.3% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 21 | 0.5 % | 0.5% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 87 | 2.1 % | 2.1% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 2 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 13 | 0.3 % | 0.3% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 22 | 0.5 % | 0.5% |
| 49.00 | (PUL) Pulmonary | 70 | 1.7 % | 1.7% |
| 50.00 | (SED) Sedative | 14 | 0.3 % | 0.3% |
| 51.00 | (STE) Steroid | 22 | 0.5 % | 0.5% |
| 52.00 | (TOP) Topical | 1 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 35 | 0.8 % | 0.8% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 22 | 0.5 % | 0.5% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 7 | 0.2 % | 0.2% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 99.00 | 16.58 | 18.60 |

G3C2 CG MEDICATION 3 CODE2

Start: 192 End: 200 Width: 9.2

Width: 9.2 Type: numeric (ISO) Interval: discrete

| Value | Label | Frequency | % | Valid % |
|-------|-----------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 3387 | 82.0 % | 82.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 25 | 0.6 % | 0.6% |
| 2.00 | (ANA) Analgesic | 31 | 0.8 % | 0.8% |

| Variable Var | riable | Descri | ptior |
|--------------|--------|--------|-------|
|--------------|--------|--------|-------|

G3C2 CG MEDICATION 3 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|-------|---------|
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 19 | 0.5 % | 0.5% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 6 | 0.1 % | 0.1% |
| 9.00 | (ANTI) Anti-inflammatory | 18 | 0.4 % | 0.4% |
| 10.00 | (ANTIV) Antivertigo | 1 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 4 | 0.1 % | 0.1% |
| 12.00 | (ANTP) Antiparasitic | 1 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 3 | 0.1 % | 0.1% |
| 15.00 | (ANTV) Antiviral | 1 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 24 | 0.6 % | 0.6% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 20 | 0.5 % | 0.5% |
| 19.00 | (CV) Cardiovascular | 20 | 0.5 % | 0.5% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 1 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 5 | 0.1 % | 0.1% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 67 | 1.6 % | 1.6% |
| 25.00 | (ENT) Ear, Nose or Throat | 3 | 0.1 % | 0.1% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 11 | 0.3 % | 0.3% |
| 28.00 | (GU) Genitourinary | 97 | 2.3 % | 2.3% |
| 29.00 | (GYN) Gynecologic | 32 | 0.8 % | 0.8% |
| 30.00 | (HEM) Hematologic | 85 | 2.1 % | 2.1% |
| 31.00 | (HIV) AIDS/AIDS-related | 1 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 19 | 0.5 % | 0.5% |
| 33.00 | (HYP) Hypnotic | 9 | 0.2 % | 0.2% |
| 34.00 | (IM) Immunologic | 1 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
| Variable | Variable Description |

G3C2 CG MEDICATION 3 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 36.00 | (MIG) Migraine | 3 | 0.1 % | 0.1% |
| 37.00 | (MS) Musculoskeletal | 16 | 0.4 % | 0.4% |
| 38.00 | (NAR) Narcotic | 8 | 0.2 % | 0.2% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 4 | 0.1 % | 0.1% |
| 41.00 | (NUT) Nutritional | 1 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 4 | 0.1 % | 0.1% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 47 | 1.1 % | 1.1% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 2 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 90 | 2.2 % | 2.2% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 2 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 1 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 18 | 0.4 % | 0.4% |
| 51.00 | (STE) Steroid | 11 | 0.3 % | 0.3% |
| 52.00 | (TOP) Topical | 4 | 0.1 % | 0.1% |
| 53.00 | (TRAN) Tranquilizer | 20 | 0.5 % | 0.5% |
| 54.00 | (X-RAY) X-ray Contrast | 1 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 1 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 4 | 0.1 % | 0.1% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev | |
|-------|-------|-------|------|-------|--|
| 4129 | -2.00 | 60.00 | 3.68 | 13.60 | |

G3C3 CG MEDICATION 3 CODE3

Start: 201 End: 209 Width: 9.2

Width: 9.2 Type: numeric (ISO) Interval: discrete

| Value | Label | Frequency | % | Valid % |
|-------|---------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4007 | 97.0 % | 97.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |

| Variable Va | riat | ole D |)escr | pti | or |
|-------------|------|-------|-------|-----|----|
|-------------|------|-------|-------|-----|----|

G3C3 CG MEDICATION 3 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|-------|---------|
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 2 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 1 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 3 | 0.1 % | 0.1% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 1 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 6 | 0.1 % | 0.1% |
| 11.00 | (ANTN) Antineoplastic | 9 | 0.2 % | 0.2% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 1 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 6 | 0.1 % | 0.1% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 1 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 2 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 2 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 23 | 0.6 % | 0.6% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------------|
| G3C3 | CG MEDICATION 3 CODE3 (cont.) |

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 7 | 0.2 % | 0.2% |
| 38.00 | (NAR) Narcotic | 2 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 1 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 2 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 3 | 0.1 % | 0.1% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 19 | 0.5 % | 0.5% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 3 | 0.1 % | 0.1% |
| 50.00 | (SED) Sedative | 9 | 0.2 % | 0.2% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 19 | 0.5 % | 0.5% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 53.00 | -0.93 | 6.74 |

G3C4 CG MEDICATION 3 CODE4

Start: 210 End: 218 Width: 9.2

Type: numeric (ISO)
Interval: discrete

| Value | Label | Frequency | % | Valid % |
|-------|---------|-----------|-------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G3C4 CG MEDICATION 3 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -2.00 | None | 4117 | 99.7 % | 99.7% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 2 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
| | |

G3C4 CG MEDICATION 3 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 6 | 0.1 % | 0.1% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 4 | 0.1 % | 0.1% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev | |
|-------|-------|-------|-------|-------|--|
| 4129 | -2.00 | 53.00 | -1.87 | 2.54 | |

Variable

Variable Description

GM4

CG MEDICATION 4

Start: 219 End: 238 Width: 20

Type: character (ISO)
Interval: discrete

| Value | Frequency | % | Valid % |
|----------------------|-----------|--------|---------|
| -2 | 1610 | 39.0 % | 39.0% |
| ACCOLATE | 2 | 0.0 % | 0.0% |
| ACCOLATEZAFIRLUKAST | 1 | 0.0 % | 0.0% |
| ACCUPRIL | 2 | 0.0 % | 0.0% |
| ACETAMINOPHEN | 3 | 0.1 % | 0.1% |
| ACTOS | 1 | 0.0 % | 0.0% |
| ACYCLAVERE | 1 | 0.0 % | 0.0% |
| ACYCLOUR | 1 | 0.0 % | 0.0% |
| ACYCLOVIR | 1 | 0.0 % | 0.0% |
| ADALAT | 2 | 0.0 % | 0.0% |
| ADALAT CC | 1 | 0.0 % | 0.0% |
| ADALAT CC NIFEDIPINE | 2 | 0.0 % | 0.0% |
| ADALAT-CC | 1 | 0.0 % | 0.0% |
| ADVIL | 8 | 0.2 % | 0.2% |
| ADVIL/HCTZ | 1 | 0.0 % | 0.0% |
| ALBUTEROL | 3 | 0.1 % | 0.1% |
| ALBUTEROL SOLUTION | 1 | 0.0 % | 0.0% |
| ALBUTEROL SULFATE | 1 | 0.0 % | 0.0% |
| ALDACTONE | 1 | 0.0 % | 0.0% |
| ALDAETONE | 1 | 0.0 % | 0.0% |
| ALENDRONATE | 1 | 0.0 % | 0.0% |
| ALEVE | 2 | 0.0 % | 0.0% |
| ALFALFA ACID | 1 | 0.0 % | 0.0% |
| ALLEGRA | 10 | 0.2 % | 0.2% |
| ALLOPURINOL | 7 | 0.2 % | 0.2% |
| ALLOPURINOL TABS | 3 | 0.1 % | 0.1% |
| ALLOPURNAL | 1 | 0.0 % | 0.0% |
| ALPRAZOLAM | 6 | 0.1 % | 0.1% |
| ALTACE | 4 | 0.1 % | 0.1% |
| ALTASE | 1 | 0.0 % | 0.0% |
| AMARYL | 1 | 0.0 % | 0.0% |
| AMBIEN | 4 | 0.1 % | 0.1% |
| AMILORIDE | 1 | 0.0 % | 0.0% |

| Variable | Variable Description | | | |
|----------|-------------------------|--|--|--|
| GM4 | CG MEDICATION 4 (cont.) | | | |

| Value | Frequency | % | Valid % |
|---------------------|-----------|-------|---------|
| AMIODARONE | 1 | 0.0 % | 0.0% |
| AMITRIPTLINE HCL | 1 | 0.0 % | 0.0% |
| AMITRIPTYLIN | 2 | 0.0 % | 0.0% |
| AMITRIPTYLINE | 6 | 0.1 % | 0.1% |
| AMITRIPTYLINE HCL | 5 | 0.1 % | 0.1% |
| AMLODIPINE BESYLATE | 1 | 0.0 % | 0.0% |
| AMOXICILLIN | 1 | 0.0 % | 0.0% |
| ANTIOX | 1 | 0.0 % | 0.0% |
| ANTIOXIDANTS | 1 | 0.0 % | 0.0% |
| ARICEPT | 1 | 0.0 % | 0.0% |
| ARMOUR | 1 | 0.0 % | 0.0% |
| ARMOUR THYROID | 1 | 0.0 % | 0.0% |
| ARTHROTEC | 1 | 0.0 % | 0.0% |
| ARTIFICIAL TEARS | 1 | 0.0 % | 0.0% |
| ASACOL | 1 | 0.0 % | 0.0% |
| ASPIRIN | 82 | 2.0 % | 2.0% |
| ASPIRIN EC | 1 | 0.0 % | 0.0% |
| ASTELIN | 1 | 0.0 % | 0.0% |
| ATENOLO | 1 | 0.0 % | 0.0% |
| ATENOLOL | 21 | 0.5 % | 0.5% |
| ATIVAN | 5 | 0.1 % | 0.1% |
| ATROVENT | 3 | 0.1 % | 0.1% |
| AVAPRO | 1 | 0.0 % | 0.0% |
| AXID | 3 | 0.1 % | 0.1% |
| AZATHIOPRINE | 1 | 0.0 % | 0.0% |
| AZMACORT | 1 | 0.0 % | 0.0% |
| B 12 | 1 | 0.0 % | 0.0% |
| B COMPLEX | 2 | 0.0 % | 0.0% |
| B-12 | 1 | 0.0 % | 0.0% |
| B-6 COMPLEX | 1 | 0.0 % | 0.0% |
| B-COMPLEX | 4 | 0.1 % | 0.1% |
| BABY ASPIRIN | 1 | 0.0 % | 0.0% |
| BACLOFEN | 2 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM4 | CG MEDICATION 4 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| BACTRIM DS | 4 | 0.1 % | 0.1% |
| BAYER ASPIRIN | 1 | 0.0 % | 0.0% |
| BECLOMENTH ONE DIPRO | 1 | 0.0 % | 0.0% |
| BECLOVENT | 1 | 0.0 % | 0.0% |
| BECONASE | 2 | 0.0 % | 0.0% |
| BENADRYL | 2 | 0.0 % | 0.0% |
| BENAZEPRIL | 1 | 0.0 % | 0.0% |
| BENZONATATE | 1 | 0.0 % | 0.0% |
| BETA CAROTENE | 1 | 0.0 % | 0.0% |
| BETA-CAROTENE | 1 | 0.0 % | 0.0% |
| BETACAROTENE | 1 | 0.0 % | 0.0% |
| BETUPICS | 1 | 0.0 % | 0.0% |
| BIOTIN | 1 | 0.0 % | 0.0% |
| BLACK COHASH | 1 | 0.0 % | 0.0% |
| BUFPIRIN | 1 | 0.0 % | 0.0% |
| BUMETANIDE | 2 | 0.0 % | 0.0% |
| BUPROPION HCL | 1 | 0.0 % | 0.0% |
| BUSPAR | 3 | 0.1 % | 0.1% |
| BUTALBITAL | 1 | 0.0 % | 0.0% |
| CALAN | 1 | 0.0 % | 0.0% |
| CALCIUM | 55 | 1.3 % | 1.3% |
| CALCIUM 1000 | 1 | 0.0 % | 0.0% |
| CALCIUM 600 D | 1 | 0.0 % | 0.0% |
| CALCIUM CARBONATE | 1 | 0.0 % | 0.0% |
| CALCIUM MAGNESIUM | 1 | 0.0 % | 0.0% |
| CALCIUM SUPPLEMENT | 1 | 0.0 % | 0.0% |
| CALCIUM600+VITAMIN D | 1 | 0.0 % | 0.0% |
| CALMEX | 1 | 0.0 % | 0.0% |
| CALMME | 1 | 0.0 % | 0.0% |
| CALTRATE | 1 | 0.0 % | 0.0% |
| CAPITRAL | 1 | 0.0 % | 0.0% |
| CAPTOPRIL | 2 | 0.0 % | 0.0% |
| CARDIZEM | 5 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|-------------------------|
| GM4 | CG MEDICATION 4 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| CARDIZEM CD | 3 | 0.1 % | 0.1% |
| CARDURA | 5 | 0.1 % | 0.1% |
| CARISOPRODOL | 1 | 0.0 % | 0.0% |
| CATAPRES | 3 | 0.1 % | 0.1% |
| CELEBREX | 3 | 0.1 % | 0.1% |
| CELEXA | 3 | 0.1 % | 0.1% |
| CENTRAL-VITE | 2 | 0.0 % | 0.0% |
| CENTRUM | 18 | 0.4 % | 0.4% |
| CENTRUM SILVER | 12 | 0.3 % | 0.3% |
| CENTRUM VITAMIN | 1 | 0.0 % | 0.0% |
| CENTRUM/SILVER | 1 | 0.0 % | 0.0% |
| CEPHALEXIN HYDROCHLO | 1 | 0.0 % | 0.0% |
| CHISANDRA ADAPTOGEN | 1 | 0.0 % | 0.0% |
| CHLOR-TRIMETON | 1 | 0.0 % | 0.0% |
| CHLORPHENIRAMINE MAL | 1 | 0.0 % | 0.0% |
| CHONDROITIN | 4 | 0.1 % | 0.1% |
| CHONDROITIN SULFATE | 1 | 0.0 % | 0.0% |
| CHONDROITINASE | 1 | 0.0 % | 0.0% |
| CHROMIUM PICOLINATE | 1 | 0.0 % | 0.0% |
| CHROMIUM PICOLONATE | 1 | 0.0 % | 0.0% |
| CIMETIDINE | 5 | 0.1 % | 0.1% |
| CIPRO | 2 | 0.0 % | 0.0% |
| CISAPRIDE | 1 | 0.0 % | 0.0% |
| CLARITIN | 10 | 0.2 % | 0.2% |
| CLARITIN D | 3 | 0.1 % | 0.1% |
| CLIDINIUM | 1 | 0.0 % | 0.0% |
| CLINORIL | 1 | 0.0 % | 0.0% |
| CLONAZEPAM | 2 | 0.0 % | 0.0% |
| CLONIDINE | 6 | 0.1 % | 0.1% |
| CLONIDINE HCL | 2 | 0.0 % | 0.0% |
| CLORAZEPATE | 2 | 0.0 % | 0.0% |
| CO ENZYME Q 10 | 1 | 0.0 % | 0.0% |
| COD LIVER OIL | 3 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|-------------------------|
| GM4 | CG MEDICATION 4 (cont.) |

| Value Frequency % Valid % CODEINE 1 0.0 % 0.0% COENZYME Q-10 1 0.0 % 0.0% COGENTIN 2 0.0 % 0.0% COLCHICINE 6 0.1 % 0.0% COLESTID 1 0.0 % 0.0% COMBIVENT 1 0.0 % 0.0% COMPLETE NUTRITION 1 0.0 % 0.0% CONTINUUM MULTINUTRI 1 0.0 % 0.0% COREG 1 0.0 % 0.0% COREGA 3 0.1 % 0.0% COREGA 3 0.1 % 0.0% COREGA 1 0.0 % 0.0% COREGA 3 0.1 % 0.0% COREGA 3 0.1 % 0.0% COREGA 1 0.0 % 0.0% COREGA 3 0.1 % 0.0% COSAMINDS 1 0.0 % 0.0% COSOPT 2 0 | | | | |
|---|----------------------|-----------|-------|---------|
| COENZYME Q-10 1 0.0% 0.0% COGENTIN 2 0.0% 0.0% COLCHICINE 6 0.1% 0.1% COLESTID 1 0.0% 0.0% COMBIVENT 1 0.0% 0.0% COMPLETE NUTRITION 1 0.0% 0.0% CONTINUUM MULTINUTRI 1 0.0% 0.0% COREG 1 0.0% 0.0% COREGA 3 0.1% 0.1% CORTISONE 1 0.0% 0.0% COSAMINDS 1 0.0% 0.0% COSOPT 2 0.0% 0.0% COUMADIN 16 0.4% 0.4% COVERA-HS 1 0.0% 0.0% COZAAR 4 0.1% 0.0% COZAAR 4 0.1% 0.0% CYCRIN 4 0.1% 0.0% CYCRIN 4 0.1% 0.0% DAYPRO 3 0.1% | Value | Frequency | % | Valid % |
| COGENTIN 2 0.0 % 0.0% COLCHICINE 6 0.1 % 0.1% COLESTID 1 0.0 % 0.0% COMBIVENT 1 0.0 % 0.0% COMPLETE NUTRITION 1 0.0 % 0.0% CONTINUUM MULTINUTRI 1 0.0 % 0.0% COREG 1 0.0 % 0.0% COREGA 3 0.1 % 0.1% CORTISONE 1 0.0 % 0.0% COSAMINDS 1 0.0 % 0.0% COSOPT 2 0.0 % 0.0% COUMADIN 16 0.4 % 0.4% COVERA-HS 1 0.0 % 0.0% COZAAR 4 0.1 % 0.1% COZAAR 4 0.1 % 0.0% CUTIVATE 2 0.0 % 0.0% CYPROHEPTADINE 1 0.0 % 0.0% DARYOCET 2 0.0 % 0.0% DESIPRAMINE 1 | CODEINE | 1 | 0.0 % | 0.0% |
| COLCHICINE 6 0.1 % 0.0% COLESTID 1 0.0 % 0.0% COMBIVENT 1 0.0 % 0.0% COMPLETE NUTRITION 1 0.0 % 0.0% CONTINUUM MULTINUTRI 1 0.0 % 0.0% COREG 1 0.0 % 0.0% CORGEGA 3 0.1 % 0.1% CORTISONE 1 0.0 % 0.0% COSAMINDS 1 0.0 % 0.0% COSOPT 2 0.0 % 0.0% COUMADIN 16 0.4 % 0.4% COVERA-HS 1 0.0 % 0.0% COVERA-HS 1 0.0 % 0.0% COZAAR 4 0.1 % 0.1% CUTIVATE 2 0.0 % 0.0% CYCRIN 4 0.1 % 0.1% CYPROHEPTADINE 1 0.0 % 0.0% DARYOCET 2 0.0 % 0.0% DESPIRAMINE 1 | COENZYME Q-10 | 1 | 0.0 % | 0.0% |
| COLESTID 1 0.0 % 0.0% COMBIVENT 1 0.0 % 0.0% COMPLETE NUTRITION 1 0.0 % 0.0% CONTINUUM MULTINUTRI 1 0.0 % 0.0% COREG 1 0.0 % 0.0% COREGA 3 0.1 % 0.1% CORTISONE 1 0.0 % 0.0% COSAMINDS 1 0.0 % 0.0% COSOPT 2 0.0 % 0.0% COVERA-HS 1 0.0 % 0.0% COZAAR 4 0.1 % 0.1% CRANBERRY CAPSULES 1 0.0 % 0.0% CUTIVATE 2 0.0 % 0.0% CYCRIN 4 0.1 % 0.1% CYPROHEPTADINE 1 0.0 % 0.0% DARYOCET 2 0.0 % 0.0% DESIPRAMINE 1 0.0 % 0.0% DESIPRAMINE 1 0.0 % 0.0% DESRIPRAMINE | COGENTIN | 2 | 0.0 % | 0.0% |
| COMBIVENT 1 0.0 % 0.0% COMPLETE NUTRITION 1 0.0 % 0.0% CONTINUUM MULTINUTRI 1 0.0 % 0.0% COREG 1 0.0 % 0.0% COREGA 3 0.1 % 0.1% CORTISONE 1 0.0 % 0.0% COSAMINDS 1 0.0 % 0.0% COSOPT 2 0.0 % 0.0% COVERA-HS 1 0.0 % 0.0% COZAAR 4 0.1 % 0.1% CRANBERRY CAPSULES 1 0.0 % 0.0% CUTIVATE 2 0.0 % 0.0% CYCRIN 4 0.1 % 0.1% CYPROHEPTADINE 1 0.0 % 0.0% DARYOCET 2 0.0 % 0.0% DEMADEX 4 0.1 % 0.1% DESIPRAMINE 2 0.0 % 0.0% DESRIPRAMINE 1 0.0 % 0.0% DESRIPRAMINE | COLCHICINE | 6 | 0.1 % | 0.1% |
| COMPLETE NUTRITION 1 0.0 % 0.0% CONTINUUM MULTINUTRI 1 0.0 % 0.0% COREG 1 0.0 % 0.0% COREGA 3 0.1 % 0.1% COSTISONE 1 0.0 % 0.0% COSAMINDS 1 0.0 % 0.0% COSOPT 2 0.0 % 0.0% COUMADIN 16 0.4 % 0.4% COVERA-HS 1 0.0 % 0.0% COZAAR 4 0.1 % 0.1% CRANBERRY CAPSULES 1 0.0 % 0.0% CYCRIN 4 0.1 % 0.1% CYPROHEPTADINE 1 0.0 % 0.0% DARVOCET 2 0.0 % 0.0% DEMADEX 4 0.1 % 0.1% DESIPRAMINE 2 0.0 % 0.0% DESIPRAMINE 1 0.0 % 0.0% DETROL 3 0.1 % 0.1% DIABETA 1< | COLESTID | 1 | 0.0 % | 0.0% |
| CONTINUUM MULTINUTRI 1 0.0 % 0.0% COREG 1 0.0 % 0.0% COREGA 3 0.1 % 0.1% CORTISONE 1 0.0 % 0.0% COSAMINDS 1 0.0 % 0.0% COSOPT 2 0.0 % 0.0% COUMADIN 16 0.4 % 0.4% COVERA-HS 1 0.0 % 0.0% COZAAR 4 0.1 % 0.1% CRANBERRY CAPSULES 1 0.0 % 0.0% CUTIVATE 2 0.0 % 0.0% CYCRIN 4 0.1 % 0.1% CYPROHEPTADINE 1 0.0 % 0.0% DARVOCET 2 0.0 % 0.0% DAYPRO 3 0.1 % 0.1% DEMADEX 4 0.1 % 0.1% DESIPRAMINE 2 0.0 % 0.0% DESRIPRAMINE 1 0.0 % 0.0% DETROL 3 | COMBIVENT | 1 | 0.0 % | 0.0% |
| COREG 1 0.0 % 0.0% COREGA 3 0.1 % 0.1% CORTISONE 1 0.0 % 0.0% COSAMINDS 1 0.0 % 0.0% COSOPT 2 0.0 % 0.0% COUMADIN 16 0.4 % 0.4% COVERA-HS 1 0.0 % 0.0% COZAAR 4 0.1 % 0.1% CRANBERRY CAPSULES 1 0.0 % 0.0% CUTIVATE 2 0.0 % 0.0% CYCRIN 4 0.1 % 0.1% CYPROHEPTADINE 1 0.0 % 0.0% DAYPRO 3 0.1 % 0.1% DEMADEX 4 0.1 % 0.1% DESIPRAMINE 2 0.0 % 0.0% DESIPRAMINE 1 0.0 % 0.0% DETROL 3 0.1 % 0.1% DIABETA 1 0.0 % 0.0% DIAMOX 1 0.0 % <td>COMPLETE NUTRITION</td> <td>1</td> <td>0.0 %</td> <td>0.0%</td> | COMPLETE NUTRITION | 1 | 0.0 % | 0.0% |
| COREGA 3 0.1 % 0.1% CORTISONE 1 0.0 % 0.0% COSAMINDS 1 0.0 % 0.0% COSOPT 2 0.0 % 0.0% COUMADIN 16 0.4 % 0.4% COVERA-HS 1 0.0 % 0.0% COZAAR 4 0.1 % 0.1% CRANBERRY CAPSULES 1 0.0 % 0.0% CUTIVATE 2 0.0 % 0.0% CYCRIN 4 0.1 % 0.1% CYPROHEPTADINE 1 0.0 % 0.0% DARYOCET 2 0.0 % 0.0% DAYPRO 3 0.1 % 0.1% DESIPRAMINE 2 0.0 % 0.0% DESIPRAMINE 2 0.0 % 0.0% DESRIPRAMINE 1 0.0 % 0.0% DETROL 3 0.1 % 0.1% DIABETA 1 0.0 % 0.0% DIABETA 1 | CONTINUUM MULTINUTRI | 1 | 0.0 % | 0.0% |
| CORTISONE 1 0.0 % 0.0% COSAMINDS 1 0.0 % 0.0% COSOPT 2 0.0 % 0.0% COUMADIN 16 0.4 % 0.4% COVERA-HS 1 0.0 % 0.0% COZAAR 4 0.1 % 0.1% CRANBERRY CAPSULES 1 0.0 % 0.0% CYCRIN 4 0.1 % 0.1% CYPROHEPTADINE 1 0.0 % 0.0% DARVOCET 2 0.0 % 0.0% DAYPRO 3 0.1 % 0.1% DESIPRAMINE 2 0.0 % 0.0% DESIPRAMINE 2 0.0 % 0.0% DESRIPRAMINE 1 0.0 % 0.0% DETROL 3 0.1 % 0.1% DIABETA 1 0.0 % 0.0% DIAMOX 1 0.0 % 0.0% DIAZEPAM 6 0.1 % 0.1% DICLOFENAC 3 < | COREG | 1 | 0.0 % | 0.0% |
| COSAMINDS 1 0.0 % 0.0% COSOPT 2 0.0 % 0.0% COUMADIN 16 0.4 % 0.4% COVERA-HS 1 0.0 % 0.0% COZAAR 4 0.1 % 0.1% CRANBERRY CAPSULES 1 0.0 % 0.0% CUTIVATE 2 0.0 % 0.0% CYCRIN 4 0.1 % 0.1% CYPROHEPTADINE 1 0.0 % 0.0% DARVOCET 2 0.0 % 0.0% DAYPRO 3 0.1 % 0.1% DEMADEX 4 0.1 % 0.1% DESIPRAMINE 2 0.0 % 0.0% DESOGEN 1 0.0 % 0.0% DETROL 3 0.1 % 0.1% DIABETA 1 0.0 % 0.0% DIAMOX 1 0.0 % 0.0% DIABETA 1 0.0 % 0.0% DIABETA 1 0.0 % | COREGA | 3 | 0.1 % | 0.1% |
| COSOPT 2 0.0 % 0.0% COUMADIN 16 0.4 % 0.4% COVERA-HS 1 0.0 % 0.0% COZAAR 4 0.1 % 0.1% CRANBERRY CAPSULES 1 0.0 % 0.0% CUTIVATE 2 0.0 % 0.0% CYCRIN 4 0.1 % 0.1% CYPROHEPTADINE 1 0.0 % 0.0% DARVOCET 2 0.0 % 0.0% DAYPRO 3 0.1 % 0.1% DEMADEX 4 0.1 % 0.1% DESIPRAMINE 2 0.0 % 0.0% DESOGEN 1 0.0 % 0.0% DETROL 3 0.1 % 0.1% DIABETA 1 0.0 % 0.0% DIAMOX 1 0.0 % 0.0% DIAMOX 1 0.0 % 0.0% DIALEPAM 6 0.1 % 0.1% DICLOFENAC 3 0.1 % | CORTISONE | 1 | 0.0 % | 0.0% |
| COUMADIN 16 0.4 % 0.4% COVERA-HS 1 0.0 % 0.0% COZAAR 4 0.1 % 0.1% CRANBERRY CAPSULES 1 0.0 % 0.0% CUTIVATE 2 0.0 % 0.0% CYCRIN 4 0.1 % 0.1% CYPROHEPTADINE 1 0.0 % 0.0% DARVOCET 2 0.0 % 0.0% DAYPRO 3 0.1 % 0.1% DEMADEX 4 0.1 % 0.1% DESIPRAMINE 2 0.0 % 0.0% DESOGEN 1 0.0 % 0.0% DETROL 3 0.1 % 0.1% DIABETA 1 0.0 % 0.0% DIAMOX 1 0.0 % 0.0% DIAMOX 1 0.0 % 0.0% DICLOFENAC 3 0.1 % 0.1% DICLOFENAC SODIUM 1 0.0 % 0.0% | COSAMINDS | 1 | 0.0 % | 0.0% |
| COVERA-HS 1 0.0 % 0.0% COZAAR 4 0.1 % 0.1% CRANBERRY CAPSULES 1 0.0 % 0.0% CUTIVATE 2 0.0 % 0.0% CYCRIN 4 0.1 % 0.1% CYPROHEPTADINE 1 0.0 % 0.0% DARVOCET 2 0.0 % 0.0% DAYPRO 3 0.1 % 0.1% DESIPRAMINE 2 0.0 % 0.0% DESOGEN 1 0.0 % 0.0% DESRIPRAMINE 1 0.0 % 0.0% DETROL 3 0.1 % 0.1% DIABETA 1 0.0 % 0.0% DIAMOX 1 0.0 % 0.0% DIAMOX 1 0.0 % 0.1% DICLOFENAC 3 0.1 % 0.1% DICLOFENAC SODIUM 1 0.0 % 0.0% | COSOPT | 2 | 0.0 % | 0.0% |
| COZAAR 4 0.1 % 0.1% CRANBERRY CAPSULES 1 0.0 % 0.0% CUTIVATE 2 0.0 % 0.0% CYCRIN 4 0.1 % 0.1% CYPROHEPTADINE 1 0.0 % 0.0% DARVOCET 2 0.0 % 0.0% DAYPRO 3 0.1 % 0.1% DEMADEX 4 0.1 % 0.1% DESIPRAMINE 2 0.0 % 0.0% DESOGEN 1 0.0 % 0.0% DESRIPRAMINE 1 0.0 % 0.0% DETROL 3 0.1 % 0.1% DIABETA 1 0.0 % 0.0% DIAMOX 1 0.0 % 0.0% DIAZEPAM 6 0.1 % 0.1% DICLOFENAC 3 0.1 % 0.1% DICLOFENAC SODIUM 1 0.0 % 0.0% | COUMADIN | 16 | 0.4 % | 0.4% |
| CRANBERRY CAPSULES 1 0.0 % 0.0% CUTIVATE 2 0.0 % 0.0% CYCRIN 4 0.1 % 0.1% CYPROHEPTADINE 1 0.0 % 0.0% DARVOCET 2 0.0 % 0.0% DAYPRO 3 0.1 % 0.1% DEMADEX 4 0.1 % 0.1% DESIPRAMINE 2 0.0 % 0.0% DESOGEN 1 0.0 % 0.0% DESRIPRAMINE 1 0.0 % 0.0% DETROL 3 0.1 % 0.1% DIABETA 1 0.0 % 0.0% DIAMOX 1 0.0 % 0.0% DIAZEPAM 6 0.1 % 0.1% DICLOFENAC 3 0.1 % 0.1% DICLOFENAC SODIUM 1 0.0 % 0.0% | COVERA-HS | 1 | 0.0 % | 0.0% |
| CUTIVATE 2 0.0 % 0.0% CYCRIN 4 0.1 % 0.1% CYPROHEPTADINE 1 0.0 % 0.0% DARVOCET 2 0.0 % 0.0% DAYPRO 3 0.1 % 0.1% DEMADEX 4 0.1 % 0.1% DESIPRAMINE 2 0.0 % 0.0% DESOGEN 1 0.0 % 0.0% DESRIPRAMINE 1 0.0 % 0.0% DETROL 3 0.1 % 0.1% DIABETA 1 0.0 % 0.0% DIAMOX 1 0.0 % 0.0% DIAZEPAM 6 0.1 % 0.1% DICLOFENAC 3 0.1 % 0.1% DICLOFENAC SODIUM 1 0.0 % 0.0% | COZAAR | 4 | 0.1 % | 0.1% |
| CYCRIN 4 0.1 % 0.1% CYPROHEPTADINE 1 0.0 % 0.0% DARVOCET 2 0.0 % 0.0% DAYPRO 3 0.1 % 0.1% DEMADEX 4 0.1 % 0.1% DESIPRAMINE 2 0.0 % 0.0% DESOGEN 1 0.0 % 0.0% DESRIPRAMINE 1 0.0 % 0.0% DETROL 3 0.1 % 0.1% DIABETA 1 0.0 % 0.0% DIAMOX 1 0.0 % 0.0% DIAZEPAM 6 0.1 % 0.1% DICLOFENAC 3 0.1 % 0.1% DICLOFENAC SODIUM 1 0.0 % 0.0% | CRANBERRY CAPSULES | 1 | 0.0 % | 0.0% |
| CYPROHEPTADINE 1 0.0 % 0.0% DARVOCET 2 0.0 % 0.0% DAYPRO 3 0.1 % 0.1% DEMADEX 4 0.1 % 0.1% DESIPRAMINE 2 0.0 % 0.0% DESRIPRAMINE 1 0.0 % 0.0% DETROL 3 0.1 % 0.1% DIABETA 1 0.0 % 0.0% DIAMOX 1 0.0 % 0.0% DIAZEPAM 6 0.1 % 0.1% DICLOFENAC 3 0.1 % 0.1% DICLOFENAC SODIUM 1 0.0 % 0.0% | CUTIVATE | 2 | 0.0 % | 0.0% |
| DARVOCET 2 0.0 % 0.0% DAYPRO 3 0.1 % 0.1% DEMADEX 4 0.1 % 0.1% DESIPRAMINE 2 0.0 % 0.0% DESOGEN 1 0.0 % 0.0% DESRIPRAMINE 1 0.0 % 0.0% DETROL 3 0.1 % 0.1% DIABETA 1 0.0 % 0.0% DIAMOX 1 0.0 % 0.0% DIAZEPAM 6 0.1 % 0.1% DICLOFENAC 3 0.1 % 0.1% DICLOFENAC SODIUM 1 0.0 % 0.0% | CYCRIN | 4 | 0.1 % | 0.1% |
| DAYPRO 3 0.1 % 0.1% DEMADEX 4 0.1 % 0.1% DESIPRAMINE 2 0.0 % 0.0% DESRIPRAMINE 1 0.0 % 0.0% DETROL 3 0.1 % 0.1% DIABETA 1 0.0 % 0.0% DIAMOX 1 0.0 % 0.0% DIAZEPAM 6 0.1 % 0.1% DICLOFENAC 3 0.1 % 0.1% DICLOFENAC SODIUM 1 0.0 % 0.0% | CYPROHEPTADINE | 1 | 0.0 % | 0.0% |
| DEMADEX 4 0.1 % 0.1% DESIPRAMINE 2 0.0 % 0.0% DESRIPRAMINE 1 0.0 % 0.0% DETROL 3 0.1 % 0.1% DIABETA 1 0.0 % 0.0% DIAMOX 1 0.0 % 0.0% DIAZEPAM 6 0.1 % 0.1% DICLOFENAC 3 0.1 % 0.1% DICLOFENAC SODIUM 1 0.0 % 0.0% | DARVOCET | 2 | 0.0 % | 0.0% |
| DESIPRAMINE 2 0.0 % 0.0% DESOGEN 1 0.0 % 0.0% DESRIPRAMINE 1 0.0 % 0.0% DETROL 3 0.1 % 0.1% DIABETA 1 0.0 % 0.0% DIAMOX 1 0.0 % 0.0% DIAZEPAM 6 0.1 % 0.1% DICLOFENAC 3 0.1 % 0.1% DICLOFENAC SODIUM 1 0.0 % 0.0% | DAYPRO | 3 | 0.1 % | 0.1% |
| DESOGEN 1 0.0 % 0.0% DESRIPRAMINE 1 0.0 % 0.0% DETROL 3 0.1 % 0.1% DIABETA 1 0.0 % 0.0% DIAMOX 1 0.0 % 0.0% DIAZEPAM 6 0.1 % 0.1% DICLOFENAC 3 0.1 % 0.1% DICLOFENAC SODIUM 1 0.0 % 0.0% | DEMADEX | 4 | 0.1 % | 0.1% |
| DESRIPRAMINE 1 0.0 % 0.0% DETROL 3 0.1 % 0.1% DIABETA 1 0.0 % 0.0% DIAMOX 1 0.0 % 0.0% DIAZEPAM 6 0.1 % 0.1% DICLOFENAC 3 0.1 % 0.1% DICLOFENAC SODIUM 1 0.0 % 0.0% | DESIPRAMINE | 2 | 0.0 % | 0.0% |
| DETROL 3 0.1 % 0.1% DIABETA 1 0.0 % 0.0% DIAMOX 1 0.0 % 0.0% DIAZEPAM 6 0.1 % 0.1% DICLOFENAC 3 0.1 % 0.1% DICLOFENAC SODIUM 1 0.0 % 0.0% | DESOGEN | 1 | 0.0 % | 0.0% |
| DIABETA 1 0.0 % 0.0% DIAMOX 1 0.0 % 0.0% DIAZEPAM 6 0.1 % 0.1% DICLOFENAC 3 0.1 % 0.1% DICLOFENAC SODIUM 1 0.0 % 0.0% | DESRIPRAMINE | 1 | 0.0 % | 0.0% |
| DIAMOX 1 0.0 % 0.0% DIAZEPAM 6 0.1 % 0.1% DICLOFENAC 3 0.1 % 0.1% DICLOFENAC SODIUM 1 0.0 % 0.0% | DETROL | 3 | 0.1 % | 0.1% |
| DIAZEPAM 6 0.1 % 0.1% DICLOFENAC 3 0.1 % 0.1% DICLOFENAC SODIUM 1 0.0 % 0.0% | DIABETA | 1 | 0.0 % | 0.0% |
| DICLOFENAC 3 0.1 % 0.1% DICLOFENAC SODIUM 1 0.0 % 0.0% | DIAMOX | 1 | 0.0 % | 0.0% |
| DICLOFENAC SODIUM 1 0.0 % 0.0% | DIAZEPAM | 6 | 0.1 % | 0.1% |
| | DICLOFENAC | 3 | 0.1 % | 0.1% |
| DICYCLOMINE 1 0.0 % 0.0% | DICLOFENAC SODIUM | 1 | 0.0 % | 0.0% |
| | DICYCLOMINE | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM4 | CG MEDICATION 4 (cont.) |

| Value | Frequency | % | Valid % |
|------------------|-----------|-------|---------|
| DIGOXIN | 1 | 0.0 % | 0.0% |
| DILACOR | 1 | 0.0 % | 0.0% |
| DILTIAZEM HCL | 2 | 0.0 % | 0.0% |
| DIOVAN | 5 | 0.1 % | 0.1% |
| DIPYRIDAMOLE | 1 | 0.0 % | 0.0% |
| DITROPAN | 4 | 0.1 % | 0.1% |
| DOCUSATE | 1 | 0.0 % | 0.0% |
| DOCUSATE SOD | 1 | 0.0 % | 0.0% |
| DOCUSATE SODIUM | 1 | 0.0 % | 0.0% |
| DONE | 4 | 0.1 % | 0.1% |
| DONNATAL | 1 | 0.0 % | 0.0% |
| DONQUA | 1 | 0.0 % | 0.0% |
| DOUBLE X VITAMIN | 1 | 0.0 % | 0.0% |
| DOUBLEX | 1 | 0.0 % | 0.0% |
| DOXEPIN | 1 | 0.0 % | 0.0% |
| DOXYCYCLINE | 1 | 0.0 % | 0.0% |
| DRAMAMINE | 1 | 0.0 % | 0.0% |
| DSS | 1 | 0.0 % | 0.0% |
| DURA VENT DA | 1 | 0.0 % | 0.0% |
| DURAGEN | 3 | 0.1 % | 0.1% |
| DYAZIDE | 4 | 0.1 % | 0.1% |
| E 1000 | 1 | 0.0 % | 0.0% |
| EC-NAPROSYN | 1 | 0.0 % | 0.0% |
| ECHINACEA | 1 | 0.0 % | 0.0% |
| ECHINEACHEA | 1 | 0.0 % | 0.0% |
| ECOTRIN | 8 | 0.2 % | 0.2% |
| ECOTRIN MAXIMUM | 1 | 0.0 % | 0.0% |
| ELAVIL | 1 | 0.0 % | 0.0% |
| EMERALD GREENS | 1 | 0.0 % | 0.0% |
| ENCOSPIRIN | 1 | 0.0 % | 0.0% |
| ESSENTIAL LIFE | 1 | 0.0 % | 0.0% |
| ESTRACE | 1 | 0.0 % | 0.0% |
| ESTRADIOL | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM4 | CG MEDICATION 4 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| ESTRATEST | 4 | 0.1 % | 0.1% |
| ESTROGEN | 4 | 0.1 % | 0.1% |
| ESTROGENS | 4 | 0.1 % | 0.1% |
| ESTROPIPATE | 1 | 0.0 % | 0.0% |
| ESTROTAB | 2 | 0.0 % | 0.0% |
| EUROSEMIDE | 1 | 0.0 % | 0.0% |
| EVENING PRIMROSE OIL | 1 | 0.0 % | 0.0% |
| EVISTA | 2 | 0.0 % | 0.0% |
| EXCEDRIN | 2 | 0.0 % | 0.0% |
| EXCEDRIN PM | 1 | 0.0 % | 0.0% |
| EXCEDRINE | 1 | 0.0 % | 0.0% |
| EXCLUSIVE ADAPTOGENI | 1 | 0.0 % | 0.0% |
| EXTRA STRENGTH TYLEN | 1 | 0.0 % | 0.0% |
| FENNEL | 1 | 0.0 % | 0.0% |
| FEOSOL | 1 | 0.0 % | 0.0% |
| FERRO-SEQUELS | 1 | 0.0 % | 0.0% |
| FERROUS SULFATE | 1 | 0.0 % | 0.0% |
| FERROUS SULPHATE | 1 | 0.0 % | 0.0% |
| FIORINOL | 1 | 0.0 % | 0.0% |
| FLATULEX | 1 | 0.0 % | 0.0% |
| FLEXERIL | 5 | 0.1 % | 0.1% |
| FLOMAX | 1 | 0.0 % | 0.0% |
| FLONASE | 3 | 0.1 % | 0.1% |
| FLONASE NASAL | 1 | 0.0 % | 0.0% |
| FLUOXETINE | 2 | 0.0 % | 0.0% |
| FOLIC ACID | 8 | 0.2 % | 0.2% |
| FOSAMAX | 15 | 0.4 % | 0.4% |
| FOSAMAX 10MG | 1 | 0.0 % | 0.0% |
| FUROSEMIDE | 21 | 0.5 % | 0.5% |
| GARLIC | 7 | 0.2 % | 0.2% |
| GARLIC TABLETS | 1 | 0.0 % | 0.0% |
| GARLIC TABS | 2 | 0.0 % | 0.0% |
| GAS X | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM4 | CG MEDICATION 4 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| GEMFIBROZIL | 9 | 0.2 % | 0.2% |
| GERITOL | 2 | 0.0 % | 0.0% |
| GERITOL COMPLETE | 1 | 0.0 % | 0.0% |
| GINGKO BILOBA | 4 | 0.1 % | 0.1% |
| GINKCO BILOBA | 1 | 0.0 % | 0.0% |
| GINKGO | 1 | 0.0 % | 0.0% |
| GINKGO BILOBA | 7 | 0.2 % | 0.2% |
| GINKGO BILOBA PLUS | 1 | 0.0 % | 0.0% |
| GINKO BILOBA | 2 | 0.0 % | 0.0% |
| GINSENG | 3 | 0.1 % | 0.1% |
| GLIPIZIDE | 2 | 0.0 % | 0.0% |
| GLUCOFASE | 1 | 0.0 % | 0.0% |
| GLUCOPHAGE | 11 | 0.3 % | 0.3% |
| GLUCOSAMINE | 7 | 0.2 % | 0.2% |
| GLUCOSAMINE CHONDROI | 2 | 0.0 % | 0.0% |
| GLUCOSAMINE CHONDROT | 1 | 0.0 % | 0.0% |
| GLUCOSAMINE SULFATE | 1 | 0.0 % | 0.0% |
| GLUCOSAMINE-CHONDROI | 1 | 0.0 % | 0.0% |
| GLUCOTROL | 1 | 0.0 % | 0.0% |
| GLUCOTROL XL | 1 | 0.0 % | 0.0% |
| GLYBUDIDE | 1 | 0.0 % | 0.0% |
| GLYBURIDE | 9 | 0.2 % | 0.2% |
| GLYNASE PRESTABS | 1 | 0.0 % | 0.0% |
| GOLDEN SEAL | 1 | 0.0 % | 0.0% |
| GRAPE SEEDS | 1 | 0.0 % | 0.0% |
| GUAIFEN DM | 1 | 0.0 % | 0.0% |
| GUAIFENESIN ER | 1 | 0.0 % | 0.0% |
| GUAITEN/PHENYLPROP | 1 | 0.0 % | 0.0% |
| HALDOL TABS | 1 | 0.0 % | 0.0% |
| HALOPERIDOL | 1 | 0.0 % | 0.0% |
| HAWTHORNE BERRY | 2 | 0.0 % | 0.0% |
| HCT2 | 1 | 0.0 % | 0.0% |
| HCTZ | 9 | 0.2 % | 0.2% |

| Variable | Variable Description |
|----------|-------------------------|
| GM4 | CG MEDICATION 4 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| HERB-LAX | 1 | 0.0 % | 0.0% |
| HIGH ENERGY PACK | 1 | 0.0 % | 0.0% |
| HISMANOL | 1 | 0.0 % | 0.0% |
| HUMULIN N | 1 | 0.0 % | 0.0% |
| HUMULIN R | 1 | 0.0 % | 0.0% |
| HYDROCHLORATHIAZIDE | 1 | 0.0 % | 0.0% |
| HYDROCHLOROTHIAZIDE | 13 | 0.3 % | 0.3% |
| HYDROCHOROTHIAZIDE | 2 | 0.0 % | 0.0% |
| HYDROCODONE | 2 | 0.0 % | 0.0% |
| HYLOREL | 3 | 0.1 % | 0.1% |
| HYOSCYAMINE | 1 | 0.0 % | 0.0% |
| HYRDORCHLOROTHIAZIDE | 1 | 0.0 % | 0.0% |
| HYROCHLOROTHIAZIDE | 1 | 0.0 % | 0.0% |
| HYTRIN | 7 | 0.2 % | 0.2% |
| HYZAAR | 5 | 0.1 % | 0.1% |
| IBUPRIN | 1 | 0.0 % | 0.0% |
| IBUPROFEN | 6 | 0.1 % | 0.1% |
| IMDUR | 4 | 0.1 % | 0.1% |
| IMITREX | 3 | 0.1 % | 0.1% |
| INDAPAMIDE | 4 | 0.1 % | 0.1% |
| INSTANT 14 | 1 | 0.0 % | 0.0% |
| INSULIN | 2 | 0.0 % | 0.0% |
| INSULIN 30/70 HUMULI | 1 | 0.0 % | 0.0% |
| INSULIN LISPRO | 1 | 0.0 % | 0.0% |
| INTAL | 1 | 0.0 % | 0.0% |
| INTAL INHALER | 1 | 0.0 % | 0.0% |
| IPRATROPIUM BROMIDE | 1 | 0.0 % | 0.0% |
| IRON | 2 | 0.0 % | 0.0% |
| IRON TABLETS | 1 | 0.0 % | 0.0% |
| ISMO | 1 | 0.0 % | 0.0% |
| ISOBORB | 1 | 0.0 % | 0.0% |
| ISORBIDE DINITRATE | 1 | 0.0 % | 0.0% |
| ISOSORBIDE | 8 | 0.2 % | 0.2% |

| Variable | Variable Description |
|----------|-------------------------|
| GM4 | CG MEDICATION 4 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| ISOSORBIDE DINITRATE | 2 | 0.0 % | 0.0% |
| K DUR | 1 | 0.0 % | 0.0% |
| K+10 | 1 | 0.0 % | 0.0% |
| K-DUR | 9 | 0.2 % | 0.2% |
| KLONOPIN | 2 | 0.0 % | 0.0% |
| KUZIME | 1 | 0.0 % | 0.0% |
| LANOXIN | 19 | 0.5 % | 0.5% |
| LASIX | 6 | 0.1 % | 0.1% |
| LAZONEX | 1 | 0.0 % | 0.0% |
| LECHTIN | 1 | 0.0 % | 0.0% |
| LECIYHIN | 1 | 0.0 % | 0.0% |
| LESCOL | 4 | 0.1 % | 0.1% |
| LEVBID | 1 | 0.0 % | 0.0% |
| LEVO-T | 1 | 0.0 % | 0.0% |
| LEVOTHROID | 1 | 0.0 % | 0.0% |
| LEVOTHYROXINE SODIUM | 4 | 0.1 % | 0.1% |
| LEVOXYL | 5 | 0.1 % | 0.1% |
| LEVSIN | 2 | 0.0 % | 0.0% |
| LIPITOR | 18 | 0.4 % | 0.4% |
| LISINOPRIL | 3 | 0.1 % | 0.1% |
| LITHIUM | 1 | 0.0 % | 0.0% |
| LITHONATE | 1 | 0.0 % | 0.0% |
| LOPID | 1 | 0.0 % | 0.0% |
| LOPRESSOR | 4 | 0.1 % | 0.1% |
| LORAZEPAM | 11 | 0.3 % | 0.3% |
| LORAZEPAN | 1 | 0.0 % | 0.0% |
| LORTAB | 1 | 0.0 % | 0.0% |
| LOTENSIN | 5 | 0.1 % | 0.1% |
| LOVASTATIN | 1 | 0.0 % | 0.0% |
| LOZAAR | 1 | 0.0 % | 0.0% |
| LOZOL | 3 | 0.1 % | 0.1% |
| MAG-OX 400 | 1 | 0.0 % | 0.0% |
| MAGNESIUM | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM4 | CG MEDICATION 4 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| MAGNESIUM SULFATE | 1 | 0.0 % | 0.0% |
| MAXAIR | 1 | 0.0 % | 0.0% |
| MECLIZINE | 1 | 0.0 % | 0.0% |
| MEDROXY PROGESTERONE | 2 | 0.0 % | 0.0% |
| MEDROXYPROGESTERONE | 2 | 0.0 % | 0.0% |
| MEGESTROLACETATE | 1 | 0.0 % | 0.0% |
| MEMOR-NATURALS | 1 | 0.0 % | 0.0% |
| MEMORY ESSENTIALS | 1 | 0.0 % | 0.0% |
| MEPROBAMATE | 4 | 0.1 % | 0.1% |
| MESTINON | 1 | 0.0 % | 0.0% |
| METAMUCIL | 1 | 0.0 % | 0.0% |
| METHISCHOL | 1 | 0.0 % | 0.0% |
| METHOCARBAMOL | 2 | 0.0 % | 0.0% |
| METHYLDOPA | 1 | 0.0 % | 0.0% |
| METHYLTESTOSTERONE | 1 | 0.0 % | 0.0% |
| METOPROLOL | 7 | 0.2 % | 0.2% |
| METRYL | 1 | 0.0 % | 0.0% |
| MEVACOR | 2 | 0.0 % | 0.0% |
| MIACALCIN | 2 | 0.0 % | 0.0% |
| MIACALCIN-NASAL SPRA | 1 | 0.0 % | 0.0% |
| MICRO-K | 1 | 0.0 % | 0.0% |
| MICRONASE | 2 | 0.0 % | 0.0% |
| MICROZIDE | 1 | 0.0 % | 0.0% |
| MIDOL | 1 | 0.0 % | 0.0% |
| MILLENIUM | 1 | 0.0 % | 0.0% |
| MINERAL SUPPLEMENT | 1 | 0.0 % | 0.0% |
| MINIPRESS | 1 | 0.0 % | 0.0% |
| MODURETIC | 1 | 0.0 % | 0.0% |
| MONOPRIL | 3 | 0.1 % | 0.1% |
| MOTRIN | 10 | 0.2 % | 0.2% |
| MSIR | 1 | 0.0 % | 0.0% |
| MULTI VITAMIN | 20 | 0.5 % | 0.5% |
| MULTI VITAMINS | 22 | 0.5 % | 0.5% |

| Variable | Variable Description |
|----------|-------------------------|
| GM4 | CG MEDICATION 4 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| MULTI VITMAINS | 1 | 0.0 % | 0.0% |
| MULTI-VITA FORMULA | 1 | 0.0 % | 0.0% |
| MULTI-VITAMIN | 9 | 0.2 % | 0.2% |
| MULTI-VITAMINS | 9 | 0.2 % | 0.2% |
| MULTIGENICS VITAMIN | 1 | 0.0 % | 0.0% |
| MULTINUTRIENT | 1 | 0.0 % | 0.0% |
| MULTIPLE VITAMIN | 1 | 0.0 % | 0.0% |
| MULTIPLE VITAMINS | 1 | 0.0 % | 0.0% |
| MULTIVITAMIN | 25 | 0.6 % | 0.6% |
| MULTIVITAMIN/MINERAL | 1 | 0.0 % | 0.0% |
| MULTIVITAMINE | 1 | 0.0 % | 0.0% |
| MULTIVITAMINS | 7 | 0.2 % | 0.2% |
| MYLANTA | 1 | 0.0 % | 0.0% |
| NADOLOL | 2 | 0.0 % | 0.0% |
| NAPOLOC | 1 | 0.0 % | 0.0% |
| NAPRELAN | 2 | 0.0 % | 0.0% |
| NAPROSYN | 2 | 0.0 % | 0.0% |
| NAPROXEN | 6 | 0.1 % | 0.1% |
| NAPROXEN SODIUM | 1 | 0.0 % | 0.0% |
| NAPROXENSODIUM | 1 | 0.0 % | 0.0% |
| NASALCORT AQ | 1 | 0.0 % | 0.0% |
| NASONEX | 3 | 0.1 % | 0.1% |
| NATURAL PROGESTRONE | 1 | 0.0 % | 0.0% |
| NEPHROCAPS | 3 | 0.1 % | 0.1% |
| NEURODEP | 1 | 0.0 % | 0.0% |
| NEURONTIN | 2 | 0.0 % | 0.0% |
| NIACIN | 1 | 0.0 % | 0.0% |
| NIACINAMIDE | 1 | 0.0 % | 0.0% |
| NIFEDIPINE | 2 | 0.0 % | 0.0% |
| NITROBID | 2 | 0.0 % | 0.0% |
| NITROFURANTOIN | 1 | 0.0 % | 0.0% |
| NITROGLYCERIN | 2 | 0.0 % | 0.0% |
| NITROGLYCERIN TABLET | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM4 | CG MEDICATION 4 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|--------|---------|
| NITROSTAT | 5 | 0.1 % | 0.1% |
| NONE | 486 | 11.8 % | 11.8% |
| NONI JUICE | 1 | 0.0 % | 0.0% |
| NORVASC | 20 | 0.5 % | 0.5% |
| NUPRIN | 2 | 0.0 % | 0.0% |
| NUTRI-CALM | 1 | 0.0 % | 0.0% |
| NYSTATIN CREAM | 1 | 0.0 % | 0.0% |
| OATBRAN | 1 | 0.0 % | 0.0% |
| OCCUVITE EXTRA | 1 | 0.0 % | 0.0% |
| OCUGUARD + W/ LUTEIN | 1 | 0.0 % | 0.0% |
| OCUPRESS | 1 | 0.0 % | 0.0% |
| OMEPRAZOLE | 1 | 0.0 % | 0.0% |
| ONE DAILY PLUS IRON | 1 | 0.0 % | 0.0% |
| OPTIMINE | 1 | 0.0 % | 0.0% |
| ORTHO-EST | 1 | 0.0 % | 0.0% |
| OS-CAL | 1 | 0.0 % | 0.0% |
| OSCAL | 5 | 0.1 % | 0.1% |
| OTHER HERBAL | 3 | 0.1 % | 0.1% |
| OXAZEPAM | 1 | 0.0 % | 0.0% |
| OXYBUTYNIN | 4 | 0.1 % | 0.1% |
| OXYBUTYNIN CL | 1 | 0.0 % | 0.0% |
| OXYCONTIN | 1 | 0.0 % | 0.0% |
| OXYENTYNIA | 1 | 0.0 % | 0.0% |
| OYST-CAL-D-500 | 1 | 0.0 % | 0.0% |
| OYSTER CALCIUM | 1 | 0.0 % | 0.0% |
| PANCREATIN | 2 | 0.0 % | 0.0% |
| PAUDE-ARCO | 1 | 0.0 % | 0.0% |
| PAXIL | 10 | 0.2 % | 0.2% |
| PENTOXIFYLLINE-ER | 1 | 0.0 % | 0.0% |
| PEPCID | 4 | 0.1 % | 0.1% |
| PERSANTINE | 1 | 0.0 % | 0.0% |
| PHARMA-PF | 1 | 0.0 % | 0.0% |
| PHENERGAN W CODEINE | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM4 | CG MEDICATION 4 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| PILOCARPINE | 2 | 0.0 % | 0.0% |
| PILOCARPINE HCL | 1 | 0.0 % | 0.0% |
| PLAVIX | 6 | 0.1 % | 0.1% |
| PLENDIL | 3 | 0.1 % | 0.1% |
| PLENDIL TABS | 1 | 0.0 % | 0.0% |
| POSICOR | 1 | 0.0 % | 0.0% |
| POTASSIUM | 11 | 0.3 % | 0.3% |
| POTASSIUM (K-DUR) | 1 | 0.0 % | 0.0% |
| POTASSIUM ACETATE | 1 | 0.0 % | 0.0% |
| POTASSIUM CHL SR | 1 | 0.0 % | 0.0% |
| POTASSIUM CHLORIDE | 1 | 0.0 % | 0.0% |
| POTASSIUM CL | 1 | 0.0 % | 0.0% |
| POTASSIUM GLUCONATE | 1 | 0.0 % | 0.0% |
| POTASSIUM NUTRATE | 1 | 0.0 % | 0.0% |
| PRAVACHOL | 11 | 0.3 % | 0.3% |
| PRAVASTATIN | 1 | 0.0 % | 0.0% |
| PRAZOSIN | 1 | 0.0 % | 0.0% |
| PRECOSE | 1 | 0.0 % | 0.0% |
| PRED FORTE | 1 | 0.0 % | 0.0% |
| PREDNISONE | 4 | 0.1 % | 0.1% |
| PREDNISONE EYE DROPS | 1 | 0.0 % | 0.0% |
| PREMARIN | 47 | 1.1 % | 1.1% |
| PREMARIN TABS | 1 | 0.0 % | 0.0% |
| PREMPRO | 12 | 0.3 % | 0.3% |
| PRENATAL MR 90 | 1 | 0.0 % | 0.0% |
| PRENYLAMINE | 1 | 0.0 % | 0.0% |
| PREVACID | 11 | 0.3 % | 0.3% |
| PRILOSEC | 30 | 0.7 % | 0.7% |
| PRINIVIL | 2 | 0.0 % | 0.0% |
| PRINZIDE | 2 | 0.0 % | 0.0% |
| PROCAINAMIDE | 1 | 0.0 % | 0.0% |
| PROCARDIA | 6 | 0.1 % | 0.1% |
| PROCARDIA XL | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM4 | CG MEDICATION 4 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| PROGESTERONE | 7 | 0.2 % | 0.2% |
| PROMETHAZINE | 1 | 0.0 % | 0.0% |
| PROMETHAZINE DM | 1 | 0.0 % | 0.0% |
| PROMETHAZINE HCL | 1 | 0.0 % | 0.0% |
| PROPANOLOL | 2 | 0.0 % | 0.0% |
| PROPANTHELINE | 1 | 0.0 % | 0.0% |
| PROPOXYPHENE | 2 | 0.0 % | 0.0% |
| PROPOXYPHONE-NAPSYLA | 1 | 0.0 % | 0.0% |
| PROPRANOLOL | 3 | 0.1 % | 0.1% |
| PROPRANOLOL LA | 1 | 0.0 % | 0.0% |
| PROPRANOLOL-HCL | 1 | 0.0 % | 0.0% |
| PROPULSID | 3 | 0.1 % | 0.1% |
| PROSCAR | 2 | 0.0 % | 0.0% |
| PROSTATE FORMULA | 1 | 0.0 % | 0.0% |
| PROSTATE SUPPORT | 1 | 0.0 % | 0.0% |
| PROVACHOL (ZOCOR) | 1 | 0.0 % | 0.0% |
| PROVENTIL | 5 | 0.1 % | 0.1% |
| PROVERA | 3 | 0.1 % | 0.1% |
| PROZAC | 13 | 0.3 % | 0.3% |
| PROZAIC | 1 | 0.0 % | 0.0% |
| QUERCITIN | 1 | 0.0 % | 0.0% |
| QUINAPRIL | 2 | 0.0 % | 0.0% |
| QUINIDEX EXTENTABS | 1 | 0.0 % | 0.0% |
| QUININE SULF | 1 | 0.0 % | 0.0% |
| QUININE SULFATE | 1 | 0.0 % | 0.0% |
| RAINFOREST UNA DE GA | 1 | 0.0 % | 0.0% |
| RAINFOREST UNADEGATA | 1 | 0.0 % | 0.0% |
| RAINFOREST-UNADEGATA | 1 | 0.0 % | 0.0% |
| RALOXIFENE HCL | 1 | 0.0 % | 0.0% |
| RANITIDINE | 7 | 0.2 % | 0.2% |
| RANITIDINE ZANTAC | 1 | 0.0 % | 0.0% |
| RANITIDINE-HCL | 1 | 0.0 % | 0.0% |
| REGLAN | 2 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM4 | CG MEDICATION 4 (cont.) |

| ELAFEN TABS EMERON ESERPINE ESTORIL EZULIN DYAL JELLY JINIDEX EXTENTABS ALIVARIUS AVILA AW PALMETTO ELENIUM ELENIUM DISULFIDE ENNA | 5 | 0.1 % | 0.40/ |
|--|----|-------|-------|
| EMERON ESERPINE ESTORIL EZULIN DYAL JELLY JINIDEX EXTENTABS ALIVARIUS AVILA AW PALMETTO ELENIUM ELENIUM DISULFIDE | | | 0.1% |
| ESERPINE ESTORIL EZULIN DYAL JELLY JINIDEX EXTENTABS ALIVARIUS AVILA AW PALMETTO ELENIUM ELENIUM DISULFIDE | 1 | 0.0 % | 0.0% |
| ESTORIL EZULIN DYAL JELLY JINIDEX EXTENTABS ALIVARIUS AVILA AW PALMETTO ELENIUM ELENIUM DISULFIDE | 1 | 0.0 % | 0.0% |
| EZULIN DYAL JELLY JINIDEX EXTENTABS ALIVARIUS AVILA AW PALMETTO ELENIUM ELENIUM DISULFIDE | 3 | 0.1 % | 0.1% |
| DYAL JELLY JINIDEX EXTENTABS ALIVARIUS AVILA AW PALMETTO ELENIUM ELENIUM DISULFIDE | 1 | 0.0 % | 0.0% |
| JINIDEX EXTENTABS ALIVARIUS AVILA AW PALMETTO ELENIUM ELENIUM DISULFIDE | 2 | 0.0 % | 0.0% |
| ALIVARIUS AVILA AW PALMETTO ELENIUM ELENIUM DISULFIDE | 1 | 0.0 % | 0.0% |
| AVILA AW PALMETTO ELENIUM ELENIUM DISULFIDE | 1 | 0.0 % | 0.0% |
| W PALMETTO ELENIUM ELENIUM DISULFIDE | 1 | 0.0 % | 0.0% |
| ELENIUM DISULFIDE | 1 | 0.0 % | 0.0% |
| LENIUM DISULFIDE | 2 | 0.0 % | 0.0% |
| | 2 | 0.0 % | 0.0% |
| NNA | 2 | 0.0 % | 0.0% |
| | 1 | 0.0 % | 0.0% |
| REVENT | 5 | 0.1 % | 0.1% |
| RZONE | 3 | 0.1 % | 0.1% |
| MVASTATIN | 1 | 0.0 % | 0.0% |
| NGULAIR | 4 | 0.1 % | 0.1% |
| NUS TAVENOL | 1 | 0.0 % | 0.0% |
| OBID | 1 | 0.0 % | 0.0% |
| PIRONOLACTONE | 1 | 0.0 % | 0.0% |
| PIRULINA | 1 | 0.0 % | 0.0% |
| PRING VALLEY VITAMI | 1 | 0.0 % | 0.0% |
| JOHN'S WORT | 4 | 0.1 % | 0.1% |
| JOHNS WART | 2 | 0.0 % | 0.0% |
| . JOHN'S WORT | 6 | 0.1 % | 0.1% |
| . JOHNS WORT | 2 | 0.0 % | 0.0% |
| RESSTABS | 1 | 0.0 % | 0.0% |
| JLAR | 1 | 0.0 % | 0.0% |
| JLINDAC | 1 | 0.0 % | 0.0% |
| IPER COLON CLEANSIN | 1 | 0.0 % | 0.0% |
| IPER GINKGO | 1 | 0.0 % | 0.0% |
| NTHROID | 27 | 0.7 % | 0.7% |

| Variable | Variable Description |
|----------|-------------------------|
| GM4 | CG MEDICATION 4 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| SYNTHROIDE | 1 | 0.0 % | 0.0% |
| TAGAMET | 3 | 0.1 % | 0.1% |
| TAMBOCOR | 1 | 0.0 % | 0.0% |
| TAMOXIFEN | 2 | 0.0 % | 0.0% |
| TAMOXIFEN CITRATE | 4 | 0.1 % | 0.1% |
| TAPAZOLE | 1 | 0.0 % | 0.0% |
| TARKA | 1 | 0.0 % | 0.0% |
| TAVIST D | 1 | 0.0 % | 0.0% |
| TEMAZAPAM | 1 | 0.0 % | 0.0% |
| TEMAZEPAM | 8 | 0.2 % | 0.2% |
| TENORMIN | 5 | 0.1 % | 0.1% |
| TERAZOSIN | 1 | 0.0 % | 0.0% |
| TERNOMAN | 1 | 0.0 % | 0.0% |
| THEO-DUR | 5 | 0.1 % | 0.1% |
| THERAGRAN M | 2 | 0.0 % | 0.0% |
| THYROID | 1 | 0.0 % | 0.0% |
| THYROID USP | 1 | 0.0 % | 0.0% |
| TIAZAC | 2 | 0.0 % | 0.0% |
| TICLID | 1 | 0.0 % | 0.0% |
| TIMOLOL MALEATE OPTH | 1 | 0.0 % | 0.0% |
| TIMOPTIC | 2 | 0.0 % | 0.0% |
| TOPROL | 1 | 0.0 % | 0.0% |
| TOPROL XL | 2 | 0.0 % | 0.0% |
| TORADOL | 1 | 0.0 % | 0.0% |
| TRANSDERMAL NTG | 1 | 0.0 % | 0.0% |
| TRAZODONE | 3 | 0.1 % | 0.1% |
| TRAZODONE 50MG | 1 | 0.0 % | 0.0% |
| TRAZODONE HCL | 5 | 0.1 % | 0.1% |
| TRIAMCINOLONEACETONI | 1 | 0.0 % | 0.0% |
| TRIAMTERENE | 9 | 0.2 % | 0.2% |
| TRIHEXYPHENIDYL HCL | 1 | 0.0 % | 0.0% |
| TRILEVLIN | 1 | 0.0 % | 0.0% |
| TRIMETHOPRIM | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM4 | CG MEDICATION 4 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| TRIPROLIDINE | 1 | 0.0 % | 0.0% |
| TRUSOPT | 2 | 0.0 % | 0.0% |
| TUMS | 2 | 0.0 % | 0.0% |
| TYLENOL | 25 | 0.6 % | 0.6% |
| TYLENOL ARTHRITIS RE | 1 | 0.0 % | 0.0% |
| TYLENOL PM | 2 | 0.0 % | 0.0% |
| TYLENOL SINUS | 1 | 0.0 % | 0.0% |
| TYLENOL W CODEINE | 1 | 0.0 % | 0.0% |
| ULR-LA-TABLETS | 1 | 0.0 % | 0.0% |
| ULTRA MEGA VITAMIN | 1 | 0.0 % | 0.0% |
| ULTRA VITAMIN | 1 | 0.0 % | 0.0% |
| ULTRAM | 4 | 0.1 % | 0.1% |
| ULTRAMEGA VITAMIN | 1 | 0.0 % | 0.0% |
| UNA DE GATA RAIN FOR | 1 | 0.0 % | 0.0% |
| UNIPHLY | 1 | 0.0 % | 0.0% |
| UNIPHYL | 3 | 0.1 % | 0.1% |
| UNIVASC | 3 | 0.1 % | 0.1% |
| VALERIAN | 1 | 0.0 % | 0.0% |
| VALIUM | 5 | 0.1 % | 0.1% |
| VANCENASE | 2 | 0.0 % | 0.0% |
| VANCERIL | 1 | 0.0 % | 0.0% |
| VASERETIC | 1 | 0.0 % | 0.0% |
| VASOTEC | 8 | 0.2 % | 0.2% |
| VASOTEC TABLETS | 1 | 0.0 % | 0.0% |
| VENACTON | 1 | 0.0 % | 0.0% |
| VENTOLIN | 8 | 0.2 % | 0.2% |
| VERAPAMIL | 14 | 0.3 % | 0.3% |
| VEROMAX | 1 | 0.0 % | 0.0% |
| VICODAN | 2 | 0.0 % | 0.0% |
| VICODIN | 1 | 0.0 % | 0.0% |
| VICOPROFEN | 1 | 0.0 % | 0.0% |
| VIOXX | 1 | 0.0 % | 0.0% |
| VISION FORMULA | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM4 | CG MEDICATION 4 (cont.) |

| Value | Frequency | % | Valid % |
|-------------------|-----------|-------|---------|
| VIT C | 2 | 0.0 % | 0.0% |
| VIT E | 5 | 0.1 % | 0.1% |
| VITAMIN | 1 | 0.0 % | 0.0% |
| VITAMIN A | 3 | 0.1 % | 0.1% |
| VITAMIN B | 10 | 0.2 % | 0.2% |
| VITAMIN B COMPLEX | 1 | 0.0 % | 0.0% |
| VITAMIN B-12 | 4 | 0.1 % | 0.1% |
| VITAMIN B-6 | 3 | 0.1 % | 0.1% |
| VITAMIN B12 | 2 | 0.0 % | 0.0% |
| VITAMIN C | 53 | 1.3 % | 1.3% |
| VITAMIN C 1000 | 1 | 0.0 % | 0.0% |
| VITAMIN D | 8 | 0.2 % | 0.2% |
| VITAMIN D COMPLEX | 1 | 0.0 % | 0.0% |
| VITAMIN E | 99 | 2.4 % | 2.4% |
| VITAMIN E 400IU | 1 | 0.0 % | 0.0% |
| VITAMIN Q 50 | 1 | 0.0 % | 0.0% |
| VITAMIN Z | 1 | 0.0 % | 0.0% |
| VITAMIN-A & D | 1 | 0.0 % | 0.0% |
| VITAMIN-C | 4 | 0.1 % | 0.1% |
| VITAMIN-E | 3 | 0.1 % | 0.1% |
| VITAMIN-MULTI | 1 | 0.0 % | 0.0% |
| VITAMINA C | 1 | 0.0 % | 0.0% |
| VITAMINE B | 1 | 0.0 % | 0.0% |
| VITAMINS | 7 | 0.2 % | 0.2% |
| VITRUM | 1 | 0.0 % | 0.0% |
| VOLMAX | 1 | 0.0 % | 0.0% |
| VOLTAREN | 1 | 0.0 % | 0.0% |
| WAFFARIN SODIUM | 1 | 0.0 % | 0.0% |
| WARFARIN SODIUM | 1 | 0.0 % | 0.0% |
| WATER BALANCE | 1 | 0.0 % | 0.0% |
| WELLBUTRIN | 4 | 0.1 % | 0.1% |
| WYGESIC | 2 | 0.0 % | 0.0% |
| XALATAN | 2 | 0.0 % | 0.0% |

GM4 CG MEDICATION 4 (cont.)

| Value | Frequency | % | Valid % |
|---------------|-----------|-------|---------|
| XANAX | 10 | 0.2 % | 0.2% |
| ZANTAC | 6 | 0.1 % | 0.1% |
| ZAROXOLYN | 2 | 0.0 % | 0.0% |
| ZEFAZONE | 1 | 0.0 % | 0.0% |
| ZESTORETIC | 1 | 0.0 % | 0.0% |
| ZESTRIL | 10 | 0.2 % | 0.2% |
| ZIAC | 2 | 0.0 % | 0.0% |
| ZINC | 4 | 0.1 % | 0.1% |
| ZOCOR | 14 | 0.3 % | 0.3% |
| ZOCOR 20MG QD | 1 | 0.0 % | 0.0% |
| ZOLOFT | 19 | 0.5 % | 0.5% |
| ZYBAN | 1 | 0.0 % | 0.0% |
| ZYLOPRIN | 1 | 0.0 % | 0.0% |
| ZYNTEC | 1 | 0.0 % | 0.0% |
| ZYPREXA | 1 | 0.0 % | 0.0% |
| ZYRTEC | 3 | 0.1 % | 0.1% |

G4C1

Start: 239 End: 247 Width: 9.2

Type: numeric (ISO) Interval: discrete

CG MEDICATION 4 CODE1

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 2101 | 50.9 % | 50.9% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 2 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 174 | 4.2 % | 4.2% |
| 3.00 | (ANES) Anesthetic | 1 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 25 | 0.6 % | 0.6% |
| 5.00 | (ANTC) Anticonvulsive | 8 | 0.2 % | 0.2% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 34 | 0.8 % | 0.8% |
| 9.00 | (ANTI) Anti-inflammatory | 54 | 1.3 % | 1.3% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |

| Variable Va | riat | ole D |)escr | pti | or |
|-------------|------|-------|-------|-----|----|
|-------------|------|-------|-------|-----|----|

G4C1 CG MEDICATION 4 CODE1 (cont.)

| Value Label | | Frequency | 0/ | 17 11 107 |
|---------------|-------------------------|-------------|--------|-----------|
| | | 1 requericy | % | Valid % |
| 11.00 (ANTN |) Antineoplastic | 9 | 0.2 % | 0.2% |
| 12.00 (ANTP |) Antiparasitic | 2 | 0.0 % | 0.0% |
| 13.00 (ANTS |) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 (ANTT |) Antitussive | 1 | 0.0 % | 0.0% |
| 15.00 (ANTV |) Antiviral | 3 | 0.1 % | 0.1% |
| 16.00 (CNS) | Central Nervous System | 75 | 1.8 % | 1.8% |
| 17.00 (CON) | Contraceptive | 2 | 0.0 % | 0.0% |
| 18.00 (CO/C | O) Cough & Cold | 2 | 0.0 % | 0.0% |
| 19.00 (CV) C | ardiovascular | 409 | 9.9 % | 9.9% |
| 20.00 (DEN) | Dental | 3 | 0.1 % | 0.1% |
| 21.00 (DERN | 1) Dermatologic | 1 | 0.0 % | 0.0% |
| 22.00 (DIAG | Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 (DIET) | Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 (END) | Endocrine | 51 | 1.2 % | 1.2% |
| 25.00 (ENT) | Ear, Nose or Throat | 4 | 0.1 % | 0.1% |
| 26.00 (GER) | Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 (GI) G | astrointestinal | 119 | 2.9 % | 2.9% |
| 28.00 (GU) G | Senitourinary | 36 | 0.9 % | 0.9% |
| 29.00 (GYN) | 29.00 (GYN) Gynecologic | | 0.0 % | 0.0% |
| 30.00 (HEM) | Hematologic | 42 | 1.0 % | 1.0% |
| 31.00 (HIV) | AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 (HORN | Л) Hormone | 139 | 3.4 % | 3.4% |
| 33.00 (HYP) | Hypnotic | 6 | 0.1 % | 0.1% |
| 34.00 (IM) Im | nmunologic | 2 | 0.0 % | 0.0% |
| 35.00 (LAX) | Laxative | 2 | 0.0 % | 0.0% |
| 36.00 (MIG) | Migraine | 0 | 0.0 % | 0.0% |
| 37.00 (MS) N | flusculoskeletal | 28 | 0.7 % | 0.7% |
| 38.00 (NAR) | Narcotic | 4 | 0.1 % | 0.1% |
| 39.00 (NARA | Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 (NM) N | leuromuscular | 2 | 0.0 % | 0.0% |
| 41.00 (NUT) | Nutritional | 533 | 12.9 % | 12.9% |
| 42.00 (OB) C | Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 (OPH) | Opthalmologic | 23 | 0.6 % | 0.6% |

G4C1 CG MEDICATION 4 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 62 | 1.5 % | 1.5% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 1 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 10 | 0.2 % | 0.2% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 21 | 0.5 % | 0.5% |
| 49.00 | (PUL) Pulmonary | 66 | 1.6 % | 1.6% |
| 50.00 | (SED) Sedative | 7 | 0.2 % | 0.2% |
| 51.00 | (STE) Steroid | 9 | 0.2 % | 0.2% |
| 52.00 | (TOP) Topical | 4 | 0.1 % | 0.1% |
| 53.00 | (TRAN) Tranquilizer | 19 | 0.5 % | 0.5% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 20 | 0.5 % | 0.5% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 11 | 0.3 % | 0.3% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 99.00 | 13.05 | 18.68 |

G4C2 CG MEDICATION 4 CODE2

Start: 248 End: 256 Width: 9.2

Type: numeric (ISO) Interval: discrete

Frequency Value Label % Valid % -4.00 Refused 0 0.0 % 0.0% -3.00 Unknown 0.0 % 0.0% 0 87.0% -2.00 None 3594 87.0 % -1.00 0.0 % 0.0% Missing 0 1.00 (ALL) Allergic 18 0.4 % 0.4% 2.00 0.5 % 0.5% (ANA) Analgesic 22 3.00 (ANES) Anesthetic 0 0.0 % 0.0% 4.00 (ANTB) Antibiotic/Antibacterial 0 0.0 % 0.0% 5.00 (ANTC) Anticonvulsive 5 0.1 % 0.1% 0.0 % 6.00 (ANTD) Antidote 0 0.0% 7.00 (ANTF) Antifungal 0.0 % 0.0% 1 8.00 (ANTH) Antihistaminic 10 0.2 % 0.2%

G4C2 CG MEDICATION 4 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|------------------------------|-----------|-------|---------|
| 9.00 | (ANTI) Anti-inflammatory | 4 | 0.1 % | 0.1% |
| 10.00 | (ANTIV) Antivertigo | 1 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 2 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 1 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 1 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 21 | 0.5 % | 0.5% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 9 | 0.2 % | 0.2% |
| 19.00 | (CV) Cardiovascular | 27 | 0.7 % | 0.7% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 5 | 0.1 % | 0.1% |
| 22.00 | (DIAG) Diagnostic | 1 | 0.0 % | 0.0% |
| 23.00 | 0 (DIET) Diet Aide | | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 28 | 0.7 % | 0.7% |
| 25.00 | (ENT) Ear, Nose or Throat | 2 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 5 | 0.1 % | 0.1% |
| 28.00 | (GU) Genitourinary | 84 | 2.0 % | 2.0% |
| 29.00 | (GYN) Gynecologic | 18 | 0.4 % | 0.4% |
| 30.00 | (HEM) Hematologic | 47 | 1.1 % | 1.1% |
| 31.00 | (HIV) AIDS/AIDS-related | 1 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 15 | 0.4 % | 0.4% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 1 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 4 | 0.1 % | 0.1% |
| 36.00 | (MIG) Migraine | 3 | 0.1 % | 0.1% |
| 37.00 | (MS) Musculoskeletal | | 0.7 % | 0.7% |
| 38.00 | (NAR) Narcotic | 7 | 0.2 % | 0.2% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 7 | 0.2 % | 0.2% |
| 41.00 | (NUT) Nutritional | 5 | 0.1 % | 0.1% |

G4C2 CG MEDICATION 4 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|---------------------|---|-----------|-------|---------|
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 2 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 37 | 0.9 % | 0.9% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 3 | 0.1 % | 0.1% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 70 | 1.7 % | 1.7% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 12 | 0.3 % | 0.3% |
| 51.00 (STE) Steroid | | 6 | 0.1 % | 0.1% |
| 52.00 | (TOP) Topical | 1 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 20 | 0.5 % | 0.5% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 1 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|------|-------|
| 4129 | -2.00 | 60.00 | 2.23 | 12.08 |

G4C3 CG MEDICATION 4 CODE3

Start: 257 End: 265 Width: 9.2

Type: numeric (ISO)
Interval: discrete

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4034 | 97.7 % | 97.7% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 5 | 0.1 % | 0.1% |
| 6.00 | (ANTD) Antidote | 1 | 0.0 % | 0.0% |

| Variable V | /ariable | Descri | ption |
|------------|----------|--------|-------|
|------------|----------|--------|-------|

G4C3 CG MEDICATION 4 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|------------------------------|-----------|-------|---------|
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 1 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 1 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 4 | 0.1 % | 0.1% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 3 | 0.1 % | 0.1% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 5 | 0.1 % | 0.1% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | 0.00 (DEN) Dental | | 0.0 % | 0.0% |
| 21.00 | .00 (DERM) Dermatologic | | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 1 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 3 | 0.1 % | 0.1% |
| 29.00 | (GYN) Gynecologic | 15 | 0.4 % | 0.4% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 2 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 2 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 1 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |

G4C3 CG MEDICATION 4 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 1 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | 47.00 (PSY) Psychiatric - Anti-anxiety | | 0.5 % | 0.5% |
| 48.00 | 48.00 (PSY) Psychiatric - Cognitive Enhancement | | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 10 | 0.2 % | 0.2% |
| 51.00 | (STE) Steroid | 2 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 19 | 0.5 % | 0.5% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | 60.00 (PSY) Psychiatric - Miscellaneous | | 0.0 % | 0.0% |
| 98.00 | .00 Blinded Study Drug | | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 53.00 | -1.11 | 6.29 |

G4C4

Start: 266 End: 274 Width: 9.2

Type: numeric (ISO) Interval: discrete

CG MEDICATION 4 CODE4

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4112 | 99.6 % | 99.6% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |

| Variable V | /ariable | Descri | ption |
|------------|----------|--------|-------|
|------------|----------|--------|-------|

G4C4 CG MEDICATION 4 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|------------------------------|-----------|-------|---------|
| 5.00 | (ANTC) Anticonvulsive | 2 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 1 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | .00 (CO/CO) Cough & Cold | | 0.0 % | 0.0% |
| 19.00 | 00 (CV) Cardiovascular | | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
| | |

CG MEDICATION 4 CODE4 (cont.) G4C4

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | 6.00 (PSY) Psychiatric - Antipsychotic | | 0.0 % | 0.0% |
| 47.00 | 7.00 (PSY) Psychiatric - Anti-anxiety | | 0.1 % | 0.1% |
| 48.00 | 48.00 (PSY) Psychiatric - Cognitive Enhancement | | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 10 | 0.2 % | 0.2% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | 5.00 (HERB) Herbal | | 0.0 % | 0.0% |
| 60.00 | 0.00 (PSY) Psychiatric - Miscellaneous | | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| | | | | |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 53.00 | -1.81 | 3.12 |

GM5 **CG MEDICATION 5**

Start: 275 End: 294

Width: 20 Type: character (ISO) Interval: discrete

| Value | Frequency | % | Valid % |
|----------------------|-----------|--------|---------|
| -2 | 2182 | 52.8 % | 52.8% |
| AC-PEPCID | 1 | 0.0 % | 0.0% |
| ACCUPRIL | 3 | 0.1 % | 0.1% |
| ACETAMINOPHEN | 1 | 0.0 % | 0.0% |
| ACETAMINOPHEN W/CODE | 1 | 0.0 % | 0.0% |
| ACETOMINOPHEN | 2 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM5 | CG MEDICATION 5 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| ACIDO PHILUS PLUS | 1 | 0.0 % | 0.0% |
| ACTOS | 1 | 0.0 % | 0.0% |
| ADALAT | 2 | 0.0 % | 0.0% |
| ADALAT CC | 1 | 0.0 % | 0.0% |
| ADALATCC | 1 | 0.0 % | 0.0% |
| ADULT ASPIRIN | 1 | 0.0 % | 0.0% |
| ADVANCED CIRCULATION | 1 | 0.0 % | 0.0% |
| ADVIL | 7 | 0.2 % | 0.2% |
| ALBUTEROL INHALER | 2 | 0.0 % | 0.0% |
| ALBUTEROL SOL | 1 | 0.0 % | 0.0% |
| ALBUTEROL SULFATE | 1 | 0.0 % | 0.0% |
| ALDACTONE | 1 | 0.0 % | 0.0% |
| ALEVE | 3 | 0.1 % | 0.1% |
| ALFALIPIC ACID | 1 | 0.0 % | 0.0% |
| ALLEGRA | 5 | 0.1 % | 0.1% |
| ALLEGRA D | 1 | 0.0 % | 0.0% |
| ALLEVE | 3 | 0.1 % | 0.1% |
| ALLOPURINOL | 4 | 0.1 % | 0.1% |
| ALLOPURINOL TABS | 1 | 0.0 % | 0.0% |
| ALOMIDE | 1 | 0.0 % | 0.0% |
| ALPHAGAN | 1 | 0.0 % | 0.0% |
| ALPRAZOLAM | 8 | 0.2 % | 0.2% |
| ALPRAZOLAMPO | 1 | 0.0 % | 0.0% |
| ALTACE | 2 | 0.0 % | 0.0% |
| AMARYL | 1 | 0.0 % | 0.0% |
| AMBIEN | 4 | 0.1 % | 0.1% |
| AMITRIPTYLINE | 7 | 0.2 % | 0.2% |
| AMITRIPTYLINE HCL | 3 | 0.1 % | 0.1% |
| AMLODIPINE | 1 | 0.0 % | 0.0% |
| ANTACID CALCIUM | 2 | 0.0 % | 0.0% |
| ANTIOXIDANT | 1 | 0.0 % | 0.0% |
| ANTIVERT | 2 | 0.0 % | 0.0% |
| APAP | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
| | |

GM5 CG MEDICATION 5 (cont.)

| Value | Frequency | % | Valid % |
|-------------------|-----------|-------|---------|
| APAP CAPLET | 1 | 0.0 % | 0.0% |
| APAP/CODEINE | 1 | 0.0 % | 0.0% |
| ARTH-XB | 1 | 0.0 % | 0.0% |
| ARTHROTEC | 1 | 0.0 % | 0.0% |
| ARTHROTEL | 1 | 0.0 % | 0.0% |
| ASA | 1 | 0.0 % | 0.0% |
| ASPIRIN | 66 | 1.6 % | 1.6% |
| ASPIRIN ENTERIC | 1 | 0.0 % | 0.0% |
| ASPIRIN LOW -DOSE | 1 | 0.0 % | 0.0% |
| ASPRIN | 1 | 0.0 % | 0.0% |
| ASTELIN | 1 | 0.0 % | 0.0% |
| ATARAX | 1 | 0.0 % | 0.0% |
| ATENOLOL | 21 | 0.5 % | 0.5% |
| ATIVAN | 2 | 0.0 % | 0.0% |
| ATROHIST | 3 | 0.1 % | 0.1% |
| ATRONIST | 1 | 0.0 % | 0.0% |
| ATROPINE SULFATE | 1 | 0.0 % | 0.0% |
| ATROVENT INHALER | 1 | 0.0 % | 0.0% |
| AXID | 2 | 0.0 % | 0.0% |
| B COMPLEX | 2 | 0.0 % | 0.0% |
| B PLEX | 1 | 0.0 % | 0.0% |
| B-1 | 1 | 0.0 % | 0.0% |
| B-100 | 1 | 0.0 % | 0.0% |
| B-12 | 1 | 0.0 % | 0.0% |
| B-6 | 2 | 0.0 % | 0.0% |
| B-COMPLEX | 1 | 0.0 % | 0.0% |
| BABY ASPIRIN | 2 | 0.0 % | 0.0% |
| BAYCHOL | 1 | 0.0 % | 0.0% |
| BAYER ASPIRIN | 1 | 0.0 % | 0.0% |
| BECLOVENT | 2 | 0.0 % | 0.0% |
| BENADRYL | 3 | 0.1 % | 0.1% |
| BENAZEPRIL | 1 | 0.0 % | 0.0% |
| BENTYL | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM5 | CG MEDICATION 5 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| BETAPACE | 1 | 0.0 % | 0.0% |
| BETOPTIC | 1 | 0.0 % | 0.0% |
| BIAXIN | 1 | 0.0 % | 0.0% |
| BILBERRY | 1 | 0.0 % | 0.0% |
| BIOTIN | 2 | 0.0 % | 0.0% |
| BROMELAIN JOINT EASE | 1 | 0.0 % | 0.0% |
| BUDESONIDE | 1 | 0.0 % | 0.0% |
| BUMETANIDE | 1 | 0.0 % | 0.0% |
| BUPROFEN | 1 | 0.0 % | 0.0% |
| BUSPIRONE | 1 | 0.0 % | 0.0% |
| CALCIUM | 44 | 1.1 % | 1.1% |
| CALCIUM + VITAMIN D | 1 | 0.0 % | 0.0% |
| CALCIUM CARBONATE | 1 | 0.0 % | 0.0% |
| CALCIUM D | 1 | 0.0 % | 0.0% |
| CALCIUM MAGNESIUM | 1 | 0.0 % | 0.0% |
| CALCIUM SUPPLEMENT | 2 | 0.0 % | 0.0% |
| CALCIUM W/ VITAMIN D | 1 | 0.0 % | 0.0% |
| CALTRATE | 1 | 0.0 % | 0.0% |
| CALTRATE PLUS | 2 | 0.0 % | 0.0% |
| CAPOTEN | 2 | 0.0 % | 0.0% |
| CAPSIN | 1 | 0.0 % | 0.0% |
| CAPTOPRIL | 1 | 0.0 % | 0.0% |
| CARAFATE | 1 | 0.0 % | 0.0% |
| CARDIZEM | 1 | 0.0 % | 0.0% |
| CARDIZEM CD | 2 | 0.0 % | 0.0% |
| CARDURA | 10 | 0.2 % | 0.2% |
| CARTIA | 1 | 0.0 % | 0.0% |
| CASCARA SAGRADA | 1 | 0.0 % | 0.0% |
| CEFOL TAB | 1 | 0.0 % | 0.0% |
| CELEBREX | 2 | 0.0 % | 0.0% |
| CELEXA | 2 | 0.0 % | 0.0% |
| CENTRUM | 7 | 0.2 % | 0.2% |
| CENTRUM MULT-VITAMIN | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM5 | CG MEDICATION 5 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| CENTRUM SILVER | 3 | 0.1 % | 0.1% |
| CEPHALEXIN | 3 | 0.1 % | 0.1% |
| CHLOR TRIMETON | 1 | 0.0 % | 0.0% |
| CHLORPHENIRAMINE MAL | 1 | 0.0 % | 0.0% |
| CHOLESTA-LO | 1 | 0.0 % | 0.0% |
| CHONDROITIN | 1 | 0.0 % | 0.0% |
| CHONDROITINASE | 1 | 0.0 % | 0.0% |
| CHROMIUM | 1 | 0.0 % | 0.0% |
| CHROMIUM PICOLANATE | 1 | 0.0 % | 0.0% |
| CHROMIUM PICOLINATE | 2 | 0.0 % | 0.0% |
| CHRONDROITIN | 1 | 0.0 % | 0.0% |
| CIMETIDINE | 4 | 0.1 % | 0.1% |
| CITRACAL | 1 | 0.0 % | 0.0% |
| CITRUCEL | 1 | 0.0 % | 0.0% |
| CLARITIN | 11 | 0.3 % | 0.3% |
| CLARITIN D | 2 | 0.0 % | 0.0% |
| CLARITIN-D | 2 | 0.0 % | 0.0% |
| CLINDAMYCIN | 1 | 0.0 % | 0.0% |
| CLONAZEPAM | 1 | 0.0 % | 0.0% |
| CLONIDINE | 1 | 0.0 % | 0.0% |
| CLONIDINE HCL | 5 | 0.1 % | 0.1% |
| CO Q10 | 1 | 0.0 % | 0.0% |
| COD LIVER OIL | 2 | 0.0 % | 0.0% |
| COENZYM | 1 | 0.0 % | 0.0% |
| COENZYME Q-10 | 1 | 0.0 % | 0.0% |
| COLCHICINE | 1 | 0.0 % | 0.0% |
| COMBIVENT | 1 | 0.0 % | 0.0% |
| COPAXONE | 2 | 0.0 % | 0.0% |
| COQ 10 | 1 | 0.0 % | 0.0% |
| COREG | 1 | 0.0 % | 0.0% |
| COUGH DROPS | 1 | 0.0 % | 0.0% |
| COUMADIN | 5 | 0.1 % | 0.1% |
| COUMIDAN | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM5 | CG MEDICATION 5 (cont.) |

| Value | Frequency | % | Valid % |
|---------------------|-----------|-------|---------|
| COVERA-HS | 1 | 0.0 % | 0.0% |
| COZAAK | 1 | 0.0 % | 0.0% |
| COZAAR | 2 | 0.0 % | 0.0% |
| CYANOCOBALMIN | 1 | 0.0 % | 0.0% |
| CYCRIN | 1 | 0.0 % | 0.0% |
| CYTOTEC | 2 | 0.0 % | 0.0% |
| DARVOCET | 7 | 0.2 % | 0.2% |
| DARVON | 1 | 0.0 % | 0.0% |
| DARVOSET | 1 | 0.0 % | 0.0% |
| DAYPRO | 7 | 0.2 % | 0.2% |
| DELTASONE | 1 | 0.0 % | 0.0% |
| DEMADEX | 2 | 0.0 % | 0.0% |
| DENYLPROPAN | 1 | 0.0 % | 0.0% |
| DEPAKOTE | 2 | 0.0 % | 0.0% |
| DESYREL | 2 | 0.0 % | 0.0% |
| DETERENOL | 1 | 0.0 % | 0.0% |
| DETROL | 5 | 0.1 % | 0.1% |
| DI-ALPHA TOCOPHERYL | 1 | 0.0 % | 0.0% |
| DIABETA | 1 | 0.0 % | 0.0% |
| DIAVAN | 1 | 0.0 % | 0.0% |
| DIAZEPAM | 2 | 0.0 % | 0.0% |
| DIAZIEPAM | 1 | 0.0 % | 0.0% |
| DICYCLOMINE | 1 | 0.0 % | 0.0% |
| DIFLUCAN | 1 | 0.0 % | 0.0% |
| DIGOXIN | 3 | 0.1 % | 0.1% |
| DILANTIN | 3 | 0.1 % | 0.1% |
| DILTIAZEM | 2 | 0.0 % | 0.0% |
| DILTIAZEM XR | 1 | 0.0 % | 0.0% |
| DIOVAN | 3 | 0.1 % | 0.1% |
| DIPHENHYDRAMINE | 1 | 0.0 % | 0.0% |
| DIPHENHYDRAMINE HCL | 3 | 0.1 % | 0.1% |
| DIPYRIDAMOLE | 2 | 0.0 % | 0.0% |
| DIVALPROEX NA | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM5 | CG MEDICATION 5 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| DOCUSATE CALCIUM | 1 | 0.0 % | 0.0% |
| DONE | 1 | 0.0 % | 0.0% |
| DONNATAL | 2 | 0.0 % | 0.0% |
| DOXEPIN | 1 | 0.0 % | 0.0% |
| DURA VENT | 1 | 0.0 % | 0.0% |
| DURAGESIC | 1 | 0.0 % | 0.0% |
| DURATUSS | 1 | 0.0 % | 0.0% |
| DYAZIDE | 3 | 0.1 % | 0.1% |
| E 400 | 1 | 0.0 % | 0.0% |
| E-400 | 1 | 0.0 % | 0.0% |
| ECHINACEA | 1 | 0.0 % | 0.0% |
| ECHINEACIA | 1 | 0.0 % | 0.0% |
| ECOTRIN | 12 | 0.3 % | 0.3% |
| ECOTRIN REGULAR | 1 | 0.0 % | 0.0% |
| EFFEXOR | 1 | 0.0 % | 0.0% |
| ELAVIL | 1 | 0.0 % | 0.0% |
| ENBREL-INJECTION | 1 | 0.0 % | 0.0% |
| ENTERIC ASPIRIN | 1 | 0.0 % | 0.0% |
| EPA FISH OIL | 1 | 0.0 % | 0.0% |
| EQUATE | 1 | 0.0 % | 0.0% |
| ERYTHROMYCIN | 1 | 0.0 % | 0.0% |
| ESTER C 500 MG | 1 | 0.0 % | 0.0% |
| ESTRACE | 2 | 0.0 % | 0.0% |
| ESTRATAB | 2 | 0.0 % | 0.0% |
| ESTRATEST | 2 | 0.0 % | 0.0% |
| ESTROGENS CONJUGATED | 2 | 0.0 % | 0.0% |
| ESTROPIPATE | 1 | 0.0 % | 0.0% |
| ETODOLAC | 1 | 0.0 % | 0.0% |
| EULEXIN | 1 | 0.0 % | 0.0% |
| EVISTA | 1 | 0.0 % | 0.0% |
| EXCEDRIN | 2 | 0.0 % | 0.0% |
| FAMOTIDINE | 1 | 0.0 % | 0.0% |
| FENFLURAMINE-HCL | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM5 | CG MEDICATION 5 (cont.) |

| Value | Frequency | % | Valid % |
|--------------------|-----------|-------|---------|
| FEOSOL | 1 | 0.0 % | 0.0% |
| FIBER CON | 1 | 0.0 % | 0.0% |
| FIBER RICH | 1 | 0.0 % | 0.0% |
| FIBER-TAB | 1 | 0.0 % | 0.0% |
| FIBERCON | 1 | 0.0 % | 0.0% |
| FIORINAL | 1 | 0.0 % | 0.0% |
| FISH OIL | 1 | 0.0 % | 0.0% |
| FLAXSEED OIL | 1 | 0.0 % | 0.0% |
| FLEXARIL | 1 | 0.0 % | 0.0% |
| FLEXERIL | 5 | 0.1 % | 0.1% |
| FLONASE | 1 | 0.0 % | 0.0% |
| FLOVENT | 2 | 0.0 % | 0.0% |
| FLUOXETINE | 1 | 0.0 % | 0.0% |
| FLUVENT INHALER | 1 | 0.0 % | 0.0% |
| FOLIC ACID | 13 | 0.3 % | 0.3% |
| FOLIC ACID CAPS | 1 | 0.0 % | 0.0% |
| FORMADIL AEROLIZER | 1 | 0.0 % | 0.0% |
| FOSAMAX | 10 | 0.2 % | 0.2% |
| FUROSEMIDE | 16 | 0.4 % | 0.4% |
| GARLIC | 5 | 0.1 % | 0.1% |
| GARLIC OIL | 2 | 0.0 % | 0.0% |
| GEMFIBROZIL | 2 | 0.0 % | 0.0% |
| GENTLEIRON | 1 | 0.0 % | 0.0% |
| GINGKGO BILOBA | 1 | 0.0 % | 0.0% |
| GINGKO BILOBA | 3 | 0.1 % | 0.1% |
| GINGKO-MEMO | 1 | 0.0 % | 0.0% |
| GINGKOBILOBA | 1 | 0.0 % | 0.0% |
| GINKCO BILOBA | 1 | 0.0 % | 0.0% |
| GINKGO BILOBA | 7 | 0.2 % | 0.2% |
| GINKGOBILOBAPLUS | 1 | 0.0 % | 0.0% |
| GINKO BILOBA | 3 | 0.1 % | 0.1% |
| GINSANA | 2 | 0.0 % | 0.0% |
| GINSENG | 2 | 0.0 % | 0.0% |

| Variable | Variable Description | |
|----------|-------------------------|--|
| GM5 | CG MEDICATION 5 (cont.) | |

| | <u> </u> | | |
|----------------------|-----------|-------|---------|
| Value | Frequency | % | Valid % |
| GLIPIZIDE | 5 | 0.1 % | 0.1% |
| GLUCOPHAGE | 4 | 0.1 % | 0.1% |
| GLUCOSAMINE | 7 | 0.2 % | 0.2% |
| GLUCOSAMINE SULFATE | 1 | 0.0 % | 0.0% |
| GLUCOSAMINE-CHONDROI | 1 | 0.0 % | 0.0% |
| GLUCOTROL | 3 | 0.1 % | 0.1% |
| GLYBURIDE | 5 | 0.1 % | 0.1% |
| GUANFACINE HCL | 1 | 0.0 % | 0.0% |
| HCTZ | 6 | 0.1 % | 0.1% |
| HEALTHY WOMEN VITAMI | 1 | 0.0 % | 0.0% |
| HERBAL SUPPLEMENT | 1 | 0.0 % | 0.0% |
| HONEY & CIDER VINEGA | 1 | 0.0 % | 0.0% |
| HUMAN GROWTH HORMONE | 1 | 0.0 % | 0.0% |
| HUMULIN N | 5 | 0.1 % | 0.1% |
| HYDROCHLOROT | 1 | 0.0 % | 0.0% |
| HYDROCHLOROTHIAZIDE | 10 | 0.2 % | 0.2% |
| HYDROCOPONE (PREP) | 1 | 0.0 % | 0.0% |
| HYDROCORTISONE | 1 | 0.0 % | 0.0% |
| HYDROXY ZINE | 1 | 0.0 % | 0.0% |
| HYDROXYZINE | 2 | 0.0 % | 0.0% |
| HYDROXYZINE HCL | 2 | 0.0 % | 0.0% |
| HYOSCYAMINE | 1 | 0.0 % | 0.0% |
| HYTRIN | 1 | 0.0 % | 0.0% |
| HYZAAR | 6 | 0.1 % | 0.1% |
| IBUPROFEN | 10 | 0.2 % | 0.2% |
| IMDUR | 5 | 0.1 % | 0.1% |
| IMITREX | 1 | 0.0 % | 0.0% |
| INDAPAMIDE | 3 | 0.1 % | 0.1% |
| INSULIN SYRINGE | 1 | 0.0 % | 0.0% |
| INTAL | 1 | 0.0 % | 0.0% |
| IRON | 2 | 0.0 % | 0.0% |
| IRON ALL | 1 | 0.0 % | 0.0% |
| ISATIS COOLING | 1 | 0.0 % | 0.0% |
| | | | |

| Variable | Variable Description | |
|----------|-------------------------|--|
| GM5 | CG MEDICATION 5 (cont.) | |

| Value | Frequency | % | Valid 9/ |
|----------------------|-----------|-------|----------|
| ISOSORBIDE | , , | | Valid % |
| K DUR | 1 | 0.0 % | 0.0% |
| | | | 0.0% |
| K-DUR K-DUR TAB | 6 | 0.1 % | 0.1% |
| | 2 | 0.0 % | 0.0% |
| KLONOPIN KLOR CON | | 0.0 % | 0.0% |
| KLOR-CON | 1 | 0.0 % | 0.0% |
| KYOLIC | 1 | 0.0 % | 0.0% |
| L-THYROXINE | 1 | 0.0 % | 0.0% |
| LAMISIL | 1 | 0.0 % | 0.0% |
| LANOXIN | 16 | 0.4 % | 0.4% |
| LASIC | 1 | 0.0 % | 0.0% |
| LASIX | 10 | 0.2 % | 0.2% |
| LECITHIN | 3 | 0.1 % | 0.1% |
| LESCOL | 3 | 0.1 % | 0.1% |
| LEVO-T | 1 | 0.0 % | 0.0% |
| LEVOTHROID | 2 | 0.0 % | 0.0% |
| LEVOXYL | 7 | 0.2 % | 0.2% |
| LEVSIN | 1 | 0.0 % | 0.0% |
| LIBRAX | 3 | 0.1 % | 0.1% |
| LINDENFLOWER TEA | 1 | 0.0 % | 0.0% |
| LIPITOR | 8 | 0.2 % | 0.2% |
| LOPID | 1 | 0.0 % | 0.0% |
| LOPRESSER | 1 | 0.0 % | 0.0% |
| LOR-CON | 1 | 0.0 % | 0.0% |
| LORAZEPAM | 4 | 0.1 % | 0.1% |
| LOTENSIN | 1 | 0.0 % | 0.0% |
| LOTREL | 1 | 0.0 % | 0.0% |
| LOVASTATIN | 3 | 0.1 % | 0.1% |
| MAGNESIUM | 2 | 0.0 % | 0.0% |
| MECLIZINE | 1 | 0.0 % | 0.0% |
| MECLIZINE HCL | 1 | 0.0 % | 0.0% |
| MECLOFENAMATE | 1 | 0.0 % | 0.0% |
| MEDI-ZYMEN | 1 | 0.0 % | 0.0% |
| | | | |

| Variable | Variable Description |
|----------|-------------------------|
| GM5 | CG MEDICATION 5 (cont.) |

| MEDROXYPROGESTERONE MEGA B-125 MEGA LECHITIN MELATONIN | 1 1 1 3 1 | 0.0 % 0.0 % 0.0 % 0.1 % | 0.0% 0.0% 0.0% |
|--|-----------------------|----------------------------------|----------------------|
| MEGA LECHITIN | 1 3 1 | 0.0 % | |
| | 3 | | 0.0% |
| MELATONIN | 1 | 0.1 % | |
| | | | 0.1% |
| METABOLIFE | 4 | 0.0 % | 0.0% |
| METFORMIN | 1 | 0.0 % | 0.0% |
| METHISCHOL | 1 | 0.0 % | 0.0% |
| METOCLOPRAMIDE | 1 | 0.0 % | 0.0% |
| METOPROLOL | 6 | 0.1 % | 0.1% |
| MEVACOR | 4 | 0.1 % | 0.1% |
| MEVACUR | 1 | 0.0 % | 0.0% |
| MIACALCIN | 1 | 0.0 % | 0.0% |
| MIACALCIN NASAL | 1 | 0.0 % | 0.0% |
| MICRO K | 1 | 0.0 % | 0.0% |
| MICRO-K | 1 | 0.0 % | 0.0% |
| MICRO-K 8MEOCR | 1 | 0.0 % | 0.0% |
| MICRO-K SMEQCR | 1 | 0.0 % | 0.0% |
| MONOPRIL | 1 | 0.0 % | 0.0% |
| MOTRIN | 3 | 0.1 % | 0.1% |
| MSM | 1 | 0.0 % | 0.0% |
| MULTI VITAMIN | 30 | 0.7 % | 0.7% |
| MULTI VITAMINS | 18 | 0.4 % | 0.4% |
| MULTI-VITAMIN | 4 | 0.1 % | 0.1% |
| MULTI-VITAMINS | 11 | 0.3 % | 0.3% |
| MULTIMINERAL | 1 | 0.0 % | 0.0% |
| MULTIPLE SUPPLEMENTS | 1 | 0.0 % | 0.0% |
| MULTIPLE VITAMIN | 1 | 0.0 % | 0.0% |
| MULTIRET FOLIC | 1 | 0.0 % | 0.0% |
| MULTIVITAMIN | 26 | 0.6 % | 0.6% |
| MULTIVITAMIN SUPPLEM | 1 | 0.0 % | 0.0% |
| MULTIVITAMINS | 1 | 0.0 % | 0.0% |
| MULTIVITIAMIN | 1 | 0.0 % | 0.0% |
| MYLANTA | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM5 | CG MEDICATION 5 (cont.) |

| NAPROXEN SODIUM 4 0.1 % 0.0% NEUROCOMPLEX 1 0.0 % 0.0% NEURONTIN 2 0.0 % 0.0% NIACIN 1 0.0 % 0.0% NIFEDIPINE 2 0.0 % 0.0% NITROGLYCERIN 4 0.1 % 0.1% NITROGLYCERINE 1 0.0 % 0.0% NONE 387 9.4 % 9.4% NONI 1 0.0 % 0.0% NORVASC 17 0.4 % 0.4% OCUVITE 2 0.0 % 0.0% OMEGA-3 1 0.0 % 0.0% ONE SOURCE 1 0.0 % 0.0% ORTHOTRI CYCLEN 1 0.0 % 0.0% OS-CAL 3 0.1 % 0.1% OS-CAL 3 0.1 % 0.1% OSTEO BI FLEX 1 0.0 % 0.0% OSTEO BI-FLEX 1 0.0 % 0.0% OSTEO-BI-FLEX | Value | Frequency | % | Valid % |
|---|----------------------|-----------|-------|---------|
| NAPROXEN SODIUM 4 0.1 % 0.0% NEUROCOMPLEX 1 0.0 % 0.0% NEURONTIN 2 0.0 % 0.0% NIACIN 1 0.0 % 0.0% NIFEDIPINE 2 0.0 % 0.0% NITROGLYCERIN 4 0.1 % 0.1% NITROGLYCERINE 1 0.0 % 0.0% NONE 387 9.4 % 9.4% NONI 1 0.0 % 0.0% NORVASC 17 0.4 % 0.4% OCUVITE 2 0.0 % 0.0% OMEGA-3 1 0.0 % 0.0% ONE SOURCE 1 0.0 % 0.0% ORTHOTRI CYCLEN 1 0.0 % 0.0% OS-CAL 3 0.1 % 0.1% OS-CAL 3 0.1 % 0.1% OSTEO BI FLEX 1 0.0 % 0.0% OSTEO BI-FLEX 1 0.0 % 0.0% OSTEO-BI-FLEX | NADOLOL | 1 | 0.0 % | 0.0% |
| NEUROCOMPLEX 1 0.0% 0.0% NEURONTIN 2 0.0% 0.0% NIACIN 1 0.0% 0.0% NIFEDIPINE 2 0.0% 0.0% NITROGLYCERIN 4 0.1% 0.1% NITROSTAT 7 0.2% 0.2% NONE 387 9.4% 9.4% NONI 1 0.0% 0.0% NORVASC 17 0.4% 0.4% OCUVITE 2 0.0% 0.0% OMEGA-3 1 0.0% 0.0% ONE SOURCE 1 0.0% 0.0% ORTHOTRI CYCLEN 1 0.0% 0.0% OS-CAL 3 0.1% 0.1% OS-CAL 4 0.1% 0.1% OSCAL 500 MG 1 0.0% 0.0% OSTEO BI FLEX 1 0.0% 0.0% OSTEO ESSENTIALS 1 0.0% 0.0% OSTEO-BI-FLEX 1 0.0% | NAPROXEN | 4 | 0.1 % | 0.1% |
| NEURONTIN 2 0.0 % 0.0% NIACIN 1 0.0 % 0.0% NIFEDIPINE 2 0.0 % 0.0% NITROGLYCERIN 4 0.1 % 0.1% NITROGLYCERINE 1 0.0 % 0.0% NITROSTAT 7 0.2 % 0.2% NONE 387 9.4 % 9.4% NONI 1 0.0 % 0.0% NORVASC 17 0.4 % 0.4% OCUVITE 2 0.0 % 0.0% OMEGA-3 1 0.0 % 0.0% ORTHOTRI CYCLEN 1 0.0 % 0.0% OS-CAL 3 0.1 % 0.1% OSCAL 4 0.1 % 0.1% OSCAL 500 MG 1 0.0 % 0.0% OSTEO BI FLEX 1 0.0 % 0.0% OSTEO ESSENTIALS 1 0.0 % 0.0% OSTEO-BI-FLEX 1 0.0 % 0.0% OTHER NUTRITIONAL < | NAPROXEN SODIUM | 4 | 0.1 % | 0.1% |
| NIACIN 1 0.0% 0.0% NIFEDIPINE 2 0.0% 0.0% NITROGLYCERIN 4 0.1 % 0.1% NITROSTAT 7 0.2 % 0.2% NONE 387 9.4 % 9.4% NONI 1 0.0 % 0.0% NORVASC 17 0.4 % 0.4% OCUVITE 2 0.0 % 0.0% OMEGA-3 1 0.0 % 0.0% ORTHOTRI CYCLEN 1 0.0 % 0.0% OS-CAL 3 0.1 % 0.1% OSCAL 4 0.1 % 0.1% OSCAL 500 MG 1 0.0 % 0.0% OSTEO BI FLEX 1 0.0 % 0.0% OSTEO BI-FLEX 1 </td <td>NEUROCOMPLEX</td> <td>1</td> <td>0.0 %</td> <td>0.0%</td> | NEUROCOMPLEX | 1 | 0.0 % | 0.0% |
| NIFEDIPINE 2 0.0 % 0.0% NITROGLYCERIN 4 0.1 % 0.1% NITROGLYCERINE 1 0.0 % 0.0% NITROSTAT 7 0.2 % 0.2% NONE 387 9.4 % 9.4% NONI 1 0.0 % 0.0% NORVASC 17 0.4 % 0.4% OCUVITE 2 0.0 % 0.0% OMEGA-3 1 0.0 % 0.0% ONE SOURCE 1 0.0 % 0.0% OS-CAL 3 0.1 % 0.1% OSCAL 4 0.1 % 0.1% OSCAL 500 MG 1 0.0 % 0.0% OSTEO BI FLEX 1 0.0 % 0.0% OSTEO BI-FLEX 1 0.0 % 0.0% OSTEO-BI-FLEX 1 0.0 % 0.0% OSTEO-BI-FLEX 1 0.0 % 0.0% OTHER HERBAL 1 0.0 % 0.0% OTHER NUTRITIONAL | NEURONTIN | 2 | 0.0 % | 0.0% |
| NITROGLYCERINE 4 0.1 % 0.0% NITROSTAT 7 0.2 % 0.2% NONE 387 9.4 % 9.4% NONI 1 0.0 % 0.0% NORVASC 17 0.4 % 0.4% OCUVITE 2 0.0 % 0.0% OMEGA-3 1 0.0 % 0.0% ORTHOTRI CYCLEN 1 0.0 % 0.0% OS-CAL 3 0.1 % 0.1% OSCAL 4 0.1 % 0.1% OSCAL 500 MG 1 0.0 % 0.0% OSTEO BI FLEX 1 0.0 % 0.0% OSTEO BI-FLEX 1 0.0 % 0.0% OSTEO ESSENTIALS 1 0.0 % 0.0% OSTEO-BI-FLEX 1 0.0 % 0.0% OTHER HERBAL 1 0.0 % 0.0% OTHER NUTRITIONAL 1 0.0 % 0.0% OXYGODONE HYDROCHLOR 1 0.0 % 0.0% OXYCODON | NIACIN | 1 | 0.0 % | 0.0% |
| NITROGLYCERINE 1 0.0 % 0.0% NITROSTAT 7 0.2 % 0.2% NONE 387 9.4 % 9.4% NONI 1 0.0 % 0.0% NORVASC 17 0.4 % 0.4% OCUVITE 2 0.0 % 0.0% OMEGA-3 1 0.0 % 0.0% ORTHOTRI CYCLEN 1 0.0 % 0.0% OS-CAL 3 0.1 % 0.1% OSCAL 4 0.1 % 0.1% OSCAL 500 MG 1 0.0 % 0.0% OSTEO BI FLEX 1 0.0 % 0.0% OSTEO BI-FLEX 1 0.0 % 0.0% OSTEO BI-FLEX 1 0.0 % 0.0% OSTEO-BI-FLEX 1 0.0 % 0.0% OTHER HERBAL 1 0.0 % 0.0% OXYBUTYNIN 1 0.0 % 0.0% OXYCODONE HYDROCHLOR 1 0.0 % 0.0% OXYCODONE HYDROCHL | NIFEDIPINE | 2 | 0.0 % | 0.0% |
| NITROSTAT 7 0.2 % 0.2% NONE 387 9.4 % 9.4% NONI 1 0.0 % 0.0% NORVASC 17 0.4 % 0.4% OCUVITE 2 0.0 % 0.0% OMEGA-3 1 0.0 % 0.0% ORTHOTRI CYCLEN 1 0.0 % 0.0% OS-CAL 3 0.1 % 0.1% OSCAL 4 0.1 % 0.1% OSTEO BI FLEX 1 0.0 % 0.0% OSTEO BI-FLEX 1 0.0 % 0.0% OSTEO ESSENTIALS 1 0.0 % 0.0% OSTEO-BI-FLEX 1 0.0 % 0.0% OTHER HERBAL 1 0.0 % 0.0% OXYBUTYNIN 1 0.0 % 0.0% OXYCODONE HYDROCHLOR 1 0.0 % 0.0% OXYCONTIN 2 0.0 % 0.0% OYST-CAL 1 0.0 % 0.0% PAUD/ARCO < | NITROGLYCERIN | 4 | 0.1 % | 0.1% |
| NONE 387 9.4 % 9.4% NONI 1 0.0 % 0.0% NORVASC 17 0.4 % 0.4% OCUVITE 2 0.0 % 0.0% OMEGA-3 1 0.0 % 0.0% ORTHOTRI CYCLEN 1 0.0 % 0.0% OS-CAL 3 0.1 % 0.1% OSCAL 4 0.1 % 0.1% OSTEO BI FLEX 1 0.0 % 0.0% OSTEO BI-FLEX 1 0.0 % 0.0% OSTEO ESSENTIALS 1 0.0 % 0.0% OSTEO-BI-FLEX 1 0.0 % 0.0% OTHER HERBAL 1 0.0 % 0.0% OTHER NUTRITIONAL 1 0.0 % 0.0% OXYGODONE HYDROCHLOR 1 0.0 % 0.0% OXYCONTIN 2 0.0 % 0.0% OYST-CAL 1 0.0 % 0.0% PAUD/ARCO 2 0.0 % 0.0% PAXIL | NITROGLYCERINE | 1 | 0.0 % | 0.0% |
| NONI 1 0.0 % 0.0% NORVASC 17 0.4 % 0.4% OCUVITE 2 0.0 % 0.0% OMEGA-3 1 0.0 % 0.0% ONE SOURCE 1 0.0 % 0.0% ORTHOTRI CYCLEN 1 0.0 % 0.0% OS-CAL 3 0.1 % 0.1% OSCAL 4 0.1 % 0.1% OSCAL 500 MG 1 0.0 % 0.0% OSTEO BI FLEX 1 0.0 % 0.0% OSTEO BI-FLEX 1 0.0 % 0.0% OSTEO-BI-FLEX 1 0.0 % 0.0% OSTEO-BI-FLEX 1 0.0 % 0.0% OTHER NUTRITIONAL 1 0.0 % 0.0% OXYBUTYNIN 1 0.0 % 0.0% OXYCODONE HYDROCHLOR 1 0.0 % 0.0% OXYCONTIN 2 0.0 % 0.0% OYST-CAL 1 0.0 % 0.0% PAUD/ARCO | NITROSTAT | 7 | 0.2 % | 0.2% |
| NORVASC 17 0.4 % 0.4% OCUVITE 2 0.0 % 0.0% OMEGA-3 1 0.0 % 0.0% ONE SOURCE 1 0.0 % 0.0% ORTHOTRI CYCLEN 1 0.0 % 0.0% OS-CAL 3 0.1 % 0.1% OSCAL 4 0.1 % 0.1% OSCAL 500 MG 1 0.0 % 0.0% OSTEO BI FLEX 1 0.0 % 0.0% OSTEO BI-FLEX 1 0.0 % 0.0% OSTEO-BI-FLEX 1 0.0 % 0.0% OSTEO-BI-FLEX 1 0.0 % 0.0% OTHER NUTRITIONAL 1 0.0 % 0.0% OXYBUTYNIN 1 0.0 % 0.0% OXYCODONE HYDROCHLOR 1 0.0 % 0.0% OXYCONTIN 2 0.0 % 0.0% OYST-CAL 1 0.0 % 0.0% PAUD/ARCO 2 0.0 % 0.0% DOW | NONE | 387 | 9.4 % | 9.4% |
| OCUVITE 2 0.0 % 0.0% OMEGA-3 1 0.0 % 0.0% ONE SOURCE 1 0.0 % 0.0% ORTHOTRI CYCLEN 1 0.0 % 0.0% OS-CAL 3 0.1 % 0.1% OSCAL 4 0.1 % 0.1% OSCAL 500 MG 1 0.0 % 0.0% OSTEO BI FLEX 1 0.0 % 0.0% OSTEO BI-FLEX 1 0.0 % 0.0% OSTEO-BI-FLEX 1 0.0 % 0.0% OSTEO-BI-FLEX 1 0.0 % 0.0% OTHER HERBAL 1 0.0 % 0.0% OTHER NUTRITIONAL 1 0.0 % 0.0% OXYCODONE HYDROCHLOR 1 0.0 % 0.0% OXYCONTIN 2 0.0 % 0.0% OYST-CAL 1 0.0 % 0.0% PAUD/ARCO 2 0.0 % 0.0% PAXIL 11 0.3 % 0.3% | NONI | 1 | 0.0 % | 0.0% |
| OMEGA-3 1 0.0 % 0.0% ONE SOURCE 1 0.0 % 0.0% ORTHOTRI CYCLEN 1 0.0 % 0.0% OS-CAL 3 0.1 % 0.1% OSCAL 4 0.1 % 0.1% OSCAL 500 MG 1 0.0 % 0.0% OSTEO BI FLEX 1 0.0 % 0.0% OSTEO BI-FLEX 1 0.0 % 0.0% OSTEO-BI-FLEX 1 0.0 % 0.0% OTHER HERBAL 1 0.0 % 0.0% OTHER NUTRITIONAL 1 0.0 % 0.0% OXYBUTYNIN 1 0.0 % 0.0% OXYCODONE HYDROCHLOR 1 0.0 % 0.0% OXYCONTIN 2 0.0 % 0.0% OYST-CAL 1 0.0 % 0.0% PAUD/ARCO 2 0.0 % 0.0% PAXIL 11 0.3 % 0.3% | NORVASC | 17 | 0.4 % | 0.4% |
| ONE SOURCE 1 0.0 % 0.0% ORTHOTRI CYCLEN 1 0.0 % 0.0% OS-CAL 3 0.1 % 0.1% OSCAL 500 MG 1 0.0 % 0.0% OSTEO BI FLEX 1 0.0 % 0.0% OSTEO BI-FLEX 1 0.0 % 0.0% OSTEO-BI-FLEX 1 0.0 % 0.0% OTHER HERBAL 1 0.0 % 0.0% OTHER NUTRITIONAL 1 0.0 % 0.0% OXYBUTYNIN 1 0.0 % 0.0% OXYCODONE HYDROCHLOR 1 0.0 % 0.0% OXYCONTIN 2 0.0 % 0.0% OYST-CAL 1 0.0 % 0.0% PAUD/ARCO 2 0.0 % 0.0% PAXIL 11 0.3 % 0.3% | OCUVITE | 2 | 0.0 % | 0.0% |
| ORTHOTRI CYCLEN 1 0.0 % 0.0% OS-CAL 3 0.1 % 0.1% OSCAL 4 0.1 % 0.1% OSCAL 500 MG 1 0.0 % 0.0% OSTEO BI FLEX 1 0.0 % 0.0% OSTEO BI-FLEX 1 0.0 % 0.0% OSTEO-BI-FLEX 1 0.0 % 0.0% OTHER HERBAL 1 0.0 % 0.0% OTHER NUTRITIONAL 1 0.0 % 0.0% OXYBUTYNIN 1 0.0 % 0.0% OXYCODONE HYDROCHLOR 1 0.0 % 0.0% OXYCONTIN 2 0.0 % 0.0% OYST-CAL 1 0.0 % 0.0% PAUD/ARCO 2 0.0 % 0.0% PAXIL 11 0.3 % 0.3% | OMEGA-3 | 1 | 0.0 % | 0.0% |
| OS-CAL 3 0.1 % 0.1% OSCAL 4 0.1 % 0.1% OSCAL 500 MG 1 0.0 % 0.0% OSTEO BI FLEX 1 0.0 % 0.0% OSTEO BI-FLEX 1 0.0 % 0.0% OSTEO-BI-FLEX 1 0.0 % 0.0% OTHER HERBAL 1 0.0 % 0.0% OTHER NUTRITIONAL 1 0.0 % 0.0% OXYBUTYNIN 1 0.0 % 0.0% OXYCODONE HYDROCHLOR 1 0.0 % 0.0% OXYCONTIN 2 0.0 % 0.0% OYST-CAL 1 0.0 % 0.0% PAUD/ARCO 2 0.0 % 0.0% PAXIL 11 0.3 % 0.3% | ONE SOURCE | 1 | 0.0 % | 0.0% |
| OSCAL 4 0.1 % 0.1% OSCAL 500 MG 1 0.0 % 0.0% OSTEO BI FLEX 1 0.0 % 0.0% OSTEO BI-FLEX 1 0.0 % 0.0% OSTEO-BI-FLEX 1 0.0 % 0.0% OTHER HERBAL 1 0.0 % 0.0% OTHER NUTRITIONAL 1 0.0 % 0.0% OXYBUTYNIN 1 0.0 % 0.0% OXYCODONE HYDROCHLOR 1 0.0 % 0.0% OXYCONTIN 2 0.0 % 0.0% OYST-CAL 1 0.0 % 0.0% PAUD/ARCO 2 0.0 % 0.0% PAXIL 11 0.3 % 0.3% | ORTHOTRI CYCLEN | 1 | 0.0 % | 0.0% |
| OSCAL 500 MG 1 0.0 % 0.0% OSTEO BI FLEX 1 0.0 % 0.0% OSTEO BI-FLEX 1 0.0 % 0.0% OSTEO-BI-FLEX 1 0.0 % 0.0% OTHER HERBAL 1 0.0 % 0.0% OTHER NUTRITIONAL 1 0.0 % 0.0% OXYBUTYNIN 1 0.0 % 0.0% OXYCODONE HYDROCHLOR 1 0.0 % 0.0% OXYCONTIN 2 0.0 % 0.0% OYST-CAL 1 0.0 % 0.0% PAUD/ARCO 2 0.0 % 0.0% PAXIL 11 0.3 % 0.3% | OS-CAL | 3 | 0.1 % | 0.1% |
| OSTEO BI FLEX OSTEO BI-FLEX 1 0.0 % 0.0% OSTEO ESSENTIALS 1 0.0 % 0.0% OSTEO-BI-FLEX 1 0.0 % 0.0% OTHER HERBAL 1 0.0 % 0.0% OTHER NUTRITIONAL 1 0.0 % 0.0% OXYBUTYNIN 1 0.0 % 0.0% OXYCODONE HYDROCHLOR 1 0.0 % 0.0% OXYCONTIN 2 0.0 % 0.0% OYST-CAL 1 0.0 % 0.0% PAUD/ARCO PAXIL 1 0.3 % 0.3% | OSCAL | 4 | 0.1 % | 0.1% |
| OSTEO BI-FLEX 1 0.0 % 0.0% OSTEO ESSENTIALS 1 0.0 % 0.0% OSTEO-BI-FLEX 1 0.0 % 0.0% OTHER HERBAL 1 0.0 % 0.0% OTHER NUTRITIONAL 1 0.0 % 0.0% OXYBUTYNIN 1 0.0 % 0.0% OXYCODONE HYDROCHLOR 1 0.0 % 0.0% OXYCONTIN 2 0.0 % 0.0% OYST-CAL 1 0.0 % 0.0% PAUD/ARCO 2 0.0 % 0.0% PAXIL 11 0.3 % 0.3% | OSCAL 500 MG | 1 | 0.0 % | 0.0% |
| OSTEO ESSENTIALS 1 0.0 % 0.0% OSTEO-BI-FLEX 1 0.0 % 0.0% OTHER HERBAL 1 0.0 % 0.0% OTHER NUTRITIONAL 1 0.0 % 0.0% OXYBUTYNIN 1 0.0 % 0.0% OXYCODONE HYDROCHLOR 1 0.0 % 0.0% OXYCONTIN 2 0.0 % 0.0% OYST-CAL 1 0.0 % 0.0% PAUD/ARCO 2 0.0 % 0.0% PAXIL 11 0.3 % 0.3% | OSTEO BI FLEX | 1 | 0.0 % | 0.0% |
| OSTEO-BI-FLEX 1 0.0 % 0.0% OTHER HERBAL 1 0.0 % 0.0% OTHER NUTRITIONAL 1 0.0 % 0.0% OXYBUTYNIN 1 0.0 % 0.0% OXYCODONE HYDROCHLOR 1 0.0 % 0.0% OXYCONTIN 2 0.0 % 0.0% OYST-CAL 1 0.0 % 0.0% PAUD/ARCO 2 0.0 % 0.0% PAXIL 11 0.3 % 0.3% | OSTEO BI-FLEX | 1 | 0.0 % | 0.0% |
| OTHER HERBAL 1 0.0 % 0.0% OTHER NUTRITIONAL 1 0.0 % 0.0% OXYBUTYNIN 1 0.0 % 0.0% OXYCODONE HYDROCHLOR 1 0.0 % 0.0% OXYCONTIN 2 0.0 % 0.0% OYST-CAL 1 0.0 % 0.0% PAUD/ARCO 2 0.0 % 0.0% PAXIL 11 0.3 % 0.3% | OSTEO ESSENTIALS | 1 | 0.0 % | 0.0% |
| OTHER NUTRITIONAL 1 0.0 % 0.0% OXYBUTYNIN 1 0.0 % 0.0% OXYCODONE HYDROCHLOR 1 0.0 % 0.0% OXYCONTIN 2 0.0 % 0.0% OYST-CAL 1 0.0 % 0.0% PAUD/ARCO 2 0.0 % 0.0% PAXIL 11 0.3 % 0.3% | OSTEO-BI-FLEX | 1 | 0.0 % | 0.0% |
| OXYBUTYNIN 1 0.0 % 0.0% OXYCODONE HYDROCHLOR 1 0.0 % 0.0% OXYCONTIN 2 0.0 % 0.0% OYST-CAL 1 0.0 % 0.0% PAUD/ARCO 2 0.0 % 0.0% PAXIL 11 0.3 % 0.3% | OTHER HERBAL | 1 | 0.0 % | 0.0% |
| OXYCODONE HYDROCHLOR 1 0.0 % 0.0% OXYCONTIN 2 0.0 % 0.0% OYST-CAL 1 0.0 % 0.0% PAUD/ARCO 2 0.0 % 0.0% PAXIL 11 0.3 % 0.3% | OTHER NUTRITIONAL | 1 | 0.0 % | 0.0% |
| OXYCONTIN 2 0.0 % 0.0% OYST-CAL 1 0.0 % 0.0% PAUD/ARCO 2 0.0 % 0.0% PAXIL 11 0.3 % 0.3% | OXYBUTYNIN | 1 | 0.0 % | 0.0% |
| OYST-CAL 1 0.0 % 0.0% PAUD/ARCO 2 0.0 % 0.0% PAXIL 11 0.3 % 0.3% | OXYCODONE HYDROCHLOR | 1 | 0.0 % | 0.0% |
| PAUD/ARCO 2 0.0 % 0.0% PAXIL 11 0.3 % 0.3% | OXYCONTIN | 2 | 0.0 % | 0.0% |
| PAXIL 11 0.3 % 0.3% | OYST-CAL | 1 | 0.0 % | 0.0% |
| | PAUD/ARCO | 2 | 0.0 % | 0.0% |
| PENTOXIFYLLINE 1 0.0 % 0.0% | PAXIL | 11 | 0.3 % | 0.3% |
| | PENTOXIFYLLINE | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM5 | CG MEDICATION 5 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| PEPCID AC | 1 | 0.0 % | 0.0% |
| PHYTO ESTROGEN COMPL | 1 | 0.0 % | 0.0% |
| PILOCARPINE | 1 | 0.0 % | 0.0% |
| PILOPINE HS GEL | 1 | 0.0 % | 0.0% |
| PLAQUINIL | 1 | 0.0 % | 0.0% |
| PLENDIL | 1 | 0.0 % | 0.0% |
| POTASSIUM | 4 | 0.1 % | 0.1% |
| POTASSIUM CHLORIDE | 9 | 0.2 % | 0.2% |
| POTASSIUM CL | 1 | 0.0 % | 0.0% |
| POTASSIUM HL | 1 | 0.0 % | 0.0% |
| POTCHLORIDE | 1 | 0.0 % | 0.0% |
| POTOSSIUM CHLORIDE | 1 | 0.0 % | 0.0% |
| PRAVACHOL | 4 | 0.1 % | 0.1% |
| PRAZOLE | 1 | 0.0 % | 0.0% |
| PRAZOSIN | 1 | 0.0 % | 0.0% |
| PRAZOSIN HCL | 1 | 0.0 % | 0.0% |
| PREDNISONE | 5 | 0.1 % | 0.1% |
| PREMARIN | 29 | 0.7 % | 0.7% |
| PREMPRO | 1 | 0.0 % | 0.0% |
| PREVACID | 3 | 0.1 % | 0.1% |
| PRILOSEC | 17 | 0.4 % | 0.4% |
| PRIMROSE OIL | 1 | 0.0 % | 0.0% |
| PRINIVIL | 1 | 0.0 % | 0.0% |
| PROBENECID | 1 | 0.0 % | 0.0% |
| PROCAINAMIDE EX | 1 | 0.0 % | 0.0% |
| PROCARDIA | 2 | 0.0 % | 0.0% |
| PROGESTERONE | 2 | 0.0 % | 0.0% |
| PROMETHAZINE | 1 | 0.0 % | 0.0% |
| PROPINE | 1 | 0.0 % | 0.0% |
| PROPOXYPHENE | 2 | 0.0 % | 0.0% |
| PROPOXYPHENE HCL | 1 | 0.0 % | 0.0% |
| PROPRANOLOL | 3 | 0.1 % | 0.1% |
| PROPULSED | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM5 | CG MEDICATION 5 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| PROPULSID | 2 | 0.0 % | 0.0% |
| PROSCAR | 2 | 0.0 % | 0.0% |
| PROSOM | 1 | 0.0 % | 0.0% |
| PROVENTIL | 6 | 0.1 % | 0.1% |
| PROVENTIL HFA | 2 | 0.0 % | 0.0% |
| PROVERA | 2 | 0.0 % | 0.0% |
| PROZAC | 7 | 0.2 % | 0.2% |
| PSEUDOEPHEDRINE | 1 | 0.0 % | 0.0% |
| PULMICORT | 1 | 0.0 % | 0.0% |
| PULMICORT INHALER | 1 | 0.0 % | 0.0% |
| PULMICORT TURBUHALER | 1 | 0.0 % | 0.0% |
| QUININE ASCORBATE | 1 | 0.0 % | 0.0% |
| RANITIDINE | 4 | 0.1 % | 0.1% |
| REGLAN | 5 | 0.1 % | 0.1% |
| RELAFEN | 5 | 0.1 % | 0.1% |
| RESCON PREPARATIONS | 1 | 0.0 % | 0.0% |
| RESTORIL | 1 | 0.0 % | 0.0% |
| REZULIN | 2 | 0.0 % | 0.0% |
| RISPERDAL | 1 | 0.0 % | 0.0% |
| ROLAIDS | 2 | 0.0 % | 0.0% |
| ROXICET | 3 | 0.1 % | 0.1% |
| SALMETEROL | 2 | 0.0 % | 0.0% |
| SAW PALMETTO | 1 | 0.0 % | 0.0% |
| SELENIUM | 3 | 0.1 % | 0.1% |
| SELENIUM DISULFIDE | 4 | 0.1 % | 0.1% |
| SENNA TABLET | 1 | 0.0 % | 0.0% |
| SEREVENT | 2 | 0.0 % | 0.0% |
| SEREVENT SPRAY | 1 | 0.0 % | 0.0% |
| SERTRALINE | 1 | 0.0 % | 0.0% |
| SERZONE | 1 | 0.0 % | 0.0% |
| SINEMET | 1 | 0.0 % | 0.0% |
| SINEMET "CR" | 1 | 0.0 % | 0.0% |
| SINGULAIR | 3 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|-------------------------|
| GM5 | CG MEDICATION 5 (cont.) |

| Value | Frequency | % | Valid % |
|---------------------|-----------|-------|---------|
| SLOW-K | 1 | 0.0 % | 0.0% |
| SLOW-MAG | 1 | 0.0 % | 0.0% |
| SOMA | 1 | 0.0 % | 0.0% |
| SPIROZIDE | 1 | 0.0 % | 0.0% |
| STR-J | 1 | 0.0 % | 0.0% |
| SULAR | 1 | 0.0 % | 0.0% |
| SULAR ER TAB | 1 | 0.0 % | 0.0% |
| SULINDAO | 1 | 0.0 % | 0.0% |
| SUPER ALOE | 4 | 0.1 % | 0.1% |
| SUPER B COMPLEX | 1 | 0.0 % | 0.0% |
| SYNALAR | 1 | 0.0 % | 0.0% |
| SYNTHROID | 12 | 0.3 % | 0.3% |
| SYNTROID | 1 | 0.0 % | 0.0% |
| TAGAMENT | 2 | 0.0 % | 0.0% |
| TAGAMET | 1 | 0.0 % | 0.0% |
| TAMBOCAR | 1 | 0.0 % | 0.0% |
| TAMOXIFEN | 1 | 0.0 % | 0.0% |
| TAMOXIFEN CITRATE | 1 | 0.0 % | 0.0% |
| TEMAZEPAM | 4 | 0.1 % | 0.1% |
| TENORMIN | 4 | 0.1 % | 0.1% |
| TERSAVID | 1 | 0.0 % | 0.0% |
| THEO-DUR | 1 | 0.0 % | 0.0% |
| THEOPHYLLINE | 1 | 0.0 % | 0.0% |
| THEOPHYLLINE CR | 1 | 0.0 % | 0.0% |
| THERA-M | 1 | 0.0 % | 0.0% |
| THERAMIN | 2 | 0.0 % | 0.0% |
| THERAPEUTIC MINERAL | 1 | 0.0 % | 0.0% |
| THYROID | 2 | 0.0 % | 0.0% |
| THYROXINE | 1 | 0.0 % | 0.0% |
| TIAZAC | 1 | 0.0 % | 0.0% |
| TIGAN | 1 | 0.0 % | 0.0% |
| TIMOLOL | 1 | 0.0 % | 0.0% |
| TIMOLOL MALEATE | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM5 | CG MEDICATION 5 (cont.) |

| TIMOPTIC 3 0.1 % 0.1% TOLAZAMIDE 3 0.1 % 0.1% TOLAZAMIDE 100MG 1 0.0 % 0.0% TOPROL 1 0.0 % 0.0% TOPROL XL 1 0.0 % 0.0% TRANXENE CAPSULES 3 0.1 % 0.1% TRANXENE SD 1 0.0 % 0.0% TRAXENE-SD 3 0.1 % 0.1% TRAZDONE 1 0.0 % 0.0% TRAZDONE 1 0.0 % 0.0% TRI-LEVLEN 1 0.0 % 0.0% TRI-LEVLEN 1 0.0 % 0.0% TRIAMTERENE 8 0.2 % 0.2% TRIAMTERENEIHCTZ 1 0.0 % 0.0% TRIFLUOPERAZINE HCL 2 0.0 % 0.0% TRIFLUOPERAZINE HCL 2 0.0 % 0.0% TUMS 7 0.2 % 0.0% TYLENOL 33 0.8 % 0.8% TYLEN | Value | Frequency | % | Valid % |
|--|----------------------|-----------|-------|---------|
| TOLAZAMIDE 100MG TOPROL TOPROL 1 0.0 % 0.0% TOPROL XL 1 0.0 % 0.0% TRANXENE CAPSULES 3 0.1 % 0.1% TRANXENE SD 1 0.0 % 0.0% TRANXENE-SD 3 0.1 % 0.1% TRANXENE-SD 1 0.0 % 0.0% TRAZADONE 1 0.0 % 0.0% TRAZODONE 1 0.0 % 0.0% TRI-LEVLEN 1 0.0 % 0.0% TRI-LEVLEN 1 0.0 % 0.0% TRI-LEVLEN 1 0.0 % 0.0% TRI-MATERENE | TIMOPTIC | 3 | 0.1 % | 0.1% |
| TOPROL 1 0.0% 0.0% 1.0% 1.00% 0.0% 1.00% 1 | TOLAZAMIDE | 3 | 0.1 % | 0.1% |
| TOPROL XL TRANXENE CAPSULES 3 0.1 % 0.1% TRANXENE SD 1 0.0 % 0.0% TRANXENE-SD 3 0.1 % 0.1% TRANXENE-SD 3 0.1 % 0.1% TRAZDONE 1 0.0 % 0.0% TRAZDONE 1 0.0 % 0.0% TRI-LEVLEN 1 0.0 % 0.0% TRI-LEVLEN 1 0.0 % 0.0% TRI-MTERENE 8 0.2 % 0.2% TRIAMTERENEIHCTZ 1 0.0 % 0.0% TRIFLUOPERAZINE 1 0.0 % 0.0% TRIFLUOPERAZINE 1 0.0 % 0.0% TRIMETH SULFA SEPTRA 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.0% TYLENOL 33 0.8 % 0.8% TYLENOL TYLENOL 1 0.0 % 0.0% ULTIMATE HGH 1 0.0 % 0.0% ULTIMATE HGH 1 0.0 % 0.0% ULTIMATE HGH 1 0.0 % 0.0% VALIUM 2 0.0 % 0.0% VALIUM VALIUM VALIUM VALIUM 2 0.0 % 0.0% VALIUM VANCERIL | TOLAZAMIDE 100MG | 1 | 0.0 % | 0.0% |
| TRANXENE CAPSULES TRANXENE SD TRANXENE-SD TRANXENE-SD 3 0.1 % 0.0% TRAZADONE TRAZODONE TRAZODONE TRI-LEVLEN 1 0.0 % 0.0% TRI-MATERENE 8 0.2 % 0.2% TRI-MATERENE 1 0.0 % 0.0% TRI-LUOPERAZINE 1 0.0 % 0.0% TRI-LUOPERAZINE 1 0.0 % 0.0% TRI-MATER SEPTRA 1 0.0 % 0.0% TRIMETH SULFA SEPTRA 1 0.0 % 0.0% TYLENOL | TOPROL | 1 | 0.0 % | 0.0% |
| TRANXENE SD 1 0.0 % 0.0% TRANXENE-SD 3 0.1 % 0.1% TRAZADONE 1 0.0 % 0.0% TRAZODONE 1 0.0 % 0.0% TRI-LEVLEN 1 0.0 % 0.0% TRIAMTERENE 8 0.2 % 0.2% TRIAMTERENEINCTZ 1 0.0 % 0.0% TRIFLUOPERAZINE 1 0.0 % 0.0% TRIFLUOPERAZINE 1 0.0 % 0.0% TRIMETH SULFA SEPTRA 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.0% TYLENOL 33 0.8 % 0.8% TYLENOL 9M 2 0.0 % 0.0% ULTIMATE HGH 1 0.0 % 0.0% ULTIMATE HGH 1 0.0 % 0.0% ULTIMATE HGH 2 0.0 % 0.0% VALIUM 2 0.0 % 0.0% VALTREX 1 0.0 % 0.0% VANCERIL 1 0.0 % 0.0% VANCERIL 1 0.0 % 0.0% VANCERIL 1 0.0 % 0.0% VASOTEC 6 0.1 % 0.1% VASOTEC 5MG BID 1 0.0 % 0.0% VENTOLIN 4 0.1 % 0.1% | TOPROL XL | 1 | 0.0 % | 0.0% |
| TRANXENE-SD TRAZADONE 1 0.0 % 0.0% TRAZODONE 1 0.0 % 0.0% TRI-LEVLEN 1 0.0 % 0.0% TRI-MTERENE 8 0.2 % 0.2% TRIAMTERENEIHCTZ 1 0.0 % 0.0% TRIFLUOPERAZINE 1 0.0 % 0.0% TRIFLUOPERAZINE 1 0.0 % 0.0% TRIMETH SULFA SEPTRA 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.0% TYLENOL 33 0.8 % 0.8% TYLENOL 33 0.8 % 0.8% TYLENOL 9M 2 0.0 % 0.0% ULTIMATE HGH 1 0.0 % 0.0% ULTRAM 4 0.1 % 0.1% UNIPHYL 2 0.0 % 0.0% VALIUM VALIUM VALIUM VALIUM VALIUM VALIUM VANCERIL 1 0.0 % 0.0% VASOTEC 6 0.1 % 0.1% VASOTEC 5MG BID 1 0.0 % 0.0% VENTOLIN 4 0.1 % 0.1% VENTOLIN | TRANXENE CAPSULES | 3 | 0.1 % | 0.1% |
| TRAZADONE 1 0.0 % 0.0% TRAZODONE 1 0.0 % 0.0% TRI-LEVLEN 1 0.0 % 0.0% TRIAMTERENE 8 0.2 % 0.2% TRIAMTERENEIHCTZ 1 0.0 % 0.0% TRIFLUOPERAZINE 1 0.0 % 0.0% TRIMETH SULFA SEPTRA 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.0% TYLENOL 33 0.8 % 0.8% TYLENOL PM 2 0.0 % 0.0% ULTIMATE HGH 1 0.0 % 0.0% ULTRAM 4 0.1 % 0.1% UNIPHYL 2 0.0 % 0.0% VALIUM 2 0.0 % 0.0% VALIUM 2 0.0 % 0.0% VANCENIL 1 0.0 % 0.0% VANCERIL 1 0.0 % 0.0% VANCERIL INHALER 2 0.0 % 0.0% VASOTEC | TRANXENE SD | 1 | 0.0 % | 0.0% |
| TRAZODONE 1 0.0 % 0.0% TRI-LEVLEN 1 0.0 % 0.0% TRIAMTERENE 8 0.2 % 0.2% TRIAMTERENEIHCTZ 1 0.0 % 0.0% TRIFLUOPERAZINE 1 0.0 % 0.0% TRIMETH SULFA SEPTRA 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.0% TYLENOL 33 0.8 % 0.8% TYLENOL PM 2 0.0 % 0.0% ULTIMATE HGH 1 0.0 % 0.0% ULTRAM 4 0.1 % 0.1% UNIPHYL 2 0.0 % 0.0% VALIUM 2 0.0 % 0.0% VALIUM 2 0.0 % 0.0% VANCENIL 1 0.0 % 0.0% VANCERIL 1 0.0 % 0.0% VASOTEC 6 0.1 % 0.1% VENTOLIN 4 0.1 % 0.1% | TRANXENE-SD | 3 | 0.1 % | 0.1% |
| TRI-LEVLEN 1 0.0 % 0.0% TRIAMTERENE 8 0.2 % 0.2% TRIAMTERENEIHCTZ 1 0.0 % 0.0% TRIFLUOPERAZINE 1 0.0 % 0.0% TRIFLUOPERAZINE HCL 2 0.0 % 0.0% TRIMETH SULFA SEPTRA 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.0% TYLENOL 33 0.8 % 0.8% TYLENOL PM 2 0.0 % 0.0% ULTIMATE HGH 1 0.0 % 0.0% ULTRAM 4 0.1 % 0.1% UNIPHYL 2 0.0 % 0.0% VALIUM 2 0.0 % 0.0% VALIUM 2 0.0 % 0.0% VANCENASE 3 0.1 % 0.1% VANCERIL 1 0.0 % 0.0% VANCERIL INHALER 2 0.0 % 0.0% VASOTEC 6 0.1 % 0.1% VENTOLIN <td>TRAZADONE</td> <td>1</td> <td>0.0 %</td> <td>0.0%</td> | TRAZADONE | 1 | 0.0 % | 0.0% |
| TRIAMTERENE TRIAMTERENEIHCTZ TRIAMTERENEIHCTZ TRIFLUOPERAZINE TRIFLUOPERAZINE TRIFLUOPERAZINE HCL TRIMETH SULFA SEPTRA TRUSOPT TUMS TYLENOL TY | TRAZODONE | 1 | 0.0 % | 0.0% |
| TRIAMTERENEIHCTZ TRIFLUOPERAZINE 1 0.0 % 0.0% TRIFLUOPERAZINE HCL 2 0.0 % 0.0% TRIMETH SULFA SEPTRA 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.2% TYLENOL TYLENOL TYLENOL MARCHINE 1 0.0 % 0.0% ULTIMATE HGH 1 0.0 % 0.0% ULTIMATE HGH 1 0.0 % 0.0% VALIUM VALIUM VALIUM VANCENIASE VANCERIL VANCERIL VASOTEC 6 0.1 % 0.1% VASOTEC 5MG BID VENTOLIN 1 0.0 % 0.0% 1 0.0 % 0.0% VA.0 % 0.0% VALOW VANCENIASE VANCESMG BID 1 0.0 % 0.0% VANCENIASE VANCENOSMG D.0 % 0.0% VASOTEC 5MG BID 1 0.0 % 0.0% VANCENIASE VANCENOSMG D.0 % 0.0% VASOTEC 5MG BID 1 0.0 % 0.0% VANCENOSMG D.0 % 0.0% VANCENOSMG D.0 % 0.0% VANCENOSMG D.0 % 0.0% VANCENOSMG D.0 % 0.0% VASOTEC 5MG BID 1 0.0 % 0.0% VENTOLIN 4 0.1 % 0.1% | TRI-LEVLEN | 1 | 0.0 % | 0.0% |
| TRIFLUOPERAZINE TRIFLUOPERAZINE HCL TRIMETH SULFA SEPTRA TRUSOPT TUMS TYLENOL TYLENOL PM ULTIMATE HGH UNIPHYL VALIUM VALIUM VANCERIL VASOTEC VASOTEC VASOTEC VASOTEC VASOTEC TRIFLUOPERAZINE HCL 2 0.0 % 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% 0.0 | TRIAMTERENE | 8 | 0.2 % | 0.2% |
| TRIFLUOPERAZINE HCL 2 0.0 % 0.0% TRIMETH SULFA SEPTRA 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.2% TUMS 7 0.2 % 0.2% TYLENOL 33 0.8 % 0.8% TYLENOL PM 2 0.0 % 0.0% ULTIMATE HGH 1 0.0 % 0.0% ULTRAM 4 0.1 % 0.1% UNIPHYL 2 0.0 % 0.0% VALIUM 2 0.0 % 0.0% VALTREX 1 0.0 % 0.0% VANCERIL 1 0.0 % 0.0% VANCERIL 1 0.0 % 0.0% VANCERIL 1 0.0 % 0.0% VASOTEC 6 0.1 % 0.1% VASOTEC 6 0.1 % 0.1% VASOTEC 5MG BID 1 0.0 % 0.0% VENTOLIN 4 0.1 % 0.1% | TRIAMTERENEIHCTZ | 1 | 0.0 % | 0.0% |
| TRIMETH SULFA SEPTRA 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.0% TUMS 7 0.2 % 0.2% TYLENOL 33 0.8 % 0.8% TYLENOL PM 2 0.0 % 0.0% ULTIMATE HGH 1 0.0 % 0.0% ULTRAM 4 0.1 % 0.1% UNIPHYL 2 0.0 % 0.0% VALIUM 2 0.0 % 0.0% VALOERIL 1 0.0 % 0.0% VANCERIL 1 0.0 % 0.0% VANCERIL INHALER 2 0.0 % 0.0% VASOTEC 6 0.1 % 0.1% VASOTEC 5MG BID 1 0.0 % 0.0% VENTOLIN 4 0.1 % 0.1% | TRIFLUOPERAZINE | 1 | 0.0 % | 0.0% |
| TRUSOPT 1 0.0 % 0.0% TUMS 7 0.2 % 0.2% TYLENOL 33 0.8 % 0.8% TYLENOL PM 2 0.0 % 0.0% ULTIMATE HGH 1 0.0 % 0.0% ULTRAM 4 0.1 % 0.1% UNIPHYL 2 0.0 % 0.0% VALIUM 2 0.0 % 0.0% VALLIUM 2 0.0 % 0.0% VANCENASE 3 0.1 % 0.1% VANCERIL 1 0.0 % 0.0% VANCERIL INHALER 2 0.0 % 0.0% VASOTEC 6 0.1 % 0.1% VASOTEC 5MG BID 1 0.0 % 0.0% VENTOLIN 4 0.1 % 0.1% | TRIFLUOPERAZINE HCL | 2 | 0.0 % | 0.0% |
| TUMS 7 0.2 % 0.2% TYLENOL 33 0.8 % 0.8% TYLENOL PM 2 0.0 % 0.0% ULTIMATE HGH 1 0.0 % 0.0% ULTRAM 4 0.1 % 0.1% UNIPHYL 2 0.0 % 0.0% VALIUM 2 0.0 % 0.0% VALLIUM 2 0.0 % 0.0% VANCENASE 1 0.0 % 0.0% VANCERIL 1 0.0 % 0.0% VANCERIL INHALER 2 0.0 % 0.0% VASOTEC 6 0.1 % 0.1% VASOTEC 5MG BID 1 0.0 % 0.0% VENTOLIN 4 0.1 % 0.1% | TRIMETH SULFA SEPTRA | 1 | 0.0 % | 0.0% |
| TYLENOL 33 0.8 % 0.8% TYLENOL PM 2 0.0 % 0.0% ULTIMATE HGH 1 0.0 % 0.0% ULTRAM 4 0.1 % 0.1% UNIPHYL 2 0.0 % 0.0% VALIUM 2 0.0 % 0.0% VALLIUM 2 0.0 % 0.0% VANCENASE 3 0.1 % 0.1% VANCERIL 1 0.0 % 0.0% VANCERIL INHALER 2 0.0 % 0.0% VASOTEC 6 0.1 % 0.1% VASOTEC 5MG BID 1 0.0 % 0.0% VENTOLIN 4 0.1 % 0.1% | TRUSOPT | 1 | 0.0 % | 0.0% |
| TYLENOL PM 2 0.0 % 0.0% ULTIMATE HGH 1 0.0 % 0.0% ULTRAM 4 0.1 % 0.1% UNIPHYL 2 0.0 % 0.0% VALIUM 2 0.0 % 0.0% VALTREX 1 0.0 % 0.0% VANCENASE 3 0.1 % 0.1% VANCERIL 1 0.0 % 0.0% VANCERIL INHALER 2 0.0 % 0.0% VASOTEC 6 0.1 % 0.1% VASOTEC 5MG BID 1 0.0 % 0.0% VENTOLIN 4 0.1 % 0.1% | TUMS | 7 | 0.2 % | 0.2% |
| ULTIMATE HGH 1 0.0 % 0.0% ULTRAM 4 0.1 % 0.1% UNIPHYL 2 0.0 % 0.0% VALIUM 2 0.0 % 0.0% VALTREX 1 0.0 % 0.0% VANCENASE 3 0.1 % 0.1% VANCERIL 1 0.0 % 0.0% VANCERIL INHALER 2 0.0 % 0.0% VASOTEC 6 0.1 % 0.1% VASOTEC 5MG BID 1 0.0 % 0.0% VENTOLIN 4 0.1 % 0.1% | TYLENOL | 33 | 0.8 % | 0.8% |
| ULTRAM 4 0.1 % 0.1% UNIPHYL 2 0.0 % 0.0% VALIUM 2 0.0 % 0.0% VALTREX 1 0.0 % 0.0% VANCENASE 3 0.1 % 0.1% VANCERIL 1 0.0 % 0.0% VANCERIL INHALER 2 0.0 % 0.0% VASOTEC 6 0.1 % 0.1% VASOTEC 5MG BID 1 0.0 % 0.0% VENTOLIN 4 0.1 % 0.1% | TYLENOL PM | 2 | 0.0 % | 0.0% |
| UNIPHYL 2 0.0 % 0.0% VALIUM 2 0.0 % 0.0% VALTREX 1 0.0 % 0.0% VANCENASE 3 0.1 % 0.1% VANCERIL 1 0.0 % 0.0% VANCERIL INHALER 2 0.0 % 0.0% VASOTEC 6 0.1 % 0.1% VASOTEC 5MG BID 1 0.0 % 0.0% VENTOLIN 4 0.1 % 0.1% | ULTIMATE HGH | 1 | 0.0 % | 0.0% |
| VALIUM 2 0.0 % 0.0% VALTREX 1 0.0 % 0.0% VANCENASE 3 0.1 % 0.1% VANCERIL 1 0.0 % 0.0% VANCERIL INHALER 2 0.0 % 0.0% VASOTEC 6 0.1 % 0.1% VASOTEC 5MG BID 1 0.0 % 0.0% VENTOLIN 4 0.1 % 0.1% | ULTRAM | 4 | 0.1 % | 0.1% |
| VALLIUM 2 0.0 % 0.0% VALTREX 1 0.0 % 0.0% VANCENASE 3 0.1 % 0.1% VANCERIL 1 0.0 % 0.0% VANCERIL INHALER 2 0.0 % 0.0% VASOTEC 6 0.1 % 0.1% VASOTEC 5MG BID 1 0.0 % 0.0% VENTOLIN 4 0.1 % 0.1% | UNIPHYL | 2 | 0.0 % | 0.0% |
| VALTREX 1 0.0 % 0.0% VANCENASE 3 0.1 % 0.1% VANCERIL 1 0.0 % 0.0% VANCERIL INHALER 2 0.0 % 0.0% VASOTEC 6 0.1 % 0.1% VASOTEC 5MG BID 1 0.0 % 0.0% VENTOLIN 4 0.1 % 0.1% | VALIUM | 2 | 0.0 % | 0.0% |
| VANCENASE 3 0.1 % 0.1% VANCERIL 1 0.0 % 0.0% VANCERIL INHALER 2 0.0 % 0.0% VASOTEC 6 0.1 % 0.1% VASOTEC 5MG BID 1 0.0 % 0.0% VENTOLIN 4 0.1 % 0.1% | VALLIUM | 2 | 0.0 % | 0.0% |
| VANCERIL 1 0.0 % 0.0% VANCERIL INHALER 2 0.0 % 0.0% VASOTEC 6 0.1 % 0.1% VASOTEC 5MG BID 1 0.0 % 0.0% VENTOLIN 4 0.1 % 0.1% | VALTREX | 1 | 0.0 % | 0.0% |
| VANCERIL INHALER 2 0.0 % 0.0% VASOTEC 6 0.1 % 0.1% VASOTEC 5MG BID 1 0.0 % 0.0% VENTOLIN 4 0.1 % 0.1% | VANCENASE | 3 | 0.1 % | 0.1% |
| VASOTEC 6 0.1 % 0.1% VASOTEC 5MG BID 1 0.0 % 0.0% VENTOLIN 4 0.1 % 0.1% | VANCERIL | 1 | 0.0 % | 0.0% |
| VASOTEC 5MG BID 1 0.0 % 0.0% VENTOLIN 4 0.1 % 0.1% | VANCERIL INHALER | 2 | 0.0 % | 0.0% |
| VENTOLIN 4 0.1 % 0.1% | VASOTEC | 6 | 0.1 % | 0.1% |
| | VASOTEC 5MG BID | 1 | 0.0 % | 0.0% |
| VERAPAMIL 2 0.0 % 0.0% | VENTOLIN | 4 | 0.1 % | 0.1% |
| | VERAPAMIL | 2 | 0.0 % | 0.0% |

| Variable | Variable Description | |
|----------|-------------------------|--|
| GM5 | CG MEDICATION 5 (cont.) | |

| Value | Frequency | % | Valid % |
|-------------------|-----------|-------|---------|
| VERAPAMIL HCI | 1 | 0.0 % | 0.0% |
| VICODIN | 2 | 0.0 % | 0.0% |
| VIOXX | 2 | 0.0 % | 0.0% |
| VIT BLOO | 1 | 0.0 % | 0.0% |
| VIT C | 1 | 0.0 % | 0.0% |
| VIT D | 1 | 0.0 % | 0.0% |
| VIT E | 3 | 0.1 % | 0.1% |
| VIT. E. | 1 | 0.0 % | 0.0% |
| VITA PMS | 1 | 0.0 % | 0.0% |
| VITAFORT | 1 | 0.0 % | 0.0% |
| VITAMIN 12 | 1 | 0.0 % | 0.0% |
| VITAMIN 400 IVE | 1 | 0.0 % | 0.0% |
| VITAMIN A | 6 | 0.1 % | 0.1% |
| VITAMIN B | 12 | 0.3 % | 0.3% |
| VITAMIN B COMPLEX | 2 | 0.0 % | 0.0% |
| VITAMIN B-1 | 1 | 0.0 % | 0.0% |
| VITAMIN B-12 | 2 | 0.0 % | 0.0% |
| VITAMIN B1 | 1 | 0.0 % | 0.0% |
| VITAMIN B12 | 2 | 0.0 % | 0.0% |
| VITAMIN B6 | 2 | 0.0 % | 0.0% |
| VITAMIN C | 55 | 1.3 % | 1.3% |
| VITAMIN COMPLEX | 1 | 0.0 % | 0.0% |
| VITAMIN D | 3 | 0.1 % | 0.1% |
| VITAMIN E | 58 | 1.4 % | 1.4% |
| VITAMIN-B | 1 | 0.0 % | 0.0% |
| VITAMIN-C | 2 | 0.0 % | 0.0% |
| VITAMIN-E | 6 | 0.1 % | 0.1% |
| VITAMINS | 5 | 0.1 % | 0.1% |
| VITAMINS C&E | 1 | 0.0 % | 0.0% |
| VOLTAREN | 1 | 0.0 % | 0.0% |
| VOLTAREN XR | 1 | 0.0 % | 0.0% |
| WARFARIN | 1 | 0.0 % | 0.0% |
| WELLBUTRIN | 4 | 0.1 % | 0.1% |

GM5 CG MEDICATION 5 (cont.)

| Value | Frequency | % | Valid % |
|---------|-----------|-------|---------|
| XANAX | 2 | 0.0 % | 0.0% |
| YOCON | 1 | 0.0 % | 0.0% |
| ZANTAC | 13 | 0.3 % | 0.3% |
| ZESTRIL | 9 | 0.2 % | 0.2% |
| ZINC | 9 | 0.2 % | 0.2% |
| ZOCOR | 12 | 0.3 % | 0.3% |
| ZOLOFT | 15 | 0.4 % | 0.4% |
| ZONALON | 2 | 0.0 % | 0.0% |
| ZYBAN | 1 | 0.0 % | 0.0% |
| ZYPREXA | 2 | 0.0 % | 0.0% |
| ZYRTEL | 1 | 0.0 % | 0.0% |

G5C1 CG MEDICATION 5 CODE1

Start: 295 End: 303 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 2570 | 62.2 % | 62.2% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 5 | 0.1 % | 0.1% |
| 2.00 | (ANA) Analgesic | 181 | 4.4 % | 4.4% |
| 3.00 | (ANES) Anesthetic | 1 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 16 | 0.4 % | 0.4% |
| 5.00 | (ANTC) Anticonvulsive | 8 | 0.2 % | 0.2% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 2 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 41 | 1.0 % | 1.0% |
| 9.00 | (ANTI) Anti-inflammatory | 35 | 0.8 % | 0.8% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 3 | 0.1 % | 0.1% |
| 12.00 | (ANTP) Antiparasitic | 1 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 1 | 0.0 % | 0.0% |

G5C1 CG MEDICATION 5 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|--|-----------|--------|---------|
| 16.00 | (CNS) Central Nervous System | 51 | 1.2 % | 1.2% |
| 17.00 | (CON) Contraceptive | 2 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 3 | 0.1 % | 0.1% |
| 19.00 | (CV) Cardiovascular | 276 | 6.7 % | 6.7% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 1 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 2 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 1 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 36 | 0.9 % | 0.9% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 89 | 2.2 % | 2.2% |
| 28.00 | (GU) Genitourinary | 24 | 0.6 % | 0.6% |
| 29.00 | (GYN) Gynecologic | 1 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 17 | 0.4 % | 0.4% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 74 | 1.8 % | 1.8% |
| 33.00 | (HYP) Hypnotic | 4 | 0.1 % | 0.1% |
| 34.00 | (IM) Immunologic | 2 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 6 | 0.1 % | 0.1% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 11 | 0.3 % | 0.3% |
| 38.00 | (NAR) Narcotic | 10 | 0.2 % | 0.2% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 463 | 11.2 % | 11.2% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 16 | 0.4 % | 0.4% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 36 | 0.9 % | 0.9% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 6 | 0.1 % | 0.1% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 5 | 0.1 % | 0.1% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 21 | 0.5 % | 0.5% |

G5C1 CG MEDICATION 5 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|-------|---------|
| 49.00 | (PUL) Pulmonary | 45 | 1.1 % | 1.1% |
| 50.00 | (SED) Sedative | 8 | 0.2 % | 0.2% |
| 51.00 | (STE) Steroid | 11 | 0.3 % | 0.3% |
| 52.00 | (TOP) Topical | 1 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 22 | 0.5 % | 0.5% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 15 | 0.4 % | 0.4% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 1 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 5 | 0.1 % | 0.1% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|------|-------|
| 4129 | -2.00 | 99.00 | 9.42 | 17.60 |

G5C2

Start: 304 End: 312 Width: 9.2

Type: numeric (ISO) Interval: discrete

CG MEDICATION 5 CODE2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 3739 | 90.6 % | 90.6% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 18 | 0.4 % | 0.4% |
| 2.00 | (ANA) Analgesic | 22 | 0.5 % | 0.5% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 9 | 0.2 % | 0.2% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 7 | 0.2 % | 0.2% |
| 9.00 | (ANTI) Anti-inflammatory | 10 | 0.2 % | 0.2% |
| 10.00 | (ANTIV) Antivertigo | 3 | 0.1 % | 0.1% |
| 11.00 | (ANTN) Antineoplastic | 2 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |

| Variable | Variable Description | on |
|----------|----------------------|----|
|----------|----------------------|----|

G5C2 CG MEDICATION 5 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|------------------------------------|-----------|-------|---------|
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 14 | 0.3 % | 0.3% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 8 | 0.2 % | 0.2% |
| 19.00 | (CV) Cardiovascular | 8 | 0.2 % | 0.2% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 3 | 0.1 % | 0.1% |
| 22.00 | (DIAG) Diagnostic | 1 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 15 | 0.4 % | 0.4% |
| 25.00 | (ENT) Ear, Nose or Throat | 1 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 10 | 0.2 % | 0.2% |
| 28.00 | (GU) Genitourinary | 46 | 1.1 % | 1.1% |
| 29.00 | (GYN) Gynecologic | 11 | 0.3 % | 0.3% |
| 30.00 | (HEM) Hematologic | 35 | 0.8 % | 0.8% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 7 | 0.2 % | 0.2% |
| 33.00 | (HYP) Hypnotic | 5 | 0.1 % | 0.1% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 1 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 1 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 16 | 0.4 % | 0.4% |
| 38.00 | (NAR) Narcotic | 7 | 0.2 % | 0.2% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 9 | 0.2 % | 0.2% |
| 41.00 | (NUT) Nutritional | 10 | 0.2 % | 0.2% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 23 | 0.6 % | 0.6% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 48 | 1.2 % | 1.2% |

G5C2 CG MEDICATION 5 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 5 | 0.1 % | 0.1% |
| 50.00 | (SED) Sedative | 11 | 0.3 % | 0.3% |
| 51.00 | (STE) Steroid | 1 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 2 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 18 | 0.4 % | 0.4% |
| 54.00 | (X-RAY) X-ray Contrast | 2 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 1 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|------|-------|
| 4129 | -2.00 | 55.00 | 1.01 | 10.50 |

G5C3

CG MEDICATION 5 CODE3

Start: 313 End: 321 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4076 | 98.7 % | 98.7% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 2 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 4 | 0.1 % | 0.1% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 2 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 1 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 1 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |

| Variable Va | riat | ole D |)escr | pti | or |
|-------------|------|-------|-------|-----|----|
|-------------|------|-------|-------|-----|----|

G5C3 CG MEDICATION 5 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|------------------------------------|-----------|-------|---------|
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 2 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 3 | 0.1 % | 0.1% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 1 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 1 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 6 | 0.1 % | 0.1% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 1 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 1 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 1 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 3 | 0.1 % | 0.1% |

G5C3 CG MEDICATION 5 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 7 | 0.2 % | 0.2% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 2 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 3 | 0.1 % | 0.1% |
| 51.00 | (STE) Steroid | 1 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 11 | 0.3 % | 0.3% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 53.00 | -1.53 | 4.57 |

G5C4 CG MEDICATION 5 CODE4

Start: 322 End: 330 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4120 | 99.8 % | 99.8% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |

| Variable Var | riable | Descri | ptior |
|--------------|--------|--------|-------|
|--------------|--------|--------|-------|

G5C4 CG MEDICATION 5 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|------------------------------|-----------|-------|---------|
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |

CG MEDICATION 5 CODE4 (cont.) G5C4

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 1 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 5 | 0.1 % | 0.1% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 3 | 0.1 % | 0.1% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 50.00 | -1.89 | 2.32 |

GM6 **CG MEDICATION 6**

Start: 331 End: 350

Width: 20 Type: character (ISO) Interval: discrete

| Value | Frequency | % | Valid % |
|----------------------|-----------|--------|---------|
| -2 | 2627 | 63.6 % | 63.6% |
| A&D TABLETS | 1 | 0.0 % | 0.0% |
| ACCOLATE | 1 | 0.0 % | 0.0% |
| ACETAMINOPHEN | 2 | 0.0 % | 0.0% |
| ACIDOPHILUS | 2 | 0.0 % | 0.0% |
| ACTOS | 1 | 0.0 % | 0.0% |
| ACULAR | 1 | 0.0 % | 0.0% |
| ADVIL | 8 | 0.2 % | 0.2% |
| AEROBID | 1 | 0.0 % | 0.0% |
| AGED BARK (CASCARA S | 1 | 0.0 % | 0.0% |
| ALBUTEROL | 3 | 0.1 % | 0.1% |
| ALBUTEROL INHALER | 2 | 0.0 % | 0.0% |

| Variable | Variable Description | |
|----------|-------------------------|--|
| | | |
| GM6 | CC MEDICATION 6 (cont.) | |

| Value | Frequency | % | Valid % |
|-------------------|-----------|-------|---------|
| ALBUTEROL SULFATE | 4 | 0.1 % | 0.1% |
| ALBUTEROL USP | 1 | 0.0 % | 0.0% |
| ALDACTONE | 1 | 0.0 % | 0.0% |
| ALEVE | 2 | 0.0 % | 0.0% |
| ALFALFA | 2 | 0.0 % | 0.0% |
| ALLEGRA | 5 | 0.1 % | 0.1% |
| ALLOPURINOL | 1 | 0.0 % | 0.0% |
| ALPHAGAN | 3 | 0.1 % | 0.1% |
| ALPRAZOLAM | 5 | 0.1 % | 0.1% |
| ALUPENT | 1 | 0.0 % | 0.0% |
| ALUPENT INHALER | 1 | 0.0 % | 0.0% |
| AMBIEN | 3 | 0.1 % | 0.1% |
| AMINO BRAIN PLUS | 1 | 0.0 % | 0.0% |
| AMITRIPTYLINE | 2 | 0.0 % | 0.0% |
| AMITRIPTYLINE HCL | 4 | 0.1 % | 0.1% |
| AMOXICILLIN | 3 | 0.1 % | 0.1% |
| AMPICILLIN | 1 | 0.0 % | 0.0% |
| ANTIOX | 1 | 0.0 % | 0.0% |
| ARMOUR | 1 | 0.0 % | 0.0% |
| ARMOUR THYRO | 1 | 0.0 % | 0.0% |
| ARTHROTEC | 2 | 0.0 % | 0.0% |
| ASMACORT | 1 | 0.0 % | 0.0% |
| ASPIRIN | 26 | 0.6 % | 0.6% |
| ASPIRIN(BABY) | 1 | 0.0 % | 0.0% |
| ASPRIN | 2 | 0.0 % | 0.0% |
| ATARAX | 1 | 0.0 % | 0.0% |
| ATENOLOL | 3 | 0.1 % | 0.1% |
| ATIVAN | 1 | 0.0 % | 0.0% |
| ATROVENT | 1 | 0.0 % | 0.0% |
| AZOPT | 1 | 0.0 % | 0.0% |
| B COMPLEX | 2 | 0.0 % | 0.0% |
| B STRESS VITAMINS | 1 | 0.0 % | 0.0% |
| B-12 | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM6 | CG MEDICATION 6 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| B-6 | 1 | 0.0 % | 0.0% |
| B-COMPLEX | 1 | 0.0 % | 0.0% |
| B12 | 1 | 0.0 % | 0.0% |
| B6 | 1 | 0.0 % | 0.0% |
| BABY ASPIRIN | 3 | 0.1 % | 0.1% |
| BAYCOL | 2 | 0.0 % | 0.0% |
| BAYER ASPIRIN | 1 | 0.0 % | 0.0% |
| BENADRYL | 2 | 0.0 % | 0.0% |
| BENAZEPRIL | 1 | 0.0 % | 0.0% |
| BETAPACE | 1 | 0.0 % | 0.0% |
| BIAXIN | 1 | 0.0 % | 0.0% |
| BIO-C-PLUS | 1 | 0.0 % | 0.0% |
| BIOFREEZE | 1 | 0.0 % | 0.0% |
| BIOTIN | 1 | 0.0 % | 0.0% |
| BLEPHAMIDE | 1 | 0.0 % | 0.0% |
| BORAGE OIL | 1 | 0.0 % | 0.0% |
| BUMETANIDE | 1 | 0.0 % | 0.0% |
| BUSPAR | 3 | 0.1 % | 0.1% |
| BUTALBITAL | 3 | 0.1 % | 0.1% |
| C VITAMIN | 1 | 0.0 % | 0.0% |
| C-COMPLEX | 1 | 0.0 % | 0.0% |
| C-TIME 500 | 1 | 0.0 % | 0.0% |
| CALCIUM | 37 | 0.9 % | 0.9% |
| CALCIUM & ZINC | 1 | 0.0 % | 0.0% |
| CALCIUM 600D | 1 | 0.0 % | 0.0% |
| CALCIUM MAGNESIUM | 1 | 0.0 % | 0.0% |
| CALCIUM OYSTER SHELL | 1 | 0.0 % | 0.0% |
| CALME | 1 | 0.0 % | 0.0% |
| CALTRATE | 2 | 0.0 % | 0.0% |
| CALTRATE-D | 1 | 0.0 % | 0.0% |
| CAPSAICIN | 1 | 0.0 % | 0.0% |
| CARDIZEM | 3 | 0.1 % | 0.1% |
| CARDURA | 9 | 0.2 % | 0.2% |

| Variable | Variable Description |
|----------|-------------------------|
| GM6 | CG MEDICATION 6 (cont.) |

| Value | Frequency | % | Valid % |
|---------------------|-----------|-------|---------|
| CASCARA SAGRADA | 1 | 0.0 % | 0.0% |
| CELEBREX | 4 | 0.1 % | 0.1% |
| CELEXA | 1 | 0.0 % | 0.0% |
| CELLCEPT | 1 | 0.0 % | 0.0% |
| CENTRUM | 3 | 0.1 % | 0.1% |
| CENTRUM SILVER | 3 | 0.1 % | 0.1% |
| CEPHALEXIN | 1 | 0.0 % | 0.0% |
| CHOLINE | 1 | 0.0 % | 0.0% |
| CHONDROITIN | 2 | 0.0 % | 0.0% |
| CHROMIUM | 1 | 0.0 % | 0.0% |
| CHROMIUM PICOLINATA | 1 | 0.0 % | 0.0% |
| CIPRO | 1 | 0.0 % | 0.0% |
| CLARITIN | 3 | 0.1 % | 0.1% |
| CLARITIN-D | 1 | 0.0 % | 0.0% |
| CLEMASTINE | 3 | 0.1 % | 0.1% |
| CLONAZAPAN | 1 | 0.0 % | 0.0% |
| CLONAZEPAM | 1 | 0.0 % | 0.0% |
| CLONIDINE | 1 | 0.0 % | 0.0% |
| COD LIVER OIL | 1 | 0.0 % | 0.0% |
| COENZYME Q-10 | 2 | 0.0 % | 0.0% |
| COLCHICINE | 1 | 0.0 % | 0.0% |
| COMBIVENT | 1 | 0.0 % | 0.0% |
| CONTRIN | 1 | 0.0 % | 0.0% |
| COREG | 1 | 0.0 % | 0.0% |
| CORGARD | 1 | 0.0 % | 0.0% |
| COSOPT | 1 | 0.0 % | 0.0% |
| COUMADIN | 8 | 0.2 % | 0.2% |
| COUMIDIN | 1 | 0.0 % | 0.0% |
| COVERA HS | 1 | 0.0 % | 0.0% |
| COZAAR | 6 | 0.1 % | 0.1% |
| COZAR | 1 | 0.0 % | 0.0% |
| CRANBERRY FRUIT | 1 | 0.0 % | 0.0% |
| CUMADIN | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM6 | CG MEDICATION 6 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| CYCLOBENZAPRINE | 1 | 0.0 % | 0.0% |
| CYCRIN | 1 | 0.0 % | 0.0% |
| CYPROHEPTADINE HYDRO | 1 | 0.0 % | 0.0% |
| DALMANE | 1 | 0.0 % | 0.0% |
| DARVOCET | 1 | 0.0 % | 0.0% |
| DAYPRO | 1 | 0.0 % | 0.0% |
| DETROL | 2 | 0.0 % | 0.0% |
| DHEA | 1 | 0.0 % | 0.0% |
| DIAMOX | 3 | 0.1 % | 0.1% |
| DIAZEPAM | 3 | 0.1 % | 0.1% |
| DICLOFENAC | 2 | 0.0 % | 0.0% |
| DICLOFENAC SODIUM | 2 | 0.0 % | 0.0% |
| DICYCLOMINE | 1 | 0.0 % | 0.0% |
| DICYCLOMINEHYDROCHOR | 1 | 0.0 % | 0.0% |
| DIENESTROL | 1 | 0.0 % | 0.0% |
| DIFLUNISAL | 1 | 0.0 % | 0.0% |
| DIGOXIN | 4 | 0.1 % | 0.1% |
| DILACOR | 1 | 0.0 % | 0.0% |
| DILANTIN | 2 | 0.0 % | 0.0% |
| DIOVAN | 3 | 0.1 % | 0.1% |
| DIPHEDRYL | 1 | 0.0 % | 0.0% |
| DIPHENENOXYLATE HCL | 2 | 0.0 % | 0.0% |
| DIPHENHYDRAMINE HCL | 1 | 0.0 % | 0.0% |
| DIPIVEFRIN HCL | 1 | 0.0 % | 0.0% |
| DISALCID | 1 | 0.0 % | 0.0% |
| DOCTYLAX | 1 | 0.0 % | 0.0% |
| DONE | 2 | 0.0 % | 0.0% |
| DONNATAL | 1 | 0.0 % | 0.0% |
| DOVONEX | 1 | 0.0 % | 0.0% |
| DOXEPIN HCL | 1 | 0.0 % | 0.0% |
| ECHINACEA | 3 | 0.1 % | 0.1% |
| ECOTRIN | 6 | 0.1 % | 0.1% |
| ECOTRIN(ASPIRIN) | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM6 | CG MEDICATION 6 (cont.) |

| Value | Frequency | % | Valid % |
|-----------------|-----------|-------|---------|
| ENTERIC | 1 | 0.0 % | 0.0% |
| ENZYME FORMULA | 1 | 0.0 % | 0.0% |
| ESKALITH | 1 | 0.0 % | 0.0% |
| ESTER C | 1 | 0.0 % | 0.0% |
| ESTRACE | 2 | 0.0 % | 0.0% |
| ESTRADIOL | 1 | 0.0 % | 0.0% |
| ESTRAGEN | 1 | 0.0 % | 0.0% |
| ESTRATAB | 1 | 0.0 % | 0.0% |
| ESTROGEN | 1 | 0.0 % | 0.0% |
| ESTROGENTLE | 1 | 0.0 % | 0.0% |
| ETRAFON | 1 | 0.0 % | 0.0% |
| EXCEDRIN | 3 | 0.1 % | 0.1% |
| EXTRA TEST | 1 | 0.0 % | 0.0% |
| FELDENE | 1 | 0.0 % | 0.0% |
| FERROUS SULFATE | 1 | 0.0 % | 0.0% |
| FIORINAL | 1 | 0.0 % | 0.0% |
| FLAX-SEED OIL | 1 | 0.0 % | 0.0% |
| FLEX RITE | 1 | 0.0 % | 0.0% |
| FLEX-RITE | 3 | 0.1 % | 0.1% |
| FLEXERIL | 2 | 0.0 % | 0.0% |
| FLOMAX | 1 | 0.0 % | 0.0% |
| FLONASE | 3 | 0.1 % | 0.1% |
| FLONASE SPRAY | 1 | 0.0 % | 0.0% |
| FLOUXETINE | 1 | 0.0 % | 0.0% |
| FLOVENT | 2 | 0.0 % | 0.0% |
| FLURAZEPAM HCL | 1 | 0.0 % | 0.0% |
| FOLIC ACID | 6 | 0.1 % | 0.1% |
| FOSAMAX | 2 | 0.0 % | 0.0% |
| FUROSEMIDE | 8 | 0.2 % | 0.2% |
| GABAPENTIN | 1 | 0.0 % | 0.0% |
| GARLIC | 8 | 0.2 % | 0.2% |
| GARLIC OIL | 1 | 0.0 % | 0.0% |
| GARLICX | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM6 | CG MEDICATION 6 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| GEMFIBROZIL | 1 | 0.0 % | 0.0% |
| GINGER + CURCUMIN | 1 | 0.0 % | 0.0% |
| GINKGO BILOBA | 5 | 0.1 % | 0.1% |
| GINKGOLD | 1 | 0.0 % | 0.0% |
| GINKO BILOBA | 2 | 0.0 % | 0.0% |
| GINSENG | 3 | 0.1 % | 0.1% |
| GLUCOPHAGE | 4 | 0.1 % | 0.1% |
| GLUCOSAMINE | 3 | 0.1 % | 0.1% |
| GLUCOSAMINE CHONDROI | 2 | 0.0 % | 0.0% |
| GLUCOSAMINE CHONDROT | 1 | 0.0 % | 0.0% |
| GLUCOSAMINE SULFATE | 2 | 0.0 % | 0.0% |
| GLUCOTROL | 1 | 0.0 % | 0.0% |
| GLUCOTROL XL | 2 | 0.0 % | 0.0% |
| GLYBURIDE | 2 | 0.0 % | 0.0% |
| GOLDEN SEAL PRODUCTS | 1 | 0.0 % | 0.0% |
| GOLDENSEAL ROOT | 1 | 0.0 % | 0.0% |
| GUAIFENESIN | 3 | 0.1 % | 0.1% |
| HALCION | 1 | 0.0 % | 0.0% |
| HCTZ | 1 | 0.0 % | 0.0% |
| HERB LAX | 1 | 0.0 % | 0.0% |
| HOPC | 1 | 0.0 % | 0.0% |
| HUMULIN R | 1 | 0.0 % | 0.0% |
| HYDORIL | 1 | 0.0 % | 0.0% |
| HYDRALAZINE | 1 | 0.0 % | 0.0% |
| HYDROCHLOROTHIAZIDE | 8 | 0.2 % | 0.2% |
| HYDROXYCHLOROQUINE | 1 | 0.0 % | 0.0% |
| HYDROXYZINE | 1 | 0.0 % | 0.0% |
| HYOSOPHEN | 1 | 0.0 % | 0.0% |
| HYOSOPHENER | 1 | 0.0 % | 0.0% |
| HYTRIN | 2 | 0.0 % | 0.0% |
| HYZAAR | 1 | 0.0 % | 0.0% |
| IBUPROFEN | 16 | 0.4 % | 0.4% |
| IBUPROFIN | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM6 | CG MEDICATION 6 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| IMDUR | 4 | 0.1 % | 0.1% |
| INDAPAMIDE | 1 | 0.0 % | 0.0% |
| INDERAL | 1 | 0.0 % | 0.0% |
| INDOCHRON | 1 | 0.0 % | 0.0% |
| INDOCIN SR7 | 1 | 0.0 % | 0.0% |
| INHALER FLOVENT | 1 | 0.0 % | 0.0% |
| INSULIN SYRINGE | 3 | 0.1 % | 0.1% |
| IRON | 2 | 0.0 % | 0.0% |
| IRON SULFATE | 2 | 0.0 % | 0.0% |
| ISOSORBIDE | 2 | 0.0 % | 0.0% |
| ISOSORBIDE DINITRATE | 1 | 0.0 % | 0.0% |
| K DUR | 2 | 0.0 % | 0.0% |
| K-DUR | 2 | 0.0 % | 0.0% |
| KEFLEX | 1 | 0.0 % | 0.0% |
| KLONOPIN | 4 | 0.1 % | 0.1% |
| KONSYL | 1 | 0.0 % | 0.0% |
| KU-ZYME | 1 | 0.0 % | 0.0% |
| KYOLIC | 1 | 0.0 % | 0.0% |
| LACTAID | 1 | 0.0 % | 0.0% |
| LANOXIN | 8 | 0.2 % | 0.2% |
| LASINOPRIL | 1 | 0.0 % | 0.0% |
| LASIX | 5 | 0.1 % | 0.1% |
| LAXIS | 1 | 0.0 % | 0.0% |
| LECITHIN | 1 | 0.0 % | 0.0% |
| LEVOBUNOLOL HCL | 1 | 0.0 % | 0.0% |
| LEVOTHROID | 1 | 0.0 % | 0.0% |
| LEVOXYL | 2 | 0.0 % | 0.0% |
| LIPITOR | 4 | 0.1 % | 0.1% |
| LOESTRIN | 1 | 0.0 % | 0.0% |
| LORAZEPAM | 4 | 0.1 % | 0.1% |
| LORCET | 1 | 0.0 % | 0.0% |
| LUDIOMIL | 1 | 0.0 % | 0.0% |
| MACRODANTIN | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM6 | CG MEDICATION 6 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| MAGNESIUM | 3 | 0.1 % | 0.1% |
| MAXAIR | 1 | 0.0 % | 0.0% |
| MAXZIDE | 1 | 0.0 % | 0.0% |
| MECLIZINE | 1 | 0.0 % | 0.0% |
| MEDROXY PROGESTERONE | 1 | 0.0 % | 0.0% |
| MEDROXYPROGESTERONE | 2 | 0.0 % | 0.0% |
| MELATONIN | 1 | 0.0 % | 0.0% |
| METAMUCIL | 3 | 0.1 % | 0.1% |
| METFORMIN | 1 | 0.0 % | 0.0% |
| METHISCHOL | 1 | 0.0 % | 0.0% |
| METOCLOPRAMIDE | 2 | 0.0 % | 0.0% |
| METOPROLOL | 2 | 0.0 % | 0.0% |
| METROGEL | 1 | 0.0 % | 0.0% |
| MEVACOR | 1 | 0.0 % | 0.0% |
| MIACALCIN | 2 | 0.0 % | 0.0% |
| MICRO-K SMEQ | 1 | 0.0 % | 0.0% |
| MICRONASE | 4 | 0.1 % | 0.1% |
| MILK OF MAGNESIA | 1 | 0.0 % | 0.0% |
| MILK THISTLE | 2 | 0.0 % | 0.0% |
| MIRAPEX | 1 | 0.0 % | 0.0% |
| MONOPRIL | 2 | 0.0 % | 0.0% |
| MOTRIN | 2 | 0.0 % | 0.0% |
| MULTI VITAMIN | 15 | 0.4 % | 0.4% |
| MULTI VITAMINS | 9 | 0.2 % | 0.2% |
| MULTI-VITAMIN | 3 | 0.1 % | 0.1% |
| MULTI-VITAMINS | 2 | 0.0 % | 0.0% |
| MULTIPLE VITAMIN | 2 | 0.0 % | 0.0% |
| MULTIPLE-VITAMINS | 1 | 0.0 % | 0.0% |
| MULTIVIT | 1 | 0.0 % | 0.0% |
| MULTIVITAMIN | 12 | 0.3 % | 0.3% |
| MULTIVITAMIN W/IRON | 1 | 0.0 % | 0.0% |
| MULTIVITAMINS | 4 | 0.1 % | 0.1% |
| NADOLOL | 2 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM6 | CG MEDICATION 6 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| NAOALOL | 1 | 0.0 % | 0.0% |
| NAPROSYN | 2 | 0.0 % | 0.0% |
| NAPROXEN (PRN) | 1 | 0.0 % | 0.0% |
| NAPROXIN | 1 | 0.0 % | 0.0% |
| NIACALCIN | 1 | 0.0 % | 0.0% |
| NITROGLYCERIN | 4 | 0.1 % | 0.1% |
| NITROGLYCERIN SR CAP | 1 | 0.0 % | 0.0% |
| NITROGLYCERINE PATCH | 1 | 0.0 % | 0.0% |
| NITROSTAT | 1 | 0.0 % | 0.0% |
| NONE | 353 | 8.5 % | 8.5% |
| NORVASC | 7 | 0.2 % | 0.2% |
| OCUVITE | 2 | 0.0 % | 0.0% |
| OCUVITE EXTRA | 1 | 0.0 % | 0.0% |
| OMEGA-3 | 1 | 0.0 % | 0.0% |
| OS-CAL | 1 | 0.0 % | 0.0% |
| OTHER NUTRITIONAL | 1 | 0.0 % | 0.0% |
| OXAZEPAM | 1 | 0.0 % | 0.0% |
| OXYBUTYNIN | 4 | 0.1 % | 0.1% |
| OXYBUTYNIN CHLORIDE | 1 | 0.0 % | 0.0% |
| OXYCONTIN | 1 | 0.0 % | 0.0% |
| PAPAYA ENZYME | 1 | 0.0 % | 0.0% |
| PAU DARCO | 1 | 0.0 % | 0.0% |
| PAXIL | 6 | 0.1 % | 0.1% |
| PENTOXIFYLLINE | 1 | 0.0 % | 0.0% |
| PEPCID | 1 | 0.0 % | 0.0% |
| PEPCID AC | 3 | 0.1 % | 0.1% |
| PEPTO-BISMOL | 1 | 0.0 % | 0.0% |
| PERCOCET | 1 | 0.0 % | 0.0% |
| PHENACAL | 2 | 0.0 % | 0.0% |
| PHENAZOPYRIDINE | 2 | 0.0 % | 0.0% |
| PHENOBARBITAL | 1 | 0.0 % | 0.0% |
| PILOCARPINE | 1 | 0.0 % | 0.0% |
| PILOPINE | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM6 | CG MEDICATION 6 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| POSTURE-D CALCIUM | 1 | 0.0 % | 0.0% |
| POTASSIUM | 8 | 0.2 % | 0.2% |
| POTASSIUM CHLORIDE | 1 | 0.0 % | 0.0% |
| PRAVACHOL | 5 | 0.1 % | 0.1% |
| PRAZOSIN | 2 | 0.0 % | 0.0% |
| PRECOSE | 3 | 0.1 % | 0.1% |
| PREM-RPO | 1 | 0.0 % | 0.0% |
| PREMARIN | 31 | 0.8 % | 0.8% |
| PREMPRO | 5 | 0.1 % | 0.1% |
| PREVACID | 6 | 0.1 % | 0.1% |
| PRILOSEC | 8 | 0.2 % | 0.2% |
| PRIMPRO | 1 | 0.0 % | 0.0% |
| PRINIVIL | 1 | 0.0 % | 0.0% |
| PROCAIDAMIDE | 1 | 0.0 % | 0.0% |
| PROCAINAMIDE | 1 | 0.0 % | 0.0% |
| PROCARDIA | 6 | 0.1 % | 0.1% |
| PROCARDIA XL | 2 | 0.0 % | 0.0% |
| PROGESTERONE | 1 | 0.0 % | 0.0% |
| PROPANOLOL | 1 | 0.0 % | 0.0% |
| PROPANTHELINE | 1 | 0.0 % | 0.0% |
| PROPOXYPHENE | 2 | 0.0 % | 0.0% |
| PROPRANOLOL | 2 | 0.0 % | 0.0% |
| PROPRANOLOL 20MG BID | 1 | 0.0 % | 0.0% |
| PROPRANOLOL HCL | 1 | 0.0 % | 0.0% |
| PROPULSID | 4 | 0.1 % | 0.1% |
| PROSCAR | 1 | 0.0 % | 0.0% |
| PROSTATE SUPPORT | 1 | 0.0 % | 0.0% |
| PROVENTIL | 2 | 0.0 % | 0.0% |
| PROVERA | 2 | 0.0 % | 0.0% |
| PROZAC | 6 | 0.1 % | 0.1% |
| PYRIDIUM | 1 | 0.0 % | 0.0% |
| QUINAPRIL | 2 | 0.0 % | 0.0% |
| QUINIDINE SULFATE | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM6 | CG MEDICATION 6 (cont.) |

| Value | Frequency | % | Valid % |
|--------------------|-----------|-------|---------|
| QUININE SULFATE | 3 | 0.1 % | 0.1% |
| RALOXIFENE | 1 | 0.0 % | 0.0% |
| RAMIPRIL | 1 | 0.0 % | 0.0% |
| RANITIDINE | 1 | 0.0 % | 0.0% |
| REFRESH EYE DROPS | 1 | 0.0 % | 0.0% |
| REGLAN | 3 | 0.1 % | 0.1% |
| RELAFEN NABUMETONE | 1 | 0.0 % | 0.0% |
| REMERON | 1 | 0.0 % | 0.0% |
| RESTORIL | 4 | 0.1 % | 0.1% |
| REZULIN | 1 | 0.0 % | 0.0% |
| ROBAXIN | 1 | 0.0 % | 0.0% |
| RYTHEMOL | 1 | 0.0 % | 0.0% |
| SALMON OIL | 1 | 0.0 % | 0.0% |
| SAW PALMETO | 1 | 0.0 % | 0.0% |
| SAW PALMETTO | 2 | 0.0 % | 0.0% |
| SELDANE | 3 | 0.1 % | 0.1% |
| SELENIUM | 2 | 0.0 % | 0.0% |
| SEREVENT | 4 | 0.1 % | 0.1% |
| SIMETHECONE | 1 | 0.0 % | 0.0% |
| SINGULAIR | 1 | 0.0 % | 0.0% |
| SINUS TABLETS | 1 | 0.0 % | 0.0% |
| SLOW K | 1 | 0.0 % | 0.0% |
| SLOW-K | 3 | 0.1 % | 0.1% |
| SONATA | 1 | 0.0 % | 0.0% |
| ST JOHN'S WORT | 2 | 0.0 % | 0.0% |
| ST JOHNS WORT | 1 | 0.0 % | 0.0% |
| ST. JOHNS WART | 1 | 0.0 % | 0.0% |
| STELAZINE | 1 | 0.0 % | 0.0% |
| STRESS BEE | 1 | 0.0 % | 0.0% |
| SULFAMETHOXAZOLE | 2 | 0.0 % | 0.0% |
| SULFASALAZINE | 1 | 0.0 % | 0.0% |
| SULINDAC | 1 | 0.0 % | 0.0% |
| SUPER CALCIUM | 1 | 0.0 % | 0.0% |
| | | | |

| Variable | Variable Description |
|----------|-------------------------|
| GM6 | CG MEDICATION 6 (cont.) |

| SYNTHROID 16 0.4% 0.0% SYNTROID 1 0.0% 0.0% TAGAMET 2 0.0% 0.0% TAMOXIFEN 2 0.0% 0.0% TAPAZOLE 1 0.0% 0.0% TEGISON 1 0.0% 0.0% TEGRETOL 1 0.0% 0.0% TEMAZEPAM 1 0.0% 0.0% TERAZOSIN HCL 1 0.0% 0.0% THEO 24 1 0.0% 0.0% THERAGRAM 1 0.0% 0.0% THERAGRAN M 1 0.0% 0.0% THERAGRAN M 1 0.0% 0.0% THERAGRAN-M 1 0.0% 0.0% THROAT SPRAY 1 0.0% 0.0% TIMOLAT SPRAY 1 0.0% 0.0% TIMOPOLI 1 0.0% 0.0% TIMOPOLI 1 0.0% 0.0% TOPROLXL 1 0.0% | Value | Frequency | % | Valid % |
|--|-------------------|-----------|-------|---------|
| TAGAMET TAMOXIFEN 2 0.0 % 0.0% TAPAZOLE 1 0.0 % 0.0% TEGISON 1 0.0 % 0.0% TEGRETOL 1 0.0 % 0.0% TERAZEPAM 1 0.0 % 0.0% TERAZOSIN HCL 1 0.0 % 0.0% THEO 24 1 0.0 % 0.0% THERAGRAM 1 0.0 % 0.0% THERAGRAM 1 0.0 % 0.0% THERAGRAN 1 0.0 % 0.0% THOUSE TO THE TO | SYNTHROID | 16 | 0.4 % | 0.4% |
| TAMOXIFEN 2 0.0% 0.0% 1.0% 1.0% 0.0% 1.0% 1.0% 0.0% 1.0% 1 | SYNTROID | 1 | 0.0 % | 0.0% |
| TAPAZOLE TEGISON TEGISON TEGRETOL TEMAZEPAM TERAZOSIN HCL THEO 24 THERAGRAM THOO % TOO % TOO % TOO % TOO % TOO % THOO TOO % TRACOONE TRACOO | TAGAMET | 2 | 0.0 % | 0.0% |
| TEGISON 1 0.0% 0.0% 1 0.0% 0.0% 1 0.0% 0.0% 1 0.0% 0.0% | TAMOXIFEN | 2 | 0.0 % | 0.0% |
| TEGRETOL 1 0.0 % 0.0% TEMAZEPAM 1 0.0 % 0.0% TERAZOSIN HCL 1 0.0 % 0.0% THEO 24 1 0.0 % 0.0% THERAGRAM 1 0.0 % 0.0% THERAGRAM M 1 0.0 % 0.0% THERAGRAN M 4 0.1 % 0.1% THROAT SPRAY 1 0.0 % 0.0% TIAZAC 6 0.1 % 0.1% TIMOLOL MALEATE 1 0.0 % 0.0% TIMOPTIC 5 0.1 % 0.1% TOBRADEX 1 0.0 % 0.0% TOPROL 1 0.0 % 0.0% TRACE MINERALS 1 0.0 % 0.0% TRAZODONE 1 0.0 % 0.0% TRAZODONE/DESYREL 1 0.0 % 0.0% TRIAMINICIN 1 0.0 % 0.0% TRIAMTERENE 4 0.1 % 0.0% TRILAFON | TAPAZOLE | 1 | 0.0 % | 0.0% |
| TEMAZEPAM 1 0.0 % 0.0% TERAZOSIN HCL 1 0.0 % 0.0% THEO 24 1 0.0 % 0.0% THERAGRAM 1 0.0 % 0.0% THERAGRAM M 1 0.0 % 0.0% THERAGRAN M 4 0.1 % 0.1% THROAT SPRAY 1 0.0 % 0.0% TIAZAC 6 0.1 % 0.1% TIMOLOL MALEATE 1 0.0 % 0.0% TIMOPTIC 5 0.1 % 0.1% TOBRADEX 1 0.0 % 0.0% TOPROL 1 0.0 % 0.0% TOPROLXL 1 0.0 % 0.0% TRACE MINERALS 1 0.0 % 0.0% TRAZODONE 1 0.0 % 0.0% TRAZODONE HCL 1 0.0 % 0.0% TRIAMINICIN 1 0.0 % 0.0% TRIAMTERENE 4 0.1 % 0.1% TRILAFON <t< td=""><td>TEGISON</td><td>1</td><td>0.0 %</td><td>0.0%</td></t<> | TEGISON | 1 | 0.0 % | 0.0% |
| TERAZOSIN HCL 1 0.0 % 0.0% THEO 24 1 0.0 % 0.0% THERAGRAM 1 0.0 % 0.0% THERAGRAM M 1 0.0 % 0.0% THERAGRAN M 4 0.1 % 0.1% THROAT SPRAY 1 0.0 % 0.0% THAZAC 6 0.1 % 0.1% TIMOLOL MALEATE 1 0.0 % 0.0% TIMOPTIC 5 0.1 % 0.1% TOBRADEX 1 0.0 % 0.0% TOPROL 1 0.0 % 0.0% TOPROLXL 1 0.0 % 0.0% TRACE MINERALS 1 0.0 % 0.0% TRAZODONE 1 0.0 % 0.0% TRAZODONE HCL 1 0.0 % 0.0% TRIAMINICIN 1 0.0 % 0.0% TRIAMTERENE 4 0.1 % 0.0% TRILAFON 1 0.0 % 0.0% TRUSOPT | TEGRETOL | 1 | 0.0 % | 0.0% |
| THEO 24 THERAGRAM THERAGRAM THERAGRAM M THERAGRAM M THERAGRAN M THOU M TH THOU M THOU | TEMAZEPAM | 1 | 0.0 % | 0.0% |
| THERAGRAM 1 0.0 % 0.0% THERAGRAM M 1 0.0 % 0.0% THERAGRAN 1 0.0 % 0.0% THERAGRAN M 4 0.1 % 0.1% THERAGRAN-M 1 0.0 % 0.0% THROAT SPRAY 1 0.0 % 0.0% TIAZAC 6 0.1 % 0.1% TICLID 1 0.0 % 0.0% TIMOLOL MALEATE 1 0.0 % 0.0% TOBRADEX 1 0.0 % 0.0% TOPROL 1 0.0 % 0.0% TOPROL 1 0.0 % 0.0% TRACE MINERALS 1 0.0 % 0.0% TRAZODONE 1 0.0 % 0.0% TRAZODONE 1 0.0 % 0.0% TRAZODONE 1 0.0 % 0.0% TRAZODONE/DESYREL 1 0.0 % 0.0% TRIAMINICIN 1 0.0 % 0.0% TRIAMTERENE 4 0.1 % 0.1% TRUSOPT 1 0.0 % 0.0% | TERAZOSIN HCL | 1 | 0.0 % | 0.0% |
| THERAGRAM M 1 0.0 % 0.0% THERAGRAN 1 0.0 % 0.0% THERAGRAN M 4 0.1 % 0.1% THERAGRAN-M 1 0.0 % 0.0% THROAT SPRAY 1 0.0 % 0.0% TIAZAC 6 0.1 % 0.1% TICLID 1 0.0 % 0.0% TIMOLOL MALEATE 1 0.0 % 0.0% TIMOPTIC 5 0.1 % 0.1% TOBRADEX 1 0.0 % 0.0% TOPROL 1 0.0 % 0.0% TOPROLXL 1 0.0 % 0.0% TRACE MINERALS 1 0.0 % 0.0% TRAZODONE 1 0.0 % 0.0% TRAZODONE HCL 1 0.0 % 0.0% TRIAMINICIN 1 0.0 % 0.0% TRIAMTERENE 4 0.1 % 0.1% TRILAFON 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.0% TUMS 4 0.1 % 0.1% </td <td>THEO 24</td> <td>1</td> <td>0.0 %</td> <td>0.0%</td> | THEO 24 | 1 | 0.0 % | 0.0% |
| THERAGRAN 1 0.0 % 0.0% THERAGRAN M 4 0.1 % 0.1% THERAGRAN-M 1 0.0 % 0.0% THROAT SPRAY 1 0.0 % 0.0% TIAZAC 6 0.1 % 0.1% TICLID 1 0.0 % 0.0% TIMOLOL MALEATE 1 0.0 % 0.0% TIMOPTIC 5 0.1 % 0.1% TOBRADEX 1 0.0 % 0.0% TOPROL 1 0.0 % 0.0% TOPROL 1 0.0 % 0.0% TRACE MINERALS 1 0.0 % 0.0% TRAZODONE 1 0.0 % 0.0% TRAZODONE 1 0.0 % 0.0% TRAZODONE 1 0.0 % 0.0% TRAZODONE/DESYREL 1 0.0 % 0.0% TRIAMINICIN 1 0.0 % 0.0% TRIAMITERENE 4 0.1 % 0.1% TRILAFON 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.0% | THERAGRAM | 1 | 0.0 % | 0.0% |
| THERAGRAN M 4 0.1 % 0.1% THERAGRAN-M 1 0.0 % 0.0% THROAT SPRAY 1 0.0 % 0.0% TIAZAC 6 0.1 % 0.1% TICLID 1 0.0 % 0.0% TIMOLOL MALEATE 1 0.0 % 0.0% TIMOPTIC 5 0.1 % 0.1% TOBRADEX 1 0.0 % 0.0% TOPROL 1 0.0 % 0.0% TOPROLXL 1 0.0 % 0.0% TRACE MINERALS 1 0.0 % 0.0% TRAZODONE 1 0.0 % 0.0% TRAZODONE HCL 1 0.0 % 0.0% TRAZODONE/DESYREL 1 0.0 % 0.0% TRIAMTERENE 4 0.1 % 0.1% TRILAFON 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.0% TUMS 4 0.1 % 0.1% | THERAGRAM M | 1 | 0.0 % | 0.0% |
| THERAGRAN-M 1 0.0 % 0.0% THROAT SPRAY 1 0.0 % 0.0% TIAZAC 6 0.1 % 0.1% TICLID 1 0.0 % 0.0% TIMOLOL MALEATE 1 0.0 % 0.0% TIMOPTIC 5 0.1 % 0.1% TOBRADEX 1 0.0 % 0.0% TOPROL 1 0.0 % 0.0% TOPROLXL 1 0.0 % 0.0% TRACE MINERALS 1 0.0 % 0.0% TRAZODONE 1 0.0 % 0.0% TRAZODONE HCL 1 0.0 % 0.0% TRAZODONE/DESYREL 1 0.0 % 0.0% TRIAMINICIN 1 0.0 % 0.0% TRIAMTERENE 4 0.1 % 0.1% TRUSOPT 1 0.0 % 0.0% TUMS 4 0.1 % 0.1% | THERAGRAN | 1 | 0.0 % | 0.0% |
| THROAT SPRAY 1 0.0 % 0.0% TIAZAC 6 0.1 % 0.1% TICLID 1 0.0 % 0.0% TIMOLOL MALEATE 1 0.0 % 0.0% TIMOPTIC 5 0.1 % 0.1% TOBRADEX 1 0.0 % 0.0% TOPROL 1 0.0 % 0.0% TOPROLX 1 0.0 % 0.0% TRACE MINERALS 1 0.0 % 0.0% TRAZODONE TRAZODONE TRAZODONE HCL 1 0.0 % 0.0% TRAZODONE/DESYREL 1 0.0 % 0.0% TRIAMINICIN TRIAMITERENE 4 0.1 % 0.1% TRUSOPT 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.0% TOPROL 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.0% TOPROL 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.0% TOPROL 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.0% TUMS | THERAGRAN M | 4 | 0.1 % | 0.1% |
| TIAZAC 6 0.1 % 0.1% TICLID 1 0.0 % 0.0% TIMOLOL MALEATE 1 0.0 % 0.0% TIMOPTIC 5 0.1 % 0.1% TOBRADEX 1 0.0 % 0.0% TOPROL 1 0.0 % 0.0% TOPROLXL 1 0.0 % 0.0% TRACE MINERALS 1 0.0 % 0.0% TRAZODONE 1 0.0 % 0.0% TRAZODONE HCL 1 0.0 % 0.0% TRAZODONE/DESYREL 1 0.0 % 0.0% TRIAMINICIN 1 0.0 % 0.0% TRIAMTERENE 4 0.1 % 0.1% TRILAFON 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.0% TUMS 4 0.1 % 0.1% | THERAGRAN-M | 1 | 0.0 % | 0.0% |
| TICLID 1 0.0 % 0.0% TIMOLOL MALEATE 1 0.0 % 0.0% TIMOPTIC 5 0.1 % 0.1% TOBRADEX 1 0.0 % 0.0% TOPROL 1 0.0 % 0.0% TOPROLXL 1 0.0 % 0.0% TRACE MINERALS 1 0.0 % 0.0% TRAZODONE 1 0.0 % 0.0% TRAZODONE HCL 1 0.0 % 0.0% TRAZODONE/DESYREL 1 0.0 % 0.0% TRIAMINICIN 1 0.0 % 0.0% TRIAMTERENE 4 0.1 % 0.1% TRILAFON 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.0% TUMS 4 0.1 % 0.1% | THROAT SPRAY | 1 | 0.0 % | 0.0% |
| TIMOLOL MALEATE 1 0.0 % 0.0% TIMOPTIC 5 0.1 % 0.1% TOBRADEX 1 0.0 % 0.0% TOPROL 1 0.0 % 0.0% TOPROLXL 1 0.0 % 0.0% TRACE MINERALS 1 0.0 % 0.0% TRAZODONE 1 0.0 % 0.0% TRAZODONE HCL 1 0.0 % 0.0% TRAZODONE/DESYREL 1 0.0 % 0.0% TRIAMINICIN 1 0.0 % 0.0% TRIAMTERENE 4 0.1 % 0.1% TRUSOPT 1 0.0 % 0.0% TUMS 4 0.1 % 0.1% | TIAZAC | 6 | 0.1 % | 0.1% |
| TIMOPTIC 5 0.1 % 0.1% TOBRADEX 1 0.0 % 0.0% TOPROL 1 0.0 % 0.0% TOPROLXL 1 0.0 % 0.0% TRACE MINERALS 1 0.0 % 0.0% TRAZODONE 1 0.0 % 0.0% TRAZODONE/DESYREL 1 0.0 % 0.0% TRIAMINICIN 1 0.0 % 0.0% TRIAMTERENE 4 0.1 % 0.1% TRILAFON 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.0% TUMS 4 0.1 % 0.1% | TICLID | 1 | 0.0 % | 0.0% |
| TOBRADEX 1 0.0 % 0.0% TOPROL 1 0.0 % 0.0% TOPROLXL 1 0.0 % 0.0% TRACE MINERALS 1 0.0 % 0.0% TRAZODONE 1 0.0 % 0.0% TRAZODONE HCL 1 0.0 % 0.0% TRAZODONE/DESYREL 1 0.0 % 0.0% TRIAMINICIN 1 0.0 % 0.0% TRIAMTERENE 4 0.1 % 0.1% TRUSOPT 1 0.0 % 0.0% TUMS 4 0.1 % 0.1% | TIMOLOL MALEATE | 1 | 0.0 % | 0.0% |
| TOPROL 1 0.0 % 0.0% TOPROLXL 1 0.0 % 0.0% TRACE MINERALS 1 0.0 % 0.0% TRAZODONE 1 0.0 % 0.0% TRAZODONE/DESYREL 1 0.0 % 0.0% TRIAMINICIN 1 0.0 % 0.0% TRIAMTERENE 4 0.1 % 0.1% TRILAFON 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.0% TUMS 4 0.1 % 0.1% | TIMOPTIC | 5 | 0.1 % | 0.1% |
| TOPROLXL 1 0.0 % 0.0% TRACE MINERALS 1 0.0 % 0.0% TRAZODONE 1 0.0 % 0.0% TRAZODONE HCL 1 0.0 % 0.0% TRIAZODONE/DESYREL 1 0.0 % 0.0% TRIAMINICIN 1 0.0 % 0.0% TRIAMTERENE 4 0.1 % 0.1% TRILAFON 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.0% TUMS 4 0.1 % 0.1% | TOBRADEX | 1 | 0.0 % | 0.0% |
| TRACE MINERALS 1 0.0 % 0.0% TRAZODONE 1 0.0 % 0.0% TRAZODONE HCL 1 0.0 % 0.0% TRAZODONE/DESYREL 1 0.0 % 0.0% TRIAMINICIN 1 0.0 % 0.0% TRIAMTERENE 4 0.1 % 0.1% TRILAFON 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.0% TUMS 4 0.1 % 0.1% | TOPROL | 1 | 0.0 % | 0.0% |
| TRAZODONE 1 0.0 % 0.0% TRAZODONE HCL 1 0.0 % 0.0% TRAZODONE/DESYREL 1 0.0 % 0.0% TRIAMINICIN 1 0.0 % 0.0% TRIAMTERENE 4 0.1 % 0.1% TRILAFON 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.0% TUMS 4 0.1 % 0.1% | TOPROLXL | 1 | 0.0 % | 0.0% |
| TRAZODONE HCL 1 0.0 % 0.0% TRAZODONE/DESYREL 1 0.0 % 0.0% TRIAMINICIN 1 0.0 % 0.0% TRIAMTERENE 4 0.1 % 0.1% TRILAFON 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.0% TUMS 4 0.1 % 0.1% | TRACE MINERALS | 1 | 0.0 % | 0.0% |
| TRAZODONE/DESYREL 1 0.0 % 0.0% TRIAMINICIN 1 0.0 % 0.0% TRIAMTERENE 4 0.1 % 0.1% TRILAFON 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.0% TUMS 4 0.1 % 0.1% | TRAZODONE | 1 | 0.0 % | 0.0% |
| TRIAMINICIN 1 0.0 % 0.0% TRIAMTERENE 4 0.1 % 0.1% TRILAFON 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.0% TUMS 4 0.1 % 0.1% | TRAZODONE HCL | 1 | 0.0 % | 0.0% |
| TRIAMTERENE 4 0.1 % 0.1% TRILAFON 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.0% TUMS 4 0.1 % 0.1% | TRAZODONE/DESYREL | 1 | 0.0 % | 0.0% |
| TRILAFON 1 0.0 % 0.0% TRUSOPT 1 0.0 % 0.0% TUMS 4 0.1 % 0.1% | TRIAMINICIN | 1 | 0.0 % | 0.0% |
| TRUSOPT 1 0.0 % 0.0% TUMS 4 0.1 % 0.1% | TRIAMTERENE | 4 | 0.1 % | 0.1% |
| TUMS 4 0.1 % 0.1% | TRILAFON | 1 | 0.0 % | 0.0% |
| | TRUSOPT | 1 | 0.0 % | 0.0% |
| TYLENOL 26 0.6 % 0.6% | TUMS | 4 | 0.1 % | 0.1% |
| | TYLENOL | 26 | 0.6 % | 0.6% |

| Variable | Variable Description |
|----------|-------------------------|
| GM6 | CG MEDICATION 6 (cont.) |

| Value | Frequency | % | Valid % |
|-------------------|-----------|-------|---------|
| TYLENOL 3 | 1 | 0.0 % | 0.0% |
| TYLENOL ARTHRITIS | 1 | 0.0 % | 0.0% |
| TYLENOL PM | 1 | 0.0 % | 0.0% |
| TYLENOL SINUS | 1 | 0.0 % | 0.0% |
| TYLENOL-3 | 1 | 0.0 % | 0.0% |
| TYLNOL | 1 | 0.0 % | 0.0% |
| UNISOM SLEEP GELS | 1 | 0.0 % | 0.0% |
| VALERIAN | 1 | 0.0 % | 0.0% |
| VALERIAN ROOT | 1 | 0.0 % | 0.0% |
| VALIUM | 2 | 0.0 % | 0.0% |
| VALLIUM | 1 | 0.0 % | 0.0% |
| VANCENASE | 1 | 0.0 % | 0.0% |
| VANCERIL | 1 | 0.0 % | 0.0% |
| VASOKASTAN | 1 | 0.0 % | 0.0% |
| VASOTEC | 7 | 0.2 % | 0.2% |
| VENIPHEX | 1 | 0.0 % | 0.0% |
| VENTOLIN | 1 | 0.0 % | 0.0% |
| VERAPAMIL | 4 | 0.1 % | 0.1% |
| VERAPAMIL SA | 2 | 0.0 % | 0.0% |
| VERAPAMIL SR 240 | 1 | 0.0 % | 0.0% |
| VICODAN | 1 | 0.0 % | 0.0% |
| VISTARIL | 1 | 0.0 % | 0.0% |
| VIT C | 1 | 0.0 % | 0.0% |
| VIT. E | 1 | 0.0 % | 0.0% |
| VITAMIN | 2 | 0.0 % | 0.0% |
| VITAMIN A | 1 | 0.0 % | 0.0% |
| VITAMIN B | 8 | 0.2 % | 0.2% |
| VITAMIN B-12 | 1 | 0.0 % | 0.0% |
| VITAMIN B-6 | 2 | 0.0 % | 0.0% |
| VITAMIN B1 | 3 | 0.1 % | 0.1% |
| VITAMIN B12 | 2 | 0.0 % | 0.0% |
| VITAMIN B6 | 3 | 0.1 % | 0.1% |
| VITAMIN C | 42 | 1.0 % | 1.0% |

GM6 CG MEDICATION 6 (cont.)

| Value | Frequency | % | Valid % |
|---------------------|-----------|-------|---------|
| VITAMIN D | 6 | 0.1 % | 0.1% |
| VITAMIN E | 63 | 1.5 % | 1.5% |
| VITAMIN-B1 | 1 | 0.0 % | 0.0% |
| VITAMIN-C | 4 | 0.1 % | 0.1% |
| VITAMIN-E | 1 | 0.0 % | 0.0% |
| VITAMINA C | 1 | 0.0 % | 0.0% |
| VITAMINS - MULTIPLE | 1 | 0.0 % | 0.0% |
| VOLTAREN | 2 | 0.0 % | 0.0% |
| VOLTAREN XR | 1 | 0.0 % | 0.0% |
| WARFARIN | 2 | 0.0 % | 0.0% |
| WELLBUTRIN | 1 | 0.0 % | 0.0% |
| WYGESIC | 1 | 0.0 % | 0.0% |
| XALATAN | 4 | 0.1 % | 0.1% |
| XANAX | 4 | 0.1 % | 0.1% |
| ZANTAC | 6 | 0.1 % | 0.1% |
| ZANTAC 150 | 1 | 0.0 % | 0.0% |
| ZAROXOLYN | 4 | 0.1 % | 0.1% |
| ZESTRIL | 5 | 0.1 % | 0.1% |
| ZINC | 8 | 0.2 % | 0.2% |
| ZITHROMAX | 2 | 0.0 % | 0.0% |
| ZOCOR | 8 | 0.2 % | 0.2% |
| ZOLOFT | 9 | 0.2 % | 0.2% |
| ZYRTEC | 6 | 0.1 % | 0.1% |

G6C1 CG MEDICATION 6 CODE1

Start: 351 End: 359 Width: 9.2

Type: numeric (ISO) Interval: discrete

Value Label Frequency % Valid % -4.00 Refused 0.0 % 0.0% 0 -3.00 Unknown 0.0 % 0.0% -2.00 None 2982 72.2 % 72.2% -1.00 Missing 0 0.0 % 0.0% (ALL) Allergic 1.00 0 0.0 % 0.0% 2.00 (ANA) Analgesic 2.6 % 2.6% 106 3.00 (ANES) Anesthetic 0 0.0 % 0.0%

| Variable Va | riat | ole D |)escr | pti | or |
|-------------|------|-------|-------|-----|----|
|-------------|------|-------|-------|-----|----|

G6C1 CG MEDICATION 6 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|-------|---------|
| 4.00 | (ANTB) Antibiotic/Antibacterial | 22 | 0.5 % | 0.5% |
| 5.00 | (ANTC) Anticonvulsive | 3 | 0.1 % | 0.1% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 1 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 25 | 0.6 % | 0.6% |
| 9.00 | (ANTI) Anti-inflammatory | 43 | 1.0 % | 1.0% |
| 10.00 | (ANTIV) Antivertigo | 1 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 2 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 3 | 0.1 % | 0.1% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 1 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 40 | 1.0 % | 1.0% |
| 17.00 | (CON) Contraceptive | 1 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 1 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 172 | 4.2 % | 4.2% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 3 | 0.1 % | 0.1% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 23 | 0.6 % | 0.6% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 76 | 1.8 % | 1.8% |
| 28.00 | (GU) Genitourinary | 14 | 0.3 % | 0.3% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 19 | 0.5 % | 0.5% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 81 | 2.0 % | 2.0% |
| 33.00 | (HYP) Hypnotic | 11 | 0.3 % | 0.3% |
| 34.00 | (IM) Immunologic | 3 | 0.1 % | 0.1% |
| 35.00 | (LAX) Laxative | 3 | 0.1 % | 0.1% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |

| Variable Variable Description | Variable | Variable Description |
|-------------------------------|----------|----------------------|
|-------------------------------|----------|----------------------|

G6C1 CG MEDICATION 6 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 37.00 | (MS) Musculoskeletal | 6 | 0.1 % | 0.1% |
| 38.00 | (NAR) Narcotic | 1 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 339 | 8.2 % | 8.2% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 26 | 0.6 % | 0.6% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 25 | 0.6 % | 0.6% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 4 | 0.1 % | 0.1% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 11 | 0.3 % | 0.3% |
| 49.00 | (PUL) Pulmonary | 42 | 1.0 % | 1.0% |
| 50.00 | (SED) Sedative | 6 | 0.1 % | 0.1% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 1 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 12 | 0.3 % | 0.3% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 13 | 0.3 % | 0.3% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 1 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 6 | 0.1 % | 0.1% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|------|-------|
| 4129 | -2.00 | 99.00 | 6.61 | 16.16 |

G6C2

Start: 360 End: 368 Width: 9.2

Type: numeric (ISO) Interval: discrete

CG MEDICATION 6 CODE2

| Value | Label | Frequency | % | Valid % |
|-------|----------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 3889 | 94.2 % | 94.2% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 8 | 0.2 % | 0.2% |

| Variable | Variable Description | on |
|----------|----------------------|----|
|----------|----------------------|----|

G6C2 CG MEDICATION 6 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|-------|---------|
| 2.00 | (ANA) Analgesic | 7 | 0.2 % | 0.2% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 9 | 0.2 % | 0.2% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 2 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 5 | 0.1 % | 0.1% |
| 10.00 | (ANTIV) Antivertigo | 1 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 3 | 0.1 % | 0.1% |
| 12.00 | (ANTP) Antiparasitic | 1 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 9 | 0.2 % | 0.2% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 8 | 0.2 % | 0.2% |
| 19.00 | (CV) Cardiovascular | 11 | 0.3 % | 0.3% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 2 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 17 | 0.4 % | 0.4% |
| 25.00 | (ENT) Ear, Nose or Throat | 1 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 3 | 0.1 % | 0.1% |
| 28.00 | (GU) Genitourinary | 29 | 0.7 % | 0.7% |
| 29.00 | (GYN) Gynecologic | 2 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 24 | 0.6 % | 0.6% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 5 | 0.1 % | 0.1% |
| 33.00 | (HYP) Hypnotic | 5 | 0.1 % | 0.1% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G6C2 CG MEDICATION 6 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 35.00 | (LAX) Laxative | 5 | 0.1 % | 0.1% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 8 | 0.2 % | 0.2% |
| 38.00 | (NAR) Narcotic | 3 | 0.1 % | 0.1% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 2 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 1 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 3 | 0.1 % | 0.1% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 15 | 0.4 % | 0.4% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 2 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 27 | 0.7 % | 0.7% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 2 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 10 | 0.2 % | 0.2% |
| 51.00 | (STE) Steroid | 2 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 8 | 0.2 % | 0.2% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev | |
|-------|-------|-------|-------|-------|--|
| 4129 | -2.00 | 53.00 | -0.15 | 8.23 | |

G6C3 CG MEDICATION 6 CODE3

Start: 369 End: 377 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4076 | 98.7 % | 98.7% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G6C3 CG MEDICATION 6 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|-------|---------|
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 1 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 2 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 7 | 0.2 % | 0.2% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 2 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 1 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 2 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 1 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 1 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 3 | 0.1 % | 0.1% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 1 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 2 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------------|
| G6C3 | CG MEDICATION 6 CODE3 (cont.) |

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 2 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 1 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 11 | 0.3 % | 0.3% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 7 | 0.2 % | 0.2% |
| 51.00 | (STE) Steroid | 1 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 7 | 0.2 % | 0.2% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 53.00 | -1.56 | 4.43 |

G6C4 CG MEDICATION 6 CODE4

Start: 378 End: 386 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------|-----------|-------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |

Variable

Variable Description

G6C4

CG MEDICATION 6 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4123 | 99.9 % | 99.9% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description | | |
|----------|-------------------------------|--|--|
| G6C4 | CG MEDICATION 6 CODE4 (cont.) | | |

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 4 | 0.1 % | 0.1% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 1 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 1 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 53.00 | -1.93 | 1.93 |

GM7 CG MEDICATION 7

Start: 387 End: 406 Width: 20

Type: character (ISO)
Interval: discrete

| Value | Frequency | % | Valid % |
|--------------------|-----------|--------|---------|
| -2 | 3033 | 73.5 % | 73.5% |
| ABC MULTIVITAMIN | 1 | 0.0 % | 0.0% |
| ACETAMINOPHEN | 2 | 0.0 % | 0.0% |
| ACIDOPHILOSIS | 1 | 0.0 % | 0.0% |
| ACIDOPHILUS | 1 | 0.0 % | 0.0% |
| ADVIL | 5 | 0.1 % | 0.1% |
| AEROBID | 1 | 0.0 % | 0.0% |
| ALBUTERAL | 1 | 0.0 % | 0.0% |
| ALBUTEROL | 5 | 0.1 % | 0.1% |
| ALBUTEROL INHALER | 3 | 0.1 % | 0.1% |
| ALLOPURINOL | 1 | 0.0 % | 0.0% |
| ALPHA LIPOLIC ACID | 1 | 0.0 % | 0.0% |
| ALPHAGAN | 1 | 0.0 % | 0.0% |
| ALPRAZOLAM | 2 | 0.0 % | 0.0% |
| ALTACE | 1 | 0.0 % | 0.0% |
| ALUPENT | 1 | 0.0 % | 0.0% |
| AMBIEN | 2 | 0.0 % | 0.0% |
| AMITRIPTYLINE | 1 | 0.0 % | 0.0% |
| ANACIN | 1 | 0.0 % | 0.0% |
| ANTIHISTAMINE | 1 | 0.0 % | 0.0% |
| APAP 3 | 1 | 0.0 % | 0.0% |
| ARICEPT | 1 | 0.0 % | 0.0% |
| ARTHROTEC | 1 | 0.0 % | 0.0% |
| ASACOL | 1 | 0.0 % | 0.0% |
| ASPIRIN | 45 | 1.1 % | 1.1% |
| ATENOLOC | 1 | 0.0 % | 0.0% |
| ATENOLOL | 8 | 0.2 % | 0.2% |
| ATIVAN | 2 | 0.0 % | 0.0% |
| ATROVENT | 3 | 0.1 % | 0.1% |
| ATROVENT INHALER | 1 | 0.0 % | 0.0% |
| AXID | 1 | 0.0 % | 0.0% |
| B-12 | 1 | 0.0 % | 0.0% |
| BABY ASPIRIN | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM7 | CG MEDICATION 7 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| BACTRIM DS | 1 | 0.0 % | 0.0% |
| BAYCOL | 1 | 0.0 % | 0.0% |
| BELLADONNA | 1 | 0.0 % | 0.0% |
| BENADRYL | 1 | 0.0 % | 0.0% |
| BENAZEPRIL | 1 | 0.0 % | 0.0% |
| BENEDRYL | 1 | 0.0 % | 0.0% |
| BEROCCA | 1 | 0.0 % | 0.0% |
| BETAPACE | 1 | 0.0 % | 0.0% |
| BIAXIN | 1 | 0.0 % | 0.0% |
| BILBERRY EXTRACT | 1 | 0.0 % | 0.0% |
| BIOTIN | 2 | 0.0 % | 0.0% |
| BLEPHAMIDE | 1 | 0.0 % | 0.0% |
| BUSPAR | 2 | 0.0 % | 0.0% |
| BUTALBITAL | 1 | 0.0 % | 0.0% |
| CALCIUM | 23 | 0.6 % | 0.6% |
| CALCIUM 600 | 1 | 0.0 % | 0.0% |
| CALCIUM CALTRATE | 1 | 0.0 % | 0.0% |
| CALCIUM CARBONATE | 5 | 0.1 % | 0.1% |
| CALCIUM MAGNESIUM | 1 | 0.0 % | 0.0% |
| CALCIUM/MAGNESIUM/ZI | 1 | 0.0 % | 0.0% |
| CALTRATE | 1 | 0.0 % | 0.0% |
| CAPITRIL | 1 | 0.0 % | 0.0% |
| CARDURA | 2 | 0.0 % | 0.0% |
| CARTIA | 1 | 0.0 % | 0.0% |
| CASANTHRANOL | 1 | 0.0 % | 0.0% |
| CATAPRES-TTS | 1 | 0.0 % | 0.0% |
| CEFZIL | 1 | 0.0 % | 0.0% |
| CELEBREX | 2 | 0.0 % | 0.0% |
| CELEXA | 2 | 0.0 % | 0.0% |
| CENTRAL VITE SENIOR | 1 | 0.0 % | 0.0% |
| CENTRUM | 5 | 0.1 % | 0.1% |
| CENTRUM SILVER | 4 | 0.1 % | 0.1% |
| CHLORTRIMETON | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM7 | CG MEDICATION 7 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| CIMETIDINE | 2 | 0.0 % | 0.0% |
| CITRUCEL | 1 | 0.0 % | 0.0% |
| CLARETIN | 1 | 0.0 % | 0.0% |
| CLARITAN-D | 2 | 0.0 % | 0.0% |
| CLARITIN | 4 | 0.1 % | 0.1% |
| CLARITIN-D | 1 | 0.0 % | 0.0% |
| CLIDINIUM | 1 | 0.0 % | 0.0% |
| CLONAZEPAM | 1 | 0.0 % | 0.0% |
| COENZYME Q10 MULTIVI | 1 | 0.0 % | 0.0% |
| COLACE | 1 | 0.0 % | 0.0% |
| COLGAT | 1 | 0.0 % | 0.0% |
| COMBIVENT INHALER | 1 | 0.0 % | 0.0% |
| COQIO | 1 | 0.0 % | 0.0% |
| COUMADIN | 7 | 0.2 % | 0.2% |
| COVERA HS | 1 | 0.0 % | 0.0% |
| COZAAR | 1 | 0.0 % | 0.0% |
| CYCLOBENZAPRINE | 2 | 0.0 % | 0.0% |
| CYCLOBENZAPRINE HCL | 1 | 0.0 % | 0.0% |
| CYTOTEC | 1 | 0.0 % | 0.0% |
| DAROVOCET | 1 | 0.0 % | 0.0% |
| DARVASET | 1 | 0.0 % | 0.0% |
| DAYPRO | 2 | 0.0 % | 0.0% |
| DEMADEX | 2 | 0.0 % | 0.0% |
| DEPAROTE | 1 | 0.0 % | 0.0% |
| DESYREL | 1 | 0.0 % | 0.0% |
| DETROL | 1 | 0.0 % | 0.0% |
| DHEA | 1 | 0.0 % | 0.0% |
| DIABETA | 1 | 0.0 % | 0.0% |
| DIAMOX | 1 | 0.0 % | 0.0% |
| DIAZEPAM | 1 | 0.0 % | 0.0% |
| DIET PEP | 1 | 0.0 % | 0.0% |
| DIETARY SUPPLEMENT | 1 | 0.0 % | 0.0% |
| DIGOXIN | 2 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM7 | CG MEDICATION 7 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| DILANTIN | 1 | 0.0 % | 0.0% |
| DIOVAN | 2 | 0.0 % | 0.0% |
| DOCUSATE SODIUM | 2 | 0.0 % | 0.0% |
| DONE | 2 | 0.0 % | 0.0% |
| DOXAZOSIN | 1 | 0.0 % | 0.0% |
| E MYCIN | 1 | 0.0 % | 0.0% |
| E VITAMIN | 1 | 0.0 % | 0.0% |
| E-400 | 1 | 0.0 % | 0.0% |
| ECHINACEA | 2 | 0.0 % | 0.0% |
| ECOTRIN | 2 | 0.0 % | 0.0% |
| EFFEXOR | 1 | 0.0 % | 0.0% |
| ENTERIC ASPIRIN | 1 | 0.0 % | 0.0% |
| ENTEX LA | 2 | 0.0 % | 0.0% |
| EQUAL | 1 | 0.0 % | 0.0% |
| EQUATE | 1 | 0.0 % | 0.0% |
| ESSENTIAL LIFE | 2 | 0.0 % | 0.0% |
| ESSIC PLUS-G | 1 | 0.0 % | 0.0% |
| ESTRACE | 1 | 0.0 % | 0.0% |
| ESTRADIOL | 1 | 0.0 % | 0.0% |
| ESTRATAB | 2 | 0.0 % | 0.0% |
| ESTRATEST | 2 | 0.0 % | 0.0% |
| ESTRO TAB | 1 | 0.0 % | 0.0% |
| ESTROGENS | 1 | 0.0 % | 0.0% |
| ETODOLAC | 1 | 0.0 % | 0.0% |
| EULEXIN | 1 | 0.0 % | 0.0% |
| EYEBRITE | 2 | 0.0 % | 0.0% |
| FELDENE | 3 | 0.1 % | 0.1% |
| FENESIN | 1 | 0.0 % | 0.0% |
| FERRO-SEQUELS | 1 | 0.0 % | 0.0% |
| FIBERCON | 1 | 0.0 % | 0.0% |
| FISH OIL CONCENTRATE | 1 | 0.0 % | 0.0% |
| FLAX OIL | 1 | 0.0 % | 0.0% |
| FLAXSEED OIL | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM7 | CG MEDICATION 7 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| FLONASE | 1 | 0.0 % | 0.0% |
| FLOVENT SPRAY | 1 | 0.0 % | 0.0% |
| FOLIC ACID | 3 | 0.1 % | 0.1% |
| FOSAMAX | 5 | 0.1 % | 0.1% |
| FUROSEMIDE | 2 | 0.0 % | 0.0% |
| GARLIC | 3 | 0.1 % | 0.1% |
| GAVISCON | 1 | 0.0 % | 0.0% |
| GEMFIBROZIL | 1 | 0.0 % | 0.0% |
| GINGKO BILOBA | 1 | 0.0 % | 0.0% |
| GINKGO BILOBA | 6 | 0.1 % | 0.1% |
| GINKO BILOBA | 3 | 0.1 % | 0.1% |
| GINSENG | 2 | 0.0 % | 0.0% |
| GLIPIZIDE | 1 | 0.0 % | 0.0% |
| GLUCOPHAGE | 5 | 0.1 % | 0.1% |
| GLUCOSAMINE | 3 | 0.1 % | 0.1% |
| GLUCOSAMINE CHONDRIT | 1 | 0.0 % | 0.0% |
| GLUCOSAMINE CHONDROI | 1 | 0.0 % | 0.0% |
| GLUCOSAMINES | 1 | 0.0 % | 0.0% |
| GLYBURIDE | 2 | 0.0 % | 0.0% |
| GUAIF | 1 | 0.0 % | 0.0% |
| GUAIFEN | 1 | 0.0 % | 0.0% |
| GUALFENEX | 1 | 0.0 % | 0.0% |
| GUIAFENESIN | 1 | 0.0 % | 0.0% |
| HAIR VITAMINS | 1 | 0.0 % | 0.0% |
| HCTZ | 2 | 0.0 % | 0.0% |
| HERB LAXATIVE | 1 | 0.0 % | 0.0% |
| HYDRALAZIN | 3 | 0.1 % | 0.1% |
| HYDROCHLOROTHIAZIDE | 7 | 0.2 % | 0.2% |
| HYDROXYZINE | 1 | 0.0 % | 0.0% |
| HYTRIN | 1 | 0.0 % | 0.0% |
| HYZAAR | 3 | 0.1 % | 0.1% |
| IBUPROFEN | 3 | 0.1 % | 0.1% |
| IMDUR | 2 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM7 | CG MEDICATION 7 (cont.) |

| Value | Frequency | % | Valid % |
|-------------------|-----------|-------|---------|
| IMITREX | 1 | 0.0 % | 0.0% |
| INDAPAMIDE | 1 | 0.0 % | 0.0% |
| INDERAL | 1 | 0.0 % | 0.0% |
| INHALER SEREVENT | 1 | 0.0 % | 0.0% |
| INSULIN | 2 | 0.0 % | 0.0% |
| INSULIN HUMULIN | 1 | 0.0 % | 0.0% |
| INTAL | 1 | 0.0 % | 0.0% |
| IRON | 3 | 0.1 % | 0.1% |
| ISMO | 1 | 0.0 % | 0.0% |
| ISOSORBIDE | 3 | 0.1 % | 0.1% |
| JUICE POWER | 4 | 0.1 % | 0.1% |
| KAVA | 1 | 0.0 % | 0.0% |
| KELP | 1 | 0.0 % | 0.0% |
| KLONOPIN | 1 | 0.0 % | 0.0% |
| LACTAID CAPLET 3 | 1 | 0.0 % | 0.0% |
| LACTASE ENZYME | 1 | 0.0 % | 0.0% |
| LANOXIN | 4 | 0.1 % | 0.1% |
| LECITHIN | 1 | 0.0 % | 0.0% |
| LECITHIUM | 1 | 0.0 % | 0.0% |
| LESCOL | 4 | 0.1 % | 0.1% |
| LEVLITE | 1 | 0.0 % | 0.0% |
| LEVOTHROID | 2 | 0.0 % | 0.0% |
| LEVOTHYROXINE | 1 | 0.0 % | 0.0% |
| LEVOXYL | 2 | 0.0 % | 0.0% |
| LIPITOR | 2 | 0.0 % | 0.0% |
| LOPRESSOR HCT | 1 | 0.0 % | 0.0% |
| LORAZEPAM | 7 | 0.2 % | 0.2% |
| LORTAB | 2 | 0.0 % | 0.0% |
| LOTENSIN | 2 | 0.0 % | 0.0% |
| LUPRIN | 1 | 0.0 % | 0.0% |
| M0NOPRIL | 1 | 0.0 % | 0.0% |
| MAGNESIUM | 4 | 0.1 % | 0.1% |
| MAGNESIUM CITRATE | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM7 | CG MEDICATION 7 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| MAICALCIN NASAL SPRA | 1 | 0.0 % | 0.0% |
| MAXIDEX | 1 | 0.0 % | 0.0% |
| MEDROXYPROGESTERONE | 2 | 0.0 % | 0.0% |
| MEGA 75 | 1 | 0.0 % | 0.0% |
| MELATONIN | 2 | 0.0 % | 0.0% |
| METAMUCIL | 2 | 0.0 % | 0.0% |
| METHOCARBAMOL | 1 | 0.0 % | 0.0% |
| METHOTREXATE | 1 | 0.0 % | 0.0% |
| METOCLOPRAMIDE INTEN | 1 | 0.0 % | 0.0% |
| MEVACOR | 1 | 0.0 % | 0.0% |
| MOMENTUM | 1 | 0.0 % | 0.0% |
| MONOPRIL | 4 | 0.1 % | 0.1% |
| MOTRIN | 5 | 0.1 % | 0.1% |
| MSM | 1 | 0.0 % | 0.0% |
| MULTI VITAMIN | 8 | 0.2 % | 0.2% |
| MULTI VITAMINS | 7 | 0.2 % | 0.2% |
| MULTI-VITAMIN | 6 | 0.1 % | 0.1% |
| MULTI-VITAMINS | 4 | 0.1 % | 0.1% |
| MULTI-VITAMINS TA#30 | 1 | 0.0 % | 0.0% |
| MULTIPLE VITAMIN | 1 | 0.0 % | 0.0% |
| MULTIRET FOLIC | 1 | 0.0 % | 0.0% |
| MULTIVITAMIN | 5 | 0.1 % | 0.1% |
| MULTIVITAMINS | 2 | 0.0 % | 0.0% |
| MUTIPLE VITAMINS | 1 | 0.0 % | 0.0% |
| MYLANTA | 1 | 0.0 % | 0.0% |
| NADOLOL | 1 | 0.0 % | 0.0% |
| NAPRELAN | 1 | 0.0 % | 0.0% |
| NAPROSYN | 1 | 0.0 % | 0.0% |
| NAPROXEN | 1 | 0.0 % | 0.0% |
| NAPROXEN SODIUM | 1 | 0.0 % | 0.0% |
| NAPROXSYN | 1 | 0.0 % | 0.0% |
| NASONEX | 3 | 0.1 % | 0.1% |
| NEURONTIN | 2 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM7 | CG MEDICATION 7 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| NITROGLYCERIN | 4 | 0.1 % | 0.1% |
| NITROGLYCERINE TRANS | 1 | 0.0 % | 0.0% |
| NITROQUICK | 1 | 0.0 % | 0.0% |
| NITROSTAT | 1 | 0.0 % | 0.0% |
| NONE | 264 | 6.4 % | 6.4% |
| NORFLEX 100 MG | 1 | 0.0 % | 0.0% |
| NORMODYNE | 1 | 0.0 % | 0.0% |
| NORVASC | 5 | 0.1 % | 0.1% |
| NPH INSULIN | 1 | 0.0 % | 0.0% |
| OAT-BRAN | 1 | 0.0 % | 0.0% |
| OCEAN | 1 | 0.0 % | 0.0% |
| OCUVITE | 1 | 0.0 % | 0.0% |
| OGEN | 1 | 0.0 % | 0.0% |
| ONE A DAY VITAMIN | 1 | 0.0 % | 0.0% |
| OPTIPRANOLOL | 1 | 0.0 % | 0.0% |
| ORTHO-ALL FLEX | 1 | 0.0 % | 0.0% |
| OS CAL | 1 | 0.0 % | 0.0% |
| OSCAL | 2 | 0.0 % | 0.0% |
| OSTEO ESSENTIALS | 1 | 0.0 % | 0.0% |
| OSTEO-BI-FLEX | 2 | 0.0 % | 0.0% |
| OSTEOPROCARE | 1 | 0.0 % | 0.0% |
| OTHER HERBAL | 2 | 0.0 % | 0.0% |
| OXYBOTYNIN CHLORIDE | 1 | 0.0 % | 0.0% |
| OXYBUTIN | 1 | 0.0 % | 0.0% |
| PANCREATIN | 1 | 0.0 % | 0.0% |
| PAXIL | 2 | 0.0 % | 0.0% |
| PEPCID | 3 | 0.1 % | 0.1% |
| PEPCID AC | 1 | 0.0 % | 0.0% |
| PEPTOBISMOL | 1 | 0.0 % | 0.0% |
| PERCOCET | 1 | 0.0 % | 0.0% |
| PHENOBARBITAL | 3 | 0.1 % | 0.1% |
| PILOCAR | 1 | 0.0 % | 0.0% |
| PILOCARDINE HCL. OPH | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM7 | CG MEDICATION 7 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| PILOCARPINE | 1 | 0.0 % | 0.0% |
| PILOCARPINE HCL | 1 | 0.0 % | 0.0% |
| POTASSIUM | 5 | 0.1 % | 0.1% |
| POTASSIUM GLUCONATE | 1 | 0.0 % | 0.0% |
| PR0VENTIL | 1 | 0.0 % | 0.0% |
| PRAVACHOL | 2 | 0.0 % | 0.0% |
| PREDNISONE | 7 | 0.2 % | 0.2% |
| PREMARIN | 20 | 0.5 % | 0.5% |
| PREMPRO | 3 | 0.1 % | 0.1% |
| PREONISONE 4MG QD | 1 | 0.0 % | 0.0% |
| PREVACID | 2 | 0.0 % | 0.0% |
| PRILOSEC | 11 | 0.3 % | 0.3% |
| PRIMACORE | 1 | 0.0 % | 0.0% |
| PRINIVIL | 1 | 0.0 % | 0.0% |
| PROCARDIA | 1 | 0.0 % | 0.0% |
| PROMETHICOD | 1 | 0.0 % | 0.0% |
| PROPOXYPHENE HCL | 1 | 0.0 % | 0.0% |
| PROPOXYPHENE NAPSYLA | 1 | 0.0 % | 0.0% |
| PROPRANOLOL | 1 | 0.0 % | 0.0% |
| PROPRANOLOL HCL | 1 | 0.0 % | 0.0% |
| PROSCAR | 1 | 0.0 % | 0.0% |
| PROTEGRA | 1 | 0.0 % | 0.0% |
| PROTEGRA-ANTIOXIDANT | 1 | 0.0 % | 0.0% |
| PROVENTIL | 3 | 0.1 % | 0.1% |
| PROVENTIL INHALER | 1 | 0.0 % | 0.0% |
| PROVERA | 4 | 0.1 % | 0.1% |
| PROVERAZ | 1 | 0.0 % | 0.0% |
| PROZAC | 4 | 0.1 % | 0.1% |
| QUININE SULFATE | 1 | 0.0 % | 0.0% |
| REGLAN | 2 | 0.0 % | 0.0% |
| RELAFEN | 1 | 0.0 % | 0.0% |
| RELAXAL | 1 | 0.0 % | 0.0% |
| REMERON | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM7 | CG MEDICATION 7 (cont.) |

| Value | Frequency | % | Valid % |
|--------------------|-----------|-------|---------|
| RETIN-A | 1 | 0.0 % | 0.0% |
| SAW PALMETTO | 2 | 0.0 % | 0.0% |
| SELENIUM | 1 | 0.0 % | 0.0% |
| SENOKOT | 1 | 0.0 % | 0.0% |
| SEREVENT | 2 | 0.0 % | 0.0% |
| SILICA | 1 | 0.0 % | 0.0% |
| SLOWFE | 1 | 0.0 % | 0.0% |
| SOYA LECITHIN | 1 | 0.0 % | 0.0% |
| STRESS VITAMIN | 1 | 0.0 % | 0.0% |
| SUPER B-50 COMPLEX | 1 | 0.0 % | 0.0% |
| SURFAK | 1 | 0.0 % | 0.0% |
| SYNALAR | 1 | 0.0 % | 0.0% |
| SYNTHROID | 4 | 0.1 % | 0.1% |
| TAGAMET | 2 | 0.0 % | 0.0% |
| TAVIST D | 1 | 0.0 % | 0.0% |
| TEMAZEPAM | 1 | 0.0 % | 0.0% |
| TENORIMIN | 1 | 0.0 % | 0.0% |
| TENORMIN | 2 | 0.0 % | 0.0% |
| THEO-DUR | 1 | 0.0 % | 0.0% |
| THERAGRAN | 1 | 0.0 % | 0.0% |
| THERAGRAN M | 1 | 0.0 % | 0.0% |
| TIMOLOL MALEATE | 2 | 0.0 % | 0.0% |
| TIMOPTIC | 1 | 0.0 % | 0.0% |
| TRAZODONE HCL | 1 | 0.0 % | 0.0% |
| TRI NORINYL 28 | 1 | 0.0 % | 0.0% |
| TRIAM/HCTZ MAXZIDE | 1 | 0.0 % | 0.0% |
| TRIAMTERENE | 5 | 0.1 % | 0.1% |
| TRILAFON | 1 | 0.0 % | 0.0% |
| TRUSOPT | 3 | 0.1 % | 0.1% |
| TUMS | 3 | 0.1 % | 0.1% |
| TYLENOL | 27 | 0.7 % | 0.7% |
| TYLENOL ARTHRITIS | 1 | 0.0 % | 0.0% |
| TYLENOL NUMBER 03 | 1 | 0.0 % | 0.0% |
| | | | |

| Variable | Variable Description | |
|----------|-------------------------|--|
| GM7 | CG MEDICATION 7 (cont.) | |

| Value | Frequency | % | Valid % |
|---------------------|-----------|-------|---------|
| ULTRAM | 4 | 0.1 % | 0.1% |
| UNIPHYL | 1 | 0.0 % | 0.0% |
| UNIVASC | 1 | 0.0 % | 0.0% |
| VALERIAN | 1 | 0.0 % | 0.0% |
| VANCERIL INHALER | 2 | 0.0 % | 0.0% |
| VASOTEC | 3 | 0.1 % | 0.1% |
| VENTOLIN INHALATION | 2 | 0.0 % | 0.0% |
| VERAPAMIL | 3 | 0.1 % | 0.1% |
| VERPAPAMIL | 1 | 0.0 % | 0.0% |
| VICODIN | 1 | 0.0 % | 0.0% |
| VICON FORTE | 1 | 0.0 % | 0.0% |
| VIT C | 2 | 0.0 % | 0.0% |
| VITAMIN | 1 | 0.0 % | 0.0% |
| VITAMIN A | 1 | 0.0 % | 0.0% |
| VITAMIN B | 3 | 0.1 % | 0.1% |
| VITAMIN B COMPLEX | 2 | 0.0 % | 0.0% |
| VITAMIN B-12 | 1 | 0.0 % | 0.0% |
| VITAMIN B-COMPLEX | 1 | 0.0 % | 0.0% |
| VITAMIN B1 | 1 | 0.0 % | 0.0% |
| VITAMIN B12 | 2 | 0.0 % | 0.0% |
| VITAMIN B6 | 2 | 0.0 % | 0.0% |
| VITAMIN C | 24 | 0.6 % | 0.6% |
| VITAMIN D | 3 | 0.1 % | 0.1% |
| VITAMIN E | 50 | 1.2 % | 1.2% |
| VITAMIN-B12 | 1 | 0.0 % | 0.0% |
| VITAMIN-C | 1 | 0.0 % | 0.0% |
| VITAMIN-E | 3 | 0.1 % | 0.1% |
| VITAMIN-MULTIPLE | 1 | 0.0 % | 0.0% |
| VITAMINS | 1 | 0.0 % | 0.0% |
| VOLTAREN OPHTHALMIC | 1 | 0.0 % | 0.0% |
| WARFARIN | 1 | 0.0 % | 0.0% |
| WELLBUTERIN | 1 | 0.0 % | 0.0% |
| WELLBUTRIN | 2 | 0.0 % | 0.0% |

GM7 CG MEDICATION 7 (cont.)

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| XALATAN | 1 | 0.0 % | 0.0% |
| XANAX | 1 | 0.0 % | 0.0% |
| YOHIMBINE HYDROCHLOR | 1 | 0.0 % | 0.0% |
| ZANTAC | 5 | 0.1 % | 0.1% |
| ZAROXOLYN | 1 | 0.0 % | 0.0% |
| ZESTRIL | 2 | 0.0 % | 0.0% |
| ZINC | 7 | 0.2 % | 0.2% |
| ZINC LOZENGES | 1 | 0.0 % | 0.0% |
| ZITHROMAX | 1 | 0.0 % | 0.0% |
| ZOCOR | 6 | 0.1 % | 0.1% |
| ZOLOFT | 6 | 0.1 % | 0.1% |
| ZYPREXA | 1 | 0.0 % | 0.0% |

G7C1

CG MEDICATION 7 CODE1

Start: 407 End: 415 Width: 9.2

Width: 9.2 Type: numeric (ISO) Interval: discrete

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 3298 | 79.9 % | 79.9% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 1 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 104 | 2.5 % | 2.5% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 11 | 0.3 % | 0.3% |
| 5.00 | (ANTC) Anticonvulsive | 2 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 12 | 0.3 % | 0.3% |
| 9.00 | (ANTI) Anti-inflammatory | 21 | 0.5 % | 0.5% |
| 10.00 | (ANTIV) Antivertigo | 1 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 3 | 0.1 % | 0.1% |
| 12.00 | (ANTP) Antiparasitic | 1 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G7C1 CG MEDICATION 7 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|------------------------------------|-----------|-------|---------|
| 15.00 | (ANTV) Antiviral | 1 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 25 | 0.6 % | 0.6% |
| 17.00 | (CON) Contraceptive | 3 | 0.1 % | 0.1% |
| 18.00 | (CO/CO) Cough & Cold | 4 | 0.1 % | 0.1% |
| 19.00 | (CV) Cardiovascular | 106 | 2.6 % | 2.6% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 2 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 14 | 0.3 % | 0.3% |
| 25.00 | (ENT) Ear, Nose or Throat | 6 | 0.1 % | 0.1% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 61 | 1.5 % | 1.5% |
| 28.00 | (GU) Genitourinary | 9 | 0.2 % | 0.2% |
| 29.00 | (GYN) Gynecologic | 2 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 10 | 0.2 % | 0.2% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 50 | 1.2 % | 1.2% |
| 33.00 | (HYP) Hypnotic | 3 | 0.1 % | 0.1% |
| 34.00 | (IM) Immunologic | 2 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 6 | 0.1 % | 0.1% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 7 | 0.2 % | 0.2% |
| 38.00 | (NAR) Narcotic | 4 | 0.1 % | 0.1% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 244 | 5.9 % | 5.9% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 15 | 0.4 % | 0.4% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 17 | 0.4 % | 0.4% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 1 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 1 | 0.0 % | 0.0% |

G7C1 CG MEDICATION 7 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 12 | 0.3 % | 0.3% |
| 49.00 | (PUL) Pulmonary | 35 | 0.8 % | 0.8% |
| 50.00 | (SED) Sedative | 2 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 9 | 0.2 % | 0.2% |
| 52.00 | (TOP) Topical | 1 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 6 | 0.1 % | 0.1% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 14 | 0.3 % | 0.3% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 3 | 0.1 % | 0.1% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|------|-------|
| 4129 | -2.00 | 99.00 | 4.24 | 14.37 |

G7C2

CG MEDICATION 7 CODE2

Start: 416 End: 424 Width: 9.2

Type: numeric (ISO)
Interval: discrete

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 3954 | 95.8 % | 95.8% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 11 | 0.3 % | 0.3% |
| 2.00 | (ANA) Analgesic | 9 | 0.2 % | 0.2% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 4 | 0.1 % | 0.1% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 1 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 3 | 0.1 % | 0.1% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 3 | 0.1 % | 0.1% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |

| Variable V | /ariable | Descri | ption |
|------------|----------|--------|-------|
|------------|----------|--------|-------|

G7C2 CG MEDICATION 7 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|------------------------------------|-----------|-------|---------|
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 4 | 0.1 % | 0.1% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 5 | 0.1 % | 0.1% |
| 19.00 | (CV) Cardiovascular | 6 | 0.1 % | 0.1% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 1 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 6 | 0.1 % | 0.1% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 1 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 20 | 0.5 % | 0.5% |
| 29.00 | (GYN) Gynecologic | 4 | 0.1 % | 0.1% |
| 30.00 | (HEM) Hematologic | 16 | 0.4 % | 0.4% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 5 | 0.1 % | 0.1% |
| 33.00 | (HYP) Hypnotic | 5 | 0.1 % | 0.1% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 5 | 0.1 % | 0.1% |
| 36.00 | (MIG) Migraine | 1 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 12 | 0.3 % | 0.3% |
| 38.00 | (NAR) Narcotic | 2 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 1 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 1 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 5 | 0.1 % | 0.1% |

G7C2 CG MEDICATION 7 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 46.00 | (PSY) Psychiatric - Antipsychotic | 1 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 23 | 0.6 % | 0.6% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 1 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 3 | 0.1 % | 0.1% |
| 50.00 | (SED) Sedative | 4 | 0.1 % | 0.1% |
| 51.00 | (STE) Steroid | 2 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 2 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 8 | 0.2 % | 0.2% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 53.00 | -0.64 | 7.20 |

G7C3

Start: 425 End: 433 Width: 9.2

Type: numeric (ISO)
Interval: discrete

CG MEDICATION 7 CODE3

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4092 | 99.1 % | 99.1% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 3 | 0.1 % | 0.1% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 1 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 2 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |

| Variable Va | riat | ole D |)escr | pti | or |
|-------------|------|-------|-------|-----|----|
|-------------|------|-------|-------|-----|----|

G7C3 CG MEDICATION 7 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|------------------------------|-----------|-------|---------|
| 11.00 | (ANTN) Antineoplastic | 2 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 1 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 1 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 4 | 0.1 % | 0.1% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 4 | 0.1 % | 0.1% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |

G7C3 CG MEDICATION 7 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 7 | 0.2 % | 0.2% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 3 | 0.1 % | 0.1% |
| 51.00 | (STE) Steroid | 1 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 1 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 7 | 0.2 % | 0.2% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 53.00 | -1.67 | 3.90 |

G7C4 CG MEDICATION 7 CODE4

Start: 434 End: 442 Width: 9.2

Type: numeric (ISO) Interval: discrete

Frequency Value Label % Valid % -4.00 Refused 0 0.0 % 0.0% -3.00 Unknown 0.0 % 0.0% 0 99.9% -2.00 None 4126 99.9 % -1.00 0.0 % 0.0% Missing 0 1.00 (ALL) Allergic 0 0.0 % 0.0% 2.00 0.0 % 0.0% (ANA) Analgesic 0 3.00 (ANES) Anesthetic 0.0 % 0.0% 0 4.00 (ANTB) Antibiotic/Antibacterial 0 0.0 % 0.0% 5.00 (ANTC) Anticonvulsive 1 0.0 % 0.0% 6.00 (ANTD) Antidote 0.0 % 0.0% 7.00 (ANTF) Antifungal 0.0 % 0.0% 0 8.00 (ANTH) Antihistaminic 0 0.0 % 0.0%

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G7C4 CG MEDICATION 7 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|------------------------------|-----------|-------|---------|
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |

CG MEDICATION 7 CODE4 (cont.) G7C4

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 2 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 47.00 | -1.97 | 1.08 |

GM8 **CG MEDICATION 8**

Start: 443 End: 462 Width: 20

Type: character (ISO)
Interval: discrete

| Value | Frequency | % | Valid % |
|-------------------|-----------|--------|---------|
| -2 | 3350 | 81.1 % | 81.1% |
| ACCUPRIL | 1 | 0.0 % | 0.0% |
| ACIDOPHILIS | 1 | 0.0 % | 0.0% |
| ACIDOPHILUS | 2 | 0.0 % | 0.0% |
| ADVIL | 3 | 0.1 % | 0.1% |
| AEROBID | 3 | 0.1 % | 0.1% |
| ALBUTERAL SPRAY | 1 | 0.0 % | 0.0% |
| ALBUTEROL | 1 | 0.0 % | 0.0% |
| ALBUTEROL SULFATE | 1 | 0.0 % | 0.0% |
| ALEVE | 3 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|-------------------------|
| GM8 | CG MEDICATION 8 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| ALFALFA | 1 | 0.0 % | 0.0% |
| ALL PURPOSE VITAMINS | 1 | 0.0 % | 0.0% |
| ALLEGRA | 2 | 0.0 % | 0.0% |
| ALPHA CF | 1 | 0.0 % | 0.0% |
| ALPRAZOLAM | 3 | 0.1 % | 0.1% |
| AMBIEN | 3 | 0.1 % | 0.1% |
| AMEBAN | 1 | 0.0 % | 0.0% |
| AMITRIPTYLINE HCL | 1 | 0.0 % | 0.0% |
| AMOXICILLIN | 1 | 0.0 % | 0.0% |
| ANTIOXIDANTS | 2 | 0.0 % | 0.0% |
| ARICEPT | 1 | 0.0 % | 0.0% |
| ASPIRIN | 14 | 0.3 % | 0.3% |
| ASTELINNASAL SPRAY | 1 | 0.0 % | 0.0% |
| ASTHMACORT | 1 | 0.0 % | 0.0% |
| ATARAX | 3 | 0.1 % | 0.1% |
| ATENOLOL | 3 | 0.1 % | 0.1% |
| ATROVENT | 1 | 0.0 % | 0.0% |
| AVAPRO | 1 | 0.0 % | 0.0% |
| AVONEX | 1 | 0.0 % | 0.0% |
| B COMPLEX | 2 | 0.0 % | 0.0% |
| B-COMPLEX | 1 | 0.0 % | 0.0% |
| B1 | 1 | 0.0 % | 0.0% |
| B50 | 1 | 0.0 % | 0.0% |
| BABY ASPIRIN | 3 | 0.1 % | 0.1% |
| BENAZEPRIL | 1 | 0.0 % | 0.0% |
| BETA CAROTENE | 1 | 0.0 % | 0.0% |
| BETA CAROTINE | 1 | 0.0 % | 0.0% |
| BETAGAN | 1 | 0.0 % | 0.0% |
| BETAPACE | 3 | 0.1 % | 0.1% |
| BLOCHROMETZ | 1 | 0.0 % | 0.0% |
| BREWERS YEAST | 1 | 0.0 % | 0.0% |
| BROMPHEN | 1 | 0.0 % | 0.0% |
| BUFFERIN | 1 | 0.0 % | 0.0% |

| Variable | Variable Description | |
|----------|-------------------------|--|
| GM8 | CG MEDICATION 8 (cont.) | |

| Value | Frequency | % | Valid % |
|---------------------|-----------|-------|---------|
| CAL-1000 | 1 | 0.0 % | 0.0% |
| CALCIUM | 18 | 0.4 % | 0.4% |
| CALCIUM 500+D | 1 | 0.0 % | 0.0% |
| CALCIUM CITRATE | 1 | 0.0 % | 0.0% |
| CALCIUM MAGNESIUM | 2 | 0.0 % | 0.0% |
| CALTRATE | 1 | 0.0 % | 0.0% |
| CALTRATE + D | 1 | 0.0 % | 0.0% |
| CARDURA | 2 | 0.0 % | 0.0% |
| CELEBREX | 1 | 0.0 % | 0.0% |
| CELEXA | 2 | 0.0 % | 0.0% |
| CENTRA VITAMIN | 1 | 0.0 % | 0.0% |
| CENTRUM | 10 | 0.2 % | 0.2% |
| CHLORDIAZEPOXIDE | 1 | 0.0 % | 0.0% |
| CHOLINE | 1 | 0.0 % | 0.0% |
| CHONDROITIN | 3 | 0.1 % | 0.1% |
| CHROMIUM PICOLINATE | 1 | 0.0 % | 0.0% |
| CIPRO | 3 | 0.1 % | 0.1% |
| CITRUCEL | 1 | 0.0 % | 0.0% |
| CLARITIN | 1 | 0.0 % | 0.0% |
| CLIMARA | 1 | 0.0 % | 0.0% |
| CLOTRIMAZOLE | 2 | 0.0 % | 0.0% |
| CO-ENZYME Q10 | 1 | 0.0 % | 0.0% |
| COHLINE | 1 | 0.0 % | 0.0% |
| COLCHICINE | 1 | 0.0 % | 0.0% |
| COMBIVENT | 1 | 0.0 % | 0.0% |
| COMBIVENT INHALER | 1 | 0.0 % | 0.0% |
| COUMADIN | 5 | 0.1 % | 0.1% |
| COVERA HS | 1 | 0.0 % | 0.0% |
| COZAAR | 2 | 0.0 % | 0.0% |
| CRAN MAX | 1 | 0.0 % | 0.0% |
| CRANBERRY FRIUT | 1 | 0.0 % | 0.0% |
| CYCRIN | 4 | 0.1 % | 0.1% |
| CYTOTEC | 1 | 0.0 % | 0.0% |
| | | | |

| Variable | Variable Description |
|----------|-------------------------|
| GM8 | CG MEDICATION 8 (cont.) |

| DARVOCET 1 0.0 % 0.0% DEMADEX 1 0.0 % 0.0% DETROL 1 0.0 % 0.0% DIAVAN 1 0.0 % 0.0% DIAZEPAM 1 0.0 % 0.0% DICYCLOMINE 1 0.0 % 0.0% DIGOXIN 1 0.0 % 0.0% DIGOXIN 1 0.0 % 0.0% DICYCLOMINE 4 0.1 % 0.0% DIGOXIN 1 0.0 % 0.0% DIGOXIN 1 0.0 % 0.0% DITIAZEM 4 0.1 % 0.1% DITIAZEM 4 0.1 % 0.0% DITIAZEM 4 0.1 % | Value | Frequency | % | Valid % |
|--|----------------------|-----------|-------|---------|
| DETROL 1 0.0% 0.0% DIAVAN 1 0.0% 0.0% DIAZEPAM 1 0.0% 0.0% DICYCLOMINE 1 0.0% 0.0% DIGOXIN 1 0.0% 0.0% DITAZEM 4 0.1% 0.1% DITAZEM 4 0.1% 0.0% DITROPAN 2 0.0% 0.0% DOCUSATE SODIUM 2 0.0% 0.0% DONE 2 0.0% 0.0% ECHINACEA 1 0.0% 0.0% ECOTRIN 1 0.0% 0.0% ENBREL INJECTION 1 0.0% 0.0% ESTRADERM 0.05 1 0.0% 0.0% ESTRADIOL TRANSDERMA 1 0.0% 0.0% EYE-VITE 1 0.0% 0.0% FERROUS SULFATE 1 0.0% 0.0% FLAX SEED OIL 1 0.0% 0.0% FLOVENT 2 <t< td=""><td>DARVOCET</td><td>1</td><td>0.0 %</td><td>0.0%</td></t<> | DARVOCET | 1 | 0.0 % | 0.0% |
| DIAVAN 1 0.0% 0.0% DIAZEPAM 1 0.0% 0.0% DICYCLOMINE 1 0.0% 0.0% DIGOXIN 1 0.0% 0.0% DILTIAZEM 4 0.1% 0.1% DIOVAN 1 0.0% 0.0% DITROPAN 2 0.0% 0.0% DOCUSATE SODIUM 2 0.0% 0.0% DONE 2 0.0% 0.0% ECHINACEA 1 0.0% 0.0% ECOTRIN 1 0.0% 0.0% ENBREL INJECTION 1 0.0% 0.0% ESTRADERM 0.05 1 0.0% 0.0% ESTRADIOL TRANSDERMA 1 0.0% 0.0% EYE-VITE 1 0.0% 0.0% EYE-VITE 1 0.0% 0.0% FLAX SEED OIL 1 0.0% 0.0% FLOVENT 2 0.0% 0.0% FLOVENT 2 0.0 | DEMADEX | 1 | 0.0 % | 0.0% |
| DIAZEPAM 1 0.0% 0.0% DICYCLOMINE 1 0.0% 0.0% DIGOXIN 1 0.0% 0.0% DILTIAZEM 4 0.1% 0.1% DIOVAN 1 0.0% 0.0% DITROPAN 2 0.0% 0.0% DOCUSATE SODIUM 2 0.0% 0.0% DONE 2 0.0% 0.0% ECHINACEA 1 0.0% 0.0% ECOTRIN 1 0.0% 0.0% ENBREL INJECTION 1 0.0% 0.0% ESTRADERM 0.05 1 0.0% 0.0% ESTRADIOL TRANSDERMA 1 0.0% 0.0% EVISTA 2 0.0% 0.0% EYE-VITE 1 0.0% 0.0% FLAX SEED OIL 1 0.0% 0.0% FLOVASE 1 0.0% 0.0% FLOVENT 2 0.0% 0.0% FUCIC ACID 3 0 | DETROL | 1 | 0.0 % | 0.0% |
| DICYCLOMINE 1 0.0 % 0.0% DIGOXIN 1 0.0 % 0.0% DILTIAZEM 4 0.1 % 0.1% DIOVAN 1 0.0 % 0.0% DITROPAN 2 0.0 % 0.0% DOCUSATE SODIUM 2 0.0 % 0.0% DONE 2 0.0 % 0.0% ECHINACEA 1 0.0 % 0.0% ECOTRIN 1 0.0 % 0.0% ENBREL INJECTION 1 0.0 % 0.0% ESTRADERM 0.05 1 0.0 % 0.0% ESTRADIOL TRANSDERMA 1 0.0 % 0.0% EVISTA 2 0.0 % 0.0% EYE-VITE 1 0.0 % 0.0% FERROUS SULFATE 1 0.0 % 0.0% FLOX SEED OIL 1 0.0 % 0.0% FLOYENT 2 0.0 % 0.0% FLUTICASONE PROPIONA 1 0.0 % 0.0% FUROSEMIDE | DIAVAN | 1 | 0.0 % | 0.0% |
| DIGOXIN 1 0.0 % 0.0% DILTIAZEM 4 0.1 % 0.1% DIOVAN 1 0.0 % 0.0% DITROPAN 2 0.0 % 0.0% DOCUSATE SODIUM 2 0.0 % 0.0% DONE 2 0.0 % 0.0% ECHINACEA 1 0.0 % 0.0% ECOTRIN 1 0.0 % 0.0% ENBREL INJECTION 1 0.0 % 0.0% ESTRADIOL TRANSDERMA 1 0.0 % 0.0% EVISTA 2 0.0 % 0.0% EYE-VITE 1 0.0 % 0.0% FERROUS SULFATE 1 0.0 % 0.0% FLAX SEED OIL 1 0.0 % 0.0% FLOVENT 2 0.0 % 0.0% FLOVENT 2 0.0 % 0.0% FUTICASONE PROPIONA 1 0.0 % 0.0% FUTICASONE PROPIONA 1 0.0 % 0.0% GABAPENTIN | DIAZEPAM | 1 | 0.0 % | 0.0% |
| DILTIAZEM 4 0.1 % 0.1% DIOVAN 1 0.0 % 0.0% DITROPAN 2 0.0 % 0.0% DOCUSATE SODIUM 2 0.0 % 0.0% DONE 2 0.0 % 0.0% ECHINACEA 1 0.0 % 0.0% ECOTRIN 1 0.0 % 0.0% ENBREL INJECTION 1 0.0 % 0.0% ESTRADERM 0.05 1 0.0 % 0.0% ESTRADIOL TRANSDERMA 1 0.0 % 0.0% EYE-VITE 1 0.0 % 0.0% EYE-VITE 1 0.0 % 0.0% FERROUS SULFATE 1 0.0 % 0.0% FLAX SEED OIL 1 0.0 % 0.0% FLOVENT 2 0.0 % 0.0% FLOVENT 2 0.0 % 0.0% FUTICASONE PROPIONA 1 0.0 % 0.0% FUTICASONE PROPIONA 1 0.0 % 0.0% G | DICYCLOMINE | 1 | 0.0 % | 0.0% |
| DIOVAN 1 0.0 % 0.0% DITROPAN 2 0.0 % 0.0% DOCUSATE SODIUM 2 0.0 % 0.0% DONE 2 0.0 % 0.0% ECHINACEA 1 0.0 % 0.0% ECOTRIN 1 0.0 % 0.0% ENBREL INJECTION 1 0.0 % 0.0% ESTRADERM 0.05 1 0.0 % 0.0% ESTRADIOL TRANSDERMA 1 0.0 % 0.0% EVISTA 2 0.0 % 0.0% EYE-VITE 1 0.0 % 0.0% FERROUS SULFATE 1 0.0 % 0.0% FLAX SEED OIL 1 0.0 % 0.0% FLOVASE 1 0.0 % 0.0% FLOVENT 2 0.0 % 0.0% FUTICASONE PROPIONA 1 0.0 % 0.0% FUTICASONE PROPIONA 1 0.0 % 0.0% FUTICASONE PROPIONA 1 0.0 % 0.0% | DIGOXIN | 1 | 0.0 % | 0.0% |
| DITROPAN 2 0.0 % 0.0% DOCUSATE SODIUM 2 0.0 % 0.0% DONE 2 0.0 % 0.0% ECHINACEA 1 0.0 % 0.0% ECOTRIN 1 0.0 % 0.0% ENBREL INJECTION 1 0.0 % 0.0% ESTRADERM 0.05 1 0.0 % 0.0% ESTRADIOL TRANSDERMA 1 0.0 % 0.0% EVISTA 2 0.0 % 0.0% EYE-VITE 1 0.0 % 0.0% FERROUS SULFATE 1 0.0 % 0.0% FLONASE 1 0.0 % 0.0% FLOVENT 2 0.0 % 0.0% FLUTICASONE PROPIONA 1 0.0 % 0.0% FUROSEMIDE 6 0.1 % 0.1% GABAPENTIN 1 0.0 % 0.0% GARLIC 3 0.1 % 0.0% GARLIC TABLETS 1 0.0 % 0.0% GINGKO BI | DILTIAZEM | 4 | 0.1 % | 0.1% |
| DOCUSATE SODIUM 2 0.0 % 0.0% DONE 2 0.0 % 0.0% ECHINACEA 1 0.0 % 0.0% ECOTRIN 1 0.0 % 0.0% ENBREL INJECTION 1 0.0 % 0.0% ESTRADERM 0.05 1 0.0 % 0.0% ESTRADIOL TRANSDERMA 1 0.0 % 0.0% EVISTA 2 0.0 % 0.0% EYE-VITE 1 0.0 % 0.0% FERROUS SULFATE 1 0.0 % 0.0% FLONASE 1 0.0 % 0.0% FLOVENT 2 0.0 % 0.0% FLOVENT 2 0.0 % 0.0% FUTICASONE PROPIONA 1 0.0 % 0.0% FUROSEMIDE 6 0.1 % 0.1% GABAPENTIN 1 0.0 % 0.0% GARLIC 3 0.1 % 0.0% GARLIC TABLETS 1 0.0 % 0.0% GINGKO BILO | DIOVAN | 1 | 0.0 % | 0.0% |
| DONE 2 0.0 % 0.0% ECHINACEA 1 0.0 % 0.0% ECOTRIN 1 0.0 % 0.0% ENBREL INJECTION 1 0.0 % 0.0% ESTRADERM 0.05 1 0.0 % 0.0% ESTRADIOL TRANSDERMA 1 0.0 % 0.0% EVISTA 2 0.0 % 0.0% EYE-VITE 1 0.0 % 0.0% FERROUS SULFATE 1 0.0 % 0.0% FLOX SEED OIL 1 0.0 % 0.0% FLOVENT 2 0.0 % 0.0% FLOVENT 2 0.0 % 0.0% FUTICASONE PROPIONA 1 0.0 % 0.0% FUROSEMIDE 6 0.1 % 0.1% GABAPENTIN 1 0.0 % 0.0% GARLIC 3 0.1 % 0.0% GARLIC TABLETS 1 0.0 % 0.0% GINGKO BILOBA 1 0.0 % 0.0% GINGKO | DITROPAN | 2 | 0.0 % | 0.0% |
| ECHINACEA 1 0.0 % 0.0% ECOTRIN 1 0.0 % 0.0% ENBREL INJECTION 1 0.0 % 0.0% ESTRADERM 0.05 1 0.0 % 0.0% ESTRADIOL TRANSDERMA 1 0.0 % 0.0% EVISTA 2 0.0 % 0.0% EYE-VITE 1 0.0 % 0.0% FERROUS SULFATE 1 0.0 % 0.0% FLAX SEED OIL 1 0.0 % 0.0% FLONASE 1 0.0 % 0.0% FLOVENT 2 0.0 % 0.0% FUTICASONE PROPIONA 1 0.0 % 0.0% FUROSEMIDE 6 0.1 % 0.1% FUROSEMIDE 6 0.1 % 0.1% GABAPENTIN 1 0.0 % 0.0% GARLIC 3 0.1 % 0.1% GARLIC TABLETS 1 0.0 % 0.0% GINGKO BILOBA 1 0.0 % 0.0% GINGKO BILOBA 1 0.0 % 0.0% GINGGO BILOBA 3< | DOCUSATE SODIUM | 2 | 0.0 % | 0.0% |
| ECOTRIN 1 0.0 % 0.0% ENBREL INJECTION 1 0.0 % 0.0% ESTRADERM 0.05 1 0.0 % 0.0% ESTRADIOL TRANSDERMA 1 0.0 % 0.0% EVISTA 2 0.0 % 0.0% EYE-VITE 1 0.0 % 0.0% FERROUS SULFATE 1 0.0 % 0.0% FLOX SEED OIL 1 0.0 % 0.0% FLONASE 1 0.0 % 0.0% FLOVENT 2 0.0 % 0.0% FLUTICASONE PROPIONA 1 0.0 % 0.0% FUROSEMIDE 6 0.1 % 0.1% FUROSEMIDE 6 0.1 % 0.1% GARAJEC 3 0.1 % 0.0% GARLIC 3 0.1 % 0.0% GARLIC TABLETS 1 0.0 % 0.0% GINGKO BILOBA 1 0.0 % 0.0% GINGKO BILOBA 1 0.0 % 0.0% GINKGO BILOBA 3 0.1 % 0.1% | DONE | 2 | 0.0 % | 0.0% |
| ENBREL INJECTION 1 0.0 % 0.0% ESTRADERM 0.05 1 0.0 % 0.0% ESTRADIOL TRANSDERMA 1 0.0 % 0.0% EVISTA 2 0.0 % 0.0% EYE-VITE 1 0.0 % 0.0% FERROUS SULFATE 1 0.0 % 0.0% FLAX SEED OIL 1 0.0 % 0.0% FLONASE 1 0.0 % 0.0% FLOVENT 2 0.0 % 0.0% FULTICASONE PROPIONA 1 0.0 % 0.0% FOLIC ACID 3 0.1 % 0.1% FUROSEMIDE 6 0.1 % 0.1% GABAPENTIN 1 0.0 % 0.0% GARLIC 3 0.1 % 0.1% GARLIC TABLETS 1 0.0 % 0.0% GINGKO BILOBA 1 0.0 % 0.0% GINKGO BILOBA 1 0.0 % 0.0% GINKGO BILOBA 3 0.1 % 0.1% | ECHINACEA | 1 | 0.0 % | 0.0% |
| ESTRADERM 0.05 ESTRADIOL TRANSDERMA 1 0.0 % 0.0% EVISTA 2 0.0 % 0.0% EYE-VITE 1 0.0 % 0.0% FERROUS SULFATE 1 0.0 % 0.0% FLAX SEED OIL 1 0.0 % 0.0% FLONASE 1 0.0 % 0.0% FLOVENT 2 0.0 % 0.0% FLUTICASONE PROPIONA 1 0.0 % 0.0% FOLIC ACID 3 0.1 % 0.1% FUROSEMIDE 6 0.1 % 0.1% GABAPENTIN 1 0.0 % 0.0% GARLIC TABLETS 1 0.0 % 0.0% GINGKO BILOBA 1 0.0 % 0.0% GINGKO BILOBA 3 0.1 % 0.1% GINKGO BILOBA 3 0.1 % 0.0% | ECOTRIN | 1 | 0.0 % | 0.0% |
| ESTRADIOL TRANSDERMA EVISTA 2 0.0 % 0.0% EYE-VITE 1 0.0 % 0.0% FERROUS SULFATE 1 0.0 % 0.0% FLAX SEED OIL 1 0.0 % 0.0% FLONASE 1 0.0 % 0.0% FLOVENT 2 0.0 % 0.0% FLUTICASONE PROPIONA 1 0.0 % 0.0% FUROSEMIDE 6 0.1 % 0.1% GABAPENTIN 1 0.0 % 0.0% GARLIC 3 0.1 % 0.1% GARLIC TABLETS 1 0.0 % 0.0% GINGKO BILOBA 1 0.0 % 0.0% GINKGO BILOBA 3 0.1 % 0.1% GOME | ENBREL INJECTION | 1 | 0.0 % | 0.0% |
| EVISTA 2 0.0 % 0.0% EYE-VITE 1 0.0 % 0.0% FERROUS SULFATE 1 0.0 % 0.0% FLAX SEED OIL 1 0.0 % 0.0% FLONASE 1 0.0 % 0.0% FLOVENT 2 0.0 % 0.0% FLUTICASONE PROPIONA 1 0.0 % 0.0% FOLIC ACID 3 0.1 % 0.1% FUROSEMIDE 6 0.1 % 0.1% GABAPENTIN 1 0.0 % 0.0% GARLIC 3 0.1 % 0.1% GARLIC TABLETS 1 0.0 % 0.0% GINGKO BILOBA 1 0.0 % 0.0% GINGKOBILOBA 1 0.0 % 0.0% GINKGO BILOBA 3 0.1 % 0.1% | ESTRADERM 0.05 | 1 | 0.0 % | 0.0% |
| EYE-VITE 1 0.0 % 0.0% FERROUS SULFATE 1 0.0 % 0.0% FLAX SEED OIL 1 0.0 % 0.0% FLONASE 1 0.0 % 0.0% FLOVENT 2 0.0 % 0.0% FUTICASONE PROPIONA 1 0.0 % 0.0% FOLIC ACID 3 0.1 % 0.1% FUROSEMIDE 6 0.1 % 0.1% GABAPENTIN 1 0.0 % 0.0% GARLIC 3 0.1 % 0.1% GARLIC TABLETS 1 0.0 % 0.0% GINGKO BILOBA 1 0.0 % 0.0% GINGKOBILOBA 1 0.0 % 0.0% GINKGO BILOBA 3 0.1 % 0.1% | ESTRADIOL TRANSDERMA | 1 | 0.0 % | 0.0% |
| FERROUS SULFATE 1 0.0 % 0.0% FLAX SEED OIL 1 0.0 % 0.0% FLONASE 1 0.0 % 0.0% FLOVENT 2 0.0 % 0.0% FLUTICASONE PROPIONA 1 0.0 % 0.0% FOLIC ACID 3 0.1 % 0.1% FUROSEMIDE 6 0.1 % 0.1% GABAPENTIN 1 0.0 % 0.0% GARLIC 3 0.1 % 0.1% GARLIC TABLETS 1 0.0 % 0.0% GINGKO BILOBA 1 0.0 % 0.0% GINGKOBILOBA 1 0.0 % 0.0% GINKGO BILOBA 3 0.1 % 0.1% | EVISTA | 2 | 0.0 % | 0.0% |
| FLAX SEED OIL 1 0.0 % 0.0% FLONASE 1 0.0 % 0.0% FLOVENT 2 0.0 % 0.0% FLUTICASONE PROPIONA 1 0.0 % 0.0% FOLIC ACID 3 0.1 % 0.1% FUROSEMIDE 6 0.1 % 0.1% GABAPENTIN 1 0.0 % 0.0% GARLIC 3 0.1 % 0.1% GARLIC TABLETS 1 0.0 % 0.0% GINGKO BILOBA 1 0.0 % 0.0% GINGKOBILOBA 1 0.0 % 0.0% GINKGO BILOBA 3 0.1 % 0.1% | EYE-VITE | 1 | 0.0 % | 0.0% |
| FLONASE 1 0.0 % 0.0% FLOVENT 2 0.0 % 0.0% FLUTICASONE PROPIONA 1 0.0 % 0.0% FOLIC ACID 3 0.1 % 0.1% FUROSEMIDE 6 0.1 % 0.1% GABAPENTIN 1 0.0 % 0.0% GARLIC 3 0.1 % 0.1% GARLIC TABLETS 1 0.0 % 0.0% GINGKO BILOBA 1 0.0 % 0.0% GINGKO BILOBA 1 0.0 % 0.0% GINKGO BILOBA 3 0.1 % 0.1% | FERROUS SULFATE | 1 | 0.0 % | 0.0% |
| FLOVENT 2 0.0 % 0.0% FLUTICASONE PROPIONA 1 0.0 % 0.0% FOLIC ACID 3 0.1 % 0.1% FUROSEMIDE 6 0.1 % 0.1% GABAPENTIN 1 0.0 % 0.0% GARLIC 3 0.1 % 0.1% GARLIC TABLETS 1 0.0 % 0.0% GINGKO BILOBA 1 0.0 % 0.0% GINGKOBILOBA 1 0.0 % 0.0% GINKGO BILOBA 3 0.1 % 0.1% | FLAX SEED OIL | 1 | 0.0 % | 0.0% |
| FLUTICASONE PROPIONA 1 0.0 % 0.0% FOLIC ACID 3 0.1 % 0.1% FUROSEMIDE 6 0.1 % 0.1% GABAPENTIN 1 0.0 % 0.0% GARLIC 3 0.1 % 0.1% GARLIC TABLETS 1 0.0 % 0.0% GINGKO BILOBA 1 0.0 % 0.0% GINGKOBILOBA 1 0.0 % 0.0% GINKGO BILOBA 3 0.1 % 0.1% | FLONASE | 1 | 0.0 % | 0.0% |
| FOLIC ACID 3 0.1 % 0.1% FUROSEMIDE 6 0.1 % 0.1% GABAPENTIN 1 0.0 % 0.0% GARLIC 3 0.1 % 0.1% GARLIC TABLETS 1 0.0 % 0.0% GINGKO BILOBA 1 0.0 % 0.0% GINGKOBILOBA 1 0.0 % 0.0% GINKGO BILOBA 3 0.1 % 0.1% | FLOVENT | 2 | 0.0 % | 0.0% |
| FUROSEMIDE 6 0.1 % 0.1% GABAPENTIN 1 0.0 % 0.0% GARLIC 3 0.1 % 0.1% GARLIC TABLETS 1 0.0 % 0.0% GINGKO BILOBA 1 0.0 % 0.0% GINGKOBILOBA 1 0.0 % 0.0% GINKGO BILOBA 3 0.1 % 0.1% | FLUTICASONE PROPIONA | 1 | 0.0 % | 0.0% |
| GABAPENTIN 1 0.0 % 0.0% GARLIC 3 0.1 % 0.1% GARLIC TABLETS 1 0.0 % 0.0% GINGKO BILOBA 1 0.0 % 0.0% GINGKOBILOBA 1 0.0 % 0.0% GINKGO BILOBA 3 0.1 % 0.1% | FOLIC ACID | 3 | 0.1 % | 0.1% |
| GARLIC 3 0.1 % 0.1% GARLIC TABLETS 1 0.0 % 0.0% GINGKO BILOBA 1 0.0 % 0.0% GINGKOBILOBA 1 0.0 % 0.0% GINKGO BILOBA 3 0.1 % 0.1% | FUROSEMIDE | 6 | 0.1 % | 0.1% |
| GARLIC TABLETS 1 0.0 % 0.0% GINGKO BILOBA 1 0.0 % 0.0% GINGKOBILOBA 1 0.0 % 0.0% GINKGO BILOBA 3 0.1 % 0.1% | GABAPENTIN | 1 | 0.0 % | 0.0% |
| GINGKO BILOBA 1 0.0 % 0.0% GINGKOBILOBA 1 0.0 % 0.0% GINKGO BILOBA 3 0.1 % 0.1% | GARLIC | 3 | 0.1 % | 0.1% |
| GINGKOBILOBA 1 0.0 % 0.0% GINKGO BILOBA 3 0.1 % 0.1% | GARLIC TABLETS | 1 | 0.0 % | 0.0% |
| GINKGO BILOBA 3 0.1 % 0.1% | GINGKO BILOBA | 1 | 0.0 % | 0.0% |
| | GINGKOBILOBA | 1 | 0.0 % | 0.0% |
| GINSENG 3 0.1 % 0.1% | GINKGO BILOBA | 3 | 0.1 % | 0.1% |
| | GINSENG | 3 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|-------------------------|
| GM8 | CG MEDICATION 8 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| GLIPIZIDE | 1 | 0.0 % | 0.0% |
| GLOCOSAMINE | 1 | 0.0 % | 0.0% |
| GLUCOPHAGE | 1 | 0.0 % | 0.0% |
| GLUCOSAMINE | 1 | 0.0 % | 0.0% |
| GLUCOSAMINE CHONDROI | 1 | 0.0 % | 0.0% |
| GLUCOTROL | 1 | 0.0 % | 0.0% |
| GLUTOFAC | 1 | 0.0 % | 0.0% |
| GLYBURIDE | 3 | 0.1 % | 0.1% |
| HCTZ | 2 | 0.0 % | 0.0% |
| HYDROCHLORTHIAZIDE | 1 | 0.0 % | 0.0% |
| HYDROCHODONE/APAD | 1 | 0.0 % | 0.0% |
| HYDROCODONE | 1 | 0.0 % | 0.0% |
| HYDROCORTISONE | 2 | 0.0 % | 0.0% |
| HYDROXYZINE HCL | 1 | 0.0 % | 0.0% |
| IBERET FOLIC | 1 | 0.0 % | 0.0% |
| IBUPROFEN | 3 | 0.1 % | 0.1% |
| IMDUR | 2 | 0.0 % | 0.0% |
| INDAPAMIDE | 3 | 0.1 % | 0.1% |
| INDERAL | 1 | 0.0 % | 0.0% |
| INSULIN | 5 | 0.1 % | 0.1% |
| INSULIN SYRINGE | 1 | 0.0 % | 0.0% |
| IRON | 1 | 0.0 % | 0.0% |
| IRON(PLUS) | 1 | 0.0 % | 0.0% |
| ISOPTIN | 1 | 0.0 % | 0.0% |
| ISOPTO CARPINE | 1 | 0.0 % | 0.0% |
| ISOSORBIDE DINITRATE | 1 | 0.0 % | 0.0% |
| K DUR | 1 | 0.0 % | 0.0% |
| KAOCHLOR | 1 | 0.0 % | 0.0% |
| KLONOPIN | 1 | 0.0 % | 0.0% |
| LANOXIN | 3 | 0.1 % | 0.1% |
| LASIX | 2 | 0.0 % | 0.0% |
| LECITHIN | 2 | 0.0 % | 0.0% |
| LECITHIN-E | 1 | 0.0 % | 0.0% |

| Va | ariable | Variable Description |
|----|---------|-------------------------|
| G | M8 | CG MEDICATION 8 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| LESCOL | 1 | 0.0 % | 0.0% |
| LEVSIN | 1 | 0.0 % | 0.0% |
| LIPITOR | 1 | 0.0 % | 0.0% |
| LOPRESSOR | 1 | 0.0 % | 0.0% |
| LORAZEPAM | 1 | 0.0 % | 0.0% |
| LOROZEPAM | 1 | 0.0 % | 0.0% |
| LOTENSIN | 1 | 0.0 % | 0.0% |
| LOVASTATIN | 1 | 0.0 % | 0.0% |
| MAALOX | 1 | 0.0 % | 0.0% |
| MAGNESIUM OXIDE | 1 | 0.0 % | 0.0% |
| MECLIZINE | 1 | 0.0 % | 0.0% |
| MEDROXYPROGESTERONE | 1 | 0.0 % | 0.0% |
| MELATONIN | 3 | 0.1 % | 0.1% |
| METAMUCIL | 2 | 0.0 % | 0.0% |
| METHYPREDNISOLONE | 1 | 0.0 % | 0.0% |
| METOPROLOL | 1 | 0.0 % | 0.0% |
| MIACALCIN | 2 | 0.0 % | 0.0% |
| MIACOLIN SPRAY CAL. | 1 | 0.0 % | 0.0% |
| MOMENTUM | 2 | 0.0 % | 0.0% |
| MONOPRIL | 2 | 0.0 % | 0.0% |
| MOTRIN | 1 | 0.0 % | 0.0% |
| MOTRIN TID | 1 | 0.0 % | 0.0% |
| MS CONTIN | 1 | 0.0 % | 0.0% |
| MUCOMYST | 1 | 0.0 % | 0.0% |
| MULTI VITAMIN | 2 | 0.0 % | 0.0% |
| MULTI VITAMINS | 5 | 0.1 % | 0.1% |
| MULTI-VITAMIN | 3 | 0.1 % | 0.1% |
| MULTI-VITAMIN W/IRON | 1 | 0.0 % | 0.0% |
| MULTI-VITAMINS | 3 | 0.1 % | 0.1% |
| MULTIPLE VITAMIN | 1 | 0.0 % | 0.0% |
| MULTIPLE VITAMINS | 1 | 0.0 % | 0.0% |
| MULTIVITAMIN | 8 | 0.2 % | 0.2% |
| NADOLOL | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM8 | CG MEDICATION 8 (cont.) |

| Value | Frequency | % | Valid % |
|---------------------|-----------|-------|---------|
| NAPROSYN | 1 | 0.0 % | 0.0% |
| NAPROXEN | 2 | 0.0 % | 0.0% |
| NAPROXEN SODIUM | 1 | 0.0 % | 0.0% |
| NASALIDE | 1 | 0.0 % | 0.0% |
| NEURONTIN | 1 | 0.0 % | 0.0% |
| NITROGLYCERIN | 1 | 0.0 % | 0.0% |
| NITROGLYCERINE | 1 | 0.0 % | 0.0% |
| NITROSTAT | 4 | 0.1 % | 0.1% |
| NONE | 211 | 5.1 % | 5.1% |
| NORPACE | 1 | 0.0 % | 0.0% |
| NORTRIPTYLINE | 1 | 0.0 % | 0.0% |
| NORVASC | 2 | 0.0 % | 0.0% |
| NYSTATIN | 2 | 0.0 % | 0.0% |
| OCUPRESS | 1 | 0.0 % | 0.0% |
| ONE-A-DAY VITAMIN | 1 | 0.0 % | 0.0% |
| OS-CAL | 3 | 0.1 % | 0.1% |
| OSCAL D | 1 | 0.0 % | 0.0% |
| OSTEO BI FLEX | 1 | 0.0 % | 0.0% |
| OSTEO-BI-FLEX | 1 | 0.0 % | 0.0% |
| OXYBUTYNIN | 1 | 0.0 % | 0.0% |
| PAMELOR | 1 | 0.0 % | 0.0% |
| PEPCID AC | 3 | 0.1 % | 0.1% |
| PHENYLPROPANOLAMINE | 1 | 0.0 % | 0.0% |
| PHENYTOIN | 1 | 0.0 % | 0.0% |
| PHOSPHOLINE-IODIDE | 1 | 0.0 % | 0.0% |
| PIFLUNISAL | 1 | 0.0 % | 0.0% |
| PILOCARPINE | 1 | 0.0 % | 0.0% |
| PINNACLE | 1 | 0.0 % | 0.0% |
| PLENDIL | 1 | 0.0 % | 0.0% |
| POTACHLOR | 1 | 0.0 % | 0.0% |
| POTASSIUM | 3 | 0.1 % | 0.1% |
| POTASSIUM CHLORIDE | 1 | 0.0 % | 0.0% |
| PRAVACHOL | 5 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|-------------------------|
| GM8 | CG MEDICATION 8 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| PRAVAHCOL | 1 | 0.0 % | 0.0% |
| PREDNISONE | 1 | 0.0 % | 0.0% |
| PREMARIN | 8 | 0.2 % | 0.2% |
| PREMPRO | 1 | 0.0 % | 0.0% |
| PREVACID | 3 | 0.1 % | 0.1% |
| PRILOSEC | 4 | 0.1 % | 0.1% |
| PROPANTHELINE | 1 | 0.0 % | 0.0% |
| PROSTAHELP | 1 | 0.0 % | 0.0% |
| PROVEX | 1 | 0.0 % | 0.0% |
| PROZAC | 3 | 0.1 % | 0.1% |
| RANITIDINE | 3 | 0.1 % | 0.1% |
| RELAFEN | 1 | 0.0 % | 0.0% |
| RESTORIL | 1 | 0.0 % | 0.0% |
| ROWASA | 1 | 0.0 % | 0.0% |
| ROXICET | 1 | 0.0 % | 0.0% |
| SALMETEROL XINAFOATE | 1 | 0.0 % | 0.0% |
| SELENIUM | 1 | 0.0 % | 0.0% |
| SERAX | 2 | 0.0 % | 0.0% |
| SEREVENT | 2 | 0.0 % | 0.0% |
| SERZONE | 1 | 0.0 % | 0.0% |
| SILICIA | 1 | 0.0 % | 0.0% |
| SIMVASTATIN | 5 | 0.1 % | 0.1% |
| SLOWFE | 1 | 0.0 % | 0.0% |
| SPIRONALACTONE | 1 | 0.0 % | 0.0% |
| ST JOHN WORT | 1 | 0.0 % | 0.0% |
| ST JOHN'S WORT | 1 | 0.0 % | 0.0% |
| ST. JOHN'S WART | 1 | 0.0 % | 0.0% |
| STOOL SOFTENER | 1 | 0.0 % | 0.0% |
| SUPER-AYTINAL | 1 | 0.0 % | 0.0% |
| SYNTHROID | 5 | 0.1 % | 0.1% |
| TELDRIN | 1 | 0.0 % | 0.0% |
| TENORMIN | 1 | 0.0 % | 0.0% |
| THERAMIN | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM8 | CG MEDICATION 8 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| THYROXINE | 1 | 0.0 % | 0.0% |
| TIAZAC | 1 | 0.0 % | 0.0% |
| TIMOPTIC | 3 | 0.1 % | 0.1% |
| TOPROL | 2 | 0.0 % | 0.0% |
| TRAZODONE | 1 | 0.0 % | 0.0% |
| TRAZODONE HCL | 1 | 0.0 % | 0.0% |
| TUMS | 4 | 0.1 % | 0.1% |
| TYLENOL | 16 | 0.4 % | 0.4% |
| TYLENOL EXTRA STREN. | 1 | 0.0 % | 0.0% |
| TYLENOL EXTRA STRENG | 1 | 0.0 % | 0.0% |
| TYLENOL PM | 1 | 0.0 % | 0.0% |
| TYLENOL SINUS | 1 | 0.0 % | 0.0% |
| UNIPHYL | 1 | 0.0 % | 0.0% |
| UNIVASC | 1 | 0.0 % | 0.0% |
| VALERIAN | 1 | 0.0 % | 0.0% |
| VANCENASE | 1 | 0.0 % | 0.0% |
| VANCENASEAQ | 1 | 0.0 % | 0.0% |
| VANCERIL | 2 | 0.0 % | 0.0% |
| VANCERIL INH | 1 | 0.0 % | 0.0% |
| VANTIN | 1 | 0.0 % | 0.0% |
| VASOTEC | 1 | 0.0 % | 0.0% |
| VENTOLIN | 1 | 0.0 % | 0.0% |
| VERAPAMIL | 3 | 0.1 % | 0.1% |
| VERELAN | 1 | 0.0 % | 0.0% |
| VICODIN | 2 | 0.0 % | 0.0% |
| VINAGLUTE | 1 | 0.0 % | 0.0% |
| VIT E | 2 | 0.0 % | 0.0% |
| VITAMIN | 2 | 0.0 % | 0.0% |
| VITAMIN A | 2 | 0.0 % | 0.0% |
| VITAMIN B | 4 | 0.1 % | 0.1% |
| VITAMIN B-6 | 1 | 0.0 % | 0.0% |
| VITAMIN B1 | 2 | 0.0 % | 0.0% |
| VITAMIN B12 | 1 | 0.0 % | 0.0% |

GM8 CG MEDICATION 8 (cont.)

| Value | Frequency | % | Valid % |
|---------------|-----------|-------|---------|
| VITAMIN B6 | 2 | 0.0 % | 0.0% |
| VITAMIN C | 17 | 0.4 % | 0.4% |
| VITAMIN D | 1 | 0.0 % | 0.0% |
| VITAMIN E | 30 | 0.7 % | 0.7% |
| VITAMIN-A | 1 | 0.0 % | 0.0% |
| VITAMIN-B6 | 1 | 0.0 % | 0.0% |
| VITAMIN-C | 1 | 0.0 % | 0.0% |
| WELLBUTRIN | 1 | 0.0 % | 0.0% |
| WHEAT GERM | 1 | 0.0 % | 0.0% |
| XALATAN | 5 | 0.1 % | 0.1% |
| XANAX | 2 | 0.0 % | 0.0% |
| ZANTAC | 5 | 0.1 % | 0.1% |
| ZAROXOLYN | 2 | 0.0 % | 0.0% |
| ZESTRIL | 1 | 0.0 % | 0.0% |
| ZINC | 6 | 0.1 % | 0.1% |
| ZINC LOZENGES | 1 | 0.0 % | 0.0% |
| ZOCOR | 3 | 0.1 % | 0.1% |
| ZOLOFT | 5 | 0.1 % | 0.1% |

G8C1 CG MEDICATION 8 CODE1

Start: 463 End: 471 Width: 9.2

Type: numeric (ISO) Interval: discrete

Frequency Valid % Value Label -4.00 Refused 0 0.0 % 0.0% -3.00 Unknown 0.0 % 0.0% 0 -2.00 None 86.3 % 86.3% 3562 -1.00 0 0.0 % 0.0% Missing 1.00 (ALL) Allergic 3 0.1 % 0.1% 2.00 (ANA) Analgesic 50 1.2 % 1.2% 3.00 (ANES) Anesthetic 0 0.0 % 0.0% 0.2 % 0.2% 4.00 (ANTB) Antibiotic/Antibacterial 8 5.00 (ANTC) Anticonvulsive 4 0.1 % 0.1% 6.00 (ANTD) Antidote 0 0.0 % 0.0% 7.00 (ANTF) Antifungal 3 0.1 % 0.1% 8.00 (ANTH) Antihistaminic 5 0.1 % 0.1%

| Variable V | /ariable | Descri | ption |
|------------|----------|--------|-------|
|------------|----------|--------|-------|

G8C1 CG MEDICATION 8 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|------------------------------|-----------|-------|---------|
| 9.00 | (ANTI) Anti-inflammatory | 16 | 0.4 % | 0.4% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 18 | 0.4 % | 0.4% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 3 | 0.1 % | 0.1% |
| 19.00 | (CV) Cardiovascular | 81 | 2.0 % | 2.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 1 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 6 | 0.1 % | 0.1% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 41 | 1.0 % | 1.0% |
| 28.00 | (GU) Genitourinary | 10 | 0.2 % | 0.2% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 13 | 0.3 % | 0.3% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 31 | 0.8 % | 0.8% |
| 33.00 | (HYP) Hypnotic | 4 | 0.1 % | 0.1% |
| 34.00 | (IM) Immunologic | 1 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 3 | 0.1 % | 0.1% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 3 | 0.1 % | 0.1% |
| 38.00 | (NAR) Narcotic | 2 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 1 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 178 | 4.3 % | 4.3% |

G8C1 CG MEDICATION 8 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 16 | 0.4 % | 0.4% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 15 | 0.4 % | 0.4% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 2 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 8 | 0.2 % | 0.2% |
| 49.00 | (PUL) Pulmonary | 24 | 0.6 % | 0.6% |
| 50.00 | (SED) Sedative | 1 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 4 | 0.1 % | 0.1% |
| 52.00 | (TOP) Topical | 1 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 4 | 0.1 % | 0.1% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 4 | 0.1 % | 0.1% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 3 | 0.1 % | 0.1% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|------|-------|
| 4129 | -2.00 | 99.00 | 2.40 | 12.44 |

G8C2

Start: 472 End: 480 Width: 9.2

Type: numeric (ISO)
Interval: discrete

CG MEDICATION 8 CODE2

| Value | Labal | Fraguena | 0/ | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| Value | Label | Frequency | % | Valid % |
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 3996 | 96.8 % | 96.8% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 2 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 10 | 0.2 % | 0.2% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 1 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G8C2 CG MEDICATION 8 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|------------------------------|-----------|-------|---------|
| 7.00 | (ANTF) Antifungal | 1 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 6 | 0.1 % | 0.1% |
| 9.00 | (ANTI) Anti-inflammatory | 2 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 1 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 2 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 6 | 0.1 % | 0.1% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 3 | 0.1 % | 0.1% |
| 19.00 | (CV) Cardiovascular | 12 | 0.3 % | 0.3% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 5 | 0.1 % | 0.1% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 11 | 0.3 % | 0.3% |
| 25.00 | (ENT) Ear, Nose or Throat | 1 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 2 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 11 | 0.3 % | 0.3% |
| 29.00 | (GYN) Gynecologic | 3 | 0.1 % | 0.1% |
| 30.00 | (HEM) Hematologic | 13 | 0.3 % | 0.3% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 3 | 0.1 % | 0.1% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 3 | 0.1 % | 0.1% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 3 | 0.1 % | 0.1% |
| 38.00 | (NAR) Narcotic | 3 | 0.1 % | 0.1% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G8C2 CG MEDICATION 8 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 3 | 0.1 % | 0.1% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 5 | 0.1 % | 0.1% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 11 | 0.3 % | 0.3% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 1 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 1 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 1 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 3 | 0.1 % | 0.1% |
| 53.00 | (TRAN) Tranquilizer | 4 | 0.1 % | 0.1% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 53.00 | -1.07 | 5.70 |

G8C3 CG MEDICATION 8 CODE3

Start: 481 End: 489 Width: 9.2

Type: numeric (ISO) Interval: discrete

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4109 | 99.5 % | 99.5% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 3 | 0.1 % | 0.1% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |

| Variable Var | riable | Descri | ptior |
|--------------|--------|--------|-------|
|--------------|--------|--------|-------|

G8C3 CG MEDICATION 8 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|------------------------------|-----------|-------|---------|
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 1 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 1 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 1 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 2 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G8C3 CG MEDICATION 8 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 38.00 | (NAR) Narcotic | 1 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 7 | 0.2 % | 0.2% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 1 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 2 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 53.00 | -1.83 | 2.74 |

G8C4 CG MEDICATION 8 CODE4

Start: 490 End: 498 Width: 9.2

Width: 9.2 Type: numeric (ISO) Interval: discrete

| Value | Label | Frequency | % | Valid % |
|-------|-----------------|-----------|---------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4128 | 100.0 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |

| Variable Var | riable | Descri | ptior |
|--------------|--------|--------|-------|
|--------------|--------|--------|-------|

G8C4 CG MEDICATION 8 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|-------|---------|
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G8C4 CG MEDICATION 8 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 1 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev | |
|-------|-------|-------|-------|-------|--|
| 4129 | -2.00 | 53.00 | -1.99 | 0.86 | |

GM9 CG MEDICATION 9

Start: 499 End: 518 Width: 20

Type: character (ISO)
Interval: discrete

| Value | Frequency | % | Valid % |
|---------------|-----------|--------|---------|
| -2 | 3599 | 87.2 % | 87.2% |
| ACCUPRIL | 2 | 0.0 % | 0.0% |
| ACETAMINOPHEN | 2 | 0.0 % | 0.0% |
| ACIDOPHILUS | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM9 | CG MEDICATION 9 (cont.) |

| Value | Frequency | % | Valid % |
|---------------------|-----------|-------|---------|
| ACTEGAL | 1 | 0.0 % | 0.0% |
| ADALAT | 1 | 0.0 % | 0.0% |
| AEROBID-INHALER | 1 | 0.0 % | 0.0% |
| ALBUTEROL | 2 | 0.0 % | 0.0% |
| ALBUTEROL INHALER | 1 | 0.0 % | 0.0% |
| ALEVE | 2 | 0.0 % | 0.0% |
| ALLOPURINOL | 3 | 0.1 % | 0.1% |
| ALPHA CF | 1 | 0.0 % | 0.0% |
| ALPHABET | 1 | 0.0 % | 0.0% |
| AMANTADINE | 1 | 0.0 % | 0.0% |
| AMBIEN | 1 | 0.0 % | 0.0% |
| AMITRYPTYLINE | 1 | 0.0 % | 0.0% |
| APAP CAPLET | 1 | 0.0 % | 0.0% |
| ARICEPT | 1 | 0.0 % | 0.0% |
| ARTH PLUS | 1 | 0.0 % | 0.0% |
| ASPIRIN | 10 | 0.2 % | 0.2% |
| ATENOLOL | 2 | 0.0 % | 0.0% |
| ATROVENT | 1 | 0.0 % | 0.0% |
| AZMAOCORT INHALER | 1 | 0.0 % | 0.0% |
| B-6 VITAMIN | 1 | 0.0 % | 0.0% |
| B-COMPLEX | 1 | 0.0 % | 0.0% |
| BAYER | 1 | 0.0 % | 0.0% |
| BEROCCA PLUS | 1 | 0.0 % | 0.0% |
| BETA CAROTENE | 2 | 0.0 % | 0.0% |
| BETACAROTENE | 1 | 0.0 % | 0.0% |
| BETAPACE | 1 | 0.0 % | 0.0% |
| BUSPAR | 1 | 0.0 % | 0.0% |
| CAFERGOT | 1 | 0.0 % | 0.0% |
| CALCIUM | 14 | 0.3 % | 0.3% |
| CALCIUM CARBONATE | 1 | 0.0 % | 0.0% |
| CALCIUM CITRATE D+C | 1 | 0.0 % | 0.0% |
| CARBIDOPA | 1 | 0.0 % | 0.0% |
| CARDURA | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM9 | CG MEDICATION 9 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| CELEBREX | 3 | 0.1 % | 0.1% |
| CENTRUM | 4 | 0.1 % | 0.1% |
| CENTRUM-SILVER | 2 | 0.0 % | 0.0% |
| CHONDROITIN GLUCOSAM | 1 | 0.0 % | 0.0% |
| CHROM BICULONATE | 1 | 0.0 % | 0.0% |
| CHROMIUM PICOLINATE | 1 | 0.0 % | 0.0% |
| CHROMIUM-PICOLINATE | 1 | 0.0 % | 0.0% |
| CITRACAL | 1 | 0.0 % | 0.0% |
| CLARITIN | 2 | 0.0 % | 0.0% |
| CLEOCIN | 2 | 0.0 % | 0.0% |
| CLONAZEPAM | 1 | 0.0 % | 0.0% |
| CLORAZEPATE DIPOTASS | 1 | 0.0 % | 0.0% |
| CLOZOPINE | 1 | 0.0 % | 0.0% |
| COD LIVER OIL | 1 | 0.0 % | 0.0% |
| COENZYME | 1 | 0.0 % | 0.0% |
| COENZYME Q-10 | 1 | 0.0 % | 0.0% |
| COLCHICINE | 1 | 0.0 % | 0.0% |
| COLEFILAXE 100 GRAMS | 1 | 0.0 % | 0.0% |
| COMBIVENT | 2 | 0.0 % | 0.0% |
| COUMADIN | 2 | 0.0 % | 0.0% |
| CYCLOBENZAPRINE | 1 | 0.0 % | 0.0% |
| CYCLOBENZAPRINE HCL | 1 | 0.0 % | 0.0% |
| DARVOCET-N | 1 | 0.0 % | 0.0% |
| DICLOFENAC | 1 | 0.0 % | 0.0% |
| DIGOXIN | 1 | 0.0 % | 0.0% |
| DIGOXYN | 1 | 0.0 % | 0.0% |
| DIPIVEFRIN | 1 | 0.0 % | 0.0% |
| DITROPAN | 1 | 0.0 % | 0.0% |
| DONE | 3 | 0.1 % | 0.1% |
| DOXYCYCLINE | 1 | 0.0 % | 0.0% |
| ECHINACEA | 2 | 0.0 % | 0.0% |
| ECOTRIN | 4 | 0.1 % | 0.1% |
| ELAVIL | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM9 | CG MEDICATION 9 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| EQUATE | 1 | 0.0 % | 0.0% |
| ESTRATAB | 1 | 0.0 % | 0.0% |
| EVISTA | 1 | 0.0 % | 0.0% |
| FIBER | 1 | 0.0 % | 0.0% |
| FLAX SEED OIL | 1 | 0.0 % | 0.0% |
| FLONASE | 1 | 0.0 % | 0.0% |
| FLOVENT INHALER | 1 | 0.0 % | 0.0% |
| FLUOCINONIDE | 1 | 0.0 % | 0.0% |
| FLUOXETINE | 1 | 0.0 % | 0.0% |
| FOLIC ACID | 2 | 0.0 % | 0.0% |
| FOSAMAX | 1 | 0.0 % | 0.0% |
| FUROSEMIDE | 9 | 0.2 % | 0.2% |
| GARLIC | 3 | 0.1 % | 0.1% |
| GAS-X | 1 | 0.0 % | 0.0% |
| GEMFIBROZIL | 1 | 0.0 % | 0.0% |
| GENTEAL | 1 | 0.0 % | 0.0% |
| GINKGO BILOBA | 6 | 0.1 % | 0.1% |
| GINKO BILOBA | 1 | 0.0 % | 0.0% |
| GINKO-BILOBA | 1 | 0.0 % | 0.0% |
| GINSENG | 2 | 0.0 % | 0.0% |
| GLUCOPHAGE | 3 | 0.1 % | 0.1% |
| GLUCOSAMINC CHONDROT | 1 | 0.0 % | 0.0% |
| GLUCOSAMINE | 1 | 0.0 % | 0.0% |
| GLUCOSAMINE SULFATE | 2 | 0.0 % | 0.0% |
| GLUCOSAMINECHONDROIT | 1 | 0.0 % | 0.0% |
| GLYNASE PRESTABS | 1 | 0.0 % | 0.0% |
| GUAIFENESIN | 1 | 0.0 % | 0.0% |
| HCTZ | 3 | 0.1 % | 0.1% |
| HYDORIL | 1 | 0.0 % | 0.0% |
| HYDROCHLOROTHIAZIDE | 4 | 0.1 % | 0.1% |
| HYDROCORTISONE | 1 | 0.0 % | 0.0% |
| HYOSCYAMINE | 1 | 0.0 % | 0.0% |
| HYTRIN | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM9 | CG MEDICATION 9 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| IBUPROFFEN | 1 | 0.0 % | 0.0% |
| IMDUR | 2 | 0.0 % | 0.0% |
| INDAPAMIDE | 1 | 0.0 % | 0.0% |
| INSULIN NPH | 1 | 0.0 % | 0.0% |
| IPRATROPIUM BR | 1 | 0.0 % | 0.0% |
| ISOSORBIDE DINITRATE | 1 | 0.0 % | 0.0% |
| KEFLEX | 1 | 0.0 % | 0.0% |
| KLOR-CON | 1 | 0.0 % | 0.0% |
| LACTAID | 1 | 0.0 % | 0.0% |
| LACTASE | 1 | 0.0 % | 0.0% |
| LANOXIN | 2 | 0.0 % | 0.0% |
| LANSOPRAZOLE | 1 | 0.0 % | 0.0% |
| LASIX | 1 | 0.0 % | 0.0% |
| LECITHIN | 1 | 0.0 % | 0.0% |
| LEGATRIN | 1 | 0.0 % | 0.0% |
| LEVOXYL | 1 | 0.0 % | 0.0% |
| LISINOPRILL | 1 | 0.0 % | 0.0% |
| LOTRISONE | 1 | 0.0 % | 0.0% |
| LOVASTATIN | 1 | 0.0 % | 0.0% |
| LYSINE | 1 | 0.0 % | 0.0% |
| MELACAL | 1 | 0.0 % | 0.0% |
| MELATONIN | 2 | 0.0 % | 0.0% |
| METFORMIN GLUCOPHA | 1 | 0.0 % | 0.0% |
| METHO CARBAMOL | 1 | 0.0 % | 0.0% |
| METHOCARBAMOL | 1 | 0.0 % | 0.0% |
| METOCLOPRAMIDE HCL | 1 | 0.0 % | 0.0% |
| METOPROLOL | 1 | 0.0 % | 0.0% |
| METOPROLOL SUCCINATE | 1 | 0.0 % | 0.0% |
| MEVACOR | 1 | 0.0 % | 0.0% |
| MIACALCIN | 1 | 0.0 % | 0.0% |
| MILK OF MAGNESIA | 1 | 0.0 % | 0.0% |
| MULTI VITAMIN | 5 | 0.1 % | 0.1% |
| MULTI VITAMINS | 3 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|-------------------------|
| GM9 | CG MEDICATION 9 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| MULTI-VITAMIN | 1 | 0.0 % | 0.0% |
| MULTI-VITAMINS | 2 | 0.0 % | 0.0% |
| MULTIVITAMIN | 2 | 0.0 % | 0.0% |
| MULTIVITAMIN&MINERAL | 1 | 0.0 % | 0.0% |
| NADOLOL | 1 | 0.0 % | 0.0% |
| NIACIN | 1 | 0.0 % | 0.0% |
| NITROGLYCERIN | 5 | 0.1 % | 0.1% |
| NITROGLYCERINE | 1 | 0.0 % | 0.0% |
| NITROSTAT | 1 | 0.0 % | 0.0% |
| NONE | 148 | 3.6 % | 3.6% |
| NORVASC | 3 | 0.1 % | 0.1% |
| NOVOLIN R | 1 | 0.0 % | 0.0% |
| OGEN | 1 | 0.0 % | 0.0% |
| OGEN TAB | 3 | 0.1 % | 0.1% |
| OMEGA-3 | 1 | 0.0 % | 0.0% |
| OS-CAL | 2 | 0.0 % | 0.0% |
| OSTEOXCALCIN | 1 | 0.0 % | 0.0% |
| OTHER HERBAL | 1 | 0.0 % | 0.0% |
| OXYBUTYNIN | 1 | 0.0 % | 0.0% |
| OYSTER CAL | 1 | 0.0 % | 0.0% |
| PAMPRIN | 1 | 0.0 % | 0.0% |
| PENEDERM INC. | 1 | 0.0 % | 0.0% |
| PHAZYME | 1 | 0.0 % | 0.0% |
| PHENACAL | 1 | 0.0 % | 0.0% |
| PIROXICAM | 1 | 0.0 % | 0.0% |
| POTASSIUM | 5 | 0.1 % | 0.1% |
| POTASSIUM CHLORIDE | 3 | 0.1 % | 0.1% |
| POTASSIUM KCL | 1 | 0.0 % | 0.0% |
| PRAVACHOL | 2 | 0.0 % | 0.0% |
| PREDNISONE | 3 | 0.1 % | 0.1% |
| PREMARIN | 3 | 0.1 % | 0.1% |
| PREMPRO | 3 | 0.1 % | 0.1% |
| PREVACID | 2 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|-------------------------|
| GM9 | CG MEDICATION 9 (cont.) |

| Value | Frequency | % | Valid % |
|---------------------|-----------|-------|---------|
| PRILOSEC | 1 | 0.0 % | 0.0% |
| PRINIVIL | 1 | 0.0 % | 0.0% |
| PRINZIDE | 1 | 0.0 % | 0.0% |
| PROPULSID | 1 | 0.0 % | 0.0% |
| PROVENTIL | 3 | 0.1 % | 0.1% |
| PROVERA | 1 | 0.0 % | 0.0% |
| PROZAC | 2 | 0.0 % | 0.0% |
| QUESTRAN | 1 | 0.0 % | 0.0% |
| QUININE SULFATE | 1 | 0.0 % | 0.0% |
| SELENIUM | 3 | 0.1 % | 0.1% |
| SEN O TABS | 1 | 0.0 % | 0.0% |
| SOLUMEDROL | 1 | 0.0 % | 0.0% |
| SUDAFED | 1 | 0.0 % | 0.0% |
| SURFAK | 1 | 0.0 % | 0.0% |
| SYLFMARIN | 1 | 0.0 % | 0.0% |
| SYNTHROID | 5 | 0.1 % | 0.1% |
| TAGAMET | 3 | 0.1 % | 0.1% |
| TRACE MINERAL DROPS | 1 | 0.0 % | 0.0% |
| TRAZODONE | 1 | 0.0 % | 0.0% |
| TRI NORINYL-28 | 1 | 0.0 % | 0.0% |
| TRIAMTERENE | 1 | 0.0 % | 0.0% |
| TUTROGLYCERIN | 1 | 0.0 % | 0.0% |
| TYLENOL | 8 | 0.2 % | 0.2% |
| TYLENOL PM | 1 | 0.0 % | 0.0% |
| VANCENASE AQ | 2 | 0.0 % | 0.0% |
| VANCENASE POLKETINH | 1 | 0.0 % | 0.0% |
| VASOTEC | 1 | 0.0 % | 0.0% |
| VERAPAMIL | 1 | 0.0 % | 0.0% |
| VICODIN | 1 | 0.0 % | 0.0% |
| VIOXX | 1 | 0.0 % | 0.0% |
| VISINE | 1 | 0.0 % | 0.0% |
| VIT E | 1 | 0.0 % | 0.0% |
| VITAMIN B | 1 | 0.0 % | 0.0% |

GM9 CG MEDICATION 9 (cont.)

| Value | Frequency | % | Valid % |
|-------------|-----------|-------|---------|
| VITAMIN B-6 | 1 | 0.0 % | 0.0% |
| VITAMIN B12 | 3 | 0.1 % | 0.1% |
| VITAMIN B50 | 1 | 0.0 % | 0.0% |
| VITAMIN B6 | 1 | 0.0 % | 0.0% |
| VITAMIN C | 13 | 0.3 % | 0.3% |
| VITAMIN D | 2 | 0.0 % | 0.0% |
| VITAMIN E | 15 | 0.4 % | 0.4% |
| VITAMIN-B12 | 2 | 0.0 % | 0.0% |
| VITAMIN-B6 | 1 | 0.0 % | 0.0% |
| VITAMIN-E | 1 | 0.0 % | 0.0% |
| VITAMINS | 2 | 0.0 % | 0.0% |
| WELLBUTRIN | 1 | 0.0 % | 0.0% |
| XANAX | 2 | 0.0 % | 0.0% |
| ZANTAC | 5 | 0.1 % | 0.1% |
| ZANTAC 150 | 1 | 0.0 % | 0.0% |
| ZESTORETIC | 1 | 0.0 % | 0.0% |
| ZINC | 1 | 0.0 % | 0.0% |
| ZOCOR | 3 | 0.1 % | 0.1% |
| ZOLOFT | 1 | 0.0 % | 0.0% |
| ZYRTEC | 1 | 0.0 % | 0.0% |

G9C1

CG MEDICATION 9 CODE1

Start: 519 End: 527 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 3750 | 90.8 % | 90.8% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 31 | 0.8 % | 0.8% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 9 | 0.2 % | 0.2% |
| 5.00 | (ANTC) Anticonvulsive | 1 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G9C1 CG MEDICATION 9 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|------------------------------|-----------|-------|---------|
| 7.00 | (ANTF) Antifungal | 1 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 6 | 0.1 % | 0.1% |
| 9.00 | (ANTI) Anti-inflammatory | 7 | 0.2 % | 0.2% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 2 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 1 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 6 | 0.1 % | 0.1% |
| 17.00 | (CON) Contraceptive | 1 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 2 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 59 | 1.4 % | 1.4% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 6 | 0.1 % | 0.1% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 24 | 0.6 % | 0.6% |
| 28.00 | (GU) Genitourinary | 8 | 0.2 % | 0.2% |
| 29.00 | (GYN) Gynecologic | 1 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 6 | 0.1 % | 0.1% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 21 | 0.5 % | 0.5% |
| 33.00 | (HYP) Hypnotic | 1 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 2 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 3 | 0.1 % | 0.1% |
| 36.00 | (MIG) Migraine | 1 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 7 | 0.2 % | 0.2% |
| 38.00 | (NAR) Narcotic | 1 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |

G9C1 CG MEDICATION 9 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 40.00 | (NM) Neuromuscular | 1 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 120 | 2.9 % | 2.9% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 4 | 0.1 % | 0.1% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 5 | 0.1 % | 0.1% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 1 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 2 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 11 | 0.3 % | 0.3% |
| 49.00 | (PUL) Pulmonary | 14 | 0.3 % | 0.3% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 6 | 0.1 % | 0.1% |
| 52.00 | (TOP) Topical | 1 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 2 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 2 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 3 | 0.1 % | 0.1% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|------|-------|
| 4129 | -2.00 | 99.00 | 0.98 | 10.52 |

G9C2

Start: 528 End: 536 Width: 9.2

Type: numeric (ISO) Interval: discrete

CG MEDICATION 9 CODE2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4046 | 98.0 % | 98.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 5 | 0.1 % | 0.1% |
| 2.00 | (ANA) Analgesic | 2 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |

| Variable V | /ariable | Descri | ption |
|------------|----------|--------|-------|
|------------|----------|--------|-------|

G9C2 CG MEDICATION 9 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|------------------------------|-----------|-------|---------|
| 5.00 | (ANTC) Anticonvulsive | 1 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 1 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 3 | 0.1 % | 0.1% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 1 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 1 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 6 | 0.1 % | 0.1% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 4 | 0.1 % | 0.1% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 4 | 0.1 % | 0.1% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 7 | 0.2 % | 0.2% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 2 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 17 | 0.4 % | 0.4% |
| 29.00 | (GYN) Gynecologic | 2 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 7 | 0.2 % | 0.2% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 1 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 3 | 0.1 % | 0.1% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 1 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 4 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G9C2 CG MEDICATION 9 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 1 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 2 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 3 | 0.1 % | 0.1% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 4 | 0.1 % | 0.1% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 1 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 52.00 | -1.45 | 4.21 |

G9C3 CG MEDICATION 9 CODE3

Start: 537 End: 545 Width: 9.2

Width: 9.2 Type: numeric (ISO) Interval: discrete

| Value | Label | Frequency | % | Valid % |
|-------|-----------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4122 | 99.8 % | 99.8% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |

| Variable Va | riat | ole D |)escr | pti | or |
|-------------|------|-------|-------|-----|----|
|-------------|------|-------|-------|-----|----|

G9C3 CG MEDICATION 9 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|-------|---------|
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 1 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 1 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 1 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |

| Variable | Variable Descriptio |
|----------|---------------------|
|----------|---------------------|

G9C3 CG MEDICATION 9 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 1 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 1 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 2 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev | |
|-------|-------|-------|-------|-------|--|
| 4129 | -2.00 | 53.00 | -1.93 | 1.70 | |

G9C4 CG MEDICATION 9 CODE4

Start: 546 End: 554 Width: 9.2

Width: 9.2
Type: numeric (ISO)
Interval: discrete

| Value | Label | Frequency | % | Valid % |
|-------|---------|-----------|---------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4128 | 100.0 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |

| Variable V | /ariable | Descri | ption |
|------------|----------|--------|-------|
|------------|----------|--------|-------|

G9C4 CG MEDICATION 9 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|-------|---------|
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description | |
|----------|-------------------------------|--|
| G9C4 | CG MEDICATION 9 CODE4 (cont.) | |

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 1 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 53.00 | -1.99 | 0.86 |

GM10 CG MEDICATION 10

Start: 555 End: 574 Width: 20

Type: character (ISO)
Interval: discrete

| Value | Frequency | % | Valid % |
|----------|-----------|--------|---------|
| -2 | 3773 | 91.4 % | 91.4% |
| ACTIGALL | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|--------------------------|
| GM10 | CG MEDICATION 10 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| ADVIL | 1 | 0.0 % | 0.0% |
| ALBUTEROL | 1 | 0.0 % | 0.0% |
| ANTIOXIDANTS | 1 | 0.0 % | 0.0% |
| ARICEPT | 1 | 0.0 % | 0.0% |
| ASPIRIN | 6 | 0.1 % | 0.1% |
| ATIVAN | 2 | 0.0 % | 0.0% |
| ATROVENT | 2 | 0.0 % | 0.0% |
| AZMACORT | 2 | 0.0 % | 0.0% |
| B COMPLEX | 1 | 0.0 % | 0.0% |
| BABY ASPIRIN | 1 | 0.0 % | 0.0% |
| BAYER | 1 | 0.0 % | 0.0% |
| BAYER ASPIRIN | 1 | 0.0 % | 0.0% |
| BC POWDER | 1 | 0.0 % | 0.0% |
| BETACAROTENE | 1 | 0.0 % | 0.0% |
| CALCIUM | 14 | 0.3 % | 0.3% |
| CALTRATE | 1 | 0.0 % | 0.0% |
| CAPOTEN | 1 | 0.0 % | 0.0% |
| CAPTOPRIL | 1 | 0.0 % | 0.0% |
| CARDURA | 3 | 0.1 % | 0.1% |
| CENTRUM | 2 | 0.0 % | 0.0% |
| CHOLINE CHLORIDE | 1 | 0.0 % | 0.0% |
| CHONDROITINE SULFATE | 1 | 0.0 % | 0.0% |
| CHROMIUM PECOLONATE | 1 | 0.0 % | 0.0% |
| CHROMIUM PICOLINATE | 1 | 0.0 % | 0.0% |
| CHROMIUM PICOLONATE | 1 | 0.0 % | 0.0% |
| CHRONDROITINE SULFAT | 1 | 0.0 % | 0.0% |
| CIMETIDINE | 1 | 0.0 % | 0.0% |
| CLARITIN | 3 | 0.1 % | 0.1% |
| CLARITIN-D | 1 | 0.0 % | 0.0% |
| CLIDINIUM | 2 | 0.0 % | 0.0% |
| COUGH SYRUP | 1 | 0.0 % | 0.0% |
| DARVOCET | 1 | 0.0 % | 0.0% |
| DEMADEX | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|--------------------------|
| GM10 | CG MEDICATION 10 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| DHEA | 1 | 0.0 % | 0.0% |
| DIPIVEFRIN HCL | 1 | 0.0 % | 0.0% |
| E-400 | 1 | 0.0 % | 0.0% |
| ECASA | 1 | 0.0 % | 0.0% |
| ECOTRIN | 1 | 0.0 % | 0.0% |
| ELAVIL | 1 | 0.0 % | 0.0% |
| ENULOSE | 1 | 0.0 % | 0.0% |
| ESTRATAB | 1 | 0.0 % | 0.0% |
| ESTROGEN | 1 | 0.0 % | 0.0% |
| EVISTA | 1 | 0.0 % | 0.0% |
| EXCEDRIN | 1 | 0.0 % | 0.0% |
| FLONASE | 1 | 0.0 % | 0.0% |
| FLOVENT | 2 | 0.0 % | 0.0% |
| FOLIC ACID | 2 | 0.0 % | 0.0% |
| FUROSEMIDE | 4 | 0.1 % | 0.1% |
| GARLIC | 1 | 0.0 % | 0.0% |
| GARLIC COMPLEX | 1 | 0.0 % | 0.0% |
| GARLIC-LICORICE | 1 | 0.0 % | 0.0% |
| GAS-X | 1 | 0.0 % | 0.0% |
| GAVISCON | 1 | 0.0 % | 0.0% |
| GENASOFT | 1 | 0.0 % | 0.0% |
| GINKGO BILOBA | 1 | 0.0 % | 0.0% |
| GINKO BILOBA | 1 | 0.0 % | 0.0% |
| GINSENG | 2 | 0.0 % | 0.0% |
| GLUCOSAMINE+CHONDROI | 1 | 0.0 % | 0.0% |
| GLYBURIDE | 1 | 0.0 % | 0.0% |
| GLYCOPYRROLATE | 1 | 0.0 % | 0.0% |
| GUAIFENESIN | 1 | 0.0 % | 0.0% |
| HAYDRIN | 1 | 0.0 % | 0.0% |
| HYDROCHLOROTHIAZIDE | 1 | 0.0 % | 0.0% |
| HYDROCODONE | 1 | 0.0 % | 0.0% |
| HYTRIN | 1 | 0.0 % | 0.0% |
| IBUPROFEN | 1 | 0.0 % | 0.0% |

| Variable | Variable Description | |
|----------|----------------------|--|
| | | |
| | | |

GM10 CG MEDICATION 10 (cont.)

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| IMDUR | 1 | 0.0 % | 0.0% |
| INDAPAMIDE | 1 | 0.0 % | 0.0% |
| INSULIN | 1 | 0.0 % | 0.0% |
| INSULIN SYRINGE | 1 | 0.0 % | 0.0% |
| ISOSORBIDE | 1 | 0.0 % | 0.0% |
| ISOSORBIDE DINITRATE | 1 | 0.0 % | 0.0% |
| K PHOS | 1 | 0.0 % | 0.0% |
| KAVAKAVA | 1 | 0.0 % | 0.0% |
| KU-ZYME | 1 | 0.0 % | 0.0% |
| L-CARNITINE | 1 | 0.0 % | 0.0% |
| LANOXIN | 4 | 0.1 % | 0.1% |
| LASIX | 2 | 0.0 % | 0.0% |
| LEGATRIN | 1 | 0.0 % | 0.0% |
| LIBRAX | 1 | 0.0 % | 0.0% |
| LIPRAM | 1 | 0.0 % | 0.0% |
| LORAZEPAM | 1 | 0.0 % | 0.0% |
| LOTRIMIN AF | 1 | 0.0 % | 0.0% |
| LUDIOMIL | 1 | 0.0 % | 0.0% |
| LYSINE | 1 | 0.0 % | 0.0% |
| MAALOX | 1 | 0.0 % | 0.0% |
| MADLOX | 1 | 0.0 % | 0.0% |
| MAGNESIUM | 1 | 0.0 % | 0.0% |
| MENOPOISE | 1 | 0.0 % | 0.0% |
| METAMUCIL | 2 | 0.0 % | 0.0% |
| METHOCARBAMOL | 1 | 0.0 % | 0.0% |
| METHYLPREDNISOLONE | 1 | 0.0 % | 0.0% |
| METHYLSULFANIL | 1 | 0.0 % | 0.0% |
| MIACALCIM NASAL SPRA | 1 | 0.0 % | 0.0% |
| MIACALCIN | 1 | 0.0 % | 0.0% |
| MULTI VITAMIN | 2 | 0.0 % | 0.0% |
| MULTI VITAMINS | 2 | 0.0 % | 0.0% |
| MULTI-VITAMINS | 1 | 0.0 % | 0.0% |
| MULTIVITAMIN | 4 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|--------------------------|
| GM10 | CG MEDICATION 10 (cont.) |

| Value | Frequency | % | Valid % |
|---------------------|-----------|-------|---------|
| NAPRELAN | 1 | 0.0 % | 0.0% |
| NASONEX | 1 | 0.0 % | 0.0% |
| NITROGLYCERIN | 1 | 0.0 % | 0.0% |
| NITROSTAT | 1 | 0.0 % | 0.0% |
| NONE | 99 | 2.4 % | 2.4% |
| NORVASC | 1 | 0.0 % | 0.0% |
| NOVOLIN N | 1 | 0.0 % | 0.0% |
| NOVOLIN R | 1 | 0.0 % | 0.0% |
| NYSTEX | 1 | 0.0 % | 0.0% |
| OMEGA 3 | 1 | 0.0 % | 0.0% |
| ONE TOUCH | 1 | 0.0 % | 0.0% |
| OSCAL | 1 | 0.0 % | 0.0% |
| OTHER HERBAL | 1 | 0.0 % | 0.0% |
| PEPCID | 1 | 0.0 % | 0.0% |
| PERMITIL | 1 | 0.0 % | 0.0% |
| POTASSIUM | 1 | 0.0 % | 0.0% |
| POTASSIUM GLUCONATE | 1 | 0.0 % | 0.0% |
| PRAVACHOL | 1 | 0.0 % | 0.0% |
| PRAZOSIN | 1 | 0.0 % | 0.0% |
| PREMARIN | 2 | 0.0 % | 0.0% |
| PRILOSEC | 2 | 0.0 % | 0.0% |
| PRINIVIL | 1 | 0.0 % | 0.0% |
| PROSTATE-SUPPORT | 1 | 0.0 % | 0.0% |
| PROZAC | 1 | 0.0 % | 0.0% |
| QUINAGLUTE | 1 | 0.0 % | 0.0% |
| RANIDINE | 1 | 0.0 % | 0.0% |
| RANITIDINE | 1 | 0.0 % | 0.0% |
| REZULIN | 4 | 0.1 % | 0.1% |
| ROBITUSSIN | 2 | 0.0 % | 0.0% |
| ROXICET | 1 | 0.0 % | 0.0% |
| SELENIUM | 1 | 0.0 % | 0.0% |
| SENTURYVITE | 1 | 0.0 % | 0.0% |
| SEREVENT | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|--------------------------|
| GM10 | CG MEDICATION 10 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| SERZONE | 1 | 0.0 % | 0.0% |
| SHURE-LAX | 1 | 0.0 % | 0.0% |
| SPIRONOLACTONE | 1 | 0.0 % | 0.0% |
| ST JOHNS WORT | 1 | 0.0 % | 0.0% |
| STAR PACK MULTIVITAM | 1 | 0.0 % | 0.0% |
| STELAZINE | 2 | 0.0 % | 0.0% |
| SUDAFED | 2 | 0.0 % | 0.0% |
| SUPER CALCIUM | 1 | 0.0 % | 0.0% |
| SYNTHROID | 2 | 0.0 % | 0.0% |
| TEGRETOL | 1 | 0.0 % | 0.0% |
| THEOPHYLLINE | 1 | 0.0 % | 0.0% |
| THERAGRAN | 1 | 0.0 % | 0.0% |
| THERAGRAN-M | 1 | 0.0 % | 0.0% |
| THYROID | 1 | 0.0 % | 0.0% |
| TIAZAC | 3 | 0.1 % | 0.1% |
| TRIFLUOPERAZINE HCL | 1 | 0.0 % | 0.0% |
| TYLENOL | 2 | 0.0 % | 0.0% |
| VALERIAN ROOT | 1 | 0.0 % | 0.0% |
| VANCENASE | 1 | 0.0 % | 0.0% |
| VANCENASE AQ | 1 | 0.0 % | 0.0% |
| VANCENASE-NASALSPRAY | 1 | 0.0 % | 0.0% |
| VEGETABLE CONCENTRAT | 1 | 0.0 % | 0.0% |
| VENTOLIN INHALER | 1 | 0.0 % | 0.0% |
| VEXOL | 1 | 0.0 % | 0.0% |
| VIT C | 1 | 0.0 % | 0.0% |
| VITAMIN B1 | 1 | 0.0 % | 0.0% |
| VITAMIN B12 | 1 | 0.0 % | 0.0% |
| VITAMIN C | 11 | 0.3 % | 0.3% |
| VITAMIN E | 17 | 0.4 % | 0.4% |
| VITAMIN-A | 1 | 0.0 % | 0.0% |
| VITAMIN-A-DAY | 1 | 0.0 % | 0.0% |
| VITAMINE | 1 | 0.0 % | 0.0% |
| XANAX | 1 | 0.0 % | 0.0% |

GM10

CG MEDICATION 10 (cont.)

| Value | Frequency | % | Valid % |
|------------|-----------|-------|---------|
| ZAROXOLYN | 2 | 0.0 % | 0.0% |
| ZESTORETIC | 1 | 0.0 % | 0.0% |
| ZINC | 2 | 0.0 % | 0.0% |
| ZOCOR | 4 | 0.1 % | 0.1% |
| ZOLOFT | 2 | 0.0 % | 0.0% |

G10C1

CG MEDICATION 10 CODE1

Start: 575 End: 583 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 3872 | 93.8 % | 93.8% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 1 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 17 | 0.4 % | 0.4% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 2 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 2 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 7 | 0.2 % | 0.2% |
| 9.00 | (ANTI) Anti-inflammatory | 2 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 1 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 1 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 6 | 0.1 % | 0.1% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 5 | 0.1 % | 0.1% |
| 19.00 | (CV) Cardiovascular | 36 | 0.9 % | 0.9% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |

| /ariable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G10C1 CG MEDICATION 10 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 5 | 0.1 % | 0.1% |
| 25.00 | (ENT) Ear, Nose or Throat | 1 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 20 | 0.5 % | 0.5% |
| 28.00 | (GU) Genitourinary | 3 | 0.1 % | 0.1% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 3 | 0.1 % | 0.1% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 13 | 0.3 % | 0.3% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 3 | 0.1 % | 0.1% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 3 | 0.1 % | 0.1% |
| 38.00 | (NAR) Narcotic | 2 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 85 | 2.1 % | 2.1% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 4 | 0.1 % | 0.1% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 6 | 0.1 % | 0.1% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 1 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 2 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 4 | 0.1 % | 0.1% |
| 49.00 | (PUL) Pulmonary | 11 | 0.3 % | 0.3% |
| 50.00 | (SED) Sedative | 1 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 1 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 3 | 0.1 % | 0.1% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| | - 270 - | | | |

CG MEDICATION 10 CODE1 (cont.) G10C1

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|-------|---------|
| 55.00 | (HERB) Herbal | 4 | 0.1 % | 0.1% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 2 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev | |
|-------|-------|-------|------|-------|--|
| 4129 | -2.00 | 99.00 | 0.08 | 8.94 | |

G10C2

CG MEDICATION 10 CODE2

Start: 584 End: 592

Width: 9.2 Type: numeric (ISO)

Interval: discrete

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4066 | 98.5 % | 98.5% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 7 | 0.2 % | 0.2% |
| 2.00 | (ANA) Analgesic | 2 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 1 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 1 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 2 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 3 | 0.1 % | 0.1% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 1 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 1 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 3 | 0.1 % | 0.1% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |

| /ariable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G10C2 CG MEDICATION 10 CODE2 (cont.)

| 21.00 (DERM) Dermatologic 1 22.00 (DIAG) Diagnostic 0 23.00 (DIET) Diet Aide 0 24.00 (END) Endocrine 6 25.00 (ENT) Ear, Nose or Throat 0 26.00 (GER) Geriatric 0 27.00 (GI) Gastrointestinal 2 28.00 (GU) Genitourinary 10 29.00 (GYN) Gynecologic 1 30.00 (HEM) Hematologic 8 31.00 (HIV) AIDS/AIDS-related 0 32.00 (HORM) Hormone 0 33.00 (HYP) Hypnotic 0 34.00 (IM) Immunologic 0 35.00 (LAX) Laxative 2 36.00 (MIG) Migraine 0 37.00 (MS) Musculoskeletal 0 38.00 (NAR) Narcotic 1 39.00 (NARA) Narcotic Antagonist 0 40.00 (NM) Neuromuscular 0 41.00 (NUT) Nutritional 2 42.00 (OB) Obstetrical 0 43.00 (| 0.0 % 0.0 % 0.1 % 0.0 % 0.0 % 0.0 % 0.0 % 0.0 % 0.2 % 0.2 % | 0.0% 0.0% 0.0% 0.1% 0.0% 0.0% 0.0% |
|--|---|--|
| 23.00 (DIET) Diet Aide 0 24.00 (END) Endocrine 6 25.00 (ENT) Ear, Nose or Throat 0 26.00 (GER) Geriatric 0 27.00 (GI) Gastrointestinal 2 28.00 (GU) Genitourinary 10 29.00 (GYN) Gynecologic 1 30.00 (HEM) Hematologic 8 31.00 (HIV) AIDS/AIDS-related 0 32.00 (HORM) Hormone 0 33.00 (HYP) Hypnotic 0 34.00 (IM) Immunologic 0 35.00 (LAX) Laxative 2 36.00 (MIG) Migraine 0 37.00 (MS) Musculoskeletal 0 38.00 (NAR) Narcotic 1 39.00 (NARA) Narcotic Antagonist 0 40.00 (NM) Neuromuscular 0 41.00 (NUT) Nutritional 2 42.00 (OB) Obstetrical 0 43.00 (OPH) Opthalmologic 0 44.00 (PSY) Psychiatric - Antidepressant 1 46.00 | 0.0 % 0.1 % 0.0 % 0.0 % 0.0 % 0.2 % 0.0 % | 0.0% 0.1% 0.0% 0.0% 0.0% |
| 24.00 (END) Endocrine 6 25.00 (ENT) Ear, Nose or Throat 0 26.00 (GER) Geriatric 0 27.00 (GI) Gastrointestinal 2 28.00 (GU) Genitourinary 10 29.00 (GYN) Gynecologic 1 30.00 (HEM) Hematologic 8 31.00 (HIV) AIDS/AIDS-related 0 32.00 (HORM) Hormone 0 33.00 (HYP) Hypnotic 0 34.00 (IM) Immunologic 0 35.00 (LAX) Laxative 2 36.00 (MIG) Migraine 0 37.00 (MS) Musculoskeletal 0 38.00 (NAR) Narcotic 1 39.00 (NARA) Narcotic Antagonist 0 40.00 (NM) Neuromuscular 0 41.00 (NUT) Nutritional 2 42.00 (OB) Obstetrical 0 43.00 (OPH) Opthalmologic 0 44.00 (PED) Pediatric 0 45.00 (PSY) Psychiatric - Antidepressant 1 46.00< | 0.1 % 0.0 % 0.0 % 0.0 % 0.2 % 0.0 % | 0.1% 0.0% 0.0% 0.0% |
| 25.00 (ENT) Ear, Nose or Throat 0 26.00 (GER) Geriatric 0 27.00 (GI) Gastrointestinal 2 28.00 (GU) Genitourinary 10 29.00 (GYN) Gynecologic 1 30.00 (HEM) Hematologic 8 31.00 (HIV) AIDS/AIDS-related 0 32.00 (HORM) Hormone 0 33.00 (HYP) Hypnotic 0 34.00 (IM) Immunologic 0 35.00 (LAX) Laxative 2 36.00 (MIG) Migraine 0 37.00 (MS) Musculoskeletal 0 38.00 (NAR) Narcotic 1 39.00 (NARA) Narcotic Antagonist 0 40.00 (NM) Neuromuscular 0 41.00 (NUT) Nutritional 2 42.00 (OB) Obstetrical 0 43.00 (OPH) Opthalmologic 0 44.00 (PED) Pediatric 0 45.00 (PSY) Psychiatric - Antidepressant 1 46.00 (PSY) Psychiatric - Antidepressant 1 <td>0.0 % 0.0 % 0.0 % 0.2 % 0.0 %</td> <td>0.0% 0.0% 0.0%</td> | 0.0 % 0.0 % 0.0 % 0.2 % 0.0 % | 0.0% 0.0% 0.0% |
| 26.00 (GER) Geriatric 0 27.00 (GI) Gastrointestinal 2 28.00 (GU) Genitourinary 10 29.00 (GYN) Gynecologic 1 30.00 (HEM) Hematologic 8 31.00 (HIV) AIDS/AIDS-related 0 32.00 (HORM) Hormone 0 33.00 (HYP) Hypnotic 0 34.00 (IM) Immunologic 0 35.00 (LAX) Laxative 2 36.00 (MIG) Migraine 0 37.00 (MS) Musculoskeletal 0 38.00 (NAR) Narcotic 1 39.00 (NARA) Narcotic Antagonist 0 40.00 (NM) Neuromuscular 0 41.00 (NUT) Nutritional 2 42.00 (OB) Obstetrical 0 43.00 (OPH) Opthalmologic 0 44.00 (PED) Pediatric 0 45.00 (PSY) Psychiatric - Antidepressant 1 46.00 (PSY) Psychiatric - Antidepressant 0 | 0.0 % 0.0 % 0.2 % 0.0 % | 0.0% |
| 27.00 (GI) Gastrointestinal 2 28.00 (GU) Genitourinary 10 29.00 (GYN) Gynecologic 1 30.00 (HEM) Hematologic 8 31.00 (HIV) AIDS/AIDS-related 0 32.00 (HORM) Hormone 0 33.00 (HYP) Hypnotic 0 34.00 (IM) Immunologic 0 35.00 (LAX) Laxative 2 36.00 (MIG) Migraine 0 37.00 (MS) Musculoskeletal 0 38.00 (NAR) Narcotic 1 39.00 (NARA) Narcotic Antagonist 0 40.00 (NM) Neuromuscular 0 41.00 (NUT) Nutritional 2 42.00 (OB) Obstetrical 0 43.00 (OPH) Opthalmologic 0 44.00 (PED) Pediatric 0 45.00 (PSY) Psychiatric - Antidepressant 1 46.00 (PSY) Psychiatric - Antipsychotic 0 | 0.0 % 0.2 % 0.0 % | 0.0% |
| 28.00 (GU) Genitourinary 10 29.00 (GYN) Gynecologic 1 30.00 (HEM) Hematologic 8 31.00 (HIV) AIDS/AIDS-related 0 32.00 (HORM) Hormone 0 33.00 (HYP) Hypnotic 0 34.00 (IM) Immunologic 0 35.00 (LAX) Laxative 2 36.00 (MIG) Migraine 0 37.00 (MS) Musculoskeletal 0 38.00 (NAR) Narcotic 1 39.00 (NARA) Narcotic Antagonist 0 40.00 (NM) Neuromuscular 0 41.00 (NUT) Nutritional 2 42.00 (OB) Obstetrical 0 43.00 (OPH) Opthalmologic 0 44.00 (PED) Pediatric 0 45.00 (PSY) Psychiatric - Antidepressant 1 46.00 (PSY) Psychiatric - Antipsychotic 0 | 0.2 % 0.0 % | |
| 29.00 (GYN) Gynecologic 1 30.00 (HEM) Hematologic 8 31.00 (HIV) AIDS/AIDS-related 0 32.00 (HORM) Hormone 0 33.00 (HYP) Hypnotic 0 34.00 (IM) Immunologic 0 35.00 (LAX) Laxative 2 36.00 (MIG) Migraine 0 37.00 (MS) Musculoskeletal 0 38.00 (NAR) Narcotic 1 39.00 (NARA) Narcotic Antagonist 0 40.00 (NM) Neuromuscular 0 41.00 (NUT) Nutritional 2 42.00 (OB) Obstetrical 0 43.00 (OPH) Opthalmologic 0 44.00 (PED) Pediatric 0 45.00 (PSY) Psychiatric - Antidepressant 1 46.00 (PSY) Psychiatric - Antipsychotic 0 | 0.0 % | O 2% |
| 30.00 (HEM) Hematologic 8 31.00 (HIV) AIDS/AIDS-related 0 32.00 (HORM) Hormone 0 33.00 (HYP) Hypnotic 0 34.00 (IM) Immunologic 0 35.00 (LAX) Laxative 2 36.00 (MIG) Migraine 0 37.00 (MS) Musculoskeletal 0 38.00 (NAR) Narcotic 1 39.00 (NARA) Narcotic Antagonist 0 40.00 (NM) Neuromuscular 0 41.00 (NUT) Nutritional 2 42.00 (OB) Obstetrical 0 43.00 (OPH) Opthalmologic 0 44.00 (PSY) Psychiatric - Antidepressant 1 46.00 (PSY) Psychiatric - Antipsychotic 0 | | 0.2/0 |
| 31.00 (HIV) AIDS/AIDS-related 0 32.00 (HORM) Hormone 0 33.00 (HYP) Hypnotic 0 34.00 (IM) Immunologic 0 35.00 (LAX) Laxative 2 36.00 (MIG) Migraine 0 37.00 (MS) Musculoskeletal 0 38.00 (NAR) Narcotic 1 39.00 (NARA) Narcotic Antagonist 0 40.00 (NM) Neuromuscular 0 41.00 (NUT) Nutritional 2 42.00 (OB) Obstetrical 0 43.00 (OPH) Opthalmologic 0 44.00 (PED) Pediatric 0 45.00 (PSY) Psychiatric - Antidepressant 1 46.00 (PSY) Psychiatric - Antipsychotic 0 | 0.2 % | 0.0% |
| 32.00 (HORM) Hormone 0 33.00 (HYP) Hypnotic 0 34.00 (IM) Immunologic 0 35.00 (LAX) Laxative 2 36.00 (MIG) Migraine 0 37.00 (MS) Musculoskeletal 0 38.00 (NAR) Narcotic 1 39.00 (NARA) Narcotic Antagonist 0 40.00 (NM) Neuromuscular 0 41.00 (NUT) Nutritional 2 42.00 (OB) Obstetrical 0 43.00 (OPH) Opthalmologic 0 44.00 (PSY) Psychiatric - Antidepressant 1 46.00 (PSY) Psychiatric - Antipsychotic 0 | | 0.2% |
| 33.00 (HYP) Hypnotic 0 34.00 (IM) Immunologic 0 35.00 (LAX) Laxative 2 36.00 (MIG) Migraine 0 37.00 (MS) Musculoskeletal 0 38.00 (NAR) Narcotic 1 39.00 (NARA) Narcotic Antagonist 0 40.00 (NM) Neuromuscular 0 41.00 (NUT) Nutritional 2 42.00 (OB) Obstetrical 0 43.00 (OPH) Opthalmologic 0 44.00 (PED) Pediatric 0 45.00 (PSY) Psychiatric - Antidepressant 1 46.00 (PSY) Psychiatric - Antipsychotic 0 | 0.0 % | 0.0% |
| 34.00 (IM) Immunologic 0 35.00 (LAX) Laxative 2 36.00 (MIG) Migraine 0 37.00 (MS) Musculoskeletal 0 38.00 (NAR) Narcotic 1 39.00 (NARA) Narcotic Antagonist 0 40.00 (NM) Neuromuscular 0 41.00 (NUT) Nutritional 2 42.00 (OB) Obstetrical 0 43.00 (OPH) Opthalmologic 0 44.00 (PED) Pediatric 0 45.00 (PSY) Psychiatric - Antidepressant 1 46.00 (PSY) Psychiatric - Antipsychotic 0 | 0.0 % | 0.0% |
| 35.00 (LAX) Laxative 2 36.00 (MIG) Migraine 0 37.00 (MS) Musculoskeletal 0 38.00 (NAR) Narcotic 1 39.00 (NARA) Narcotic Antagonist 0 40.00 (NM) Neuromuscular 0 41.00 (NUT) Nutritional 2 42.00 (OB) Obstetrical 0 43.00 (OPH) Opthalmologic 0 44.00 (PED) Pediatric 0 45.00 (PSY) Psychiatric - Antidepressant 1 46.00 (PSY) Psychiatric - Antipsychotic 0 | 0.0 % | 0.0% |
| 36.00 (MIG) Migraine 0 37.00 (MS) Musculoskeletal 0 38.00 (NAR) Narcotic 1 39.00 (NARA) Narcotic Antagonist 0 40.00 (NM) Neuromuscular 0 41.00 (NUT) Nutritional 2 42.00 (OB) Obstetrical 0 43.00 (OPH) Opthalmologic 0 44.00 (PED) Pediatric 0 45.00 (PSY) Psychiatric - Antidepressant 1 46.00 (PSY) Psychiatric - Antipsychotic 0 | 0.0 % | 0.0% |
| 37.00 (MS) Musculoskeletal 0 38.00 (NAR) Narcotic 1 39.00 (NARA) Narcotic Antagonist 0 40.00 (NM) Neuromuscular 0 41.00 (NUT) Nutritional 2 42.00 (OB) Obstetrical 0 43.00 (OPH) Opthalmologic 0 44.00 (PED) Pediatric 0 45.00 (PSY) Psychiatric - Antidepressant 1 46.00 (PSY) Psychiatric - Antipsychotic 0 | 0.0 % | 0.0% |
| 38.00 (NAR) Narcotic 1 39.00 (NARA) Narcotic Antagonist 0 40.00 (NM) Neuromuscular 0 41.00 (NUT) Nutritional 2 42.00 (OB) Obstetrical 0 43.00 (OPH) Opthalmologic 0 44.00 (PED) Pediatric 0 45.00 (PSY) Psychiatric - Antidepressant 1 46.00 (PSY) Psychiatric - Antipsychotic 0 | 0.0 % | 0.0% |
| 39.00 (NARA) Narcotic Antagonist 0 40.00 (NM) Neuromuscular 0 41.00 (NUT) Nutritional 2 42.00 (OB) Obstetrical 0 43.00 (OPH) Opthalmologic 0 44.00 (PED) Pediatric 0 45.00 (PSY) Psychiatric - Antidepressant 1 46.00 (PSY) Psychiatric - Antipsychotic 0 | 0.0 % | 0.0% |
| 40.00 (NM) Neuromuscular 0 41.00 (NUT) Nutritional 2 42.00 (OB) Obstetrical 0 43.00 (OPH) Opthalmologic 0 44.00 (PED) Pediatric 0 45.00 (PSY) Psychiatric - Antidepressant 1 46.00 (PSY) Psychiatric - Antipsychotic 0 | 0.0 % | 0.0% |
| 41.00 (NUT) Nutritional 2 42.00 (OB) Obstetrical 0 43.00 (OPH) Opthalmologic 0 44.00 (PED) Pediatric 0 45.00 (PSY) Psychiatric - Antidepressant 1 46.00 (PSY) Psychiatric - Antipsychotic 0 | 0.0 % | 0.0% |
| 42.00 (OB) Obstetrical 0 43.00 (OPH) Opthalmologic 0 44.00 (PED) Pediatric 0 45.00 (PSY) Psychiatric - Antidepressant 1 46.00 (PSY) Psychiatric - Antipsychotic 0 | 0.0 % | 0.0% |
| 43.00 (OPH) Opthalmologic 0 44.00 (PED) Pediatric 0 45.00 (PSY) Psychiatric - Antidepressant 1 46.00 (PSY) Psychiatric - Antipsychotic 0 | 0.0 % | 0.0% |
| 44.00 (PED) Pediatric 0 45.00 (PSY) Psychiatric - Antidepressant 1 46.00 (PSY) Psychiatric - Antipsychotic 0 | 0.0 % | 0.0% |
| 45.00 (PSY) Psychiatric - Antidepressant 1 46.00 (PSY) Psychiatric - Antipsychotic 0 | 0.0 % | 0.0% |
| 46.00 (PSY) Psychiatric - Antipsychotic 0 | 0.0 % | 0.0% |
| , | 0.0 % | 0.0% |
| | 0.0 % | 0.0% |
| 47.00 (PSY) Psychiatric - Anti-anxiety 0 | 0.0 % | 0.0% |
| 48.00 (PSY) Psychiatric - Cognitive 1 Enhancement | 0.0 % | 0.0% |
| 49.00 (PUL) Pulmonary 0 | 0.0 % | 0.0% |
| 50.00 (SED) Sedative 2 | 0.0 % | 0.0% |
| 51.00 (STE) Steroid 1 | 0.0 % | 0.0% |
| 52.00 (TOP) Topical 1 | 0.0 % | 0.0% |
| 53.00 (TRAN) Tranquilizer 3 | 0.1 % | 0.1% |

G10C2

CG MEDICATION 10 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|-------|---------|
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 53.00 | -1.59 | 3.79 |

G10C3

CG MEDICATION 10 CODE3

Start: 593 End: 601 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4123 | 99.9 % | 99.9% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 1 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |

| Variable | Variable Description | on |
|----------|----------------------|----|
|----------|----------------------|----|

G10C3 CG MEDICATION 10 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 1 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 1 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 1 | 0.0 % | 0.0% |

G10C3

CG MEDICATION 10 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|-------|---------|
| 53.00 | (TRAN) Tranquilizer | 2 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 53.00 | -1.94 | 1.72 |

G10C4

Start: 602 End: 610 Width: 9.2

Type: numeric (ISO) Interval: discrete

CG MEDICATION 10 CODE4

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|---------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4127 | 100.0 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G10C4 CG MEDICATION 10 CODE4 (cont.)

| 19.00 (CV) Cardiovascu 20.00 (DEN) Dental 21.00 (DERM) Dermato 22.00 (DIAG) Diagnostic | logic | 0 0 0 0 | 0.0 % 0.0 % 0.0 % 0.0 % | 0.0% 0.0% 0.0% |
|---|------------------|---------|----------------------------------|----------------------|
| 21.00 (DERM) Dermato | | 0 | 0.0 % | 0.0% |
| , , | | 0 | | |
| 22.00 (DIAG) Diagnostic | 3 | | 0.0 % | _ |
| | | | | 0.0% |
| 23.00 (DIET) Diet Aide | | 0 | 0.0 % | 0.0% |
| 24.00 (END) Endocrine | | 0 | 0.0 % | 0.0% |
| 25.00 (ENT) Ear, Nose | or Throat | 0 | 0.0 % | 0.0% |
| 26.00 (GER) Geriatric | | 0 | 0.0 % | 0.0% |
| 27.00 (GI) Gastrointesti | nal | 0 | 0.0 % | 0.0% |
| 28.00 (GU) Genitourina | ry | 0 | 0.0 % | 0.0% |
| 29.00 (GYN) Gynecolog | jic | 0 | 0.0 % | 0.0% |
| 30.00 (HEM) Hematolog | gic | 0 | 0.0 % | 0.0% |
| 31.00 (HIV) AIDS/AIDS | related | 0 | 0.0 % | 0.0% |
| 32.00 (HORM) Hormon | 9 | 0 | 0.0 % | 0.0% |
| 33.00 (HYP) Hypnotic | | 0 | 0.0 % | 0.0% |
| 34.00 (IM) Immunologic | | 0 | 0.0 % | 0.0% |
| 35.00 (LAX) Laxative | | 0 | 0.0 % | 0.0% |
| 36.00 (MIG) Migraine | | 0 | 0.0 % | 0.0% |
| 37.00 (MS) Musculoske | letal | 0 | 0.0 % | 0.0% |
| 38.00 (NAR) Narcotic | | 0 | 0.0 % | 0.0% |
| 39.00 (NARA) Narcotic | Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 (NM) Neuromusc | ular | 0 | 0.0 % | 0.0% |
| 41.00 (NUT) Nutritional | | 0 | 0.0 % | 0.0% |
| 42.00 (OB) Obstetrical | | 0 | 0.0 % | 0.0% |
| 43.00 (OPH) Opthalmol | ogic | 0 | 0.0 % | 0.0% |
| 44.00 (PED) Pediatric | | 0 | 0.0 % | 0.0% |
| 45.00 (PSY) Psychiatric | - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 (PSY) Psychiatric | - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 (PSY) Psychiatric | - Anti-anxiety | 2 | 0.0 % | 0.0% |
| 48.00 (PSY) Psychiatric Enhancement | - Cognitive | 0 | 0.0 % | 0.0% |
| 49.00 (PUL) Pulmonary | | 0 | 0.0 % | 0.0% |
| 50.00 (SED) Sedative | | 0 | 0.0 % | 0.0% |
| 51.00 (STE) Steroid | | 0 | 0.0 % | 0.0% |

CG MEDICATION 10 CODE4 (cont.) G10C4

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|-------|---------|
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev | |
|-------|-------|-------|-------|-------|--|
| 4129 | -2.00 | 47.00 | -1.98 | 1.08 | |

GM11 **CG MEDICATION 11**

Start: 611 End: 630 Width: 20

Type: character (ISO)
Interval: discrete

| Value | Frequency | % | Valid % |
|---------------------|-----------|--------|---------|
| -2 | 3891 | 94.2 % | 94.2% |
| ADVIL | 1 | 0.0 % | 0.0% |
| ALBUTEROL SULFATE | 1 | 0.0 % | 0.0% |
| ALLOPURINOL | 1 | 0.0 % | 0.0% |
| ALPRAZOLAM | 2 | 0.0 % | 0.0% |
| AMITRIPTYLINE | 1 | 0.0 % | 0.0% |
| APAP | 1 | 0.0 % | 0.0% |
| ASPIRIN | 4 | 0.1 % | 0.1% |
| ATROVENT-NASALSPRAY | 1 | 0.0 % | 0.0% |
| AZMACORT INHALER | 1 | 0.0 % | 0.0% |
| B-COMPLEX | 1 | 0.0 % | 0.0% |
| B12 | 1 | 0.0 % | 0.0% |
| BECLOVENT | 1 | 0.0 % | 0.0% |
| BENADRYL | 2 | 0.0 % | 0.0% |
| BOLAX | 1 | 0.0 % | 0.0% |
| C COMPLEX | 1 | 0.0 % | 0.0% |
| C-1000 | 1 | 0.0 % | 0.0% |
| CAL MAG | 1 | 0.0 % | 0.0% |
| CALCIUM | 6 | 0.1 % | 0.1% |
| CAPOTEN | 1 | 0.0 % | 0.0% |
| CARDIOFLOW | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
| | |

GM11 CG MEDICATION 11 (cont.)

| Value | Frequency | % | Valid % |
|---------------------|-----------|-------|---------|
| CHROMIUM PICOLINATE | 1 | 0.0 % | 0.0% |
| CIPRO | 1 | 0.0 % | 0.0% |
| COZAAR | 1 | 0.0 % | 0.0% |
| DICLOFENAC SODIUM | 1 | 0.0 % | 0.0% |
| DICYCLOMINE HCL | 1 | 0.0 % | 0.0% |
| DIGOXIN | 1 | 0.0 % | 0.0% |
| DOCUSATE | 1 | 0.0 % | 0.0% |
| DONE | 2 | 0.0 % | 0.0% |
| ECHINACEA | 1 | 0.0 % | 0.0% |
| ELAVIL | 1 | 0.0 % | 0.0% |
| EXCEDRIN MIGRAIN | 1 | 0.0 % | 0.0% |
| FENESIN | 1 | 0.0 % | 0.0% |
| FLOVENT | 1 | 0.0 % | 0.0% |
| FOLIC ACID | 1 | 0.0 % | 0.0% |
| FUROSEMIDE | 1 | 0.0 % | 0.0% |
| GINKGO BILOBA | 7 | 0.2 % | 0.2% |
| GINKGO-BILOBA | 1 | 0.0 % | 0.0% |
| GLUCOPHAGE | 1 | 0.0 % | 0.0% |
| GLUCOSAMINE | 2 | 0.0 % | 0.0% |
| GLUCOSAMINE SULFATE | 1 | 0.0 % | 0.0% |
| GRAPE SEED EXTRACT | 1 | 0.0 % | 0.0% |
| HCTZ | 2 | 0.0 % | 0.0% |
| HYDROCHLOROTHIAZIDE | 1 | 0.0 % | 0.0% |
| HYZAAR | 1 | 0.0 % | 0.0% |
| IBUPROFEN | 1 | 0.0 % | 0.0% |
| IPRATROPIUM BROMIDE | 1 | 0.0 % | 0.0% |
| IRON | 1 | 0.0 % | 0.0% |
| IRON TABLETS | 1 | 0.0 % | 0.0% |
| LANOXIN | 3 | 0.1 % | 0.1% |
| LASIX | 2 | 0.0 % | 0.0% |
| LAX PILLS | 1 | 0.0 % | 0.0% |
| LICORICE ROOT | 1 | 0.0 % | 0.0% |
| LIFESCAN | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
| | |

GM11 CG MEDICATION 11 (cont.)

| Value | Frequency | % | Valid % |
|---------------------|-----------|-------|---------|
| LUTEIN | 1 | 0.0 % | 0.0% |
| MAGNESIUM CITRATE | 1 | 0.0 % | 0.0% |
| MAGNESIUM OXIDE | 1 | 0.0 % | 0.0% |
| MECLIZINE | 1 | 0.0 % | 0.0% |
| METHISCHOL | 1 | 0.0 % | 0.0% |
| MULTI VITAMINS | 1 | 0.0 % | 0.0% |
| MULTI-VITAMINS | 1 | 0.0 % | 0.0% |
| MULTIPLE VITAMINS | 1 | 0.0 % | 0.0% |
| MULTIVITAMIN | 1 | 0.0 % | 0.0% |
| MYSOLINE | 1 | 0.0 % | 0.0% |
| NITRO GLYCERIN | 1 | 0.0 % | 0.0% |
| NITROGLYCERIN | 1 | 0.0 % | 0.0% |
| NITROGLYCERINE | 1 | 0.0 % | 0.0% |
| NONE | 70 | 1.7 % | 1.7% |
| NORCO | 1 | 0.0 % | 0.0% |
| NOVOLIN N | 1 | 0.0 % | 0.0% |
| OXYBUTYNIN CHLORIDE | 1 | 0.0 % | 0.0% |
| PARAFON FORTE DSC | 2 | 0.0 % | 0.0% |
| PEPCID | 1 | 0.0 % | 0.0% |
| POTASSIUM | 1 | 0.0 % | 0.0% |
| POTASSIUM CHLORIDE | 1 | 0.0 % | 0.0% |
| PRAZOSIN | 1 | 0.0 % | 0.0% |
| PRECOSE | 3 | 0.1 % | 0.1% |
| PREDNISONE | 1 | 0.0 % | 0.0% |
| PREMARIN | 1 | 0.0 % | 0.0% |
| PREVACID | 1 | 0.0 % | 0.0% |
| PRILOSEC | 1 | 0.0 % | 0.0% |
| PRINIVIL | 1 | 0.0 % | 0.0% |
| PROTEGRA | 1 | 0.0 % | 0.0% |
| PROVENTIL | 1 | 0.0 % | 0.0% |
| PYCNOGENOL | 1 | 0.0 % | 0.0% |
| REZULIN | 1 | 0.0 % | 0.0% |
| ROBAXIN | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|--------------------------|
| GM11 | CG MEDICATION 11 (cont.) |

| Value | Frequency | % | Valid % |
|------------------|-----------|-------|---------|
| ROXICET | 1 | 0.0 % | 0.0% |
| RYTHMOL | 1 | 0.0 % | 0.0% |
| SELENIUM | 2 | 0.0 % | 0.0% |
| SERZONE | 1 | 0.0 % | 0.0% |
| SIMETHICONE | 1 | 0.0 % | 0.0% |
| SKELAXIN | 1 | 0.0 % | 0.0% |
| ST JOHNS WORT | 1 | 0.0 % | 0.0% |
| THYROID | 1 | 0.0 % | 0.0% |
| TRIAMTERENE | 1 | 0.0 % | 0.0% |
| TRUSOPT | 1 | 0.0 % | 0.0% |
| TUMS | 1 | 0.0 % | 0.0% |
| TYLENOL | 6 | 0.1 % | 0.1% |
| VANCERIL INHALER | 1 | 0.0 % | 0.0% |
| VERAPAMIL SR 120 | 1 | 0.0 % | 0.0% |
| VICODIN | 1 | 0.0 % | 0.0% |
| VICOPROFEN | 1 | 0.0 % | 0.0% |
| VIT E | 1 | 0.0 % | 0.0% |
| VITAMIN B | 3 | 0.1 % | 0.1% |
| VITAMIN B-12 | 2 | 0.0 % | 0.0% |
| VITAMIN B-6 | 1 | 0.0 % | 0.0% |
| VITAMIN B12 | 2 | 0.0 % | 0.0% |
| VITAMIN B6 | 1 | 0.0 % | 0.0% |
| VITAMIN C | 6 | 0.1 % | 0.1% |
| VITAMIN E | 8 | 0.2 % | 0.2% |
| VITAMIN E 400IU | 1 | 0.0 % | 0.0% |
| VITAMIN-B1 | 1 | 0.0 % | 0.0% |
| ZANTAC | 2 | 0.0 % | 0.0% |
| ZAROXOLYN | 1 | 0.0 % | 0.0% |
| ZINC | 2 | 0.0 % | 0.0% |
| ZOCOR | 4 | 0.1 % | 0.1% |
| ZYRTEC | 1 | 0.0 % | 0.0% |

Variable

Variable Description

G11C1

CG MEDICATION 11 CODE1

Start: 631 End: 639 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 3963 | 96.0 % | 96.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 16 | 0.4 % | 0.4% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 4 | 0.1 % | 0.1% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 4 | 0.1 % | 0.1% |
| 9.00 | (ANTI) Anti-inflammatory | 2 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 2 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 1 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 25 | 0.6 % | 0.6% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 1 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 5 | 0.1 % | 0.1% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 10 | 0.2 % | 0.2% |
| 28.00 | (GU) Genitourinary | 2 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description | | |
|----------|--------------------------------|--|--|
| G11C1 | CG MEDICATION 11 CODE1 (cont.) | | |

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 30.00 | (HEM) Hematologic | 1 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 3 | 0.1 % | 0.1% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 1 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 4 | 0.1 % | 0.1% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 4 | 0.1 % | 0.1% |
| 38.00 | (NAR) Narcotic | 1 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 53 | 1.3 % | 1.3% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 2 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 3 | 0.1 % | 0.1% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 8 | 0.2 % | 0.2% |
| 49.00 | (PUL) Pulmonary | 8 | 0.2 % | 0.2% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 1 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 2 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 2 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 1 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 99.00 | -0.68 | 7.20 |

Variable

Variable Description

G11C2

CG MEDICATION 11 CODE2

Start: 640 End: 648 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4097 | 99.2 % | 99.2% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 1 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 1 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 1 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 1 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 2 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 1 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 1 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 2 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 6 | 0.1 % | 0.1% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|--------------------------------|
| G11C2 | CG MEDICATION 11 CODE2 (cont.) |

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 30.00 | (HEM) Hematologic | 8 | 0.2 % | 0.2% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 1 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 2 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 1 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 1 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 1 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 1 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 1 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 53.00 | -1.76 | 2.90 |

Variable

Variable Description

G11C3

CG MEDICATION 11 CODE3

Start: 649 End: 657 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4124 | 99.9 % | 99.9% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 1 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 1 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description | |
|----------|--------------------------------|--|
| G11C3 | CG MEDICATION 11 CODE3 (cont.) | |

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 2 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 1 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 52.00 | -1.96 | 1.38 |

Variable

Variable Description

G11C4

CG MEDICATION 11 CODE4

Start: 658 End: 666 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|---------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4129 | 100.0 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | 12.00 (ANTP) Antiparasitic | | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | 00 (ENT) Ear, Nose or Throat | | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|--------------------------------|
| G11C4 | CG MEDICATION 11 CODE4 (cont.) |

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | -2.00 | -2.00 | 0.00 |

Variable

Variable Description

GM12

CG MEDICATION 12

Start: 667 End: 686 Width: 20

Type: character (ISO)
Interval: discrete

| Value | Frequency | % | Valid % |
|---------------------|-----------|--------|---------|
| -2 | 3975 | 96.3 % | 96.3% |
| ADLERIKA | 1 | 0.0 % | 0.0% |
| ALBUTEROL | 1 | 0.0 % | 0.0% |
| ALBUTEROL SULFATE | 1 | 0.0 % | 0.0% |
| AMINO ACID | 1 | 0.0 % | 0.0% |
| APAP | 1 | 0.0 % | 0.0% |
| ASPIRIN | 2 | 0.0 % | 0.0% |
| AZMACORT | 1 | 0.0 % | 0.0% |
| B12 | 1 | 0.0 % | 0.0% |
| BECONASE | 1 | 0.0 % | 0.0% |
| BELBUTAL | 1 | 0.0 % | 0.0% |
| BETA-CAROTENE | 1 | 0.0 % | 0.0% |
| CALCIMATE | 1 | 0.0 % | 0.0% |
| CALCIUM | 4 | 0.1 % | 0.1% |
| CALTRATE 600+D | 1 | 0.0 % | 0.0% |
| CARDIZEM | 1 | 0.0 % | 0.0% |
| CELEBREX | 1 | 0.0 % | 0.0% |
| CEPHALEXIN | 1 | 0.0 % | 0.0% |
| CHROMIUM PICOLONATE | 1 | 0.0 % | 0.0% |
| COMBIVENT | 1 | 0.0 % | 0.0% |
| CORDARONE | 1 | 0.0 % | 0.0% |
| CYCLOBENAPRINE | 1 | 0.0 % | 0.0% |
| CYCLOGYL | 1 | 0.0 % | 0.0% |
| CYTOMEL | 1 | 0.0 % | 0.0% |
| DIGOXIN | 3 | 0.1 % | 0.1% |
| ECOTRIN | 1 | 0.0 % | 0.0% |
| EXCEDRIN | 1 | 0.0 % | 0.0% |
| FENNEL SEED | 1 | 0.0 % | 0.0% |
| FLOVENT | 1 | 0.0 % | 0.0% |
| FOLIC ACID | 1 | 0.0 % | 0.0% |
| FORMULA MAXANA | 1 | 0.0 % | 0.0% |
| GARLIC | 1 | 0.0 % | 0.0% |
| GAVISCON | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
| | |

GM12 CG MEDICATION 12 (cont.)

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| GINGKO BILOBA | 1 | 0.0 % | 0.0% |
| GINKO BILOBA | 1 | 0.0 % | 0.0% |
| GLYBURIDE | 1 | 0.0 % | 0.0% |
| HAYDRIN | 1 | 0.0 % | 0.0% |
| HYDROCHLOROTHIAZIDE | 2 | 0.0 % | 0.0% |
| HYOSYCAMINE | 1 | 0.0 % | 0.0% |
| INSULIN | 1 | 0.0 % | 0.0% |
| INSULIN HUMULIN | 1 | 0.0 % | 0.0% |
| INSULIN, REG | 1 | 0.0 % | 0.0% |
| K DUR | 1 | 0.0 % | 0.0% |
| KAVAKAVA | 1 | 0.0 % | 0.0% |
| LANSOPRAZOLE | 1 | 0.0 % | 0.0% |
| LIPITOR | 1 | 0.0 % | 0.0% |
| MAGNESIUM | 1 | 0.0 % | 0.0% |
| MELATONIN | 3 | 0.1 % | 0.1% |
| MULTIPLE VITAMINS | 1 | 0.0 % | 0.0% |
| MULTIVITAMIN | 2 | 0.0 % | 0.0% |
| NEO SYNEPHRINE | 1 | 0.0 % | 0.0% |
| NITROGLYCERINE | 1 | 0.0 % | 0.0% |
| NITROQUICK | 1 | 0.0 % | 0.0% |
| NONE | 43 | 1.0 % | 1.0% |
| OSCAL | 1 | 0.0 % | 0.0% |
| PARAFON FORTE DSC | 1 | 0.0 % | 0.0% |
| PERIACTIN | 1 | 0.0 % | 0.0% |
| PINNACLE 5 HTP TRYPT | 1 | 0.0 % | 0.0% |
| POTASSIUM CHLORIDE | 1 | 0.0 % | 0.0% |
| PRAVACHOL | 1 | 0.0 % | 0.0% |
| PRED FORTE | 1 | 0.0 % | 0.0% |
| PREDNISONE | 1 | 0.0 % | 0.0% |
| PRILOSEC | 2 | 0.0 % | 0.0% |
| QUESTRAN | 1 | 0.0 % | 0.0% |
| QUINAPRIL | 1 | 0.0 % | 0.0% |
| RESTORIL | 1 | 0.0 % | 0.0% |

GM12 CG MEDICATION 12 (cont.)

| Value | Frequency | % | Valid % |
|-------------------|-----------|-------|---------|
| SALINE SOLUTION | 1 | 0.0 % | 0.0% |
| SELENIUM | 1 | 0.0 % | 0.0% |
| STOOL SOFTENER | 2 | 0.0 % | 0.0% |
| SYNTHROID | 3 | 0.1 % | 0.1% |
| TEMAZEPAM | 1 | 0.0 % | 0.0% |
| THYROID | 1 | 0.0 % | 0.0% |
| TYLENOL | 3 | 0.1 % | 0.1% |
| VANCERIL | 1 | 0.0 % | 0.0% |
| VERAPAMIL | 1 | 0.0 % | 0.0% |
| VICODIN | 1 | 0.0 % | 0.0% |
| VIT B | 1 | 0.0 % | 0.0% |
| VITAMIN B | 1 | 0.0 % | 0.0% |
| VITAMIN B COMPLEX | 1 | 0.0 % | 0.0% |
| VITAMIN B6 | 1 | 0.0 % | 0.0% |
| VITAMIN C | 7 | 0.2 % | 0.2% |
| VITAMIN E | 3 | 0.1 % | 0.1% |
| ZANTAC | 1 | 0.0 % | 0.0% |
| ZESTRIL | 1 | 0.0 % | 0.0% |
| ZINC | 2 | 0.0 % | 0.0% |
| ZINC SUPPLEMENT | 1 | 0.0 % | 0.0% |
| ZOCOR | 2 | 0.0 % | 0.0% |

G12C1 CG MEDICATION 12 CODE1

Start: 687 End: 695 Width: 9.2

Type: numeric (ISO) Interval: discrete

Frequency Value Label Valid % -4.00 Refused 0.0 % 0.0% -3.00 Unknown 0 0.0 % 0.0% 97.3% -2.00 None 4018 97.3 % 0.0 % 0.0% -1.00 Missing 0.0 % 0.0% 1.00 (ALL) Allergic 0 2.00 (ANA) Analgesic 9 0.2 % 0.2% 3.00 (ANES) Anesthetic 0 0.0 % 0.0% 4.00 (ANTB) Antibiotic/Antibacterial 0.0 % 0.0% 1 5.00 (ANTC) Anticonvulsive 0 0.0 % 0.0%

G12C1 CG MEDICATION 12 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|------------------------------|-----------|-------|---------|
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 2 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 1 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 3 | 0.1 % | 0.1% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 15 | 0.4 % | 0.4% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 3 | 0.1 % | 0.1% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 9 | 0.2 % | 0.2% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 1 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 6 | 0.1 % | 0.1% |
| 33.00 | (HYP) Hypnotic | 1 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 3 | 0.1 % | 0.1% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 2 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |

G12C1 CG MEDICATION 12 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 36 | 0.9 % | 0.9% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 1 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 1 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 2 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 6 | 0.1 % | 0.1% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 3 | 0.1 % | 0.1% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 2 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 4 | 0.1 % | 0.1% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 99.00 | -1.04 | 6.56 |

G12C2 CG MEDICATION 12 CODE2

Start: 696 End: 704 Width: 9.2

Width: 9.2
Type: numeric (ISO)
Interval: discrete

| Value | Label | Frequency | % | Valid % |
|-------|-------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4104 | 99.4 % | 99.4% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G12C2 CG MEDICATION 12 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|-------|---------|
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 1 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 1 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 4 | 0.1 % | 0.1% |
| 25.00 | (ENT) Ear, Nose or Throat | 2 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 2 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 4 | 0.1 % | 0.1% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 2 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 3 | 0.1 % | 0.1% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G12C2 CG MEDICATION 12 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 1 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 1 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 1 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 1 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 1 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 1 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 53.00 | -1.79 | 2.76 |

G12C3

CG MEDICATION 12 CODE3

Start: 705 End: 713 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|----------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4125 | 99.9 % | 99.9% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
| | |

G12C3 CG MEDICATION 12 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|-------|---------|
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 1 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |

| Variable Variable Description |
|-------------------------------|
|-------------------------------|

G12C3 CG MEDICATION 12 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 2 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 1 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev | |
|-------|-------|-------|-------|-------|--|
| 4129 | -2.00 | 50.00 | -1.96 | 1.30 | |

G12C4 CG MEDICATION 12 CODE4

Start: 714 End: 722 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------|-----------|---------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4129 | 100.0 % | 100.0% |

| Variable | Variable Description | on |
|----------|----------------------|----|
|----------|----------------------|----|

G12C4 CG MEDICATION 12 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|-------|---------|
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |

| | | - ICF3K 03076 - | | | |
|----------|----------|---|-----------|-------|---------|
| Variable | Variable | Description | | | |
| G12C4 | CG MED | DICATION 12 CODE4 (cont.) | | | |
| | Value | Label | Frequency | % | Valid % |
| | 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| | 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| | 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| | 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| | 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| | 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| | 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| | 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| | 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| | 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| | 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| | 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| | 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| | 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| | 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| | 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| | 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| | 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| | 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| | 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| | 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| | 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| | 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| | 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| | 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| | | | | | |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | -2.00 | -2.00 | 0.00 |

0.0 %

0.0%

0

GM13 CG MEDICATION 13

99.00

Start: 723 End: 742 Width: 20

| Value | Frequency | % | Valid % |
|-------|-----------|--------|---------|
| -2 | 4023 | 97.4 % | 97.4% |

Medication with outstanding code

GM13

Type: character (ISO) Interval: discrete

CG MEDICATION 13 (cont.)

| Value | Frequency | % | Valid % |
|---------------------|-----------|-------|---------|
| ACETAMINOPHEN | 1 | 0.0 % | 0.0% |
| ALFALFA | 1 | 0.0 % | 0.0% |
| ALLOPURINOL | 1 | 0.0 % | 0.0% |
| ALPRAZOLAM | 1 | 0.0 % | 0.0% |
| ASPIRIN | 2 | 0.0 % | 0.0% |
| ATROPINE EYE DROPS | 1 | 0.0 % | 0.0% |
| ATROVENT | 1 | 0.0 % | 0.0% |
| AZMACORT | 1 | 0.0 % | 0.0% |
| BECONASE | 1 | 0.0 % | 0.0% |
| BETA CAROTENE | 2 | 0.0 % | 0.0% |
| BRONTEX | 2 | 0.0 % | 0.0% |
| CALCIUM | 1 | 0.0 % | 0.0% |
| CALTRATE (CALCIUM) | 1 | 0.0 % | 0.0% |
| CALTRATE WL D | 1 | 0.0 % | 0.0% |
| CHONDROITIN | 1 | 0.0 % | 0.0% |
| CHROMIUM PICOLINATE | 1 | 0.0 % | 0.0% |
| CIPRO | 1 | 0.0 % | 0.0% |
| DANDALION ROOT | 1 | 0.0 % | 0.0% |
| DORAL | 1 | 0.0 % | 0.0% |
| ECHINACEA | 2 | 0.0 % | 0.0% |
| ECHINASIA | 1 | 0.0 % | 0.0% |
| EVENING PRIMROSE | 1 | 0.0 % | 0.0% |
| FERROSEQUELS | 1 | 0.0 % | 0.0% |
| FLONASE | 1 | 0.0 % | 0.0% |
| FLOVENT | 2 | 0.0 % | 0.0% |
| FOLIC ACID | 1 | 0.0 % | 0.0% |
| GARLIC | 2 | 0.0 % | 0.0% |
| GINKO BILOBA | 2 | 0.0 % | 0.0% |
| GINSENG | 1 | 0.0 % | 0.0% |
| GLUCATROL | 1 | 0.0 % | 0.0% |
| GLUCOPHAGE | 2 | 0.0 % | 0.0% |
| HYDROXYZINE | 1 | 0.0 % | 0.0% |
| INSULIN | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|--------------------------|
| GM13 | CG MEDICATION 13 (cont.) |

| Value | Frequency | % | Valid % |
|----------------------|-----------|-------|---------|
| ISOSORBIDE MONONIT | 1 | 0.0 % | 0.0% |
| LANSOPRAZOLE | 1 | 0.0 % | 0.0% |
| METAMUCIL | 1 | 0.0 % | 0.0% |
| MULTI VITAMIN | 1 | 0.0 % | 0.0% |
| MULTI-VITAMIN | 2 | 0.0 % | 0.0% |
| MULTI-VITAMIN MINERA | 1 | 0.0 % | 0.0% |
| NALDECON | 1 | 0.0 % | 0.0% |
| NITROGLYCERIN | 1 | 0.0 % | 0.0% |
| NONE | 25 | 0.6 % | 0.6% |
| NORPACE | 1 | 0.0 % | 0.0% |
| OPTIPRANOLOL | 1 | 0.0 % | 0.0% |
| PARSELENIUM | 1 | 0.0 % | 0.0% |
| PLENDIL | 1 | 0.0 % | 0.0% |
| PRECOSE | 1 | 0.0 % | 0.0% |
| PREVACID | 1 | 0.0 % | 0.0% |
| PROPOXYPHONE NAPSYLA | 1 | 0.0 % | 0.0% |
| PROVERA | 1 | 0.0 % | 0.0% |
| PROZAC | 1 | 0.0 % | 0.0% |
| PYRIDIUM | 1 | 0.0 % | 0.0% |
| QUINAPRIL | 3 | 0.1 % | 0.1% |
| SELENIUM DISULFIDE | 1 | 0.0 % | 0.0% |
| SENNA | 1 | 0.0 % | 0.0% |
| SMZ/TMP DS | 2 | 0.0 % | 0.0% |
| SYNTHROID | 1 | 0.0 % | 0.0% |
| SYRINGE INSULIN | 1 | 0.0 % | 0.0% |
| THERAGRAN | 1 | 0.0 % | 0.0% |
| TUMS | 1 | 0.0 % | 0.0% |
| TYLENOL | 2 | 0.0 % | 0.0% |
| ULTRAM | 1 | 0.0 % | 0.0% |
| VIT C | 1 | 0.0 % | 0.0% |
| VITAMIN C | 1 | 0.0 % | 0.0% |
| VITAMIN E | 1 | 0.0 % | 0.0% |
| ZESTRIL | 1 | 0.0 % | 0.0% |

GM13

CG MEDICATION 13 (cont.)

| Value | Frequency | % | Valid % |
|-----------------|-----------|-------|---------|
| ZINC RICOLINATE | 1 | 0.0 % | 0.0% |
| ZOCOR | 1 | 0.0 % | 0.0% |
| ZOSTRIX | 1 | 0.0 % | 0.0% |

G13C1

CG MEDICATION 13 CODE1

Start: 743 End: 751 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4048 | 98.0 % | 98.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 7 | 0.2 % | 0.2% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 1 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 1 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 1 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 2 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 1 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 9 | 0.2 % | 0.2% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |

| /ariable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G13C1 CG MEDICATION 13 CODE1 (cont.)

| 24.00 (END) Endocrine 4 0.1 % 0.0% 25.00 (ENT) Ear, Nose or Throat 0 0.0 % 0.0% 26.00 (GER) Geriatric 0 0.0 % 0.0% 27.00 (GI) Gastrointestinal 5 0.1 % 0.1% 28.00 (GU) Genitourinary 2 0.0 % 0.0% 29.00 (GYN) Gynecologic 0 0.0 % 0.0% 30.00 (HEM) Hematologic 0 0.0 % 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 0.0% 32.00 (HORM) Hormone 4 0.1 % 0.1% 33.00 (HYP) Hypnotic 0 0.0 % 0.0% 34.00 (IM) Immunologic 3 0.1 % 0.1% 35.00 (LAX) Laxative 2 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antag | Value | Label | Frequency | % | Valid % |
|--|-------|------------------------------------|-----------|-------|---------|
| 26.00 (GER) Geriatric 0 0.0% 0.0% 27.00 (GI) Gastrointestinal 5 0.1% 0.1% 28.00 (GU) Genitourinary 2 0.0% 0.0% 29.00 (GYN) Gynecologic 0 0.0% 0.0% 30.00 (HEM) Hematologic 0 0.0% 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0% 0.0% 32.00 (HORM) Hormone 4 0.1% 0.1% 33.00 (HYP) Hypnotic 0 0.0% 0.0% 34.00 (IM) Immunologic 3 0.1% 0.1% 35.00 (LAX) Laxative 2 0.0% 0.0% 36.00 (MIG) Migraine 0 0.0% 0.0% 37.00 (MS) Musculoskeletal 0 0.0% 0.0% 38.00 (NAR) Narcotic 0 0.0% 0.0% 40.00 (NIM) Neuromuscular 0 0.0% 0.0% 41.00 (NUT) Nutritional 19 | 24.00 | (END) Endocrine | 4 | 0.1 % | 0.1% |
| 27.00 (GI) Gastrointestinal 5 0.1 % 0.1% 28.00 (GU) Genitourinary 2 0.0 % 0.0% 29.00 (GYN) Gynecologic 0 0.0 % 0.0% 30.00 (HEM) Hematologic 0 0.0 % 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 0.0% 32.00 (HORM) Hormone 4 0.1 % 0.1% 33.00 (HYP) Hypnotic 0 0.0 % 0.0% 34.00 (IM) Immunologic 3 0.1 % 0.1% 35.00 (LAX) Laxative 2 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NI) Neutritional 19 0.5 % 0.5% 42.00 (OB) Obstetrical </td <td>25.00</td> <td>(ENT) Ear, Nose or Throat</td> <td>0</td> <td>0.0 %</td> <td>0.0%</td> | 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 28.00 (GU) Genitourinary 2 0.0% 0.0% 29.00 (GYN) Gynecologic 0 0.0% 0.0% 30.00 (HEM) Hematologic 0 0.0% 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0% 0.0% 32.00 (HORM) Hormone 4 0.1% 0.1% 33.00 (HYP) Hypnotic 0 0.0% 0.0% 34.00 (IM) Immunologic 3 0.1% 0.1% 35.00 (LAX) Laxative 2 0.0% 0.0% 36.00 (MIG) Migraine 0 0.0% 0.0% 37.00 (MS) Musculoskeletal 0 0.0% 0.0% 38.00 (NAR) Narcotic 0 0.0% 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0% 0.0% 40.00 (NIT) Nutritional 19 0.5% 0.5% 42.00 (OB) Obstetrical 0 0.0% 0.0% 43.00 (OPH) Opthalmologic | 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 29.00 (GYN) Gynecologic 0 0.0 % 0.0% 30.00 (HEM) Hematologic 0 0.0 % 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 0.0% 32.00 (HORM) Hormone 4 0.1 % 0.1% 33.00 (HYP) Hypnotic 0 0.0 % 0.0% 34.00 (IM) Immunologic 3 0.1 % 0.1% 35.00 (LAX) Laxative 2 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 19 0.5 % 0.5% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic <td>27.00</td> <td>(GI) Gastrointestinal</td> <td>5</td> <td>0.1 %</td> <td>0.1%</td> | 27.00 | (GI) Gastrointestinal | 5 | 0.1 % | 0.1% |
| 30.00 (HEM) Hematologic 0 0.0 % 0.0% 0.0% 0.0% 0.10% 0.0% 0 | 28.00 | (GU) Genitourinary | 2 | 0.0 % | 0.0% |
| 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 0.0% 32.00 (HORM) Hormone 4 0.1 % 0.1% 33.00 (HYP) Hypnotic 0 0.0 % 0.0% 34.00 (IM) Immunologic 3 0.1 % 0.1% 35.00 (LAX) Laxative 2 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 19 0.5 % 0.5% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 3 0.1 % 0.1% 45.00 (PSY) Psychiatric - Antiepressant 1 0.0 % 0.0% 46.00 (PSY) | 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 32.00 (HORM) Hormone 4 0.1 % 0.1% 33.00 (HYP) Hypnotic 0 0.0 % 0.0% 34.00 (IM) Immunologic 3 0.1 % 0.1% 35.00 (LAX) Laxative 2 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 19 0.5 % 0.5% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 3 0.1 % 0.1% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 1 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 | 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 33.00 (HYP) Hypnotic 0 0.0 % 0.0% 34.00 (IM) Immunologic 3 0.1 % 0.1% 35.00 (LAX) Laxative 2 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 19 0.5 % 0.5% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 3 0.1 % 0.1% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 1 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 | 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 34.00 (IM) Immunologic 3 0.1 % 0.1% 35.00 (LAX) Laxative 2 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 19 0.5 % 0.5% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 3 0.1 % 0.1% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 1 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 3 0.1 % 0.1% | 32.00 | (HORM) Hormone | 4 | 0.1 % | 0.1% |
| 35.00 (LAX) Laxative 2 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 19 0.5 % 0.5% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 3 0.1 % 0.1% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 1 0.0 % 0.0% 46.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 3 0.1 % 0.1% 50.00 (SED) Sedative 1 0.0 % 0.0% <td>33.00</td> <td>(HYP) Hypnotic</td> <td>0</td> <td>0.0 %</td> <td>0.0%</td> | 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 19 0.5 % 0.5% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 3 0.1 % 0.1% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 1 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 3 0.1 % 0.1% 49.00 (PUL) Pulmonary 6 0.1 % 0.1% 50.00 (SED) Sedative 1 0.0 % 0.0% < | 34.00 | (IM) Immunologic | 3 | 0.1 % | 0.1% |
| 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 19 0.5 % 0.5% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 3 0.1 % 0.1% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 1 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 3 0.1 % 0.1% 49.00 (PUL) Pulmonary 6 0.1 % 0.0% 50.00 (SED) Sedative 1 0.0 % 0.0% 51.00 (TOP) Topical 1 0.0 % 0.0% </td <td>35.00</td> <td>(LAX) Laxative</td> <td>2</td> <td>0.0 %</td> <td>0.0%</td> | 35.00 | (LAX) Laxative | 2 | 0.0 % | 0.0% |
| 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 19 0.5 % 0.5% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 3 0.1 % 0.1% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 1 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 3 0.1 % 0.1% 49.00 (PUL) Pulmonary 6 0.1 % 0.0% 50.00 (SED) Sedative 1 0.0 % 0.0% 51.00 (STE) Steroid 1 0.0 % 0.0% 53.00 (TRAN) Tranquilizer 1 0.0 % 0.0% <td>36.00</td> <td>(MIG) Migraine</td> <td>0</td> <td>0.0 %</td> <td>0.0%</td> | 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 19 0.5 % 0.5% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 3 0.1 % 0.1% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 1 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 3 0.1 % 0.1% Enhancement 49.00 (PUL) Pulmonary 6 0.1 % 0.1% 51.00 (SED) Sedative 1 0.0 % 0.0% 52.00 (TOP) Topical 1 0.0 % 0.0% 53.00 (TRAN) Tranquilizer 1 0.0 % 0.0% 54.00 (X-RAY) X-ray Contrast 0 0.0 % 0.0% 55.00 (HERB) Herbal 3 0.1 % 0.1% | 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 19 0.5 % 0.5% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 3 0.1 % 0.1% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 1 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 3 0.1 % 0.1% 49.00 (PUL) Pulmonary 6 0.1 % 0.1% 50.00 (SED) Sedative 1 0.0 % 0.0% 51.00 (STE) Steroid 1 0.0 % 0.0% 52.00 (TOP) Topical 1 0.0 % 0.0% 54.00 (X-RAY) X-ray Contrast 0 0.0 % 0.0% 55.00 (HERB) Herbal 3 0.1 % 0.1% <td>38.00</td> <td>(NAR) Narcotic</td> <td>0</td> <td>0.0 %</td> <td>0.0%</td> | 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 41.00 (NUT) Nutritional 19 0.5 % 0.5% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 3 0.1 % 0.1% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 1 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 3 0.1 % 0.1% 49.00 (PUL) Pulmonary 6 0.1 % 0.1% 50.00 (SED) Sedative 1 0.0 % 0.0% 51.00 (STE) Steroid 1 0.0 % 0.0% 52.00 (TOP) Topical 1 0.0 % 0.0% 53.00 (TRAN) Tranquilizer 1 0.0 % 0.0% 54.00 (X-RAY) X-ray Contrast 0 0.0 % 0.0% 55.00 (HERB) Herbal 3 0.1 % 0.1% <td>39.00</td> <td>(NARA) Narcotic Antagonist</td> <td>0</td> <td>0.0 %</td> <td>0.0%</td> | 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 3 0.1 % 0.1% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 1 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 3 0.1 % 0.1% 49.00 (PUL) Pulmonary 6 0.1 % 0.1% 50.00 (SED) Sedative 1 0.0 % 0.0% 51.00 (STE) Steroid 1 0.0 % 0.0% 52.00 (TOP) Topical 1 0.0 % 0.0% 53.00 (TRAN) Tranquilizer 1 0.0 % 0.0% 54.00 (X-RAY) X-ray Contrast 0 0.0 % 0.0% 55.00 (HERB) Herbal 3 0.1 % 0.1% | 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 43.00 (OPH) Opthalmologic 3 0.1 % 0.1% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 1 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Antipanxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 3 0.1 % 0.1% 49.00 (PUL) Pulmonary 6 0.1 % 0.1% 50.00 (SED) Sedative 1 0.0 % 0.0% 51.00 (STE) Steroid 1 0.0 % 0.0% 52.00 (TOP) Topical 1 0.0 % 0.0% 53.00 (TRAN) Tranquilizer 1 0.0 % 0.0% 54.00 (X-RAY) X-ray Contrast 0 0.0 % 0.0% 55.00 (HERB) Herbal 3 0.1 % 0.1% | 41.00 | (NUT) Nutritional | 19 | 0.5 % | 0.5% |
| 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 1 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 3 0.1 % 0.1% 49.00 (PUL) Pulmonary 6 0.1 % 0.1% 50.00 (SED) Sedative 1 0.0 % 0.0% 51.00 (STE) Steroid 1 0.0 % 0.0% 52.00 (TOP) Topical 1 0.0 % 0.0% 53.00 (TRAN) Tranquilizer 1 0.0 % 0.0% 54.00 (X-RAY) X-ray Contrast 0 0.0 % 0.0% 55.00 (HERB) Herbal 3 0.1 % 0.1% | 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 45.00 (PSY) Psychiatric - Antidepressant 1 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 3 0.1 % 0.1% 49.00 (PUL) Pulmonary 6 0.1 % 0.1% 50.00 (SED) Sedative 1 0.0 % 0.0% 51.00 (STE) Steroid 1 0.0 % 0.0% 52.00 (TOP) Topical 1 0.0 % 0.0% 53.00 (TRAN) Tranquilizer 1 0.0 % 0.0% 54.00 (X-RAY) X-ray Contrast 0 0.0 % 0.0% 55.00 (HERB) Herbal 3 0.1 % 0.1% | 43.00 | (OPH) Opthalmologic | 3 | 0.1 % | 0.1% |
| 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 3 0.1 % 0.1% 49.00 (PUL) Pulmonary 6 0.1 % 0.1% 50.00 (SED) Sedative 1 0.0 % 0.0% 51.00 (STE) Steroid 1 0.0 % 0.0% 52.00 (TOP) Topical 1 0.0 % 0.0% 53.00 (TRAN) Tranquilizer 1 0.0 % 0.0% 54.00 (X-RAY) X-ray Contrast 0 0.0 % 0.0% 55.00 (HERB) Herbal 3 0.1 % 0.1% | 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 3 0.1 % 0.1% 49.00 (PUL) Pulmonary 6 0.1 % 0.1% 50.00 (SED) Sedative 1 0.0 % 0.0% 51.00 (STE) Steroid 1 0.0 % 0.0% 52.00 (TOP) Topical 1 0.0 % 0.0% 53.00 (TRAN) Tranquilizer 1 0.0 % 0.0% 54.00 (X-RAY) X-ray Contrast 0 0.0 % 0.0% 55.00 (HERB) Herbal 3 0.1 % 0.1% | 45.00 | (PSY) Psychiatric - Antidepressant | 1 | 0.0 % | 0.0% |
| 48.00 (PSY) Psychiatric - Cognitive Enhancement 3 0.1 % 0.1% 49.00 (PUL) Pulmonary 6 0.1 % 0.1% 50.00 (SED) Sedative 1 0.0 % 0.0% 51.00 (STE) Steroid 1 0.0 % 0.0% 52.00 (TOP) Topical 1 0.0 % 0.0% 53.00 (TRAN) Tranquilizer 1 0.0 % 0.0% 54.00 (X-RAY) X-ray Contrast 0 0.0 % 0.0% 55.00 (HERB) Herbal 3 0.1 % 0.1% | 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| Enhancement 49.00 (PUL) Pulmonary 6 0.1 % 0.1% 50.00 (SED) Sedative 1 0.0 % 0.0% 51.00 (STE) Steroid 1 0.0 % 0.0% 52.00 (TOP) Topical 1 0.0 % 0.0% 53.00 (TRAN) Tranquilizer 1 0.0 % 0.0% 54.00 (X-RAY) X-ray Contrast 0 0.0 % 0.0% 55.00 (HERB) Herbal 3 0.1 % 0.1% | 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 50.00 (SED) Sedative 1 0.0 % 0.0% 51.00 (STE) Steroid 1 0.0 % 0.0% 52.00 (TOP) Topical 1 0.0 % 0.0% 53.00 (TRAN) Tranquilizer 1 0.0 % 0.0% 54.00 (X-RAY) X-ray Contrast 0 0.0 % 0.0% 55.00 (HERB) Herbal 3 0.1 % 0.1% | 48.00 | | 3 | 0.1 % | 0.1% |
| 51.00 (STE) Steroid 1 0.0 % 0.0% 52.00 (TOP) Topical 1 0.0 % 0.0% 53.00 (TRAN) Tranquilizer 1 0.0 % 0.0% 54.00 (X-RAY) X-ray Contrast 0 0.0 % 0.0% 55.00 (HERB) Herbal 3 0.1 % 0.1% | 49.00 | (PUL) Pulmonary | 6 | 0.1 % | 0.1% |
| 52.00 (TOP) Topical 1 0.0 % 0.0% 53.00 (TRAN) Tranquilizer 1 0.0 % 0.0% 54.00 (X-RAY) X-ray Contrast 0 0.0 % 0.0% 55.00 (HERB) Herbal 3 0.1 % 0.1% | 50.00 | (SED) Sedative | 1 | 0.0 % | 0.0% |
| 53.00 (TRAN) Tranquilizer 1 0.0 % 0.0% 54.00 (X-RAY) X-ray Contrast 0 0.0 % 0.0% 55.00 (HERB) Herbal 3 0.1 % 0.1% | 51.00 | (STE) Steroid | 1 | 0.0 % | 0.0% |
| 54.00 (X-RAY) X-ray Contrast 0 0.0 % 0.0% 55.00 (HERB) Herbal 3 0.1 % 0.1% | 52.00 | (TOP) Topical | 1 | 0.0 % | 0.0% |
| 55.00 (HERB) Herbal 3 0.1 % 0.1% | 53.00 | (TRAN) Tranquilizer | 1 | 0.0 % | 0.0% |
| | 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 60.00 (PSY) Psychiatric - Miscellaneous 0 0.0 % 0.0% | 55.00 | (HERB) Herbal | 3 | 0.1 % | 0.1% |
| | 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |

G13C1

CG MEDICATION 13 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|----------------------------------|-----------|-------|---------|
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 55.00 | -1.33 | 5.19 |

G13C2

CG MEDICATION 13 CODE2

Start: 752 End: 760 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4110 | 99.5 % | 99.5% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 1 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 1 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 1 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 3 | 0.1 % | 0.1% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G13C2 CG MEDICATION 13 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 3 | 0.1 % | 0.1% |
| 25.00 | (ENT) Ear, Nose or Throat | 1 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 1 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 2 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 4 | 0.1 % | 0.1% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 1 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 1 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| | - 305 - | | | |

G13C2 CG MEDICATION 13 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|-------|---------|
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 53.00 | -1.87 | 1.98 |

G13C3

CG MEDICATION 13 CODE3

Start: 761 End: 769 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|---------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4127 | 100.0 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 1 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |

| /ariable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G13C3 CG MEDICATION 13 CODE3 (cont.)

| | | | - | |
|-------|---|-----------|-------|---------|
| Value | Label | Frequency | % | Valid % |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 1 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| | 207 | | | |

G13C3 CG MEDICATION 13 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|-------|---------|
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 47.00 | -1.99 | 0.78 |

G13C4

CG MEDICATION 13 CODE4

Start: 770 End: 778 Width: 9.2

Width: 9.2 Type: numeric (ISO) Interval: discrete

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|---------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4129 | 100.0 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |

| Variable | Variable Description | on |
|----------|----------------------|----|
|----------|----------------------|----|

G13C4 CG MEDICATION 13 CODE4 (cont.)

| 21.00 (DERM) Dermatologic 0 0.0 % 0.0% 22.00 (DIAG) Diagnostic 0 0.0 % 0.0% 23.00 (DIET) Diet Aide 0 0.0 % 0.0% 24.00 (END) Endocrine 0 0.0 % 0.0% 25.00 (ENT) Ear, Nose or Throat 0 0.0 % 0.0% 26.00 (GER) Geriatric 0 0.0 % 0.0% 27.00 (GI) Gastrointestinal 0 0.0 % 0.0% 28.00 (GU) Genitourinary 0 0.0 % 0.0% 29.00 (GYN) Gynecologic 0 0.0 % 0.0% 30.00 (HEM) Hematologic 0 0.0 % 0.0% 31.00 (HORM) Hormone 0 0.0 % 0.0% 32.00 (HORM) Hormone 0 0.0 % 0.0% 33.00 (HYP) Hypnotic 0 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative | Value | Label | Frequency | % | Valid % |
|---|-------|------------------------------------|-----------|-------|---------|
| 23.00 (DIET) Diet Aide 0 0.0 % 0.0% 0.0% 24.00 (END) Endocrine 0 0.0 % 0.0% 0.0% 0.0% 25.00 (ENT) Ear, Nose or Throat 0 0.0 % 0.0% 0.0% 25.00 (GER) Geriatric 0 0.0 % 0.0% 0.0% 27.00 (GI) Gastrointestinal 0 0.0 % 0.0% 0.0% 28.00 (GU) Genitourinary 0 0.0 % 0.0% 0.0% 29.00 (GYN) Gynecologic 0 0.0 % 0.0% 0.0% 30.00 (HEM) Hematologic 0 0.0 % 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 0.0% 32.00 (HORM) Hormone 0 0.0 % 0.0% 33.00 (HYP) Hypnotic 0 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 35.00 (MG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 39.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic 0 0.0 % 0.0% 40.00 (NIV) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Cognitive 0 0.0 % 0.0% 65.00 (SED) Sedative 0 0.0 % 0.0% 65.00 (SED) Sedative 0 0.0 % 0.0% 65.00 0.0% 65.00 (SED) Sedative 0 0.0 % 0.0% 65.00 0.0% 0.0% 65.00 0.0% | 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 24.00 (END) Endocrine 0 0.0% 0.0% 25.00 (ENT) Ear, Nose or Throat 0 0.0% 0.0% 26.00 (GER) Geriatric 0 0.0% 0.0% 27.00 (GI) Gastrointestinal 0 0.0% 0.0% 28.00 (GU) Genitourinary 0 0.0% 0.0% 29.00 (GYN) Gynecologic 0 0.0% 0.0% 30.00 (HEM) Hematologic 0 0.0% 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0% 0.0% 32.00 (HORM) Hormone 0 0.0% 0.0% 33.00 (HYP) Hypnotic 0 0.0% 0.0% 34.00 (IM) Immunologic 0 0.0% 0.0% 35.00 (LAX) Laxative 0 0.0% 0.0% 36.00 (MIG) Migraine 0 0.0% 0.0% 37.00 (MS) Musculoskeletal 0 0.0% 0.0% 38.00 (NARA) Narcotic 0< | 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 25.00 (ENT) Ear, Nose or Throat 0 0.0% 0.0% 26.00 (GER) Geriatric 0 0.0% 0.0% 27.00 (GI) Gastrointestinal 0 0.0% 0.0% 28.00 (GU) Genitourinary 0 0.0% 0.0% 29.00 (GYN) Gynecologic 0 0.0% 0.0% 30.00 (HEM) Hematologic 0 0.0% 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0% 0.0% 32.00 (HORM) Hormone 0 0.0% 0.0% 32.00 (HORM) Hormone 0 0.0% 0.0% 33.00 (HYP) Hypnotic 0 0.0% 0.0% 34.00 (IM) Immunologic 0 0.0% 0.0% 35.00 (LAX) Laxative 0 0.0% 0.0% 36.00 (MIG) Migraine 0 0.0% 0.0% 37.00 (MS) Narcotic 0 0.0% 0.0% 38.00 (NARA) Narcotic 0 | 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 26.00 (GER) Geriatric 0 0.0% 0.0% 27.00 (GI) Gastrointestinal 0 0.0% 0.0% 28.00 (GU) Genitourinary 0 0.0% 0.0% 29.00 (GYN) Gynecologic 0 0.0% 0.0% 30.00 (HEM) Hematologic 0 0.0% 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0% 0.0% 32.00 (HORM) Hormone 0 0.0% 0.0% 33.00 (HYP) Hypnotic 0 0.0% 0.0% 34.00 (IM) Immunologic 0 0.0% 0.0% 35.00 (LAX) Laxative 0 0.0% 0.0% 36.00 (MIG) Migraine 0 0.0% 0.0% 37.00 (MS) Musculoskeletal 0 0.0% 0.0% 38.00 (NAR) Narcotic 0 0.0% 0.0% 40.00 (NIM) Neuromuscular 0 0.0% 0.0% 41.00 (NUT) Nutritional 0 | 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 27.00 (GI) Gastrointestinal 0 0.0% 0.0% 28.00 (GU) Genitourinary 0 0.0% 0.0% 29.00 (GYN) Gynecologic 0 0.0% 0.0% 30.00 (HEM) Hematologic 0 0.0% 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0% 0.0% 32.00 (HORM) Hormone 0 0.0% 0.0% 33.00 (HYP) Hypnotic 0 0.0% 0.0% 34.00 (IM) Immunologic 0 0.0% 0.0% 35.00 (LAX) Laxative 0 0.0% 0.0% 36.00 (MIG) Migraine 0 0.0% 0.0% 37.00 (MS) Musculoskeletal 0 0.0% 0.0% 38.00 (NAR) Narcotic 0 0.0% 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0% 0.0% 40.00 (NIM) Neuromuscular 0 0.0% 0.0% 41.00 (NUT) Nutritional | 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 28.00 (GU) Genitourinary 0 0.0% 0.0% 29.00 (GYN) Gynecologic 0 0.0% 0.0% 30.00 (HEM) Hematologic 0 0.0% 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0% 0.0% 32.00 (HORM) Hormone 0 0.0% 0.0% 33.00 (HYP) Hypnotic 0 0.0% 0.0% 34.00 (IM) Immunologic 0 0.0% 0.0% 35.00 (LAX) Laxative 0 0.0% 0.0% 36.00 (MIG) Migraine 0 0.0% 0.0% 37.00 (MS) Musculoskeletal 0 0.0% 0.0% 38.00 (NAR) Narcotic 0 0.0% 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0% 0.0% 40.00 (NIN) Neuromuscular 0 0.0% 0.0% 41.00 (NUT) Nutritional 0 0.0% 0.0% 42.00 (OB) Obstetrical 0 | 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 29.00 (GYN) Gynecologic 0 0.0 % 0.0% 30.00 (HEM) Hematologic 0 0.0 % 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 0.0% 32.00 (HORM) Hormone 0 0.0 % 0.0% 33.00 (HYP) Hypnotic 0 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NARA) Narcotic 0 0.0 % 0.0% 40.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic <td>27.00</td> <td>(GI) Gastrointestinal</td> <td>0</td> <td>0.0 %</td> <td>0.0%</td> | 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 30.00 (HEM) Hematologic 0 0.0% 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0% 0.0% 32.00 (HORM) Hormone 0 0.0% 0.0% 33.00 (HYP) Hypnotic 0 0.0% 0.0% 34.00 (IM) Immunologic 0 0.0% 0.0% 35.00 (LAX) Laxative 0 0.0% 0.0% 36.00 (MIG) Migraine 0 0.0% 0.0% 37.00 (MS) Musculoskeletal 0 0.0% 0.0% 38.00 (NAR) Narcotic 0 0.0% 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0% 0.0% 40.00 (NM) Neuromuscular 0 0.0% 0.0% 41.00 (NUT) Nutritional 0 0.0% 0.0% 42.00 (OB) Obstetrical 0 0.0% 0.0% 43.00 (OPH) Opthalmologic 0 0.0% 0.0% 45.00 (PSY) Psychiatric - Antiepsychotic </td <td>28.00</td> <td>(GU) Genitourinary</td> <td>0</td> <td>0.0 %</td> <td>0.0%</td> | 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 0.0% 32.00 (HORM) Hormone 0 0.0 % 0.0% 33.00 (HYP) Hypnotic 0 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 | 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 32.00 (HORM) Hormone 0 0.0 % 0.0% 33.00 (HYP) Hypnotic 0 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 33.00 (HYP) Hypnotic 0 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% | 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% < | 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Cognitive 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive 0 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% | 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 0 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% <td>34.00</td> <td>(IM) Immunologic</td> <td>0</td> <td>0.0 %</td> <td>0.0%</td> | 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 0 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (TOP) Topical 0 0.0 % 0.0% <td>35.00</td> <td>(LAX) Laxative</td> <td>0</td> <td>0.0 %</td> <td>0.0%</td> | 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 0 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% </td <td>36.00</td> <td>(MIG) Migraine</td> <td>0</td> <td>0.0 %</td> <td>0.0%</td> | 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive 0 0.0 % 0.0% 0.0% 49.00 (PUL) Pulmonary 0 0.0 % 0.0% 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% | 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 0 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% | 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 0 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% | 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 0 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% | 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 0 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% | 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 0 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% | 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 0 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% | 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 0 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% | 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 0 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% | 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 0 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% | 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| Enhancement 49.00 (PUL) Pulmonary 0 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% | 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% | 48.00 | | 0 | 0.0 % | 0.0% |
| 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% | 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 52.00 (TOP) Topical 0 0.0 % 0.0% | 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| | 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 53.00 (TRAN) Tranquilizer 0 0.0 % 0.0% | 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| | 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |

G13C4

CG MEDICATION 13 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|-------|---------|
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev | |
|-------|-------|-------|-------|-------|--|
| 4129 | -2.00 | -2.00 | -2.00 | 0.00 | |

GM14

CG MEDICATION 14

Start: 779 End: 798 Width: 20

Type: character (ISO)
Interval: discrete

| Value | Frequency | % | Valid % |
|---------------------|-----------|--------|---------|
| -2 | 4059 | 98.3 % | 98.3% |
| ALBUTEROL | 4 | 0.1 % | 0.1% |
| ALLOPURINOL | 1 | 0.0 % | 0.0% |
| AMITRIPTYLINE HCL | 1 | 0.0 % | 0.0% |
| B6 | 1 | 0.0 % | 0.0% |
| CLARITIN | 1 | 0.0 % | 0.0% |
| COLCHICINE | 1 | 0.0 % | 0.0% |
| COUMADIN | 1 | 0.0 % | 0.0% |
| EPA | 1 | 0.0 % | 0.0% |
| GARLIC | 1 | 0.0 % | 0.0% |
| GINGKO BILOBA | 1 | 0.0 % | 0.0% |
| GINSENG | 1 | 0.0 % | 0.0% |
| GLUCOSAMINE | 1 | 0.0 % | 0.0% |
| GLUCOSAMINE-SULFATE | 1 | 0.0 % | 0.0% |
| GLYBURIDE | 4 | 0.1 % | 0.1% |
| GOLDEN SEAL | 1 | 0.0 % | 0.0% |
| GOLDENSEAL | 1 | 0.0 % | 0.0% |
| GUAIFENESIN | 1 | 0.0 % | 0.0% |
| HAWTHORN BERRIES | 1 | 0.0 % | 0.0% |
| HYDROXYZINE | 1 | 0.0 % | 0.0% |
| IPRATROPIUM | 1 | 0.0 % | 0.0% |
| JOINT ESSENTALS | 1 | 0.0 % | 0.0% |
| LAC HYDRIN | 1 | 0.0 % | 0.0% |

GM14 CG MEDICATION 14 (cont.)

| Value | Frequency | % | Valid % |
|---------------------|-----------|-------|---------|
| LASIX | 1 | 0.0 % | 0.0% |
| LECITHIN | 1 | 0.0 % | 0.0% |
| LIPITOR | 1 | 0.0 % | 0.0% |
| MECLIZINE | 1 | 0.0 % | 0.0% |
| MELATONIN | 1 | 0.0 % | 0.0% |
| METHYLPREDNI SOLONE | 1 | 0.0 % | 0.0% |
| MULTI-VITAMINS | 1 | 0.0 % | 0.0% |
| MULTIVITAMIN | 1 | 0.0 % | 0.0% |
| NASACORT | 1 | 0.0 % | 0.0% |
| NONE | 23 | 0.6 % | 0.6% |
| NORVASC | 1 | 0.0 % | 0.0% |
| PREMARIN | 1 | 0.0 % | 0.0% |
| RESTORIL | 1 | 0.0 % | 0.0% |
| SLOW FE | 1 | 0.0 % | 0.0% |
| ST. JOHN'S WORT | 1 | 0.0 % | 0.0% |
| TYLENOL | 1 | 0.0 % | 0.0% |
| VANCENASE INHALER | 1 | 0.0 % | 0.0% |
| VIT B50 | 1 | 0.0 % | 0.0% |
| VITAMIN E | 1 | 0.0 % | 0.0% |
| ZANTAC | 1 | 0.0 % | 0.0% |

G14C1

Start: 799 End: 807 Width: 9.2

Type: numeric (ISO)
Interval: discrete

CG MEDICATION 14 CODE1

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4082 | 98.9 % | 98.9% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 1 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 2 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G14C1 CG MEDICATION 14 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|------------------------------|-----------|-------|---------|
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 4 | 0.1 % | 0.1% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 2 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 3 | 0.1 % | 0.1% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 1 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 4 | 0.1 % | 0.1% |
| 25.00 | (ENT) Ear, Nose or Throat | 1 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 2 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 1 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 1 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 1 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 1 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 1 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |

G14C1 CG MEDICATION 14 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 10 | 0.2 % | 0.2% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 1 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 2 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 6 | 0.1 % | 0.1% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 1 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 1 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 1 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 99.00 | -1.60 | 4.14 |

G14C2

Start: 808 End: 816 Width: 9.2

Type: numeric (ISO) Interval: discrete

CG MEDICATION 14 CODE2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4120 | 99.8 % | 99.8% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 2 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G14C2 CG MEDICATION 14 CODE2 (cont.)

| 6.00 (ANTD) Antidote 0 0.0% 0.0% 7.00 (ANTF) Antifungal 0 0.0% 0.0% 8.00 (ANTH) Antihistaminic 0 0.0% 0.0% 9.00 (ANTI) Anti-inflammatory 0 0.0% 0.0% 10.00 (ANTI) Anti-inflammatory 0 0.0% 0.0% 11.00 (ANTN) Antivertigo 0 0.0% 0.0% 12.00 (ANTP) Antiparasitic 0 0.0% 0.0% 13.00 (ANTS) Antiseptic 0 0.0% 0.0% 14.00 (ANTY) Antivirsil 0 0.0% 0.0% 15.00 (ANTV) Antiviral 0 0.0% 0.0% 15.00 (ANTY) Antiviral 0 0.0% 0.0% 15.00 (ANTY) Antiviral 0 0.0% 0.0% 15.00 (CNS) Central Nervous System 0 0.0% 0.0% 17.00 (CON) Cough & Cold 0 0.0% 0.0% 18.00 (CO/CO) Cough & | | | | | |
|--|-------|------------------------------|-----------|-------|---------|
| 6.00 (ANTD) Antidote 0 0.0% 0.0% 7.00 (ANTF) Antifungal 0 0.0% 0.0% 8.00 (ANTH) Antihistaminic 0 0.0% 0.0% 9.00 (ANTI) Anti-inflammatory 0 0.0% 0.0% 10.00 (ANTI) Anti-inflammatory 0 0.0% 0.0% 11.00 (ANTN) Antivertigo 0 0.0% 0.0% 12.00 (ANTP) Antiparasitic 0 0.0% 0.0% 13.00 (ANTS) Antiseptic 0 0.0% 0.0% 14.00 (ANTY) Antivirsil 0 0.0% 0.0% 15.00 (ANTV) Antiviral 0 0.0% 0.0% 15.00 (ANTY) Antiviral 0 0.0% 0.0% 15.00 (ANTY) Antiviral 0 0.0% 0.0% 15.00 (CNS) Central Nervous System 0 0.0% 0.0% 17.00 (CON) Cough & Cold 0 0.0% 0.0% 18.00 (CO/CO) Cough & | Value | Label | Frequency | % | Valid % |
| 7.00 (ANTF) Antifungal 0 0.0% 0.0% 8.00 (ANTH) Antihistaminic 0 0.0% 0.0% 9.00 (ANTI) Anti-inflammatory 0 0.0% 0.0% 10.00 (ANTIV) Antivertigo 0 0.0% 0.0% 11.00 (ANTN) Antineoplastic 0 0.0% 0.0% 12.00 (ANTP) Antiparasitic 0 0.0% 0.0% 13.00 (ANTS) Antiseptic 0 0.0% 0.0% 14.00 (ANT) Antitussive 0 0.0% 0.0% 15.00 (ANTV) Antiviral 0 0.0% 0.0% 16.00 (CNS) Central Nervous System 0 0.0% 0.0% 16.00 (CNS) Central Nervous System 0 0.0% 0.0% 17.00 (CON) Contraceptive 0 0.0% 0.0% 18.00 (CO/CO) Cough & Cold 0 0.0% 0.0% 19.00 (CV) Cardiovascular 0 0.0% 0.0% 20.00 | 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 8.00 (ANTH) Antihistaminic 0 0.0% 0.0% 9.00 (ANTI) Anti-inflammatory 0 0.0% 0.0% 10.00 (ANTIV) Antivertigo 0 0.0% 0.0% 11.00 (ANTN) Antivertigo 0 0.0% 0.0% 12.00 (ANTN) Antipoparasitic 0 0.0% 0.0% 13.00 (ANTS) Antiseptic 0 0.0% 0.0% 14.00 (ANTS) Antiseptic 0 0.0% 0.0% 15.00 (ANTV) Antiviral 0 0.0% 0.0% 15.00 (ANTV) Antiviral 0 0.0% 0.0% 16.00 (CNS) Central Nervous System 0 0.0% 0.0% 16.00 (CNS) Central Nervous System 0 0.0% 0.0% 17.00 (CON) Contraceptive 0 0.0% 0.0% 18.00 (CO/CO) Cough & Cold 0 0.0% 0.0% 19.00 (CV) Cardiovascular 0 0.0% 0.0% 20.00 | 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 9.00 (ANTI) Anti-inflammatory 0 0.0 % 0.0% 10.00 (ANTIV) Antivertigo 0 0.0 % 0.0% 0.0% 11.00 (ANTIV) Antineoplastic 0 0.0 % 0.0% 0.0% 12.00 (ANTP) Antiparasitic 0 0.0 % 0.0% 0.0% 13.00 (ANTS) Antiseptic 0 0.0 % 0.0% 0.0% 14.00 (ANTT) Antitussive 0 0.0 % 0.0% 15.00 (ANTV) Antiviral 0 0.0 % 0.0% 16.00 (CNS) Central Nervous System 0 0.0 % 0.0% 17.00 (CON) Contraceptive 0 0.0 % 0.0% 19.00 (CV) Cardiovascular 0 0.0 % 0.0% 19.00 (DEN) Dental 0 0.0 % 0.0% 19.00 (DEN) Dental 0 0.0 % 0.0% 10.0% 10.00 (DIAG) Diagnostic 0 0.0 % 0.0% 10.0% 10.00 (END) Endocrine 0 0.0 % 0.0% 10.0% 10.00 (END) Endocrine 0 0.0 % 0.0% 10.0% 10.00 (END) Endocrine 0 0.0 % 0.0% 10. | 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 10.00 (ANTIV) Antivertigo 0 0.0 % 0.0% 11.00 (ANTN) Antineoplastic 0 0.0 % 0.0% 12.00 (ANTP) Antiparasitic 0 0.0 % 0.0% 13.00 (ANTS) Antiseptic 0 0.0 % 0.0% 14.00 (ANTT) Antitussive 0 0.0 % 0.0% 15.00 (ANTV) Antiviral 0 0.0 % 0.0% 16.00 (CNS) Central Nervous System 0 0.0 % 0.0% 16.00 (CON) Contraceptive 0 0.0 % 0.0% 17.00 (CON) Contraceptive 0 0.0 % 0.0% 18.00 (CO/CO) Cough & Cold 0 0.0 % 0.0% 19.00 (CV) Cardiovascular 0 0.0 % 0.0% 20.00 (DEN) Dental 0 0.0 % 0.0% 21.00 (DERM) Dermatologic 0 0.0 % 0.0% 22.00 (DIAG) Diagnostic 0 0.0 % 0.0% 24.00 | 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 11.00 (ANTN) Antineoplastic 0 0.0 % 0.0% 12.00 (ANTP) Antiparasitic 0 0.0 % 0.0% 13.00 (ANTS) Antiseptic 0 0.0 % 0.0% 14.00 (ANTY) Antitussive 0 0.0 % 0.0% 15.00 (ANTV) Antiviral 0 0.0 % 0.0% 16.00 (CNS) Central Nervous System 0 0.0 % 0.0% 17.00 (CON) Contraceptive 0 0.0 % 0.0% 18.00 (CO/CO) Cough & Cold 0 0.0 % 0.0% 19.00 (CV) Cardiovascular 0 0.0 % 0.0% 20.00 (DEN) Dental 0 0.0 % 0.0% 21.00 (DERM) Dermatologic 0 0.0 % 0.0% 22.00 (DIAG) Diagnostic 0 0.0 % 0.0% 23.00 (DIET) Diet Aide 0 0.0 % 0.0% 24.00 (END) Endocrine 0 0.0 % 0.0% 25.00 (ENT) E | 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 12.00 (ANTP) Antiparasitic 0 0.0 % 0.0% 13.00 (ANTS) Antiseptic 0 0.0 % 0.0% 14.00 (ANTT) Antitussive 0 0.0 % 0.0% 15.00 (ANTV) Antiviral 0 0.0 % 0.0% 16.00 (CNS) Central Nervous System 0 0.0 % 0.0% 17.00 (CON) Contraceptive 0 0.0 % 0.0% 18.00 (CO/CO) Cough & Cold 0 0.0 % 0.0% 19.00 (CV) Cardiovascular 0 0.0 % 0.0% 20.00 (DEN) Dental 0 0.0 % 0.0% 21.00 (DERM) Dermatologic 0 0.0 % 0.0% 21.00 (DERM) Dermatologic 0 0.0 % 0.0% 22.00 (DIAG) Diagnostic 0 0.0 % 0.0% 23.00 (DIET) Diet Aide 0 0.0 % 0.0% 24.00 (END) Endocrine 0 0.0 % 0.0% 25.00 (ERT) Ear | 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 13.00 (ANTS) Antiseptic 0 0.0 % 0.0% 14.00 (ANTT) Antitussive 0 0.0 % 0.0% 15.00 (ANTV) Antiviral 0 0.0 % 0.0% 16.00 (CNS) Central Nervous System 0 0.0 % 0.0% 17.00 (CON) Contraceptive 0 0.0 % 0.0% 18.00 (CO/CO) Cough & Cold 0 0.0 % 0.0% 19.00 (CV) Cardiovascular 0 0.0 % 0.0% 20.00 (DEN) Dental 0 0.0 % 0.0% 21.00 (DERM) Dermatologic 0 0.0 % 0.0% 21.00 (DERM) Dermatologic 0 0.0 % 0.0% 22.00 (DIAG) Diagnostic 0 0.0 % 0.0% 23.00 (DET) Diet Aide 0 0.0 % 0.0% 24.00 (END) Endocrine 0 0.0 % 0.0% 25.00 (ENT) Ear, Nose or Throat 0 0.0 % 0.0% 26.00 (GER) | 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 14.00 (ANTT) Antitussive 0 0.0 % 0.0% 15.00 (ANTV) Antiviral 0 0.0 % 0.0% 16.00 (CNS) Central Nervous System 0 0.0 % 0.0% 17.00 (CON) Contraceptive 0 0.0 % 0.0% 18.00 (CO/CO) Cough & Cold 0 0.0 % 0.0% 19.00 (CV) Cardiovascular 0 0.0 % 0.0% 20.00 (DEN) Dental 0 0.0 % 0.0% 21.00 (DERM) Dermatologic 0 0.0 % 0.0% 22.00 (DIAG) Diagnostic 0 0.0 % 0.0% 23.00 (DIET) Diet Aide 0 0.0 % 0.0% 24.00 (END) Endocrine 0 0.0 % 0.0% 25.00 (ENT) Ear, Nose or Throat 0 0.0 % 0.0% 26.00 (GER) Geriatric 0 0.0 % 0.0% 27.00 (GI) Gastrointestinal 1 0.0 % 0.0% 28.00 (GV) Genitourinary 0 0.0 % 0.0% 29.00 (GYN) | 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 15.00 (ANTV) Antiviral 0 0.0 % 0.0% 16.00 (CNS) Central Nervous System 0 0.0 % 0.0% 17.00 (CON) Contraceptive 0 0.0 % 0.0% 18.00 (CO/CO) Cough & Cold 0 0.0 % 0.0% 19.00 (CV) Cardiovascular 0 0.0 % 0.0% 20.00 (DEN) Dental 0 0.0 % 0.0% 21.00 (DERM) Dermatologic 0 0.0 % 0.0% 22.00 (DIAG) Diagnostic 0 0.0 % 0.0% 23.00 (DIET) Diet Aide 0 0.0 % 0.0% 24.00 (END) Endocrine 0 0.0 % 0.0% 25.00 (ENT) Ear, Nose or Throat 0 0.0 % 0.0% 26.00 (GER) Geriatric 0 0.0 % 0.0% 27.00 (GI) Gastrointestinal 1 0.0 % 0.0% 28.00 (GU) Genitourinary 0 0.0 % 0.0% 29.00 (GYN) Gynecologic 0 0.0 % 0.0% 31.00 (HIM) H | 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 16.00 (CNS) Central Nervous System 0 0.0 % 0.0% 17.00 (CON) Contraceptive 0 0.0 % 0.0% 18.00 (CO/CO) Cough & Cold 0 0.0 % 0.0% 19.00 (CV) Cardiovascular 0 0.0 % 0.0% 20.00 (DEN) Dental 0 0.0 % 0.0% 21.00 (DERM) Dermatologic 0 0.0 % 0.0% 22.00 (DIAG) Diagnostic 0 0.0 % 0.0% 23.00 (DIET) Diet Aide 0 0.0 % 0.0% 24.00 (END) Endocrine 0 0.0 % 0.0% 25.00 (ENT) Ear, Nose or Throat 0 0.0 % 0.0% 26.00 (GER) Geriatric 0 0.0 % 0.0% 27.00 (GI) Gastrointestinal 1 0.0 % 0.0% 28.00 (GU) Genitourinary 0 0.0 % 0.0% 29.00 (GYN) Gynecologic 0 0.0 % 0.0% 31.00 (HEM) Hematologic 1 0.0 % 0.0% 32.00 (HORM) | 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 17.00 (CON) Contraceptive 0 0.0 % 0.0% 18.00 (CO/CO) Cough & Cold 0 0.0 % 0.0% 19.00 (CV) Cardiovascular 0 0.0 % 0.0% 20.00 (DEN) Dental 0 0.0 % 0.0% 21.00 (DERM) Dermatologic 0 0.0 % 0.0% 22.00 (DIAG) Diagnostic 0 0.0 % 0.0% 23.00 (DIET) Diet Aide 0 0.0 % 0.0% 24.00 (END) Endocrine 0 0.0 % 0.0% 25.00 (ENT) Ear, Nose or Throat 0 0.0 % 0.0% 26.00 (GER) Geriatric 0 0.0 % 0.0% 27.00 (GI) Gastrointestinal 1 0.0 % 0.0% 28.00 (GU) Genitourinary 0 0.0 % 0.0% 29.00 (GYN) Gynecologic 0 0.0 % 0.0% 31.00 (HEM) Hematologic 1 0.0 % 0.0% 32.00 (HORM) Hormone 0 0.0 % 0.0% 33.00 (HYP) Hypnotic | 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 18.00 (CO/CO) Cough & Cold 0 0.0 % 0.0% 19.00 (CV) Cardiovascular 0 0.0 % 0.0% 20.00 (DEN) Dental 0 0.0 % 0.0% 21.00 (DERM) Dermatologic 0 0.0 % 0.0% 22.00 (DIAG) Diagnostic 0 0.0 % 0.0% 23.00 (DIET) Diet Aide 0 0.0 % 0.0% 24.00 (END) Endocrine 0 0.0 % 0.0% 25.00 (ENT) Ear, Nose or Throat 0 0.0 % 0.0% 26.00 (GER) Geriatric 0 0.0 % 0.0% 27.00 (GI) Gastrointestinal 1 0.0 % 0.0% 28.00 (GU) Genitourinary 0 0.0 % 0.0% 29.00 (GYN) Gynecologic 0 0.0 % 0.0% 30.00 (HEM) Hematologic 1 0.0 % 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 0.0% 32.00 (HORM) Hormone 0 0.0 % 0.0% 34.00 (IM) Immunologic | 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 19.00 (CV) Cardiovascular 0 0.0 % 0.0% 20.00 (DEN) Dental 0 0.0 % 0.0% 21.00 (DERM) Dermatologic 0 0.0 % 0.0% 22.00 (DIAG) Diagnostic 0 0.0 % 0.0% 23.00 (DIET) Diet Aide 0 0.0 % 0.0% 24.00 (END) Endocrine 0 0.0 % 0.0% 25.00 (ENT) Ear, Nose or Throat 0 0.0 % 0.0% 26.00 (GER) Geriatric 0 0.0 % 0.0% 27.00 (GI) Gastrointestinal 1 0.0 % 0.0% 28.00 (GU) Genitourinary 0 0.0 % 0.0% 29.00 (GYN) Gynecologic 0 0.0 % 0.0% 30.00 (HEM) Hematologic 1 0.0 % 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 0.0% 32.00 (HORM) Hormone 0 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative | 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 20.00 (DEN) Dental 0 0.0 % 0.0% 21.00 (DERM) Dermatologic 0 0.0 % 0.0% 22.00 (DIAG) Diagnostic 0 0.0 % 0.0% 23.00 (DIET) Diet Aide 0 0.0 % 0.0% 24.00 (END) Endocrine 0 0.0 % 0.0% 25.00 (ENT) Ear, Nose or Throat 0 0.0 % 0.0% 26.00 (GER) Geriatric 0 0.0 % 0.0% 27.00 (GI) Gastrointestinal 1 0.0 % 0.0% 28.00 (GU) Genitourinary 0 0.0 % 0.0% 29.00 (GYN) Gynecologic 0 0.0 % 0.0% 30.00 (HEM) Hematologic 1 0.0 % 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 0.0% 32.00 (HORM) Hormone 0 0.0 % 0.0% 33.00 (HYP) Hypnotic 1 0.0 % 0.0% 35.00 (LAX) Laxative | 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 21.00 (DERM) Dermatologic 0 0.0 % 0.0% 22.00 (DIAG) Diagnostic 0 0.0 % 0.0% 23.00 (DIET) Diet Aide 0 0.0 % 0.0% 24.00 (END) Endocrine 0 0.0 % 0.0% 25.00 (ENT) Ear, Nose or Throat 0 0.0 % 0.0% 26.00 (GER) Geriatric 0 0.0 % 0.0% 27.00 (GI) Gastrointestinal 1 0.0 % 0.0% 28.00 (GU) Genitourinary 0 0.0 % 0.0% 29.00 (GYN) Gynecologic 0 0.0 % 0.0% 30.00 (HEM) Hematologic 1 0.0 % 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 0.0% 32.00 (HORM) Hormone 0 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% | 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 22.00 (DIAG) Diagnostic 0 0.0% 0.0% 23.00 (DIET) Diet Aide 0 0.0% 0.0% 24.00 (END) Endocrine 0 0.0% 0.0% 25.00 (ENT) Ear, Nose or Throat 0 0.0% 0.0% 26.00 (GER) Geriatric 0 0.0% 0.0% 27.00 (GI) Gastrointestinal 1 0.0% 0.0% 28.00 (GU) Genitourinary 0 0.0% 0.0% 29.00 (GYN) Gynecologic 0 0.0% 0.0% 30.00 (HEM) Hematologic 1 0.0% 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0% 0.0% 32.00 (HORM) Hormone 0 0.0% 0.0% 33.00 (HYP) Hypnotic 1 0.0% 0.0% 34.00 (IM) Immunologic 0 0.0% 0.0% 35.00 (LAX) Laxative 0 0.0% 0.0% 36.00 (MIG) Migraine 0 0.0% 0.0% | 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 23.00 (DIET) Diet Aide 0 0.0 % 0.0% 24.00 (END) Endocrine 0 0.0 % 0.0% 25.00 (ENT) Ear, Nose or Throat 0 0.0 % 0.0% 26.00 (GER) Geriatric 0 0.0 % 0.0% 27.00 (GI) Gastrointestinal 1 0.0 % 0.0% 28.00 (GU) Genitourinary 0 0.0 % 0.0% 29.00 (GYN) Gynecologic 0 0.0 % 0.0% 30.00 (HEM) Hematologic 1 0.0 % 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 0.0% 32.00 (HORM) Hormone 0 0.0 % 0.0% 33.00 (HYP) Hypnotic 1 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% | 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 24.00 (END) Endocrine 0 0.0 % 0.0% 25.00 (ENT) Ear, Nose or Throat 0 0.0 % 0.0% 26.00 (GER) Geriatric 0 0.0 % 0.0% 27.00 (GI) Gastrointestinal 1 0.0 % 0.0% 28.00 (GU) Genitourinary 0 0.0 % 0.0% 29.00 (GYN) Gynecologic 0 0.0 % 0.0% 30.00 (HEM) Hematologic 1 0.0 % 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 0.0% 32.00 (HORM) Hormone 0 0.0 % 0.0% 33.00 (HYP) Hypnotic 1 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% | 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 25.00 (ENT) Ear, Nose or Throat 0 0.0 % 0.0% 26.00 (GER) Geriatric 0 0.0 % 0.0% 27.00 (GI) Gastrointestinal 1 0.0 % 0.0% 28.00 (GU) Genitourinary 0 0.0 % 0.0% 29.00 (GYN) Gynecologic 0 0.0 % 0.0% 30.00 (HEM) Hematologic 1 0.0 % 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 0.0% 32.00 (HORM) Hormone 0 0.0 % 0.0% 33.00 (HYP) Hypnotic 1 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% | 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 26.00 (GER) Geriatric 0 0.0 % 0.0% 27.00 (GI) Gastrointestinal 1 0.0 % 0.0% 28.00 (GU) Genitourinary 0 0.0 % 0.0% 29.00 (GYN) Gynecologic 0 0.0 % 0.0% 30.00 (HEM) Hematologic 1 0.0 % 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 0.0% 32.00 (HORM) Hormone 0 0.0 % 0.0% 33.00 (HYP) Hypnotic 1 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% | 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 27.00 (GI) Gastrointestinal 1 0.0 % 0.0% 28.00 (GU) Genitourinary 0 0.0 % 0.0% 29.00 (GYN) Gynecologic 0 0.0 % 0.0% 30.00 (HEM) Hematologic 1 0.0 % 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 0.0% 32.00 (HORM) Hormone 0 0.0 % 0.0% 33.00 (HYP) Hypnotic 1 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% | 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 28.00 (GU) Genitourinary 0 0.0 % 0.0% 29.00 (GYN) Gynecologic 0 0.0 % 0.0% 30.00 (HEM) Hematologic 1 0.0 % 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 0.0% 32.00 (HORM) Hormone 0 0.0 % 0.0% 33.00 (HYP) Hypnotic 1 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% | 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 29.00 (GYN) Gynecologic 0 0.0 % 0.0 % 30.00 (HEM) Hematologic 1 0.0 % 0.0 % 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 0.0 % 32.00 (HORM) Hormone 0 0.0 % 0.0 % 33.00 (HYP) Hypnotic 1 0.0 % 0.0 % 34.00 (IM) Immunologic 0 0.0 % 0.0 % 35.00 (LAX) Laxative 0 0.0 % 0.0 % 36.00 (MIG) Migraine 0 0.0 % 0.0 % | 27.00 | (GI) Gastrointestinal | 1 | 0.0 % | 0.0% |
| 30.00 (HEM) Hematologic 1 0.0 % 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 0.0% 32.00 (HORM) Hormone 0 0.0 % 0.0% 33.00 (HYP) Hypnotic 1 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% | 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 0.0% 32.00 (HORM) Hormone 0 0.0 % 0.0% 33.00 (HYP) Hypnotic 1 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% | 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 32.00 (HORM) Hormone 0 0.0 % 0.0% 33.00 (HYP) Hypnotic 1 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% | 30.00 | (HEM) Hematologic | 1 | 0.0 % | 0.0% |
| 33.00 (HYP) Hypnotic 1 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% | 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% | 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% | 33.00 | (HYP) Hypnotic | 1 | 0.0 % | 0.0% |
| 36.00 (MIG) Migraine 0 0.0% 0.0% | 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| , , , , | 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 37.00 (MS) Musculoskeletal 1 0.0 % 0.0% | 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| | 37.00 | (MS) Musculoskeletal | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G14C2 CG MEDICATION 14 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 1 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 1 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 1 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 53.00 | -1.93 | 1.74 |

G14C3 CG MEDICATION 14 CODE3

Start: 817 End: 825 Width: 9.2

Width: 9.2 Type: numeric (ISO) Interval: discrete

| Value | Label | Frequency | % | Valid % |
|-------|-----------------|-----------|---------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4127 | 100.0 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
| | |

G14C3 CG MEDICATION 14 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|-------|---------|
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 1 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G14C3 CG MEDICATION 14 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 1 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev | |
|-------|-------|-------|-------|-------|--|
| 4129 | -2.00 | 47.00 | -1.99 | 0.79 | |

G14C4 CG MEDICATION 14 CODE4

Start: 826 End: 834 Width: 9.2

Width: 9.2
Type: numeric (ISO)
Interval: discrete

| Value | Label | Frequency | % | Valid % |
|-------|---------|-----------|---------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4129 | 100.0 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G14C4 CG MEDICATION 14 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|-------|---------|
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | 0 (DEN) Dental | | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description | |
|----------|--------------------------------|--|
| G14C4 | CG MEDICATION 14 CODE4 (cont.) | |

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | -2.00 | -2.00 | 0.00 |

GM15 CG MEDICATION 15

Start: 835 End: 854 Width: 20

Type: character (ISO)
Interval: discrete

| Value | Frequency | % | Valid % |
|----------|-----------|--------|---------|
| -2 | 4084 | 98.9 % | 98.9% |
| ANTIVERT | 1 | 0.0 % | 0.0% |

| Variable | Variable Description | |
|----------|--------------------------|--|
| GM15 | CG MEDICATION 15 (cont.) | |

| Value | Frequency | % | Valid % |
|---------------------|-----------|-------|---------|
| ASPIRIN | 4 | 0.1 % | 0.1% |
| ATROVENT | 1 | 0.0 % | 0.0% |
| BECONASE-AQ | 1 | 0.0 % | 0.0% |
| CALCIUM | 1 | 0.0 % | 0.0% |
| CHROMIUM PUCOLINATE | 1 | 0.0 % | 0.0% |
| COLACE | 1 | 0.0 % | 0.0% |
| COLCHICINE USP | 1 | 0.0 % | 0.0% |
| CORRECTOL | 1 | 0.0 % | 0.0% |
| ECHINACEA | 1 | 0.0 % | 0.0% |
| ECOTRIN | 1 | 0.0 % | 0.0% |
| FLONASE | 1 | 0.0 % | 0.0% |
| GINKOA BILOBA | 1 | 0.0 % | 0.0% |
| HCTZ | 1 | 0.0 % | 0.0% |
| INSULIN LISPRO | 1 | 0.0 % | 0.0% |
| LANOXIN | 1 | 0.0 % | 0.0% |
| LECITHIN | 1 | 0.0 % | 0.0% |
| LEVAQUIN | 1 | 0.0 % | 0.0% |
| MIND PREPARATION | 1 | 0.0 % | 0.0% |
| NEURONTIN | 1 | 0.0 % | 0.0% |
| NONE | 12 | 0.3 % | 0.3% |
| PROPOXYPHONE-N | 1 | 0.0 % | 0.0% |
| SENTURY-VITE | 1 | 0.0 % | 0.0% |
| SYNTHROID | 1 | 0.0 % | 0.0% |
| TEMAZEPAM | 1 | 0.0 % | 0.0% |
| TIAN MA GAU | 1 | 0.0 % | 0.0% |
| TYLENOL X5 | 1 | 0.0 % | 0.0% |
| VANCENASE NASAL IN. | 1 | 0.0 % | 0.0% |
| VITAMIN B | 1 | 0.0 % | 0.0% |
| VITAMIN C | 1 | 0.0 % | 0.0% |
| ZESTRIL | 1 | 0.0 % | 0.0% |

Variable

Variable Description

G15C1

CG MEDICATION 15 CODE1

Start: 855 End: 863 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4095 | 99.2 % | 99.2% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 7 | 0.2 % | 0.2% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 1 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 1 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 2 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 1 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 1 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 3 | 0.1 % | 0.1% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 1 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 1 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description | |
|----------|--------------------------------|--|
| G15C1 | CG MEDICATION 15 CODE1 (cont.) | |

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 1 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 1 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 1 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 1 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 6 | 0.1 % | 0.1% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 1 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 1 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 1 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 1 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 2 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 99.00 | -1.75 | 3.50 |

Variable Description

G15C2

CG MEDICATION 15 CODE2

Start: 864 End: 872 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4120 | 99.8 % | 99.8% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 1 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 1 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 1 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 1 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 2 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 1 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|--------------------------------|
| G15C2 | CG MEDICATION 15 CODE2 (cont.) |

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 1 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 1 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 53.00 | -1.94 | 1.38 |

Variable Description

G15C3

CG MEDICATION 15 CODE3

Start: 873 End: 881 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|---------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4128 | 100.0 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|--------------------------------|
| G15C3 | CG MEDICATION 15 CODE3 (cont.) |

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 1 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 49.00 | -1.99 | 0.79 |

Variable Description

G15C4

CG MEDICATION 15 CODE4

Start: 882 End: 890 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|---------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4129 | 100.0 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|--------------------------------|
| G15C4 | CG MEDICATION 15 CODE4 (cont.) |

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | -2.00 | -2.00 | 0.00 |

- ICPSR 03678 -

Variable Variable Description

GM16

CG MEDICATION 16

Start: 891 End: 910 Width: 20

Type: character (ISO) Interval: discrete

| Value | Frequency | % | Valid % |
|---------------------|-----------|--------|---------|
| -2 | 4098 | 99.2 % | 99.2% |
| APAP | 1 | 0.0 % | 0.0% |
| CENTRUM | 1 | 0.0 % | 0.0% |
| CHROMIUM PECOLANATE | 1 | 0.0 % | 0.0% |
| CONDROTIAN | 1 | 0.0 % | 0.0% |
| K DUR | 1 | 0.0 % | 0.0% |
| LECITHIN | 1 | 0.0 % | 0.0% |
| NEFEREX IRON | 1 | 0.0 % | 0.0% |
| NONE | 14 | 0.3 % | 0.3% |
| OXYCONTIN | 1 | 0.0 % | 0.0% |
| PREDNISONE | 1 | 0.0 % | 0.0% |
| RELAFEN | 1 | 0.0 % | 0.0% |
| ROBAXIN | 1 | 0.0 % | 0.0% |
| SENOKOT | 1 | 0.0 % | 0.0% |
| TYLENOL | 1 | 0.0 % | 0.0% |
| VENTOLIN | 1 | 0.0 % | 0.0% |
| VITAMIN B12 | 1 | 0.0 % | 0.0% |
| VITAMIN C | 1 | 0.0 % | 0.0% |
| ZESTRIL | 1 | 0.0 % | 0.0% |

G16C1

CG MEDICATION 16 CODE1

Start: 911 End: 919 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4112 | 99.6 % | 99.6% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 3 | 0.1 % | 0.1% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |

| Variable | Variable Description | on |
|----------|----------------------|----|
|----------|----------------------|----|

G16C1 CG MEDICATION 16 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|------------------------------|-----------|-------|---------|
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 1 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 1 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 1 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 1 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G16C1 CG MEDICATION 16 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 41.00 | (NUT) Nutritional | 7 | 0.2 % | 0.2% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 1 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 1 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 1 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev | |
|-------|-------|-------|-------|-------|--|
| 4129 | -2.00 | 51.00 | -1.86 | 2.40 | |

G16C2 CG MEDICATION 16 CODE2

Start: 920 End: 928 Width: 9.2

Type: numeric (ISO) Interval: discrete

Frequency Valid % Value Label % -4.00 Refused 0.0 % 0.0% 0 -3.00 Unknown 0 0.0 % 0.0% -2.00 99.9 % 99.9% None 4126 -1.00 0.0 % 0.0% Missing 1.00 (ALL) Allergic 0 0.0 % 0.0% 2.00 (ANA) Analgesic 1 0.0 % 0.0% 3.00 (ANES) Anesthetic 0.0 % 0.0% 4.00 (ANTB) Antibiotic/Antibacterial 0.0 % 0.0% 0 5.00 (ANTC) Anticonvulsive 0 0.0 % 0.0%

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G16C2 CG MEDICATION 16 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|------------------------------|-----------|-------|---------|
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 1 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |

G16C2 CG MEDICATION 16 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 1 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | 00 Blinded Study Drug | | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 50.00 | -1.98 | 0.95 |

G16C3 CG MEDICATION 16 CODE3

Start: 929 End: 937 Width: 9.2

Width: 9.2
Type: numeric (ISO)
Interval: discrete

| Value | Label | Frequency | % | Valid % |
|-------|-------------------|-----------|---------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4129 | 100.0 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G16C3 CG MEDICATION 16 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|-------|---------|
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | .00 (DIAG) Diagnostic | | 0.0 % | 0.0% |
| 23.00 | 00 (DIET) Diet Aide | | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G16C3 CG MEDICATION 16 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | -2.00 | -2.00 | 0.00 |

G16C4

CG MEDICATION 16 CODE4

Start: 938 End: 946 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|----------------|-----------|---------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4129 | 100.0 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |

| Variable V | ariable Description |
|------------|---------------------|
|------------|---------------------|

G16C4 CG MEDICATION 16 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|-------|---------|
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description | | |
|----------|--------------------------------|--|--|
| G16C4 | CG MEDICATION 16 CODE4 (cont.) | | |

| Value | Label | | | Frequency | % | Valid % |
|-------|------------------------------------|-----------------|------|-----------|-------|---------|
| 35.00 | (LAX) Laxative | | | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | | | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskel | etal | | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | | | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic A | Antagonist | | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscu | lar | | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | | | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | | | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmolo | gic | | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | | | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | | 0 | 0.0 % | 0.0% | |
| 46.00 | (PSY) Psychiatric - Antipsychotic | | 0 | 0.0 % | 0.0% | |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | | 0 | 0.0 % | 0.0% | |
| 48.00 | (PSY) Psychiatric Enhancement | - Cognitive | | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | | | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | | | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | | | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | | | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquiliz | er | | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | | 0 | 0.0 % | 0.0% | |
| 55.00 | (HERB) Herbal | | 0 | 0.0 % | 0.0% | |
| 60.00 | (PSY) Psychiatric - Miscellaneous | | 0 | 0.0 % | 0.0% | |
| 98.00 | Blinded Study Dru | g | | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with ou | itstanding code | | 0 | 0.0 % | 0.0% |
| Valid | Min | Max | Mean | S | itdev | |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | -2.00 | -2.00 | 0.00 |

GM17 **CG MEDICATION 17**

Start: 947 End: 966 Width: 20

Type: character (ISO)
Interval: discrete

| Value | Frequency | % | Valid % |
|---------------------|-----------|--------|---------|
| -2 | 4112 | 99.6 % | 99.6% |
| ALBUTEROL INHALER P | 1 | 0.0 % | 0.0% |
| CHLORACOL | 1 | 0.0 % | 0.0% |

GM17 CG MEDICATION 17 (cont.)

| Value | Frequency | % | Valid % |
|--------------------|-----------|-------|---------|
| ESTER C | 1 | 0.0 % | 0.0% |
| GLUCOSEMINE | 1 | 0.0 % | 0.0% |
| METHYLPREDNISOLONE | 1 | 0.0 % | 0.0% |
| MULTI VITAMINS | 1 | 0.0 % | 0.0% |
| NONE | 6 | 0.1 % | 0.1% |
| PRILOSEC | 1 | 0.0 % | 0.0% |
| RELAFEN | 1 | 0.0 % | 0.0% |
| STOOLSOFTENER | 1 | 0.0 % | 0.0% |
| ZAROXOLYN | 1 | 0.0 % | 0.0% |
| ZINC | 1 | 0.0 % | 0.0% |

G17C1

Start: 967 End: 975 Width: 9.2

Type: numeric (ISO)
Interval: discrete

CG MEDICATION 17 CODE1

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4118 | 99.7 % | 99.7% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 1 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 1 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |

| /ariable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G17C1 CG MEDICATION 17 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|--|-----------|-------|---------|
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 1 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 1 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 1 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 3 | 0.1 % | 0.1% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 1 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 1 | 0.0 % | 0.0% |

G17C1

CG MEDICATION 17 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|-------|---------|
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 1 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 51.00 | -1.91 | 1.95 |

G17C2

CG MEDICATION 17 CODE2

Start: 976 End: 984 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|---------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4127 | 100.0 % | 100.0% |
| | | | | |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 1 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |

| Variable | Variable Description | on |
|----------|----------------------|----|
|----------|----------------------|----|

G17C2 CG MEDICATION 17 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|--|-----------|-------|---------|
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 1 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |

G17C2

CG MEDICATION 17 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|-------|---------|
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 28.00 | -1.99 | 0.50 |

G17C3

CG MEDICATION 17 CODE3

Start: 985 End: 993 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|--------------------------|-----------|---------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4129 | 100.0 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | , , | | 0.0 % | 0.0% |
| 5.00 | | | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
| | |

G17C3 CG MEDICATION 17 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|------------------------------------|-----------|-------|---------|
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |

G17C3 CG MEDICATION 17 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | -2.00 | -2.00 | 0.00 |

G17C4

CG MEDICATION 17 CODE4

Start: 994 End: 1002 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|---------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4129 | 100.0 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |

| Variable Va | ariable Description |
|-------------|--------------------------------------|
| G17C4 C | G MEDICATION 17 CODE4 <i>(cont.)</i> |

| Value | Label | Frequency | % | Valid % |
|-------|------------------------------------|-----------|-------|---------|
| 13.00 | (ANTS) Antiseptic 0 | | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |

G17C4 CG MEDICATION 17 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | -2.00 | -2.00 | 0.00 |

GM18 CG MEDICATION 18

Start: 1003 End: 1022 Width: 20

Type: character (ISO)
Interval: discrete

| V / | _ | 0.4 | 14 11 1 04 |
|----------------|-----------|--------|------------|
| Value | Frequency | % | Valid % |
| -2 | 4119 | 99.8 % | 99.8% |
| ASPIRIN | 1 | 0.0 % | 0.0% |
| DICYCLOMINE | 1 | 0.0 % | 0.0% |
| DIPIVEFRIN HCL | 1 | 0.0 % | 0.0% |
| GINKGO BILOBA | 1 | 0.0 % | 0.0% |
| MULTI VITAMINS | 1 | 0.0 % | 0.0% |
| NONE | 1 | 0.0 % | 0.0% |
| NOVOLIN R | 1 | 0.0 % | 0.0% |
| REFRESH | 1 | 0.0 % | 0.0% |
| VERAPAMIL | 1 | 0.0 % | 0.0% |
| VITAMIN E | 1 | 0.0 % | 0.0% |

Variable Description

G18C1

CG MEDICATION 18 CODE1

Start: 1023 End: 1031 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4120 | 99.8 % | 99.8% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 1 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 1 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 1 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|--------------------------------|
| G18C1 | CG MEDICATION 18 CODE1 (cont.) |

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 1 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 2 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 2 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 1 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 48.00 | -1.92 | 1.75 |

Variable Description

G18C2

CG MEDICATION 18 CODE2

Start: 1032 End: 1040 Width: 9.2

| 00 11122 | 510/(1101V 10 00BLZ | | | |
|----------|---------------------------------|-----------|---------|---------|
| Value | Label | Frequency | % | Valid % |
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4128 | 100.0 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 1 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| | | | | |

| Variable | Variable Description | |
|----------|--------------------------------|--|
| G18C2 | CG MEDICATION 18 CODE2 (cont.) | |

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 24.00 | -1.99 | 0.40 |

Variable Description

G18C3

CG MEDICATION 18 CODE3

Start: 1041 End: 1049 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|---------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4129 | 100.0 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|--------------------------------|
| G18C3 | CG MEDICATION 18 CODE3 (cont.) |

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | -2.00 | -2.00 | 0.00 |

Variable Description

G18C4

CG MEDICATION 18 CODE4

Start: 1050 End: 1058 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|---------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4129 | 100.0 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|--------------------------------|
| G18C4 | CG MEDICATION 18 CODE4 (cont.) |

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | -2.00 | -2.00 | 0.00 |

- ICPSR 03678 -

Variable Variable Description

GM19

CG MEDICATION 19

Start: 1059 End: 1078 Width: 20

Type: character (ISO) Interval: discrete

| Value | Frequency | % | Valid % |
|---------------|-----------|--------|---------|
| -2 | 4120 | 99.8 % | 99.8% |
| CALCIUM | 1 | 0.0 % | 0.0% |
| DIPHENOXYLATE | 1 | 0.0 % | 0.0% |
| EFA | 1 | 0.0 % | 0.0% |
| LASIX | 1 | 0.0 % | 0.0% |
| MULTIVITAMINS | 1 | 0.0 % | 0.0% |
| NONE | 1 | 0.0 % | 0.0% |
| NOVOLIN N | 1 | 0.0 % | 0.0% |
| PRILOSEC | 1 | 0.0 % | 0.0% |
| VITAMIN A | 1 | 0.0 % | 0.0% |

G19C1

CG MEDICATION 19 CODE1

Start: 1079 End: 1087 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4121 | 99.8 % | 99.8% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |

| Variable Description |
|----------------------|
|----------------------|

G19C1 CG MEDICATION 19 CODE1 (cont.)

| Frequency | % | Valid % |
|-----------|--|---|
| | | |
| 0 | 0.0 % | 0.0% |
| 0 | 0.0 % | 0.0% |
| 1 | 0.0 % | 0.0% |
| 0 | 0.0 % | 0.0% |
| 0 | 0.0 % | 0.0% |
| 0 | 0.0 % | 0.0% |
| 0 | 0.0 % | 0.0% |
| 0 | 0.0 % | 0.0% |
| 0 | 0.0 % | 0.0% |
| 0 | 0.0 % | 0.0% |
| 2 | 0.0 % | 0.0% |
| 0 | 0.0 % | 0.0% |
| 0 | 0.0 % | 0.0% |
| 0 | 0.0 % | 0.0% |
| 0 | 0.0 % | 0.0% |
| 1 | 0.0 % | 0.0% |
| 0 | 0.0 % | 0.0% |
| 0 | 0.0 % | 0.0% |
| 0 | 0.0 % | 0.0% |
| 0 | 0.0 % | 0.0% |
| 0 | 0.0 % | 0.0% |
| 0 | 0.0 % | 0.0% |
| 0 | 0.0 % | 0.0% |
| 0 | 0.0 % | 0.0% |
| 4 | 0.1 % | 0.1% |
| 0 | 0.0 % | 0.0% |
| 0 | 0.0 % | 0.0% |
| 0 | 0.0 % | 0.0% |
| 0 | 0.0 % | 0.0% |
| 0 | 0.0 % | 0.0% |
| 0 | 0.0 % | 0.0% |
| 0 | 0.0 % | 0.0% |
| 0 | 0.0 % | 0.0% |
| | 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 | 0 0.0 % 1 0.0 % 0 0.0 |

G19C1

CG MEDICATION 19 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|-------|---------|
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | 41.00 | -1.93 | 1.61 |

G19C2

Start: 1088 End: 1096 Width: 9.2

Type: numeric (ISO)
Interval: discrete

CG MEDICATION 19 CODE2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|---------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4128 | 100.0 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G19C2 CG MEDICATION 19 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|--|-----------|-------|---------|
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 1 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |

G19C2 CG MEDICATION 19 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|-------|---------|
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev | |
|-------|-------|-------|-------|-------|--|
| 4129 | -2.00 | 24.00 | -1.99 | 0.40 | |

G19C3

Start: 1097 End: 1105 Width: 9.2

Type: numeric (ISO) Interval: discrete

CG MEDICATION 19 CODE3

| -3.00 | Refused Unknown | 0 | 0.0 % | 0.0% |
|-------|---------------------------------|------|---------|--------|
| | Unknown | _ | | 0.076 |
| | | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4129 | 100.0 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |

| Variable V | /ariable | Descri | ption |
|------------|----------|--------|-------|
|------------|----------|--------|-------|

G19C3 CG MEDICATION 19 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|------------------------------------|-----------|-------|---------|
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |

G19C3 CG MEDICATION 19 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | -2.00 | -2.00 | 0.00 |

G19C4

CG MEDICATION 19 CODE4

Start: 1106 End: 1114 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|---------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 4129 | 100.0 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
| | |

G19C4 CG MEDICATION 19 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|------------------------------------|-----------|-------|---------|
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |

G19C4

CG MEDICATION 19 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 46.00 | 6.00 (PSY) Psychiatric - Antipsychotic | | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 4129 | -2.00 | -2.00 | -2.00 | 0.00 |

GM20

CG MEDICATION 20

Start: 1115 End: 1134 Width: 20

Type: character (ISO) Interval: discrete

| Value | Frequency | % | Valid % |
|-----------------|-----------|--------|---------|
| | 2883 | 69.8 % | 69.8% |
| -2 | 1242 | 30.1 % | 30.1% |
| CLARITIN | 1 | 0.0 % | 0.0% |
| K DUR | 1 | 0.0 % | 0.0% |
| LANCET SOFTCLIX | 1 | 0.0 % | 0.0% |
| LASIX 40 | 1 | 0.0 % | 0.0% |

G20C1

CG MEDICATION 20 CODE1

Start: 1135 End: 1143 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|----------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1242 | 30.1 % | 99.7% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G20C1 CG MEDICATION 20 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|-------|---------|
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 1 | 0.0 % | 0.1% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 1 | 0.0 % | 0.1% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|--------------------------------|
| G20C1 | CG MEDICATION 20 CODE1 (cont.) |

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|--------|---------|
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 1 | 0.0 % | 0.1% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 1 | 0.0 % | 0.1% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 1246 | -2.00 | 99.00 | -1.86 | 3.18 |

G20C2 CG MEDICATION 20 CODE2

Start: 1144 End: 1152 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------|-----------|-------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |

| Variable Variable | able | De | escri | pt | 10 |
|-------------------|------|----|-------|----|----|
|-------------------|------|----|-------|----|----|

G20C2 CG MEDICATION 20 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -2.00 | None | 1245 | 30.2 % | 99.9% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 1 | 0.0 % | 0.1% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|--------------------------------|
| G20C2 | CG MEDICATION 20 CODE2 (cont.) |

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|--------|---------|
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|------|-------|-------|
| 1246 | -2.00 | 1.00 | -2.00 | 0.08 |

Variable

Variable Description

G20C3

CG MEDICATION 20 CODE3

Start: 1153 End: 1161 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1246 | 30.2 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G20C3 CG MEDICATION 20 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|--------|---------|
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 1246 | -2.00 | -2.00 | -2.00 | 0.00 |

Variable

Variable Description

G20C4

CG MEDICATION 20 CODE4

Start: 1162 End: 1170 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1246 | 30.2 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G20C4 CG MEDICATION 20 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|--------|---------|
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 1246 | -2.00 | -2.00 | -2.00 | 0.00 |

- ICPSR 03678 -

Variable Variable Description

GM21 CG MEDICATION 21

Start: 1171 End: 1190 Width: 20

Type: character (ISO) Interval: discrete

| Value | Frequency | % | Valid % |
|----------------------|-----------|--------|---------|
| | 2883 | 69.8 % | 69.8% |
| -2 | 1242 | 30.1 % | 30.1% |
| ADVANTAGE TEST STRIP | 1 | 0.0 % | 0.0% |
| LASIX 80 | 1 | 0.0 % | 0.0% |
| NOVOLIN | 1 | 0.0 % | 0.0% |
| PERI COLACE | 1 | 0.0 % | 0.0% |

G21C1 CG MEDICATION 21 CODE1

Start: 1191 End: 1199 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1242 | 30.1 % | 99.7% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 1 | 0.0 % | 0.1% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 1 | 0.0 % | 0.1% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |

G21C1 CG MEDICATION 21 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 1 | 0.0 % | 0.1% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 1 | 0.0 % | 0.1% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| | - 373 - | | | |

G21C1

CG MEDICATION 21 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|--------|---------|
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev | |
|-------|-------|-------|-------|-------|--|
| 1246 | -2.00 | 32.00 | -1.92 | 1.50 | |

G21C2

Start: 1200 End: 1208 Width: 9.2

Type: numeric (ISO) Interval: discrete

CG MEDICATION 21 CODE2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1244 | 30.1 % | 99.8% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |

G21C2 CG MEDICATION 21 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 1 | 0.0 % | 0.1% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 1 | 0.0 % | 0.1% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |

G21C2

CG MEDICATION 21 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|--------|---------|
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 1246 | -2.00 | 35.00 | -1.95 | 1.28 |

G21C3

CG MEDICATION 21 CODE3

Start: 1209 End: 1217 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1246 | 30.2 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |

| Variable Va | riat | ole D |)escr | pti | or |
|-------------|------|-------|-------|-----|----|
|-------------|------|-------|-------|-----|----|

G21C3 CG MEDICATION 21 CODE3 (cont.)

| Value | Labal | Гио от 10 m o 1 | 07 | Valid 0/ |
|-------|--|-----------------|-------|----------|
| Value | Label | Frequency | % | Valid % |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| | - 377 - | | | 3.0,0 |

G21C3 CG MEDIC

CG MEDICATION 21 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|--------|---------|
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 1246 | -2.00 | -2.00 | -2.00 | 0.00 |

G21C4

Start: 1218 End: 1226 Width: 9.2

Type: numeric (ISO) Interval: discrete

CG MEDICATION 21 CODE4

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1246 | 30.2 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G21C4 CG MEDICATION 21 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|------------------------------------|-----------|-------|---------|
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |

G21C4

CG MEDICATION 21 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|--------|---------|
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 1246 | -2.00 | -2.00 | -2.00 | 0.00 |

GM22

Start: 1227 End: 1246 Width: 20

Type: character (ISO) Interval: discrete

CG MEDICATION 22

| Value | Frequency | % | Valid % |
|-----------------|-----------|--------|---------|
| | 2883 | 69.8 % | 69.8% |
| -2 | 1242 | 30.1 % | 30.1% |
| ALBUTEROL SOL | 1 | 0.0 % | 0.0% |
| DICYCLOMINE HCL | 1 | 0.0 % | 0.0% |
| LASIX | 1 | 0.0 % | 0.0% |
| PREDNISONE | 1 | 0.0 % | 0.0% |

G22C1

CG MEDICATION 22 CODE1

Start: 1247 End: 1255 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|-----------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1242 | 30.1 % | 99.7% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G22C1 CG MEDICATION 22 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|-------|---------|
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 1 | 0.0 % | 0.1% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 1 | 0.0 % | 0.1% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
| | |

G22C1 CG MEDICATION 22 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|--------|---------|
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 1 | 0.0 % | 0.1% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 1 | 0.0 % | 0.1% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev | |
|-------|-------|-------|-------|-------|--|
| 1246 | -2.00 | 51.00 | -1.88 | 2.32 | |

G22C2 CG MEDICATION 22 CODE2

Start: 1256 End: 1264 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1246 | 30.2 % | 100.0% |

| /ariable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G22C2 CG MEDICATION 22 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|-------|---------|
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |

| Variable | Variable Description | | |
|----------|--------------------------------|--|--|
| G22C2 | CG MEDICATION 22 CODE2 (cont.) | | |

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|--------|---------|
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 1246 | -2.00 | -2.00 | -2.00 | 0.00 |

Variable

Variable Description

G22C3

CG MEDICATION 22 CODE3

Start: 1265 End: 1273 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1246 | 30.2 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G22C3 CG MEDICATION 22 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|--------|---------|
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 1246 | -2.00 | -2.00 | -2.00 | 0.00 |

Variable

Variable Description

G22C4

CG MEDICATION 22 CODE4

Start: 1274 End: 1282 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1246 | 30.2 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G22C4 CG MEDICATION 22 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|--------|---------|
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 1246 | -2.00 | -2.00 | -2.00 | 0.00 |

- ICPSR 03678 -

Variable Variable Description

GM23

Start: 1283
End: 1302

Value

Width: 20 Type: character (ISO) Interval: discrete

| Value | Frequency | % | Valid % |
|---------------------|-----------|--------|---------|
| | 2883 | 69.8 % | 69.8% |
| -2 | 1242 | 30.1 % | 30.1% |
| IPRATROPIUM BROMIDE | 1 | 0.0 % | 0.0% |
| NONE | 1 | 0.0 % | 0.0% |
| SPIRONOLACTONE | 1 | 0.0 % | 0.0% |
| ZAROXOLYN | 1 | 0.0 % | 0.0% |

G23C1

CG MEDICATION 23 CODE1

CG MEDICATION 23

Start: 1303 End: 1311 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1243 | 30.1 % | 99.8% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |

| Variable Description |
|----------------------|
|----------------------|

G23C1 CG MEDICATION 23 CODE1 (cont.)

| 21.00 (DERM) Dermatologic 0 0.0 % 0.0% 22.00 (DIAG) Diagnostic 0 0.0 % 0.0% 23.00 (DIET) Diet Aide 0 0.0 % 0.0% 24.00 (END) Endocrine 0 0.0 % 0.0% 25.00 (ENT) Ear, Nose or Throat 0 0.0 % 0.0% 26.00 (GER) Geriatric 0 0.0 % 0.0% 27.00 (GI) Gastrointestinal 0 0.0 % 0.0% 28.00 (GU) Genitourinary 2 0.0 % 0.0% 28.00 (GYN) Gynecologic 0 0.0 % 0.0% 30.00 (HEM) Hematologic 0 0.0 % 0.0% 31.00 (HORM) Hormone 0 0.0 % 0.0% 32.00 (HORM) Hormone 0 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine | Value | Label | Frequency | % | Valid % |
|--|-------|------------------------------------|-----------|-------|---------|
| 23.00 (DIET) Diet Aide 0 0.0 % 0.0% 0.0% 24.00 (END) Endocrine 0 0.0 % 0.0% 0.0% 25.00 (ENT) Ear, Nose or Throat 0 0.0 % 0.0% 0.0% 25.00 (GER) Geriatric 0 0.0 % 0.0% 0.0% 27.00 (GI) Gastrointestinal 0 0.0 % 0.0% 27.00 (GI) Gastrointestinal 0 0.0 % 0.0% 0.0% 28.00 (GVI) Gynecologic 0 0.0 % 0.0% 0.0% 30.00 (HEM) Hematologic 0 0.0 % 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 0.0% 32.00 (HORM) Hormone 0 0.0 % 0.0% 33.00 (HYP) Hypnotic 0 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 37.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 39.00 (NARA) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive | 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 24.00 (END) Endocrine 0 0.0% 0.0% 25.00 (ENT) Ear, Nose or Throat 0 0.0% 0.0% 26.00 (GER) Geriatric 0 0.0% 0.0% 27.00 (GI) Gastrointestinal 0 0.0% 0.0% 28.00 (GU) Genitourinary 2 0.0% 0.2% 29.00 (GYN) Gynecologic 0 0.0% 0.0% 30.00 (HEM) Hematologic 0 0.0% 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0% 0.0% 32.00 (HORM) Hormone 0 0.0% 0.0% 32.00 (HORM) Hormone 0 0.0% 0.0% 33.00 (HYP) Hypnotic 0 0.0% 0.0% 34.00 (IM) Immunologic 0 0.0% 0.0% 35.00 (LAX) Laxative 0 0.0% 0.0% 36.00 (MIG) Migraine 0 0.0% 0.0% 37.00 (MS) Musculoskeletal 0 </td <td>22.00</td> <td>(DIAG) Diagnostic</td> <td>0</td> <td>0.0 %</td> <td>0.0%</td> | 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 25.00 (ENT) Ear, Nose or Throat 0 0.0% 0.0% 26.00 (GER) Geriatric 0 0.0% 0.0% 27.00 (GI) Gastrointestinal 0 0.0% 0.0% 28.00 (GU) Genitourinary 2 0.0% 0.2% 29.00 (GYN) Gynecologic 0 0.0% 0.0% 30.00 (HEM) Hematologic 0 0.0% 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0% 0.0% 32.00 (HORM) Hormone 0 0.0% 0.0% 32.00 (HYP) Hypnotic 0 0.0% 0.0% 33.00 (HYP) Hypnotic 0 0.0% 0.0% 34.00 (IM) Immunologic 0 0.0% 0.0% 35.00 (LAX) Laxative 0 0.0% 0.0% 36.00 (MIG) Migraine 0 0.0% 0.0% 37.00 (MS) Narcotic 0 0.0% 0.0% 38.00 (NARA) Narcotic 0 | 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 26.00 (GER) Geriatric 0 0.0 % 0.0% 27.00 (GI) Gastrointestinal 0 0.0 % 0.0% 28.00 (GU) Genitourinary 2 0.0 % 0.2% 29.00 (GYN) Gynecologic 0 0.0 % 0.0% 30.00 (HEM) Hematologic 0 0.0 % 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 0.0% 32.00 (HORM) Hormone 0 0.0 % 0.0% 33.00 (HYP) Hypnotic 0 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NARA) Narcotic 0 0.0 % 0.0% 40.00 (NIM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional | 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 27.00 (GI) Gastrointestinal 0 0.0% 0.0% 28.00 (GU) Genitourinary 2 0.0% 0.2% 29.00 (GYN) Gynecologic 0 0.0% 0.0% 30.00 (HEM) Hematologic 0 0.0% 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0% 0.0% 32.00 (HORM) Hormone 0 0.0% 0.0% 33.00 (HYP) Hypnotic 0 0.0% 0.0% 34.00 (IM) Immunologic 0 0.0% 0.0% 35.00 (LAX) Laxative 0 0.0% 0.0% 36.00 (MIG) Migraine 0 0.0% 0.0% 37.00 (MS) Musculoskeletal 0 0.0% 0.0% 38.00 (NAR) Narcotic 0 0.0% 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0% 0.0% 40.00 (NIM) Neuromuscular 0 0.0% 0.0% 41.00 (NUT) Nutritional | 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 28.00 (GU) Genitourinary 2 0.0 % 0.2% 29.00 (GYN) Gynecologic 0 0.0 % 0.0% 30.00 (HEM) Hematologic 0 0.0 % 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 0.0% 32.00 (HORM) Hormone 0 0.0 % 0.0% 33.00 (HYP) Hypnotic 0 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical | 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 29.00 (GYN) Gynecologic 0 0.0% 0.0% 30.00 (HEM) Hematologic 0 0.0% 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0% 0.0% 32.00 (HORM) Hormone 0 0.0% 0.0% 33.00 (HYP) Hypnotic 0 0.0% 0.0% 34.00 (IM) Immunologic 0 0.0% 0.0% 35.00 (LAX) Laxative 0 0.0% 0.0% 36.00 (MIG) Migraine 0 0.0% 0.0% 37.00 (MS) Musculoskeletal 0 0.0% 0.0% 38.00 (NARA) Narcotic 0 0.0% 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0% 0.0% 40.00 (NI) Neuromuscular 0 0.0% 0.0% 41.00 (NUT) Nutritional 0 0.0% 0.0% 42.00 (OB) Obstetrical 0 0.0% 0.0% 43.00 (OPH) Opthalmologic | 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 30.00 (HEM) Hematologic 0 0.0 % 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 0.0% 32.00 (HORM) Hormone 0 0.0 % 0.0% 33.00 (HYP) Hypnotic 0 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NARA) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - A | 28.00 | (GU) Genitourinary | 2 | 0.0 % | 0.2% |
| 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 0.0% 32.00 (HORM) Hormone 0 0.0 % 0.0% 33.00 (HYP) Hypnotic 0 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) | 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 32.00 (HORM) Hormone 0 0.0 % 0.0% 33.00 (HYP) Hypnotic 0 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 33.00 (HYP) Hypnotic 0 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% | 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 34.00 (IM) Immunologic 0 0.0% 0.0% 35.00 (LAX) Laxative 0 0.0% 0.0% 36.00 (MIG) Migraine 0 0.0% 0.0% 37.00 (MS) Musculoskeletal 0 0.0% 0.0% 38.00 (NAR) Narcotic 0 0.0% 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0% 0.0% 40.00 (NM) Neuromuscular 0 0.0% 0.0% 41.00 (NUT) Nutritional 0 0.0% 0.0% 42.00 (OB) Obstetrical 0 0.0% 0.0% 43.00 (OPH) Opthalmologic 0 0.0% 0.0% 44.00 (PED) Pediatric 0 0.0% 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0% 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0% 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0% 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0% 0.0% | 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 35.00 (LAX) Laxative 0 0.0% 0.0% 36.00 (MIG) Migraine 0 0.0% 0.0% 37.00 (MS) Musculoskeletal 0 0.0% 0.0% 38.00 (NAR) Narcotic 0 0.0% 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0% 0.0% 40.00 (NM) Neuromuscular 0 0.0% 0.0% 41.00 (NUT) Nutritional 0 0.0% 0.0% 42.00 (OB) Obstetrical 0 0.0% 0.0% 43.00 (OPH) Opthalmologic 0 0.0% 0.0% 44.00 (PED) Pediatric 0 0.0% 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0% 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0% 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0% 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0% 0.0% 49.00 (PUL) Pulmonary 1 0.0% 0.0% | 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 1 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (TOP) Topical 0 0.0 % 0.0% <td>34.00</td> <td>(IM) Immunologic</td> <td>0</td> <td>0.0 %</td> <td>0.0%</td> | 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 1 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (TOP) Topical 0 0.0 % 0.0% <td>35.00</td> <td>(LAX) Laxative</td> <td>0</td> <td>0.0 %</td> <td>0.0%</td> | 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 1 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% </td <td>36.00</td> <td>(MIG) Migraine</td> <td>0</td> <td>0.0 %</td> <td>0.0%</td> | 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% 50.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% | 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 1 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% | 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 1 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% | 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 1 0.0 % 0.1% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% | 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 1 0.0 % 0.1% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% | 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 1 0.0 % 0.1% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% | 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 1 0.0 % 0.1% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% | 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 1 0.0 % 0.1% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% | 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 1 0.0 % 0.1% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% | 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 1 0.0 % 0.1% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% | 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| Enhancement 49.00 (PUL) Pulmonary 1 0.0 % 0.1% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% | 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% | 48.00 | | 0 | 0.0 % | 0.0% |
| 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% | 49.00 | (PUL) Pulmonary | 1 | 0.0 % | 0.1% |
| 52.00 (TOP) Topical 0 0.0 % 0.0% | 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| | 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 53.00 (TRAN) Tranquilizer 0 0.0 % 0.0% | 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| | 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |

G23C1

CG MEDICATION 23 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|--------|---------|
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev | |
|-------|-------|-------|-------|-------|--|
| 1246 | -2.00 | 49.00 | -1.91 | 1.88 | |

G23C2

Start: 1312 End: 1320 Width: 9.2

Type: numeric (ISO) Interval: discrete

CG MEDICATION 23 CODE2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1245 | 30.2 % | 99.9% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| | - 391 - | | | |

| Variable | Variable Description | on |
|----------|----------------------|----|
|----------|----------------------|----|

G23C2 CG MEDICATION 23 CODE2 (cont.)

| 20.00 (DEN) Dental 0 0.0 % 21.00 (DERM) Dermatologic 0 0.0 % 22.00 (DIAG) Diagnostic 0 0.0 % 23.00 (DIET) Diet Aide 0 0.0 % 24.00 (END) Endocrine 0 0.0 % 25.00 (ENT) Ear, Nose or Throat 0 0.0 % 26.00 (GER) Geriatric 0 0.0 % 27.00 (GI) Gastrointestinal 0 0.0 % 28.00 (GU) Genitourinary 0 0.0 % 29.00 (GYN) Gynecologic 0 0.0 % 30.00 (HEM) Hematologic 0 0.0 % 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 32.00 (HORM) Hormone 0 0.0 % 33.00 (HYP) Hypnotic 0 0.0 % 34.00 (IM) Immunologic 0 0.0 % 35.00 (LAX) Laxative 0 0.0 % 37.00 (MS) Musculoskeletal 0 0.0 % | bel | 'ue | Label | Frequency | % | Valid % |
|--|------|-----|------------------------------------|-----------|-------|---------|
| 21.00 (DERM) Dermatologic 0 0.0 % 22.00 (DIAG) Diagnostic 0 0.0 % 23.00 (DIET) Diet Aide 0 0.0 % 24.00 (END) Endocrine 0 0.0 % 25.00 (ENT) Ear, Nose or Throat 0 0.0 % 25.00 (GER) Geriatric 0 0.0 % 27.00 (GI) Gastrointestinal 0 0.0 % 28.00 (GU) Genitourinary 0 0.0 % 29.00 (GYN) Gynecologic 0 0.0 % 30.00 (HEM) Hematologic 0 0.0 % 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 32.00 (HORM) Hormone 0 0.0 % 33.00 (HYP) Hypnotic 0 0.0 % 34.00 (IM) Immunologic 0 0.0 % 35.00 (LAX) Laxative 0 0.0 % 36.00 (MIG) Migraine 0 0.0 % 37.00 (MS) Musculoskeletal 0 0.0 % | /) C | 00 | (CV) Cardiovascular | 1 | 0.0 % | 0.1% |
| 22.00 (DIAG) Diagnostic 0 0.0 % 23.00 (DIET) Diet Aide 0 0.0 % 24.00 (END) Endocrine 0 0.0 % 25.00 (ENT) Ear, Nose or Throat 0 0.0 % 26.00 (GER) Geriatric 0 0.0 % 27.00 (GI) Gastrointestinal 0 0.0 % 28.00 (GU) Genitourinary 0 0.0 % 29.00 (GYN) Gynecologic 0 0.0 % 30.00 (HEM) Hematologic 0 0.0 % 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 32.00 (HORM) Hormone 0 0.0 % 32.00 (HORM) Hormone 0 0.0 % 33.00 (HYP) Hypnotic 0 0.0 % 34.00 (IM) Immunologic 0 0.0 % 35.00 (LAX) Laxative 0 0.0 % 37.00 (MS) Musculoskeletal 0 0.0 % 38.00 (MAR) Narcotic 0 0.0 % <td< td=""><td>EN)</td><td>00</td><td>(DEN) Dental</td><td>0</td><td>0.0 %</td><td>0.0%</td></td<> | EN) | 00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 23.00 (DIET) Diet Aide 0 0.0 % 24.00 (END) Endocrine 0 0.0 % 25.00 (ENT) Ear, Nose or Throat 0 0.0 % 25.00 (GER) Geriatric 0 0.0 % 26.00 (GER) Geriatric 0 0.0 % 27.00 (GI) Gastrointestinal 0 0.0 % 28.00 (GU) Genitourinary 0 0.0 % 29.00 (GYN) Gynecologic 0 0.0 % 30.00 (HEM) Hematologic 0 0.0 % 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 32.00 (HORM) Hormone 0 0.0 % 33.00 (HYP) Hypnotic 0 0.0 % 34.00 (IM) Immunologic 0 0.0 % 35.00 (LAX) Laxative 0 0.0 % 36.00 (MIG) Migraine 0 0.0 % 37.00 (MS) Musculoskeletal 0 0.0 % 38.00 (NAR) Narcotic 0 0.0 % 4 | ERN | 00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 24.00 (END) Endocrine 0 0.0 % 25.00 (ENT) Ear, Nose or Throat 0 0.0 % 26.00 (GER) Geriatric 0 0.0 % 27.00 (GI) Gastrointestinal 0 0.0 % 28.00 (GU) Genitourinary 0 0.0 % 29.00 (GYN) Gynecologic 0 0.0 % 30.00 (HEM) Hematologic 0 0.0 % 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 32.00 (HORM) Hormone 0 0.0 % 32.00 (HORM) Hormone 0 0.0 % 33.00 (HYP) Hypnotic 0 0.0 % 34.00 (IM) Immunologic 0 0.0 % 35.00 (LAX) Laxative 0 0.0 % 36.00 (MIG) Migraine 0 0.0 % 37.00 (MS) Musculoskeletal 0 0.0 % 38.00 (NAR) Narcotic 0 0.0 % 40.00 (NM) Neuromuscular 0 0.0 % | AG) | 00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 25.00 (ENT) Ear, Nose or Throat 0 0.0 % 26.00 (GER) Geriatric 0 0.0 % 27.00 (GI) Gastrointestinal 0 0.0 % 28.00 (GU) Genitourinary 0 0.0 % 29.00 (GYN) Gynecologic 0 0.0 % 30.00 (HEM) Hematologic 0 0.0 % 31.00 (HORM) Hormone 0 0.0 % 32.00 (HORM) Hormone 0 0.0 % 33.00 (HYP) Hypnotic 0 0.0 % 34.00 (IM) Immunologic 0 0.0 % 35.00 (LAX) Laxative 0 0.0 % 36.00 (MIG) Migraine 0 0.0 % 37.00 (MS) Musculoskeletal 0 0.0 % 38.00 (NAR) Narcotic 0 0.0 % 39.00 (NARA) Narcotic Antagonist 0 0.0 % 40.00 (NI) Neuromuscular 0 0.0 % 41.00 (NUT) Nutritional 0 0.0 % | ET) | 00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 26.00 (GER) Geriatric 0 0.0 % 27.00 (GI) Gastrointestinal 0 0.0 % 28.00 (GU) Genitourinary 0 0.0 % 29.00 (GYN) Gynecologic 0 0.0 % 30.00 (HEM) Hematologic 0 0.0 % 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 32.00 (HORM) Hormone 0 0.0 % 33.00 (HYP) Hypnotic 0 0.0 % 34.00 (IM) Immunologic 0 0.0 % 35.00 (LAX) Laxative 0 0.0 % 36.00 (MIG) Migraine 0 0.0 % 37.00 (MS) Musculoskeletal 0 0.0 % 38.00 (NAR) Narcotic 0 0.0 % 39.00 (NARA) Narcotic Antagonist 0 0.0 % 40.00 (NM) Neuromuscular 0 0.0 % 41.00 (NUT) Nutritional 0 0.0 % 42.00 (OB) Obstetrical 0 0.0 % 43.00 (OPH) Opthalmologic 0 0.0 % 45.00 | ND) | 00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 27.00 (GI) Gastrointestinal 0 0.0 % 28.00 (GU) Genitourinary 0 0.0 % 29.00 (GYN) Gynecologic 0 0.0 % 30.00 (HEM) Hematologic 0 0.0 % 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 32.00 (HORM) Hormone 0 0.0 % 33.00 (HYP) Hypnotic 0 0.0 % 34.00 (IM) Immunologic 0 0.0 % 35.00 (LAX) Laxative 0 0.0 % 36.00 (MIG) Migraine 0 0.0 % 37.00 (MS) Musculoskeletal 0 0.0 % 38.00 (NAR) Narcotic 0 0.0 % 39.00 (NARA) Narcotic Antagonist 0 0.0 % 40.00 (NM) Neuromuscular 0 0.0 % 41.00 (NUT) Nutritional 0 0.0 % 42.00 (OB) Obstetrical 0 0.0 % 43.00 (OPH) Opthalmologic 0 0.0 % 44.00 (PED) Pediatric 0 0.0 % 45.00 | VT) | 00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 28.00 (GU) Genitourinary 0 0.0 % 29.00 (GYN) Gynecologic 0 0.0 % 30.00 (HEM) Hematologic 0 0.0 % 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 32.00 (HORM) Hormone 0 0.0 % 33.00 (HYP) Hypnotic 0 0.0 % 34.00 (IM) Immunologic 0 0.0 % 35.00 (LAX) Laxative 0 0.0 % 36.00 (MIG) Migraine 0 0.0 % 37.00 (MS) Musculoskeletal 0 0.0 % 38.00 (NAR) Narcotic 0 0.0 % 39.00 (NARA) Narcotic Antagonist 0 0.0 % 40.00 (NM) Neuromuscular 0 0.0 % 41.00 (NUT) Nutritional 0 0.0 % 42.00 (OB) Obstetrical 0 0.0 % 43.00 (OPH) Opthalmologic 0 0.0 % 44.00 (PED) Pediatric 0 0.0 % 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % < | ER) | 00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 29.00 (GYN) Gynecologic 0 0.0 % 30.00 (HEM) Hematologic 0 0.0 % 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 32.00 (HORM) Hormone 0 0.0 % 33.00 (HYP) Hypnotic 0 0.0 % 34.00 (IM) Immunologic 0 0.0 % 35.00 (LAX) Laxative 0 0.0 % 36.00 (MIG) Migraine 0 0.0 % 37.00 (MS) Musculoskeletal 0 0.0 % 38.00 (NAR) Narcotic 0 0.0 % 39.00 (NARA) Narcotic Antagonist 0 0.0 % 40.00 (NM) Neuromuscular 0 0.0 % 41.00 (NUT) Nutritional 0 0.0 % 42.00 (OB) Obstetrical 0 0.0 % 43.00 (OPH) Opthalmologic 0 0.0 % 44.00 (PED) Pediatric 0 0.0 % 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % |) Ga | 00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 30.00 (HEM) Hematologic 0 0.0 % 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 32.00 (HORM) Hormone 0 0.0 % 33.00 (HYP) Hypnotic 0 0.0 % 33.00 (IM) Immunologic 0 0.0 % 35.00 (LAX) Laxative 0 0.0 % 36.00 (MIG) Migraine 0 0.0 % 37.00 (MS) Musculoskeletal 0 0.0 % 38.00 (NAR) Narcotic 0 0.0 % 39.00 (NARA) Narcotic 0 0.0 % 39.00 (NM) Neuromuscular 0 0.0 % 40.00 (NM) Neuromuscular 0 0.0 % 41.00 (NUT) Nutritional 0 0.0 % 42.00 (OB) Obstetrical 0 0.0 % 43.00 (OPH) Opthalmologic 0 0.0 % 44.00 (PED) Pediatric 0 0.0 % 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 48.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % | J) G | 00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 32.00 (HORM) Hormone 0 0.0 % 33.00 (HYP) Hypnotic 0 0.0 % 34.00 (IM) Immunologic 0 0.0 % 35.00 (LAX) Laxative 0 0.0 % 36.00 (MIG) Migraine 0 0.0 % 37.00 (MS) Musculoskeletal 0 0.0 % 38.00 (NAR) Narcotic 0 0.0 % 39.00 (NARA) Narcotic Antagonist 0 0.0 % 40.00 (NM) Neuromuscular 0 0.0 % 41.00 (NUT) Nutritional 0 0.0 % 42.00 (OB) Obstetrical 0 0.0 % 43.00 (OPH) Opthalmologic 0 0.0 % 44.00 (PED) Pediatric 0 0.0 % 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 46.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % | YN) | 00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 32.00 (HORM) Hormone 0 0.0 % 33.00 (HYP) Hypnotic 0 0.0 % 34.00 (IM) Immunologic 0 0.0 % 35.00 (LAX) Laxative 0 0.0 % 36.00 (MIG) Migraine 0 0.0 % 37.00 (MS) Musculoskeletal 0 0.0 % 38.00 (NAR) Narcotic 0 0.0 % 39.00 (NARA) Narcotic 0 0.0 % 40.00 (NM) Neuromuscular 0 0.0 % 41.00 (NUT) Nutritional 0 0.0 % 42.00 (OB) Obstetrical 0 0.0 % 43.00 (OPH) Opthalmologic 0 0.0 % 44.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 45.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 6 0 | EM) | 00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 33.00 (HYP) Hypnotic | V) A | 00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 34.00 (IM) Immunologic 0 0.0 % 35.00 (LAX) Laxative 0 0.0.0 % 36.00 (MIG) Migraine 0 0.0 % 37.00 (MS) Musculoskeletal 0 0.0 % 38.00 (NAR) Narcotic 0 0.0 % 39.00 (NARA) Narcotic Antagonist 0 0.0 % 40.00 (NM) Neuromuscular 0 0.0 % 41.00 (NUT) Nutritional 0 0.0 % 42.00 (OB) Obstetrical 0 0.0 % 43.00 (OPH) Opthalmologic 0 0.0 % 44.00 (PED) Pediatric 0 0.0 % 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % | DR۱ | 00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 35.00 (LAX) Laxative 0 0.0 % 36.00 (MIG) Migraine 0 0.0 % 37.00 (MS) Musculoskeletal 0 0.0 % 38.00 (NAR) Narcotic 0 0.0 % 39.00 (NARA) Narcotic Antagonist 0 0.0 % 40.00 (NM) Neuromuscular 0 0.0 % 41.00 (NUT) Nutritional 0 0.0 % 42.00 (OB) Obstetrical 0 0.0 % 43.00 (OPH) Opthalmologic 0 0.0 % 44.00 (PED) Pediatric 0 0.0 % 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 48.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % | (P) | 00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 36.00 (MIG) Migraine 0 0.0 % 37.00 (MS) Musculoskeletal 0 0.0 % 38.00 (NAR) Narcotic 0 0.0 % 39.00 (NARA) Narcotic Antagonist 0 0.0 % 40.00 (NM) Neuromuscular 0 0.0 % 41.00 (NUT) Nutritional 0 0.0 % 42.00 (OB) Obstetrical 0 0.0 % 43.00 (OPH) Opthalmologic 0 0.0 % 44.00 (PED) Pediatric 0 0.0 % 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % |) Im | 00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 37.00 (MS) Musculoskeletal 0 0.0 % 38.00 (NAR) Narcotic 0 0.0 % 39.00 (NARA) Narcotic Antagonist 0 0.0 % 40.00 (NM) Neuromuscular 0 0.0 % 41.00 (NUT) Nutritional 0 0.0 % 42.00 (OB) Obstetrical 0 0.0 % 43.00 (OPH) Opthalmologic 0 0.0 % 44.00 (PED) Pediatric 0 0.0 % 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % | (X) | 00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 38.00 (NAR) Narcotic 39.00 (NARA) Narcotic Antagonist 40.00 (NM) Neuromuscular 41.00 (NUT) Nutritional 42.00 (OB) Obstetrical 43.00 (OPH) Opthalmologic 44.00 (PED) Pediatric 45.00 (PSY) Psychiatric - Antidepressant 46.00 (PSY) Psychiatric - Antipsychotic 47.00 (PSY) Psychiatric - Anti-anxiety 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0 0.0 % 0 0.0 % 0 0.0 % | G) l | 00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 39.00 (NARA) Narcotic Antagonist 0 0.0 % 40.00 (NM) Neuromuscular 0 0.0 % 41.00 (NUT) Nutritional 0 0.0 % 42.00 (OB) Obstetrical 0 0.0 % 43.00 (OPH) Opthalmologic 0 0.0 % 44.00 (PED) Pediatric 0 0.0 % 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % | S) N | 00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 40.00 (NM) Neuromuscular 0 0.0 % 41.00 (NUT) Nutritional 0 0.0 % 42.00 (OB) Obstetrical 0 0.0 % 43.00 (OPH) Opthalmologic 0 0.0 % 44.00 (PED) Pediatric 0 0.0 % 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 46.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % | ٩R) | 00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 41.00 (NUT) Nutritional 0 0.0 % 42.00 (OB) Obstetrical 0 0.0 % 43.00 (OPH) Opthalmologic 0 0.0 % 44.00 (PED) Pediatric 0 0.0 % 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % | ٩RA | 00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 42.00 (OB) Obstetrical 0 0.0 % 43.00 (OPH) Opthalmologic 0 0.0 % 44.00 (PED) Pediatric 0 0.0 % 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % | N (N | 00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 43.00 (OPH) Opthalmologic 0 0.0 % 44.00 (PED) Pediatric 0 0.0 % 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % | JT) | 00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 44.00 (PED) Pediatric 0 0.0 % 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % | 3) C | 00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 48.00 (PSY) Psychiatric - Cognitive 0 0.0 % Enhancement | PH) | 00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 48.00 (PSY) Psychiatric - Cognitive 0 0.0 % Enhancement | ED) | 00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 48.00 (PSY) Psychiatric - Cognitive 0 0.0 % Enhancement | SY) | 00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 48.00 (PSY) Psychiatric - Cognitive 0 0.0 % Enhancement | SY) | 00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| Enhancement | SY) | 00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 49.00 (PUL) Pulmonary 0 0.0 % | | 00 | | 0 | 0.0 % | 0.0% |
| | JL) | 00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 (SED) Sedative 0 0.0 % | ED) | 00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 (STE) Steroid 0 0.0 % | TE) | 00 | (STE) Steroid | 0 | 0.0 % | 0.0% |

G23C2 CG MEDICATION 23 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|--------|---------|
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 1246 | -2.00 | 19.00 | -1.98 | 0.59 |

G23C3

CG MEDICATION 23 CODE3

Start: 1321 End: 1329 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1246 | 30.2 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |

| Variable V | /ariable | Descri | otion |
|------------|----------|--------|-------|
|------------|----------|--------|-------|

G23C3 CG MEDICATION 23 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |

G23C3 CG MEDICATION 23 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|--------|---------|
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 1246 | -2.00 | -2.00 | -2.00 | 0.00 |

G23C4

Start: 1330 End: 1338 Width: 9.2

Type: numeric (ISO) Interval: discrete

CG MEDICATION 23 CODE4

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1246 | 30.2 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| | 205 | | | |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G23C4 CG MEDICATION 23 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|------------------------------------|-----------|-------|---------|
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |

G23C4 CG MEDICATION 23 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|--------|---------|
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 1246 | -2.00 | -2.00 | -2.00 | 0.00 |

GM24 CG MEDICATION 24

Start: 1339 End: 1358 Width: 20

Type: character (ISO) Interval: discrete

| Value | Frequency | % | Valid % |
|-------------|-----------|--------|---------|
| | 2883 | 69.8 % | 69.8% |
| -2 | 1243 | 30.1 % | 30.1% |
| ALLOPURINOL | 1 | 0.0 % | 0.0% |
| DIAZEPAM | 1 | 0.0 % | 0.0% |
| ZOLOFT | 1 | 0.0 % | 0.0% |

G24C1 CG MEDICATION 24 CODE1

Start: 1359 End: 1367 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|-------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1243 | 30.1 % | 99.8% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description | on |
|----------|----------------------|----|
|----------|----------------------|----|

G24C1 CG MEDICATION 24 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|-------|---------|
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 1 | 0.0 % | 0.1% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|------------------------|----------------------|
| v ai iabi c | variable bescription |

G24C1 CG MEDICATION 24 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|--------|---------|
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 1 | 0.0 % | 0.1% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 1 | 0.0 % | 0.1% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev | |
|-------|-------|-------|-------|-------|--|
| 1246 | -2.00 | 47.00 | -1.90 | 2.10 | |

G24C2 CG MEDICATION 24 CODE2

Start: 1368 End: 1376 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1244 | 30.1 % | 99.8% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |

| Variable Variable | able | De | escri | pt | 10 |
|-------------------|------|----|-------|----|----|
|-------------------|------|----|-------|----|----|

G24C2 CG MEDICATION 24 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|-------|---------|
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 1 | 0.0 % | 0.1% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|--------------------------------|
| G24C2 | CG MEDICATION 24 CODE2 (cont.) |

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|--------|---------|
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 1 | 0.0 % | 0.1% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 1246 | -2.00 | 37.00 | -1.95 | 1.22 |

G24C3 CG MEDICATION 24 CODE3

Start: 1377 End: 1385 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------|-----------|-------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |

Variable

Variable Description

G24C3

CG MEDICATION 24 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1245 | 30.2 % | 99.9% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|--------------------------------|
| G24C3 | CG MEDICATION 24 CODE3 (cont.) |

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|--------|---------|
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 1 | 0.0 % | 0.1% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 1246 | -2.00 | 53.00 | -1.96 | 1.56 |

Variable

Variable Description

G24C4

CG MEDICATION 24 CODE4

Start: 1386 End: 1394 Width: 9.2

| CO WILL | DICATION 24 CODE4 | | | |
|---------|---------------------------------|-----------|--------|---------|
| Value | Label | Frequency | % | Valid % |
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1245 | 30.2 % | 99.9% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 1 | 0.0 % | 0.1% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |

| Variable V | ariable Description |
|------------|---------------------|
|------------|---------------------|

G24C4 CG MEDICATION 24 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|--------|---------|
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|------|-------|-------|
| 1246 | -2.00 | 5.00 | -1.99 | 0.20 |

- ICPSR 03678 -

Variable Variable Description

GM25 CG MEDICATION 25

Start: 1395 End: 1414 Width: 20

Type: character (ISO) Interval: discrete

| Value | Frequency | % | Valid % |
|------------------|-----------|--------|---------|
| | 2883 | 69.8 % | 69.8% |
| -2 | 1243 | 30.1 % | 30.1% |
| NONE | 2 | 0.0 % | 0.0% |
| PROPOXYPHENE HCL | 1 | 0.0 % | 0.0% |

G25C1 CG MEDICATION 25 CODE1

Start: 1415 End: 1423 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1245 | 30.2 % | 99.9% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 1 | 0.0 % | 0.1% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description | on |
|----------|----------------------|----|
|----------|----------------------|----|

G25C1 CG MEDICATION 25 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| | - 407 - | | | |

G25C1 CG MEDICATION 25 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|--------|---------|
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|------|-------|-------|
| 1246 | -2.00 | 2.00 | -2.00 | 0.11 |

G25C2

CG MEDICATION 25 CODE2

Start: 1424 End: 1432 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1246 | 30.2 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |

| Variable V | /ariable | Descri | ption |
|------------|----------|--------|-------|
|------------|----------|--------|-------|

G25C2 CG MEDICATION 25 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| | - 400 - | | | |

G25C2

CG MEDICATION 25 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|--------|---------|
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 1246 | -2.00 | -2.00 | -2.00 | 0.00 |

G25C3

Start: 1433 End: 1441 Width: 9.2

Type: numeric (ISO) Interval: discrete

CG MEDICATION 25 CODE3

| Value | Label | Frequency | % | Valid % |
|----------------------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1246 | 30.2 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 (ANTD) Antidote | | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G25C3 CG MEDICATION 25 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| | - 111 - | | | |

G25C3 CG MEDICATION 25 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|--------|---------|
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 1246 | -2.00 | -2.00 | -2.00 | 0.00 |

G25C4

CG MEDICATION 25 CODE4

Start: 1442 End: 1450 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1246 | 30.2 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |

G25C4 CG MEDICATION 25 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |

G25C4

CG MEDICATION 25 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|--------|---------|
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 1246 | -2.00 | -2.00 | -2.00 | 0.00 |

GM26

CG MEDICATION 26

Start: 1451 End: 1470 Width: 20

Type: character (ISO)

Interval: discrete

| Value | Frequency | % | Valid % |
|-----------|-----------|--------|---------|
| | 2883 | 69.8 % | 69.8% |
| -2 | 1245 | 30.2 % | 30.2% |
| SYNTHROID | 1 | 0.0 % | 0.0% |

G26C1

CG MEDICATION 26 CODE1

Start: 1471 End: 1479 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|----------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1245 | 30.2 % | 99.9% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic - 414 - | 0 | 0.0 % | 0.0% |

| Variable V | /ariable | Descri | ption |
|------------|----------|--------|-------|
|------------|----------|--------|-------|

G26C1 CG MEDICATION 26 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|------------------------------|-----------|-------|---------|
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 1 | 0.0 % | 0.1% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |

G26C1 CG MEDICATION 26 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|--------|---------|
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 1246 | -2.00 | 32.00 | -1.97 | 0.96 |

G26C2 CG MEDICATION 26 CODE2

Start: 1480 End: 1488 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1245 | 30.2 % | 99.9% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |

| Variable Va | riat | ole D |)escr | pti | or |
|-------------|------|-------|-------|-----|----|
|-------------|------|-------|-------|-----|----|

G26C2 CG MEDICATION 26 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|------------------------------|-----------|-------|---------|
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 1 | 0.0 % | 0.1% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

CG MEDICATION 26 CODE2 (cont.) G26C2

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|--------|---------|
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 1246 | -2.00 | 24.00 | -1.98 | 0.74 |

G26C3 **CG MEDICATION 26 CODE3**

Start: 1489 End: 1497

Width: 9.2
Type: numeric (ISO)
Interval: discrete

| Value | Label | Frequency | % | Valid % |
|-------|-----------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1246 | 30.2 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |

| Variable V | /ariable | Descri | ption |
|------------|----------|--------|-------|
|------------|----------|--------|-------|

G26C3 CG MEDICATION 26 CODE3 (cont.)

| Value | Label | Eroguanav | % | Valid % |
|-------------------------|------------------------------|-----------|-------|---------|
| | | Frequency | | |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTC) Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 (DIAG) Diagnostic | | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| | | | | |

| Variable | Variable Description |
|----------|----------------------|
| | |

G26C3 CG MEDICATION 26 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|--------|---------|
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev | |
|-------|-------|-------|-------|-------|--|
| 1246 | -2.00 | -2.00 | -2.00 | 0.00 | |

G26C4 CG MEDICATION 26 CODE4

Start: 1498 End: 1506 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1246 | 30.2 % | 100.0% |

| Variable Va | riat | ole D |)escr | pti | or |
|-------------|------|-------|-------|-----|----|
|-------------|------|-------|-------|-----|----|

G26C4 CG MEDICATION 26 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|-------|---------|
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|--------------------------------|
| G26C4 | CG MEDICATION 26 CODE4 (cont.) |

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|--------|---------|
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 1246 | -2.00 | -2.00 | -2.00 | 0.00 |

- ICPSR 03678 -

Variable Variable Description

GM27 CG MEDICATION 27

Start: 1507 End: 1526 Width: 20

Type: character (ISO) Interval: discrete

| Value | Frequency | % | Valid % |
|-----------|-----------|--------|---------|
| | 2883 | 69.8 % | 69.8% |
| -2 | 1245 | 30.2 % | 30.2% |
| ZAROXOLYN | 1 | 0.0 % | 0.0% |

G27C1 CG MEDICATION 27 CODE1

Start: 1527 End: 1535 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1245 | 30.2 % | 99.9% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |

G27C1 CG MEDICATION 27 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 1 | 0.0 % | 0.1% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| | - 121 - | | | |

G27C1 CG MEDICATION 27 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|----------------------------------|-----------|--------|---------|
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 1246 | -2.00 | 28.00 | -1.98 | 0.85 |

G27C2

Start: 1536 End: 1544 Width: 9.2

Type: numeric (ISO)
Interval: discrete

CG MEDICATION 27 CODE2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1245 | 30.2 % | 99.9% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 1 | 0.0 % | 0.1% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description | on |
|----------|----------------------|----|
|----------|----------------------|----|

G27C2 CG MEDICATION 27 CODE2 (cont.)

| 22.00 (DIAG) Diagnostic 0 0.0% 0.0% 23.00 (DIET) Diet Aide 0 0.0% 0.0% 24.00 (END) Endocrine 0 0.0% 0.0% 25.00 (ENT) Ear, Nose or Throat 0 0.0% 0.0% 25.00 (GER) Geriatric 0 0.0% 0.0% 27.00 (GJ) Gastrointestinal 0 0.0% 0.0% 28.00 (GU) Genitourinary 0 0.0% 0.0% 29.00 (GYN) Gynecologic 0 0.0% 0.0% 30.00 (HEM) Hematologic 0 0.0% 0.0% 30.00 (HIV) AIDS/AIDS-related 0 0.0% 0.0% 31.00 (HORM) Hormone 0 0.0% 0.0% 32.00 (HORM) Hormone 0 0.0% 0.0% 33.00 (HYP) Hypnotic 0 0.0% 0.0% 34.00 (IM) Immunologic 0 0.0% 0.0% 35.00 (LAX) Laxative 0 <th>Value</th> <th>Label</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> | Value | Label | Frequency | % | Valid % |
|--|-------|------------------------------------|-----------|-------|---------|
| 24.00 (END) Endocrine 0 0.0% 0.0% 25.00 (ENT) Ear, Nose or Throat 0 0.0% 0.0% 26.00 (GER) Geriatric 0 0.0% 0.0% 27.00 (GI) Gastrointestinal 0 0.0% 0.0% 28.00 (GU) Genitourinary 0 0.0% 0.0% 29.00 (GYN) Gynecologic 0 0.0% 0.0% 30.00 (HEM) Hematologic 0 0.0% 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0% 0.0% 32.00 (HORM) Hormone 0 0.0% 0.0% 33.00 (HYP) Hypnotic 0 0.0% 0.0% 34.00 (IM) Immunologic 0 0.0% 0.0% 35.00 (LAX) Laxative 0 0.0% 0.0% 36.00 (MIG) Migraine 0 0.0% 0.0% 37.00 (MS) Musculoskeletal 0 0.0% 0.0% 38.00 (NARA) Narcotic 0< | 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 25.00 (ENT) Ear, Nose or Throat 0 0.0% 0.0% 26.00 (GER) Geriatric 0 0.0% 0.0% 27.00 (GI) Gastrointestinal 0 0.0% 0.0% 28.00 (GU) Genitourinary 0 0.0% 0.0% 29.00 (GYN) Gynecologic 0 0.0% 0.0% 30.00 (HEM) Hematologic 0 0.0% 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0% 0.0% 32.00 (HORM) Hormone 0 0.0% 0.0% 32.00 (HORM) Hypnotic 0 0.0% 0.0% 34.00 (IM) Immunologic 0 0.0% 0.0% 34.00 (IM) Immunologic 0 0.0% 0.0% 35.00 (LAX) Laxative 0 0.0% 0.0% 36.00 (MIG) Migraine 0 0.0% 0.0% 37.00 (MS) Musculoskeletal 0 0.0% 0.0% 38.00 (NARA) Narcotic | 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 26.00 (GER) Geriatric 0 0.0% 0.0% 27.00 (GI) Gastrointestinal 0 0.0% 0.0% 28.00 (GU) Genitourinary 0 0.0% 0.0% 29.00 (GYN) Gynecologic 0 0.0% 0.0% 30.00 (HEM) Hematologic 0 0.0% 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0% 0.0% 32.00 (HORM) Hormone 0 0.0% 0.0% 33.00 (HYP) Hypnotic 0 0.0% 0.0% 34.00 (IM) Immunologic 0 0.0% 0.0% 35.00 (LAX) Laxative 0 0.0% 0.0% 36.00 (MIG) Migraine 0 0.0% 0.0% 37.00 (MS) Musculoskeletal 0 0.0% 0.0% 38.00 (NAR) Narcotic 0 0.0% 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0% 0.0% 40.00 (NI) Neutritional | 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 27.00 (GI) Gastrointestinal 0 0.0 % 0.0% 28.00 (GU) Genitourinary 0 0.0 % 0.0% 29.00 (GYN) Gynecologic 0 0.0 % 0.0% 30.00 (HEM) Hematologic 0 0.0 % 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 0.0% 32.00 (HORM) Hormone 0 0.0 % 0.0% 33.00 (HYP) Hypnotic 0 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NI) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical <td>25.00</td> <td>(ENT) Ear, Nose or Throat</td> <td>0</td> <td>0.0 %</td> <td>0.0%</td> | 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 28.00 (GU) Genitourinary 0 0.0 % 0.0% 29.00 (GYN) Gynecologic 0 0.0 % 0.0% 30.00 (HEM) Hematologic 0 0.0 % 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 0.0% 32.00 (HORM) Hormone 0 0.0 % 0.0% 33.00 (HYP) Hypnotic 0 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NI) Nutritional 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical | 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 29.00 (GYN) Gynecologic 0 0.0 % 0.0% 30.00 (HEM) Hematologic 0 0.0 % 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 0.0% 32.00 (HORM) Hormone 0 0.0 % 0.0% 33.00 (HYP) Hypnotic 0 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NIM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 45.00 (PED) Pediatric | 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 30.00 (HEM) Hematologic 0 0.0 % 0.0% 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 0.0% 32.00 (HORM) Hormone 0 0.0 % 0.0% 33.00 (HYP) Hypnotic 0 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic 0 0.0 % 0.0% 39.00 (NMI) Neuromuscular 0 0.0 % 0.0% 40.00 (NMI) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive 0 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 53.00 (TRAN) Tranquilizer 0 0.0 % 0.0% 50.0% 53.00 (TRAN) Tranquilizer 0 0.0 % 0.0% | 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 31.00 (HIV) AIDS/AIDS-related 0 0.0 % 0.0% 32.00 (HORM) Hormone 0 0.0 % 0.0% 33.00 (HYP) Hypnotic 0 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) | 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 32.00 (HORM) Hormone 0 0.0 % 0.0% 33.00 (HYP) Hypnotic 0 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 | 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 33.00 (HYP) Hypnotic 0 0.0 % 0.0% 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NARA) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 | 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 34.00 (IM) Immunologic 0 0.0 % 0.0% 35.00 (LAX) Laxative 0 0.0 % 0.0% 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 0 0.0 % 0.0% | 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 35.00 (LAX) Laxative 0 0.0% 0.0% 36.00 (MIG) Migraine 0 0.0% 0.0% 37.00 (MS) Musculoskeletal 0 0.0% 0.0% 38.00 (NAR) Narcotic 0 0.0% 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0% 0.0% 40.00 (NM) Neuromuscular 0 0.0% 0.0% 41.00 (NUT) Nutritional 0 0.0% 0.0% 42.00 (OB) Obstetrical 0 0.0% 0.0% 43.00 (OPH) Opthalmologic 0 0.0% 0.0% 44.00 (PED) Pediatric 0 0.0% 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0% 0.0% 46.00 (PSY) Psychiatric - Anti-anxiety 0 0.0% 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0% 0.0% 49.00 (PUL) Pulmonary 0 0.0% 0.0% 50.00 (SED) Sedative 0 0.0% 0.0% 51.00 | 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 36.00 (MIG) Migraine 0 0.0 % 0.0% 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 0 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% <td>34.00</td> <td>(IM) Immunologic</td> <td>0</td> <td>0.0 %</td> <td>0.0%</td> | 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 37.00 (MS) Musculoskeletal 0 0.0 % 0.0% 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 0 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (TRAN) Tranquilizer 0 0.0 % 0.0% | 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 38.00 (NAR) Narcotic 0 0.0 % 0.0% 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 0 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TRAN) Tranquilizer 0 0.0 % 0.0% <td>36.00</td> <td>(MIG) Migraine</td> <td>0</td> <td>0.0 %</td> <td>0.0%</td> | 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 39.00 (NARA) Narcotic Antagonist 0 0.0 % 0.0% 40.00 (NM) Neuromuscular 0 0.0 % 0.0% 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive 0 0.0 % 0.0% 69.00 (PSY) Psychiatric - Cognitive 0 0.0 % 0.0% 69.00 (PSY) Psychiatric - Cognitive 0 0.0 % 0.0% 69.00 (PSY) Psychiatric - Cognitive 0 0.0 % 0.0% 69.00 (SED) Sedative 0 0.0 % 0.0% 69.00 (STE) Steroid 0 0.0 % 0.0% 69.00 (TRAN) Tranquilizer 0 0.0 % 0.0% 69.00 (TRAN) Tranquilizer 0 0.0 % 0.0% | 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 40.00 (NM) Neuromuscular 0 0.0% 0.0% 41.00 (NUT) Nutritional 0 0.0% 0.0% 42.00 (OB) Obstetrical 0 0.0% 0.0% 43.00 (OPH) Opthalmologic 0 0.0% 0.0% 44.00 (PED) Pediatric 0 0.0% 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0% 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0% 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0% 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0% 0.0% 49.00 (PUL) Pulmonary 0 0.0% 0.0% 50.00 (SED) Sedative 0 0.0% 0.0% 51.00 (STE) Steroid 0 0.0% 0.0% 52.00 (TOP) Topical 0 0.0% 0.0% 53.00 (TRAN) Tranquilizer 0 0.0% 0.0% | 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 41.00 (NUT) Nutritional 0 0.0 % 0.0% 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 0 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% 53.00 (TRAN) Tranquilizer 0 0.0 % 0.0% | 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 42.00 (OB) Obstetrical 0 0.0 % 0.0% 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 0 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% 53.00 (TRAN) Tranquilizer 0 0.0 % 0.0% | 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 43.00 (OPH) Opthalmologic 0 0.0 % 0.0% 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 0 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% 53.00 (TRAN) Tranquilizer 0 0.0 % 0.0% | 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 44.00 (PED) Pediatric 0 0.0 % 0.0% 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 0 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% 53.00 (TRAN) Tranquilizer 0 0.0 % 0.0% | 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 45.00 (PSY) Psychiatric - Antidepressant 0 0.0 % 0.0% 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 0 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% 53.00 (TRAN) Tranquilizer 0 0.0 % 0.0% | 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 46.00 (PSY) Psychiatric - Antipsychotic 0 0.0 % 0.0% 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 0 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% 53.00 (TRAN) Tranquilizer 0 0.0 % 0.0% | 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 47.00 (PSY) Psychiatric - Anti-anxiety 0 0.0 % 0.0% 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 0 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% 53.00 (TRAN) Tranquilizer 0 0.0 % 0.0% | 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 48.00 (PSY) Psychiatric - Cognitive Enhancement 0 0.0 % 0.0% 49.00 (PUL) Pulmonary 0 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% 53.00 (TRAN) Tranquilizer 0 0.0 % 0.0% | 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| Enhancement 49.00 (PUL) Pulmonary 0 0.0 % 0.0% 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% 53.00 (TRAN) Tranquilizer 0 0.0 % 0.0% | 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 50.00 (SED) Sedative 0 0.0 % 0.0% 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% 53.00 (TRAN) Tranquilizer 0 0.0 % 0.0% | 48.00 | | 0 | 0.0 % | 0.0% |
| 51.00 (STE) Steroid 0 0.0 % 0.0% 52.00 (TOP) Topical 0 0.0 % 0.0% 53.00 (TRAN) Tranquilizer 0 0.0 % 0.0% | 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 52.00 (TOP) Topical 0 0.0 % 0.0% 53.00 (TRAN) Tranquilizer 0 0.0 % 0.0% | 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 53.00 (TRAN) Tranquilizer 0 0.0 % 0.0% | 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| , , , | 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 54.00 (X-RAY) X-ray Contrast 0 0.0 % 0.0% | 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| | 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |

G27C2 CG MEDICATION 27 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|--------|---------|
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 1246 | -2.00 | 19.00 | -1.98 | 0.59 |

G27C3

Start: 1545 End: 1553 Width: 9.2

Type: numeric (ISO) Interval: discrete

CG MEDICATION 27 CODE3

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1246 | 30.2 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G27C3 CG MEDICATION 27 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| | - 128 - | | | |

G27C3 CG MEDICATION 27 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|--------|---------|
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev | |
|-------|-------|-------|-------|-------|--|
| 1246 | -2.00 | -2.00 | -2.00 | 0.00 | |

G27C4

CG MEDICATION 27 CODE4

Start: 1554 End: 1562 Width: 9.2

| -4.00 -3.00 | Refused Unknown | 0 | 0.0 % | 0.007 |
|----------------|---------------------------------|------|--------|--------|
| -3.00 | Unknown | | 0.0 /0 | 0.0% |
| | OTIKITOWIT | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1246 | 30.2 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |

| Variable Variable | able | De | escr | pt | ior |
|-------------------|------|----|------|----|-----|
|-------------------|------|----|------|----|-----|

G27C4 CG MEDICATION 27 CODE4 (cont.)

| Value Label | Frequency | % | Valid % |
|---|-----------|-------|---------|
| 18.00 (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 (SED) Sedative | 0 | 0.0 % | 0.0% |

G27C4 CG MEDICATION 27 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|--------|---------|
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 1246 | -2.00 | -2.00 | -2.00 | 0.00 |

GM28 CG MEDICATION 28

Start: 1563 End: 1582 Width: 20

Type: character (ISO)
Interval: discrete

| Value | Frequency | % | Valid % |
|---------|-----------|--------|---------|
| | 2883 | 69.8 % | 69.8% |
| -2 | 1245 | 30.2 % | 30.2% |
| THERA M | 1 | 0.0 % | 0.0% |

G28C1 CG MEDICATION 28 CODE1

Start: 1583 End: 1591 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|-------------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1245 | 30.2 % | 99.9% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory - 431 - | 0 | 0.0 % | 0.0% |

G28C1 CG MEDICATION 28 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|------------------------------|-----------|-------|---------|
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 1 | 0.0 % | 0.1% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |

G28C1 CG MEDICATION 28 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|--------|---------|
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 1246 | -2.00 | 41.00 | -1.97 | 1.22 |

G28C2

Start: 1592

End: 1600 Width: 9.2

Type: numeric (ISO)
Interval: discrete

CG MEDICATION 28 CODE2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|----------|
| value | Label | Trequency | 70 | valid 70 |
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1246 | 30.2 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |

| Variable V | /ariable | Descri | ption |
|------------|----------|--------|-------|
|------------|----------|--------|-------|

G28C2 CG MEDICATION 28 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|------------------------------|-----------|-------|---------|
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |

G28C2 CG MEDICATION 28 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|--------|---------|
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 1246 | -2.00 | -2.00 | -2.00 | 0.00 |

G28C3 CG MEDICATION 28 CODE3

Start: 1601 End: 1609 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|-------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1246 | 30.2 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |

| Variable V | /ariable | Descri | ption |
|------------|----------|--------|-------|
|------------|----------|--------|-------|

G28C3 CG MEDICATION 28 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|-------|---------|
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G28C3 CG MEDICATION 28 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|--------|---------|
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev | |
|-------|-------|-------|-------|-------|--|
| 1246 | -2.00 | -2.00 | -2.00 | 0.00 | |

G28C4 CG MEDICATION 28 CODE4

Start: 1610 End: 1618 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1246 | 30.2 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |

| Variable V | /ariable | Descri | ption |
|------------|----------|--------|-------|
|------------|----------|--------|-------|

G28C4 CG MEDICATION 28 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|-------|---------|
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|--------------------------------|
| G28C4 | CG MEDICATION 28 CODE4 (cont.) |

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|--------|---------|
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 1246 | -2.00 | -2.00 | -2.00 | 0.00 |

GM29 CG MEDICATION 29

Start: 1619 End: 1638 Width: 20

| Value | Frequency | % | Valid % |
|-------|-----------|--------|---------|
| | 2883 | 69.8 % | 69.8% |

- ICPSR 03678 -

Variable **Variable Description** CG MEDICATION 29 (cont.) GM29 Type: character (ISO) Interval: discrete Frequency Valid % Value % -2 1245 30.2 % 30.2% NONE 0.0% 0.0 %

G29C1

Start: 1639 End: 1647 Width: 9.2

Type: numeric (ISO) Interval: discrete

CG MEDICATION 29 CODE1

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1246 | 30.2 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |

| Variable | Variable Description | on |
|----------|----------------------|----|
|----------|----------------------|----|

G29C1 CG MEDICATION 29 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| | 1.1.1 | | | |

G29C1

CG MEDICATION 29 CODE1 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|----------------------------------|-----------|--------|---------|
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 1246 | -2.00 | -2.00 | -2.00 | 0.00 |

G29C2

CG MEDICATION 29 CODE2

Start: 1648 End: 1656 Width: 9.2

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1246 | 30.2 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| | - 442 - | | | |

| Variable | Variable Description | on |
|----------|----------------------|----|
|----------|----------------------|----|

G29C2 CG MEDICATION 29 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |

G29C2 CG MEDICATION 29 CODE2 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|--------|---------|
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 1246 | -2.00 | -2.00 | -2.00 | 0.00 |

G29C3

Start: 1657 End: 1665 Width: 9.2

Width: 9.2 Type: numeric (ISO) Interval: discrete

CG MEDICATION 29 CODE3

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1246 | 30.2 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G29C3 CG MEDICATION 29 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| | - 115 - | | | |

G29C3

CG MEDICATION 29 CODE3 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|--------|---------|
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev | |
|-------|-------|-------|-------|-------|--|
| 1246 | -2.00 | -2.00 | -2.00 | 0.00 | |

G29C4

Start: 1666 End: 1674 Width: 9.2

Type: numeric (ISO) Interval: discrete

CG MEDICATION 29 CODE4

| Value | Label | Frequency | % | Valid % |
|-------|---------------------------------|-----------|--------|---------|
| -4.00 | Refused | 0 | 0.0 % | 0.0% |
| -3.00 | Unknown | 0 | 0.0 % | 0.0% |
| -2.00 | None | 1246 | 30.2 % | 100.0% |
| -1.00 | Missing | 0 | 0.0 % | 0.0% |
| 1.00 | (ALL) Allergic | 0 | 0.0 % | 0.0% |
| 2.00 | (ANA) Analgesic | 0 | 0.0 % | 0.0% |
| 3.00 | (ANES) Anesthetic | 0 | 0.0 % | 0.0% |
| 4.00 | (ANTB) Antibiotic/Antibacterial | 0 | 0.0 % | 0.0% |
| 5.00 | (ANTC) Anticonvulsive | 0 | 0.0 % | 0.0% |
| 6.00 | (ANTD) Antidote | 0 | 0.0 % | 0.0% |
| 7.00 | (ANTF) Antifungal | 0 | 0.0 % | 0.0% |
| 8.00 | (ANTH) Antihistaminic | 0 | 0.0 % | 0.0% |
| 9.00 | (ANTI) Anti-inflammatory | 0 | 0.0 % | 0.0% |
| 10.00 | (ANTIV) Antivertigo | 0 | 0.0 % | 0.0% |
| 11.00 | (ANTN) Antineoplastic | 0 | 0.0 % | 0.0% |
| 12.00 | (ANTP) Antiparasitic | 0 | 0.0 % | 0.0% |
| 13.00 | (ANTS) Antiseptic | 0 | 0.0 % | 0.0% |
| 14.00 | (ANTT) Antitussive | 0 | 0.0 % | 0.0% |
| 15.00 | (ANTV) Antiviral | 0 | 0.0 % | 0.0% |
| 16.00 | (CNS) Central Nervous System | 0 | 0.0 % | 0.0% |
| 17.00 | (CON) Contraceptive | 0 | 0.0 % | 0.0% |
| 18.00 | (CO/CO) Cough & Cold | 0 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
|----------|----------------------|

G29C4 CG MEDICATION 29 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|---|-----------|-------|---------|
| 19.00 | (CV) Cardiovascular | 0 | 0.0 % | 0.0% |
| 20.00 | (DEN) Dental | 0 | 0.0 % | 0.0% |
| 21.00 | (DERM) Dermatologic | 0 | 0.0 % | 0.0% |
| 22.00 | (DIAG) Diagnostic | 0 | 0.0 % | 0.0% |
| 23.00 | (DIET) Diet Aide | 0 | 0.0 % | 0.0% |
| 24.00 | (END) Endocrine | 0 | 0.0 % | 0.0% |
| 25.00 | (ENT) Ear, Nose or Throat | 0 | 0.0 % | 0.0% |
| 26.00 | (GER) Geriatric | 0 | 0.0 % | 0.0% |
| 27.00 | (GI) Gastrointestinal | 0 | 0.0 % | 0.0% |
| 28.00 | (GU) Genitourinary | 0 | 0.0 % | 0.0% |
| 29.00 | (GYN) Gynecologic | 0 | 0.0 % | 0.0% |
| 30.00 | (HEM) Hematologic | 0 | 0.0 % | 0.0% |
| 31.00 | (HIV) AIDS/AIDS-related | 0 | 0.0 % | 0.0% |
| 32.00 | (HORM) Hormone | 0 | 0.0 % | 0.0% |
| 33.00 | (HYP) Hypnotic | 0 | 0.0 % | 0.0% |
| 34.00 | (IM) Immunologic | 0 | 0.0 % | 0.0% |
| 35.00 | (LAX) Laxative | 0 | 0.0 % | 0.0% |
| 36.00 | (MIG) Migraine | 0 | 0.0 % | 0.0% |
| 37.00 | (MS) Musculoskeletal | 0 | 0.0 % | 0.0% |
| 38.00 | (NAR) Narcotic | 0 | 0.0 % | 0.0% |
| 39.00 | (NARA) Narcotic Antagonist | 0 | 0.0 % | 0.0% |
| 40.00 | (NM) Neuromuscular | 0 | 0.0 % | 0.0% |
| 41.00 | (NUT) Nutritional | 0 | 0.0 % | 0.0% |
| 42.00 | (OB) Obstetrical | 0 | 0.0 % | 0.0% |
| 43.00 | (OPH) Opthalmologic | 0 | 0.0 % | 0.0% |
| 44.00 | (PED) Pediatric | 0 | 0.0 % | 0.0% |
| 45.00 | (PSY) Psychiatric - Antidepressant | 0 | 0.0 % | 0.0% |
| 46.00 | (PSY) Psychiatric - Antipsychotic | 0 | 0.0 % | 0.0% |
| 47.00 | (PSY) Psychiatric - Anti-anxiety | 0 | 0.0 % | 0.0% |
| 48.00 | (PSY) Psychiatric - Cognitive Enhancement | 0 | 0.0 % | 0.0% |
| 49.00 | (PUL) Pulmonary | 0 | 0.0 % | 0.0% |
| 50.00 | (SED) Sedative | 0 | 0.0 % | 0.0% |
| 51.00 | (STE) Steroid | 0 | 0.0 % | 0.0% |
| | - 117 - | | | |

ID

G29C4

CG MEDICATION 29 CODE4 (cont.)

| Value | Label | Frequency | % | Valid % |
|-------|-----------------------------------|-----------|--------|---------|
| 52.00 | (TOP) Topical | 0 | 0.0 % | 0.0% |
| 53.00 | (TRAN) Tranquilizer | 0 | 0.0 % | 0.0% |
| 54.00 | (X-RAY) X-ray Contrast | 0 | 0.0 % | 0.0% |
| 55.00 | (HERB) Herbal | 0 | 0.0 % | 0.0% |
| 60.00 | (PSY) Psychiatric - Miscellaneous | 0 | 0.0 % | 0.0% |
| 98.00 | Blinded Study Drug | 0 | 0.0 % | 0.0% |
| 99.00 | Medication with outstanding code | 0 | 0.0 % | 0.0% |
| . (M) | - | 2883 | 69.8 % | - |

| Valid | Min | Max | Mean | Stdev |
|-------|-------|-------|-------|-------|
| 1246 | -2.00 | -2.00 | -2.00 | 0.00 |

ID

Start: 1675 End: 1678 Width: 4

Type: character (ISO) Interval: discrete

| W-L - | | 0.4 | 14-11-1-07 |
|-------|-----------|-------|------------|
| Value | Frequency | % | Valid % |
| 1003 | 2 | 0.0 % | 0.0% |
| 1004 | 4 | 0.1 % | 0.1% |
| 1005 | 4 | 0.1 % | 0.1% |
| 1006 | 4 | 0.1 % | 0.1% |
| 1007 | 4 | 0.1 % | 0.1% |
| 1008 | 1 | 0.0 % | 0.0% |
| 1009 | 4 | 0.1 % | 0.1% |
| 1010 | 4 | 0.1 % | 0.1% |
| 1011 | 4 | 0.1 % | 0.1% |
| 1016 | 3 | 0.1 % | 0.1% |
| 1017 | 1 | 0.0 % | 0.0% |
| 1019 | 4 | 0.1 % | 0.1% |
| 1020 | 4 | 0.1 % | 0.1% |
| 1021 | 4 | 0.1 % | 0.1% |
| 1027 | 4 | 0.1 % | 0.1% |
| 1035 | 4 | 0.1 % | 0.1% |
| 1050 | 4 | 0.1 % | 0.1% |
| 1051 | 2 | 0.0 % | 0.0% |
| 1052 | 4 | 0.1 % | 0.1% |
| 1053 | 4 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| Value | Frequency | % | Valid % |
|-------|-----------|-------|---------|
| 1054 | 4 | 0.1 % | 0.1% |
| 1055 | 2 | 0.0 % | 0.0% |
| 1056 | 3 | 0.1 % | 0.1% |
| 1057 | 4 | 0.1 % | 0.1% |
| 1058 | 4 | 0.1 % | 0.1% |
| 1060 | 4 | 0.1 % | 0.1% |
| 1061 | 4 | 0.1 % | 0.1% |
| 1062 | 3 | 0.1 % | 0.1% |
| 1063 | 4 | 0.1 % | 0.1% |
| 1064 | 4 | 0.1 % | 0.1% |
| 1065 | 2 | 0.0 % | 0.0% |
| 1066 | 4 | 0.1 % | 0.1% |
| 1067 | 4 | 0.1 % | 0.1% |
| 1068 | 4 | 0.1 % | 0.1% |
| 1069 | 1 | 0.0 % | 0.0% |
| 1070 | 4 | 0.1 % | 0.1% |
| 1071 | 4 | 0.1 % | 0.1% |
| 1072 | 4 | 0.1 % | 0.1% |
| 1073 | 4 | 0.1 % | 0.1% |
| 1074 | 4 | 0.1 % | 0.1% |
| 1075 | 4 | 0.1 % | 0.1% |
| 1076 | 3 | 0.1 % | 0.1% |
| 1077 | 4 | 0.1 % | 0.1% |
| 1078 | 4 | 0.1 % | 0.1% |
| 1079 | 4 | 0.1 % | 0.1% |
| 1080 | 1 | 0.0 % | 0.0% |
| 1081 | 1 | 0.0 % | 0.0% |
| 1082 | 4 | 0.1 % | 0.1% |
| 1083 | 4 | 0.1 % | 0.1% |
| 1084 | 4 | 0.1 % | 0.1% |
| 1085 | 4 | 0.1 % | 0.1% |
| 1086 | 4 | 0.1 % | 0.1% |
| 1087 | 4 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| Value | Frequency | % | Valid % |
|-------|-----------|-------|---------|
| 1088 | 1 | 0.0 % | 0.0% |
| 1089 | 4 | 0.1 % | 0.1% |
| 1090 | 4 | 0.1 % | 0.1% |
| 1091 | 1 | 0.0 % | 0.0% |
| 1092 | 1 | 0.0 % | 0.0% |
| 1093 | 4 | 0.1 % | 0.1% |
| 1094 | 3 | 0.1 % | 0.1% |
| 1095 | 3 | 0.1 % | 0.1% |
| 1096 | 4 | 0.1 % | 0.1% |
| 1097 | 4 | 0.1 % | 0.1% |
| 1098 | 2 | 0.0 % | 0.0% |
| 1099 | 1 | 0.0 % | 0.0% |
| 1100 | 1 | 0.0 % | 0.0% |
| 1101 | 4 | 0.1 % | 0.1% |
| 1102 | 4 | 0.1 % | 0.1% |
| 1103 | 4 | 0.1 % | 0.1% |
| 1104 | 4 | 0.1 % | 0.1% |
| 1105 | 4 | 0.1 % | 0.1% |
| 1106 | 3 | 0.1 % | 0.1% |
| 1107 | 4 | 0.1 % | 0.1% |
| 1108 | 2 | 0.0 % | 0.0% |
| 1109 | 4 | 0.1 % | 0.1% |
| 1110 | 3 | 0.1 % | 0.1% |
| 1111 | 4 | 0.1 % | 0.1% |
| 1113 | 4 | 0.1 % | 0.1% |
| 1114 | 4 | 0.1 % | 0.1% |
| 1115 | 1 | 0.0 % | 0.0% |
| 1116 | 4 | 0.1 % | 0.1% |
| 1117 | 4 | 0.1 % | 0.1% |
| 1118 | 4 | 0.1 % | 0.1% |
| 1119 | 4 | 0.1 % | 0.1% |
| 1120 | 2 | 0.0 % | 0.0% |
| 1121 | 3 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| Value | Frequency | % | Valid % |
|-------|-----------|-------|---------|
| 1124 | 4 | 0.1 % | 0.1% |
| 1125 | 4 | 0.1 % | 0.1% |
| 1126 | 4 | 0.1 % | 0.1% |
| 1127 | 2 | 0.0 % | 0.0% |
| 1128 | 3 | 0.1 % | 0.1% |
| 1129 | 4 | 0.1 % | 0.1% |
| 1130 | 2 | 0.0 % | 0.0% |
| 1131 | 4 | 0.1 % | 0.1% |
| 1132 | 4 | 0.1 % | 0.1% |
| 1133 | 4 | 0.1 % | 0.1% |
| 1134 | 4 | 0.1 % | 0.1% |
| 1135 | 1 | 0.0 % | 0.0% |
| 1136 | 1 | 0.0 % | 0.0% |
| 1137 | 4 | 0.1 % | 0.1% |
| 1138 | 4 | 0.1 % | 0.1% |
| 1140 | 1 | 0.0 % | 0.0% |
| 1141 | 4 | 0.1 % | 0.1% |
| 1142 | 4 | 0.1 % | 0.1% |
| 1143 | 4 | 0.1 % | 0.1% |
| 1144 | 3 | 0.1 % | 0.1% |
| 1145 | 4 | 0.1 % | 0.1% |
| 1146 | 4 | 0.1 % | 0.1% |
| 1147 | 4 | 0.1 % | 0.1% |
| 1148 | 4 | 0.1 % | 0.1% |
| 1149 | 3 | 0.1 % | 0.1% |
| 1150 | 3 | 0.1 % | 0.1% |
| 1151 | 4 | 0.1 % | 0.1% |
| 1152 | 3 | 0.1 % | 0.1% |
| 1153 | 4 | 0.1 % | 0.1% |
| 1154 | 2 | 0.0 % | 0.0% |
| 1155 | 4 | 0.1 % | 0.1% |
| 1159 | 4 | 0.1 % | 0.1% |
| 1160 | 4 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| Value | Frequency | % | Valid % |
|-------|-----------|-------|---------|
| 1162 | 4 | 0.1 % | 0.1% |
| 1163 | 1 | 0.0 % | 0.0% |
| 1164 | 2 | 0.0 % | 0.0% |
| 1165 | 4 | 0.1 % | 0.1% |
| 1166 | 4 | 0.1 % | 0.1% |
| 1168 | 4 | 0.1 % | 0.1% |
| 1169 | 1 | 0.0 % | 0.0% |
| 1170 | 3 | 0.1 % | 0.1% |
| 1172 | 2 | 0.0 % | 0.0% |
| 1173 | 4 | 0.1 % | 0.1% |
| 1175 | 4 | 0.1 % | 0.1% |
| 1176 | 1 | 0.0 % | 0.0% |
| 1177 | 4 | 0.1 % | 0.1% |
| 1178 | 1 | 0.0 % | 0.0% |
| 1179 | 3 | 0.1 % | 0.1% |
| 1180 | 4 | 0.1 % | 0.1% |
| 1181 | 4 | 0.1 % | 0.1% |
| 1182 | 1 | 0.0 % | 0.0% |
| 1183 | 4 | 0.1 % | 0.1% |
| 1184 | 4 | 0.1 % | 0.1% |
| 1185 | 2 | 0.0 % | 0.0% |
| 2001 | 4 | 0.1 % | 0.1% |
| 2002 | 2 | 0.0 % | 0.0% |
| 2003 | 4 | 0.1 % | 0.1% |
| 2004 | 2 | 0.0 % | 0.0% |
| 2005 | 1 | 0.0 % | 0.0% |
| 2006 | 1 | 0.0 % | 0.0% |
| 2007 | 4 | 0.1 % | 0.1% |
| 2008 | 4 | 0.1 % | 0.1% |
| 2010 | 4 | 0.1 % | 0.1% |
| 2011 | 4 | 0.1 % | 0.1% |
| 2012 | 4 | 0.1 % | 0.1% |
| 2013 | 4 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| Value | Frequency | % | Valid % |
|-------|-----------|-------|---------|
| 2014 | 4 | 0.1 % | 0.1% |
| 2015 | 4 | 0.1 % | 0.1% |
| 2016 | 1 | 0.0 % | 0.0% |
| 2017 | 4 | 0.1 % | 0.1% |
| 2018 | 4 | 0.1 % | 0.1% |
| 2019 | 4 | 0.1 % | 0.1% |
| 2020 | 4 | 0.1 % | 0.1% |
| 2021 | 4 | 0.1 % | 0.1% |
| 2022 | 4 | 0.1 % | 0.1% |
| 2025 | 4 | 0.1 % | 0.1% |
| 2026 | 4 | 0.1 % | 0.1% |
| 2027 | 4 | 0.1 % | 0.1% |
| 2028 | 4 | 0.1 % | 0.1% |
| 2029 | 4 | 0.1 % | 0.1% |
| 2030 | 4 | 0.1 % | 0.1% |
| 2031 | 4 | 0.1 % | 0.1% |
| 2032 | 4 | 0.1 % | 0.1% |
| 2033 | 4 | 0.1 % | 0.1% |
| 2034 | 3 | 0.1 % | 0.1% |
| 2035 | 4 | 0.1 % | 0.1% |
| 2036 | 4 | 0.1 % | 0.1% |
| 2037 | 3 | 0.1 % | 0.1% |
| 2038 | 4 | 0.1 % | 0.1% |
| 2039 | 4 | 0.1 % | 0.1% |
| 2040 | 4 | 0.1 % | 0.1% |
| 2041 | 2 | 0.0 % | 0.0% |
| 2042 | 4 | 0.1 % | 0.1% |
| 2043 | 3 | 0.1 % | 0.1% |
| 2044 | 4 | 0.1 % | 0.1% |
| 2045 | 2 | 0.0 % | 0.0% |
| 2046 | 3 | 0.1 % | 0.1% |
| 2047 | 4 | 0.1 % | 0.1% |
| 2048 | 3 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| Value | Frequency | % | Valid % |
|-------|-----------|-------|---------|
| 2049 | 1 | 0.0 % | 0.0% |
| 2050 | 4 | 0.1 % | 0.1% |
| 2051 | 2 | 0.0 % | 0.0% |
| 2052 | 4 | 0.1 % | 0.1% |
| 2053 | 4 | 0.1 % | 0.1% |
| 2054 | 3 | 0.1 % | 0.1% |
| 2055 | 4 | 0.1 % | 0.1% |
| 2057 | 4 | 0.1 % | 0.1% |
| 2058 | 4 | 0.1 % | 0.1% |
| 2059 | 4 | 0.1 % | 0.1% |
| 2060 | 4 | 0.1 % | 0.1% |
| 2061 | 4 | 0.1 % | 0.1% |
| 2062 | 4 | 0.1 % | 0.1% |
| 2063 | 4 | 0.1 % | 0.1% |
| 2064 | 4 | 0.1 % | 0.1% |
| 2065 | 1 | 0.0 % | 0.0% |
| 2066 | 3 | 0.1 % | 0.1% |
| 2067 | 4 | 0.1 % | 0.1% |
| 2068 | 4 | 0.1 % | 0.1% |
| 2069 | 4 | 0.1 % | 0.1% |
| 2070 | 4 | 0.1 % | 0.1% |
| 2071 | 4 | 0.1 % | 0.1% |
| 2072 | 4 | 0.1 % | 0.1% |
| 2073 | 3 | 0.1 % | 0.1% |
| 2074 | 4 | 0.1 % | 0.1% |
| 2075 | 4 | 0.1 % | 0.1% |
| 2076 | 4 | 0.1 % | 0.1% |
| 2077 | 4 | 0.1 % | 0.1% |
| 2078 | 4 | 0.1 % | 0.1% |
| 2079 | 4 | 0.1 % | 0.1% |
| 2080 | 4 | 0.1 % | 0.1% |
| 2081 | 4 | 0.1 % | 0.1% |
| 2082 | 4 | 0.1 % | 0.1% |
| | | | |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| Value | Frequency | % | Valid % |
|-------|-----------|-------|---------|
| 2083 | 4 | 0.1 % | 0.1% |
| 2084 | 4 | 0.1 % | 0.1% |
| 2085 | 4 | 0.1 % | 0.1% |
| 2086 | 3 | 0.1 % | 0.1% |
| 2087 | 3 | 0.1 % | 0.1% |
| 2088 | 4 | 0.1 % | 0.1% |
| 2089 | 4 | 0.1 % | 0.1% |
| 2090 | 4 | 0.1 % | 0.1% |
| 2091 | 2 | 0.0 % | 0.0% |
| 2092 | 4 | 0.1 % | 0.1% |
| 2093 | 2 | 0.0 % | 0.0% |
| 2094 | 4 | 0.1 % | 0.1% |
| 2095 | 4 | 0.1 % | 0.1% |
| 2096 | 4 | 0.1 % | 0.1% |
| 2097 | 4 | 0.1 % | 0.1% |
| 2098 | 4 | 0.1 % | 0.1% |
| 2099 | 4 | 0.1 % | 0.1% |
| 2100 | 4 | 0.1 % | 0.1% |
| 2101 | 4 | 0.1 % | 0.1% |
| 2102 | 4 | 0.1 % | 0.1% |
| 2103 | 4 | 0.1 % | 0.1% |
| 2104 | 4 | 0.1 % | 0.1% |
| 3001 | 4 | 0.1 % | 0.1% |
| 3002 | 4 | 0.1 % | 0.1% |
| 3003 | 3 | 0.1 % | 0.1% |
| 3004 | 2 | 0.0 % | 0.0% |
| 3005 | 4 | 0.1 % | 0.1% |
| 3006 | 4 | 0.1 % | 0.1% |
| 3007 | 4 | 0.1 % | 0.1% |
| 3008 | 4 | 0.1 % | 0.1% |
| 3009 | 4 | 0.1 % | 0.1% |
| 3010 | 4 | 0.1 % | 0.1% |
| 3011 | 4 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| Value | Frequency | % | Valid % |
|-------|-----------|-------|---------|
| 3012 | 4 | 0.1 % | 0.1% |
| 3013 | 4 | 0.1 % | 0.1% |
| 3014 | 1 | 0.0 % | 0.0% |
| 3015 | 4 | 0.1 % | 0.1% |
| 3016 | 4 | 0.1 % | 0.1% |
| 3017 | 4 | 0.1 % | 0.1% |
| 3018 | 4 | 0.1 % | 0.1% |
| 3019 | 4 | 0.1 % | 0.1% |
| 3020 | 4 | 0.1 % | 0.1% |
| 3021 | 4 | 0.1 % | 0.1% |
| 3022 | 4 | 0.1 % | 0.1% |
| 3023 | 4 | 0.1 % | 0.1% |
| 3024 | 4 | 0.1 % | 0.1% |
| 3025 | 3 | 0.1 % | 0.1% |
| 3026 | 4 | 0.1 % | 0.1% |
| 3027 | 3 | 0.1 % | 0.1% |
| 3028 | 4 | 0.1 % | 0.1% |
| 3029 | 1 | 0.0 % | 0.0% |
| 3030 | 1 | 0.0 % | 0.0% |
| 3031 | 4 | 0.1 % | 0.1% |
| 3032 | 4 | 0.1 % | 0.1% |
| 3033 | 3 | 0.1 % | 0.1% |
| 3034 | 4 | 0.1 % | 0.1% |
| 3035 | 4 | 0.1 % | 0.1% |
| 3036 | 3 | 0.1 % | 0.1% |
| 3037 | 4 | 0.1 % | 0.1% |
| 3038 | 1 | 0.0 % | 0.0% |
| 3039 | 4 | 0.1 % | 0.1% |
| 3040 | 4 | 0.1 % | 0.1% |
| 3041 | 4 | 0.1 % | 0.1% |
| 3042 | 4 | 0.1 % | 0.1% |
| 3043 | 4 | 0.1 % | 0.1% |
| 3044 | 4 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| 3045 4 0.1% 0.1% 3046 1 0.0% 0.0% 3047 4 0.1% 0.1% 3048 4 0.1% 0.0% 3050 4 0.1% 0.0% 3051 1 0.0% 0.0% 3052 3 0.1% 0.1% 3053 4 0.1% 0.1% 3054 4 0.1% 0.1% 3055 4 0.1% 0.1% 3056 4 0.1% 0.1% 3057 4 0.1% 0.1% 3058 4 0.1% 0.1% 3060 1 0.0% 0.0% 3061 4 0.1% 0.1% 3062 3 0.1% 0.1% 3063 4 0.1% 0.1% 3064 4 0.1% 0.1% 3062 3 0.1% 0.1% 3066 4 0.1% </th <th>Value</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> | Value | Frequency | % | Valid % |
|---|-------|-----------|-------|---------|
| 3046 1 0.0% 0.0% 3047 4 0.1% 0.1% 3048 4 0.1% 0.0% 3050 4 0.1% 0.0% 3051 1 0.0% 0.0% 3052 3 0.1% 0.1% 3053 4 0.1% 0.1% 3054 4 0.1% 0.1% 3055 4 0.1% 0.1% 3056 4 0.1% 0.1% 3057 4 0.1% 0.1% 3059 4 0.1% 0.1% 3060 1 0.0% 0.0% 3061 4 0.1% 0.1% 3062 3 0.1% 0.1% 3063 4 0.1% 0.1% 3064 4 0.1% 0.1% 3063 4 0.1% 0.1% 3064 4 0.1% 0.1% 3065 4 0.1% 0.1% 3066 4 0.1% 0.1% <td< td=""><td></td><td>, ,</td><td></td><td></td></td<> | | , , | | |
| 3047 4 0.1 % 0.1% 3048 4 0.1 % 0.1% 3049 2 0.0 % 0.0% 3050 4 0.1 % 0.1% 3051 1 0.0 % 0.0% 3052 3 0.1 % 0.1% 3053 4 0.1 % 0.1% 3054 4 0.1 % 0.1% 3055 4 0.1 % 0.1% 3056 4 0.1 % 0.1% 3058 4 0.1 % 0.1% 3059 4 0.1 % 0.1% 3060 1 0.0 % 0.0% 3061 4 0.1 % 0.1% 3062 3 0.1 % 0.1% 3063 4 0.1 % 0.1% 3064 4 0.1 % 0.1% 3065 4 0.1 % 0.1% 3066 4 0.1 % 0.1% 3067 3 0.1 % 0.1% 3070 4 0.1 % 0.1% <td></td> <td></td> <td></td> <td></td> | | | | |
| 3048 4 0.1 % 0.0% 3049 2 0.0 % 0.0% 3050 4 0.1 % 0.1% 3051 1 0.0 % 0.0% 3052 3 0.1 % 0.1% 3053 4 0.1 % 0.1% 3054 4 0.1 % 0.1% 3055 4 0.1 % 0.1% 3056 4 0.1 % 0.1% 3057 4 0.1 % 0.1% 3058 4 0.1 % 0.1% 3060 1 0.0 % 0.0% 3061 4 0.1 % 0.1% 3062 3 0.1 % 0.1% 3063 4 0.1 % 0.1% 3064 4 0.1 % 0.1% 3065 4 0.1 % 0.1% 3066 4 0.1 % 0.1% 3067 3 0.1 % 0.1% 3070 4 0.1 % 0.1% 3071 3 0.1 % 0.1% <td></td> <td></td> <td></td> <td></td> | | | | |
| 3049 2 0.0 % 0.0% 3050 4 0.1 % 0.1% 3051 1 0.0 % 0.0% 3052 3 0.1 % 0.1% 3053 4 0.1 % 0.1% 3054 4 0.1 % 0.1% 3055 4 0.1 % 0.1% 3056 4 0.1 % 0.1% 3058 4 0.1 % 0.1% 3059 4 0.1 % 0.1% 3060 1 0.0 % 0.0% 3061 4 0.1 % 0.1% 3062 3 0.1 % 0.1% 3063 4 0.1 % 0.1% 3064 4 0.1 % 0.1% 3065 4 0.1 % 0.1% 3066 4 0.1 % 0.1% 3067 3 0.1 % 0.1% 3068 4 0.1 % 0.1% 3070 4 0.1 % 0.1% 3071 3 0.1 % 0.1% <td></td> <td></td> <td></td> <td></td> | | | | |
| 3050 4 0.1 % 0.0% 3051 1 0.0 % 0.0% 3052 3 0.1 % 0.1% 3053 4 0.1 % 0.1% 3054 4 0.1 % 0.1% 3055 4 0.1 % 0.1% 3056 4 0.1 % 0.1% 3058 4 0.1 % 0.1% 3059 4 0.1 % 0.1% 3060 1 0.0 % 0.0% 3061 4 0.1 % 0.1% 3062 3 0.1 % 0.1% 3064 4 0.1 % 0.1% 3065 4 0.1 % 0.1% 3066 4 0.1 % 0.1% 3067 3 0.1 % 0.1% 3068 4 0.1 % 0.1% 3070 4 0.1 % 0.1% 3071 3 0.1 % 0.1% 3072 4 0.1 % 0.1% 3075 4 0.1 % 0.1% <td></td> <td></td> <td></td> <td></td> | | | | |
| 3051 1 0.0 % 0.0% 3052 3 0.1 % 0.1% 3053 4 0.1 % 0.1% 3054 4 0.1 % 0.1% 3055 4 0.1 % 0.1% 3056 4 0.1 % 0.1% 3057 4 0.1 % 0.1% 3058 4 0.1 % 0.1% 3059 4 0.1 % 0.1% 3060 1 0.0 % 0.0% 3061 4 0.1 % 0.1% 3062 3 0.1 % 0.1% 3063 4 0.1 % 0.1% 3064 4 0.1 % 0.1% 3065 4 0.1 % 0.1% 3066 4 0.1 % 0.1% 3067 3 0.1 % 0.1% 3070 4 0.1 % 0.1% 3071 3 0.1 % 0.1% 3072 4 0.1 % 0.1% 3073 3 0.1 % 0.1% <td></td> <td></td> <td></td> <td></td> | | | | |
| 3053 4 0.1 % 0.1% 3054 4 0.1 % 0.1% 3055 4 0.1 % 0.1% 3056 4 0.1 % 0.1% 3057 4 0.1 % 0.1% 3058 4 0.1 % 0.1% 3059 4 0.1 % 0.1% 3060 1 0.0 % 0.0% 3061 4 0.1 % 0.1% 3062 3 0.1 % 0.1% 3063 4 0.1 % 0.1% 3064 4 0.1 % 0.1% 3065 4 0.1 % 0.1% 3066 4 0.1 % 0.1% 3068 4 0.1 % 0.1% 3070 4 0.1 % 0.1% 3071 3 0.1 % 0.1% 3072 4 0.1 % 0.1% 3073 3 0.1 % 0.1% 3076 2 0.0 % 0.0% 3077 4 0.1 % 0.1% <td></td> <td>1</td> <td></td> <td></td> | | 1 | | |
| 3054 4 0.1 % 0.1% 3055 4 0.1 % 0.1% 3056 4 0.1 % 0.1% 3057 4 0.1 % 0.1% 3058 4 0.1 % 0.1% 3059 4 0.1 % 0.1% 3060 1 0.0 % 0.0% 3061 4 0.1 % 0.1% 3062 3 0.1 % 0.1% 3064 4 0.1 % 0.1% 3065 4 0.1 % 0.1% 3066 4 0.1 % 0.1% 3068 4 0.1 % 0.1% 3070 4 0.1 % 0.1% 3071 3 0.1 % 0.1% 3072 4 0.1 % 0.1% 3073 3 0.1 % 0.1% 3075 4 0.1 % 0.1% 3076 2 0.0 % 0.0% 3077 4 0.1 % 0.1% 3078 4 0.1 % 0.1% <td>3052</td> <td>3</td> <td>0.1 %</td> <td>0.1%</td> | 3052 | 3 | 0.1 % | 0.1% |
| 3055 4 0.1 % 0.1% 3056 4 0.1 % 0.1% 3057 4 0.1 % 0.1% 3058 4 0.1 % 0.1% 3059 4 0.1 % 0.1% 3060 1 0.0 % 0.0% 3061 4 0.1 % 0.1% 3062 3 0.1 % 0.1% 3065 4 0.1 % 0.1% 3066 4 0.1 % 0.1% 3068 4 0.1 % 0.1% 3070 4 0.1 % 0.1% 3072 4 0.1 % 0.1% 3073 3 0.1 % 0.1% 3075 4 0.1 % 0.1% 3076 2 0.0 % 0.0% 3077 4 0.1 % 0.1% 3078 4 0.1 % 0.1% | 3053 | 4 | 0.1 % | 0.1% |
| 3056 4 0.1 % 0.1% 3057 4 0.1 % 0.1% 3058 4 0.1 % 0.1% 3059 4 0.1 % 0.1% 3060 1 0.0 % 0.0% 3061 4 0.1 % 0.1% 3062 3 0.1 % 0.1% 3064 4 0.1 % 0.1% 3065 4 0.1 % 0.1% 3067 3 0.1 % 0.1% 3068 4 0.1 % 0.1% 3070 4 0.1 % 0.1% 3071 3 0.1 % 0.1% 3073 3 0.1 % 0.1% 3075 4 0.1 % 0.1% 3076 2 0.0 % 0.0% 3077 4 0.1 % 0.1% 3078 4 0.1 % 0.1% | 3054 | 4 | 0.1 % | 0.1% |
| 3057 4 0.1 % 0.1% 3058 4 0.1 % 0.1% 3059 4 0.1 % 0.1% 3060 1 0.0 % 0.0% 3061 4 0.1 % 0.1% 3062 3 0.1 % 0.1% 3064 4 0.1 % 0.1% 3065 4 0.1 % 0.1% 3066 4 0.1 % 0.1% 3068 4 0.1 % 0.1% 3070 4 0.1 % 0.1% 3072 4 0.1 % 0.1% 3073 3 0.1 % 0.1% 3075 4 0.1 % 0.1% 3077 4 0.1 % 0.1% 3078 4 0.1 % 0.1% | 3055 | 4 | 0.1 % | 0.1% |
| 3058 4 0.1 % 0.1% 3059 4 0.1 % 0.1% 3060 1 0.0 % 0.0% 3061 4 0.1 % 0.1% 3062 3 0.1 % 0.1% 3064 4 0.1 % 0.1% 3065 4 0.1 % 0.1% 3067 3 0.1 % 0.1% 3068 4 0.1 % 0.1% 3070 4 0.1 % 0.1% 3071 3 0.1 % 0.1% 3072 4 0.1 % 0.1% 3075 4 0.1 % 0.1% 3076 2 0.0 % 0.0% 3077 4 0.1 % 0.1% 3078 4 0.1 % 0.1% | 3056 | 4 | 0.1 % | 0.1% |
| 3059 4 0.1 % 0.1% 3060 1 0.0 % 0.0% 3061 4 0.1 % 0.1% 3062 3 0.1 % 0.1% 3064 4 0.1 % 0.1% 3065 4 0.1 % 0.1% 3066 4 0.1 % 0.1% 3068 4 0.1 % 0.1% 3070 4 0.1 % 0.1% 3071 3 0.1 % 0.1% 3072 4 0.1 % 0.1% 3075 4 0.1 % 0.1% 3076 2 0.0 % 0.0% 3077 4 0.1 % 0.1% 3078 4 0.1 % 0.1% | 3057 | 4 | 0.1 % | 0.1% |
| 3060 1 0.0 % 0.0% 3061 4 0.1 % 0.1% 3062 3 0.1 % 0.1% 3064 4 0.1 % 0.1% 3065 4 0.1 % 0.1% 3066 4 0.1 % 0.1% 3068 4 0.1 % 0.1% 3070 4 0.1 % 0.1% 3071 3 0.1 % 0.1% 3072 4 0.1 % 0.1% 3073 3 0.1 % 0.1% 3075 4 0.1 % 0.1% 3076 2 0.0 % 0.0% 3077 4 0.1 % 0.1% 3078 4 0.1 % 0.1% | 3058 | 4 | 0.1 % | 0.1% |
| 3061 4 0.1 % 0.1% 3062 3 0.1 % 0.1% 3064 4 0.1 % 0.1% 3065 4 0.1 % 0.1% 3066 4 0.1 % 0.1% 3068 4 0.1 % 0.1% 3070 4 0.1 % 0.1% 3071 3 0.1 % 0.1% 3072 4 0.1 % 0.1% 3073 3 0.1 % 0.1% 3076 2 0.0 % 0.0% 3077 4 0.1 % 0.1% 3078 4 0.1 % 0.1% | 3059 | 4 | 0.1 % | 0.1% |
| 3062 3 0.1 % 0.1% 3064 4 0.1 % 0.1% 3065 4 0.1 % 0.1% 3066 4 0.1 % 0.1% 3068 4 0.1 % 0.1% 3070 4 0.1 % 0.1% 3071 3 0.1 % 0.1% 3072 4 0.1 % 0.1% 3073 3 0.1 % 0.1% 3076 2 0.0 % 0.0% 3077 4 0.1 % 0.1% 3078 4 0.1 % 0.1% | 3060 | 1 | 0.0 % | 0.0% |
| 3064 4 0.1 % 0.1% 3065 4 0.1 % 0.1% 3066 4 0.1 % 0.1% 3067 3 0.1 % 0.1% 3068 4 0.1 % 0.1% 3070 4 0.1 % 0.1% 3071 3 0.1 % 0.1% 3072 4 0.1 % 0.1% 3073 3 0.1 % 0.1% 3075 4 0.1 % 0.1% 3077 4 0.1 % 0.1% 3078 4 0.1 % 0.1% | 3061 | 4 | 0.1 % | 0.1% |
| 3065 4 0.1 % 0.1% 3066 4 0.1 % 0.1% 3067 3 0.1 % 0.1% 3068 4 0.1 % 0.1% 3070 4 0.1 % 0.1% 3071 3 0.1 % 0.1% 3072 4 0.1 % 0.1% 3073 3 0.1 % 0.1% 3075 4 0.1 % 0.1% 3077 4 0.1 % 0.1% 3078 4 0.1 % 0.1% | 3062 | 3 | 0.1 % | 0.1% |
| 3066 4 0.1 % 0.1% 3067 3 0.1 % 0.1% 3068 4 0.1 % 0.1% 3070 4 0.1 % 0.1% 3071 3 0.1 % 0.1% 3072 4 0.1 % 0.1% 3073 3 0.1 % 0.1% 3075 4 0.1 % 0.1% 3077 4 0.1 % 0.1% 3078 4 0.1 % 0.1% | 3064 | 4 | 0.1 % | 0.1% |
| 3067 3 0.1 % 0.1% 3068 4 0.1 % 0.1% 3069 4 0.1 % 0.1% 3070 4 0.1 % 0.1% 3071 3 0.1 % 0.1% 3072 4 0.1 % 0.1% 3073 3 0.1 % 0.1% 3075 4 0.1 % 0.1% 3076 2 0.0 % 0.0% 3077 4 0.1 % 0.1% 3078 4 0.1 % 0.1% | 3065 | 4 | 0.1 % | 0.1% |
| 3068 4 0.1 % 0.1% 3069 4 0.1 % 0.1% 3070 4 0.1 % 0.1% 3071 3 0.1 % 0.1% 3072 4 0.1 % 0.1% 3073 3 0.1 % 0.1% 3075 4 0.1 % 0.1% 3076 2 0.0 % 0.0% 3077 4 0.1 % 0.1% 3078 4 0.1 % 0.1% | 3066 | 4 | 0.1 % | 0.1% |
| 3069 4 0.1 % 0.1% 3070 4 0.1 % 0.1% 3071 3 0.1 % 0.1% 3072 4 0.1 % 0.1% 3073 3 0.1 % 0.1% 3075 4 0.1 % 0.1% 3076 2 0.0 % 0.0% 3077 4 0.1 % 0.1% 3078 4 0.1 % 0.1% | 3067 | 3 | 0.1 % | 0.1% |
| 3070 4 0.1 % 0.1% 3071 3 0.1 % 0.1% 3072 4 0.1 % 0.1% 3073 3 0.1 % 0.1% 3075 4 0.1 % 0.1% 3076 2 0.0 % 0.0% 3077 4 0.1 % 0.1% 3078 4 0.1 % 0.1% | 3068 | 4 | 0.1 % | 0.1% |
| 3071 3 0.1 % 0.1% 3072 4 0.1 % 0.1% 3073 3 0.1 % 0.1% 3075 4 0.1 % 0.1% 3076 2 0.0 % 0.0% 3077 4 0.1 % 0.1% 3078 4 0.1 % 0.1% | 3069 | 4 | 0.1 % | 0.1% |
| 3072 4 0.1 % 0.1% 3073 3 0.1 % 0.1% 3075 4 0.1 % 0.1% 3076 2 0.0 % 0.0% 3077 4 0.1 % 0.1% 3078 4 0.1 % 0.1% | 3070 | 4 | 0.1 % | 0.1% |
| 3073 3 0.1 % 0.1% 3075 4 0.1 % 0.1% 3076 2 0.0 % 0.0% 3077 4 0.1 % 0.1% 3078 4 0.1 % 0.1% | 3071 | 3 | 0.1 % | 0.1% |
| 3075 4 0.1 % 0.1% 3076 2 0.0 % 0.0% 3077 4 0.1 % 0.1% 3078 4 0.1 % 0.1% | 3072 | 4 | 0.1 % | 0.1% |
| 3076 2 0.0 % 0.0% 3077 4 0.1 % 0.1% 3078 4 0.1 % 0.1% | 3073 | 3 | 0.1 % | 0.1% |
| 3077 4 0.1 % 0.1% 3078 4 0.1 % 0.1% | 3075 | 4 | 0.1 % | 0.1% |
| 3078 4 0.1 % 0.1% | 3076 | 2 | 0.0 % | 0.0% |
| | 3077 | 4 | 0.1 % | 0.1% |
| 3079 2 0.0 % 0.0% | 3078 | 4 | 0.1 % | 0.1% |
| | 3079 | 2 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| Value | Frequency | % | Valid % |
|-------|-----------|-------|---------|
| 3080 | 2 | 0.0 % | 0.0% |
| 3081 | 4 | 0.1 % | 0.1% |
| 3082 | 4 | 0.1 % | 0.1% |
| 3083 | 4 | 0.1 % | 0.1% |
| 3084 | 1 | 0.0 % | 0.0% |
| 3085 | 4 | 0.1 % | 0.1% |
| 3086 | 4 | 0.1 % | 0.1% |
| 3087 | 4 | 0.1 % | 0.1% |
| 3088 | 4 | 0.1 % | 0.1% |
| 3090 | 2 | 0.0 % | 0.0% |
| 3091 | 3 | 0.1 % | 0.1% |
| 3092 | 4 | 0.1 % | 0.1% |
| 3093 | 2 | 0.0 % | 0.0% |
| 3094 | 4 | 0.1 % | 0.1% |
| 3095 | 1 | 0.0 % | 0.0% |
| 3096 | 4 | 0.1 % | 0.1% |
| 3097 | 4 | 0.1 % | 0.1% |
| 3098 | 2 | 0.0 % | 0.0% |
| 3099 | 4 | 0.1 % | 0.1% |
| 3100 | 4 | 0.1 % | 0.1% |
| 3101 | 2 | 0.0 % | 0.0% |
| 3102 | 4 | 0.1 % | 0.1% |
| 3103 | 4 | 0.1 % | 0.1% |
| 3104 | 4 | 0.1 % | 0.1% |
| 3105 | 4 | 0.1 % | 0.1% |
| 3106 | 4 | 0.1 % | 0.1% |
| 3107 | 3 | 0.1 % | 0.1% |
| 3108 | 2 | 0.0 % | 0.0% |
| 3109 | 4 | 0.1 % | 0.1% |
| 3110 | 4 | 0.1 % | 0.1% |
| 3111 | 4 | 0.1 % | 0.1% |
| 3112 | 4 | 0.1 % | 0.1% |
| 3113 | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| Value | Frequency | % | Valid % |
|-------|-----------|-------|---------|
| 3114 | 4 | 0.1 % | 0.1% |
| 3116 | 4 | 0.1 % | 0.1% |
| 3117 | 4 | 0.1 % | 0.1% |
| 3118 | 4 | 0.1 % | 0.1% |
| 3119 | 2 | 0.0 % | 0.0% |
| 3121 | 4 | 0.1 % | 0.1% |
| 3122 | 4 | 0.1 % | 0.1% |
| 3123 | 3 | 0.1 % | 0.1% |
| 3124 | 4 | 0.1 % | 0.1% |
| 3125 | 4 | 0.1 % | 0.1% |
| 3126 | 4 | 0.1 % | 0.1% |
| 3127 | 1 | 0.0 % | 0.0% |
| 3128 | 4 | 0.1 % | 0.1% |
| 3129 | 4 | 0.1 % | 0.1% |
| 3130 | 1 | 0.0 % | 0.0% |
| 3131 | 4 | 0.1 % | 0.1% |
| 3132 | 4 | 0.1 % | 0.1% |
| 3133 | 4 | 0.1 % | 0.1% |
| 3134 | 4 | 0.1 % | 0.1% |
| 3135 | 2 | 0.0 % | 0.0% |
| 3136 | 4 | 0.1 % | 0.1% |
| 3137 | 4 | 0.1 % | 0.1% |
| 3138 | 3 | 0.1 % | 0.1% |
| 3139 | 4 | 0.1 % | 0.1% |
| 3140 | 4 | 0.1 % | 0.1% |
| 3141 | 4 | 0.1 % | 0.1% |
| 3142 | 4 | 0.1 % | 0.1% |
| 3143 | 4 | 0.1 % | 0.1% |
| 3144 | 1 | 0.0 % | 0.0% |
| 3145 | 3 | 0.1 % | 0.1% |
| 3147 | 4 | 0.1 % | 0.1% |
| 3148 | 4 | 0.1 % | 0.1% |
| 3149 | 4 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| Value | Frequency | % | Valid % |
|-------|-----------|-------|---------|
| 3150 | 4 | 0.1 % | 0.1% |
| 3151 | 1 | 0.0 % | 0.0% |
| 3152 | 1 | 0.0 % | 0.0% |
| 3153 | 4 | 0.1 % | 0.1% |
| 3154 | 4 | 0.1 % | 0.1% |
| 3155 | 2 | 0.0 % | 0.0% |
| 3156 | 4 | 0.1 % | 0.1% |
| 3157 | 4 | 0.1 % | 0.1% |
| 3158 | 1 | 0.0 % | 0.0% |
| 3159 | 4 | 0.1 % | 0.1% |
| 3160 | 4 | 0.1 % | 0.1% |
| 3161 | 1 | 0.0 % | 0.0% |
| 3162 | 4 | 0.1 % | 0.1% |
| 3163 | 4 | 0.1 % | 0.1% |
| 3164 | 4 | 0.1 % | 0.1% |
| 3165 | 4 | 0.1 % | 0.1% |
| 3166 | 4 | 0.1 % | 0.1% |
| 3167 | 4 | 0.1 % | 0.1% |
| 3168 | 4 | 0.1 % | 0.1% |
| 3169 | 4 | 0.1 % | 0.1% |
| 3170 | 4 | 0.1 % | 0.1% |
| 3171 | 4 | 0.1 % | 0.1% |
| 3172 | 4 | 0.1 % | 0.1% |
| 3173 | 2 | 0.0 % | 0.0% |
| 3174 | 2 | 0.0 % | 0.0% |
| 3175 | 4 | 0.1 % | 0.1% |
| 3176 | 2 | 0.0 % | 0.0% |
| 3177 | 4 | 0.1 % | 0.1% |
| 3178 | 1 | 0.0 % | 0.0% |
| 3179 | 4 | 0.1 % | 0.1% |
| 3180 | 1 | 0.0 % | 0.0% |
| 3181 | 2 | 0.0 % | 0.0% |
| 3182 | 1 | 0.0 % | 0.0% |
| | | | |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| Value | Frequency | % | Valid % |
|-------|-----------|-------|---------|
| 3183 | 4 | 0.1 % | 0.1% |
| 3184 | 3 | 0.1 % | 0.1% |
| 3185 | 4 | 0.1 % | 0.1% |
| 3186 | 4 | 0.1 % | 0.1% |
| 3187 | 4 | 0.1 % | 0.1% |
| 3188 | 4 | 0.1 % | 0.1% |
| 3189 | 4 | 0.1 % | 0.1% |
| 3190 | 2 | 0.0 % | 0.0% |
| 3191 | 4 | 0.1 % | 0.1% |
| 3192 | 4 | 0.1 % | 0.1% |
| 3193 | 4 | 0.1 % | 0.1% |
| 3194 | 2 | 0.0 % | 0.0% |
| 3195 | 1 | 0.0 % | 0.0% |
| 3196 | 1 | 0.0 % | 0.0% |
| 3197 | 4 | 0.1 % | 0.1% |
| 3198 | 4 | 0.1 % | 0.1% |
| 3199 | 4 | 0.1 % | 0.1% |
| 3200 | 2 | 0.0 % | 0.0% |
| 3201 | 1 | 0.0 % | 0.0% |
| 3202 | 4 | 0.1 % | 0.1% |
| 3203 | 2 | 0.0 % | 0.0% |
| 3204 | 3 | 0.1 % | 0.1% |
| 3205 | 4 | 0.1 % | 0.1% |
| 3206 | 4 | 0.1 % | 0.1% |
| 3207 | 4 | 0.1 % | 0.1% |
| 3209 | 1 | 0.0 % | 0.0% |
| 3210 | 3 | 0.1 % | 0.1% |
| 3211 | 4 | 0.1 % | 0.1% |
| 3212 | 4 | 0.1 % | 0.1% |
| 3213 | 4 | 0.1 % | 0.1% |
| 3214 | 4 | 0.1 % | 0.1% |
| 3215 | 4 | 0.1 % | 0.1% |
| 3216 | 1 | 0.0 % | 0.0% |
| | | | |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| 3218 3219 3221 3222 | 4 4 3 4 | 0.1 % 0.1 % 0.1 % | 0.1% |
|------------------------------|---------|-------------------------|------|
| 3221 | 3 4 | 0.1 % | |
| | 4 | | |
| 3222 | | | 0.1% |
| | | 0.1 % | 0.1% |
| 3224 | 1 | 0.0 % | 0.0% |
| 3225 | 4 | 0.1 % | 0.1% |
| 3226 | 4 | 0.1 % | 0.1% |
| 3227 | 4 | 0.1 % | 0.1% |
| 3228 | 1 | 0.0 % | 0.0% |
| 3229 | 4 | 0.1 % | 0.1% |
| 3230 | 4 | 0.1 % | 0.1% |
| 3231 | 4 | 0.1 % | 0.1% |
| 3232 | 3 | 0.1 % | 0.1% |
| 3233 | 3 | 0.1 % | 0.1% |
| 3234 | 4 | 0.1 % | 0.1% |
| 3235 | 1 | 0.0 % | 0.0% |
| 3236 | 4 | 0.1 % | 0.1% |
| 3237 | 4 | 0.1 % | 0.1% |
| 3238 | 4 | 0.1 % | 0.1% |
| 3239 | 4 | 0.1 % | 0.1% |
| 3241 | 4 | 0.1 % | 0.1% |
| 3242 | 4 | 0.1 % | 0.1% |
| 3243 | 4 | 0.1 % | 0.1% |
| 3244 | 4 | 0.1 % | 0.1% |
| 3245 | 3 | 0.1 % | 0.1% |
| 3246 | 3 | 0.1 % | 0.1% |
| 3247 | 4 | 0.1 % | 0.1% |
| 3248 | 2 | 0.0 % | 0.0% |
| 3249 | 4 | 0.1 % | 0.1% |
| 3250 | 4 | 0.1 % | 0.1% |
| 3251 | 4 | 0.1 % | 0.1% |
| 3252 | 4 | 0.1 % | 0.1% |
| 3253 | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| 3254 4 0.1% 0.1% 3255 4 0.1% 0.1% 3256 4 0.1% 0.0% 4001 2 0.0% 0.0% 4005 4 0.1% 0.1% 4006 3 0.1% 0.1% 4008 3 0.1% 0.1% 4010 3 0.1% 0.1% 4011 4 0.1% 0.1% 4012 2 0.0% 0.0% 4014 4 0.1% 0.1% 4015 3 0.1% 0.1% 4017 3 0.1% 0.1% 4018 1 0.0% 0.0% 4019 3 0.1% 0.1% 4022 3 0.1% 0.1% 4023 3 0.1% 0.1% 4024 4 0.1% 0.1% 4026 2 0.0% 0.0% 4028 2 0.0% </th <th>Value</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> | Value | Frequency | % | Valid % |
|---|-------|-----------|-------|---------|
| 3255 4 0.1% 0.1% 3256 4 0.1% 0.0% 4001 2 0.0% 0.0% 4005 4 0.1% 0.1% 4006 3 0.1% 0.1% 4008 3 0.1% 0.1% 4009 4 0.1% 0.1% 4010 3 0.1% 0.1% 4011 4 0.1% 0.1% 4012 2 0.0% 0.0% 4014 4 0.1% 0.1% 4015 3 0.1% 0.1% 4017 3 0.1% 0.1% 4018 1 0.0% 0.0% 4019 3 0.1% 0.1% 4022 3 0.1% 0.1% 4023 3 0.1% 0.1% 4024 4 0.1% 0.1% 4025 4 0.1% 0.1% 4026 2 0.0% 0.0% 4030 4 0.1% 0.1% <td< td=""><td></td><td></td><td>0.1 %</td><td></td></td<> | | | 0.1 % | |
| 4001 2 0.0% 0.0% 4005 4 0.1% 0.1% 4006 3 0.1% 0.1% 4008 3 0.1% 0.1% 4009 4 0.1% 0.1% 4010 3 0.1% 0.1% 4011 4 0.1% 0.1% 4012 2 0.0% 0.0% 4014 4 0.1% 0.1% 4015 3 0.1% 0.1% 4017 3 0.1% 0.1% 4018 1 0.0% 0.0% 4019 3 0.1% 0.1% 4021 3 0.1% 0.1% 4022 3 0.1% 0.1% 4023 3 0.1% 0.1% 4024 4 0.1% 0.1% 4025 4 0.1% 0.1% 4026 2 0.0% 0.0% 4030 4 0.1% 0.1% 4033 3 0.1% 0.1% <td< td=""><td>3255</td><td>4</td><td></td><td></td></td<> | 3255 | 4 | | |
| 4005 4 0.1 % 0.1% 4006 3 0.1 % 0.1% 4008 3 0.1 % 0.1% 4009 4 0.1 % 0.1% 4010 3 0.1 % 0.1% 4011 4 0.1 % 0.1% 4012 2 0.0 % 0.0% 4014 4 0.1 % 0.1% 4015 3 0.1 % 0.1% 4017 3 0.1 % 0.1% 4018 1 0.0 % 0.0% 4019 3 0.1 % 0.1% 4022 3 0.1 % 0.1% 4023 3 0.1 % 0.1% 4024 4 0.1 % 0.1% 4025 4 0.1 % 0.1% 4026 2 0.0 % 0.0% 4030 4 0.1 % 0.1% 4032 1 0.0 % 0.0% 4033 3 0.1 % 0.1% 4034 4 0.1 % 0.1% <td>3256</td> <td>4</td> <td>0.1 %</td> <td>0.1%</td> | 3256 | 4 | 0.1 % | 0.1% |
| 4006 3 0.1 % 0.1% 4008 3 0.1 % 0.1% 4009 4 0.1 % 0.1% 4010 3 0.1 % 0.1% 4011 4 0.1 % 0.1% 4012 2 0.0 % 0.0% 4014 4 0.1 % 0.1% 4015 3 0.1 % 0.1% 4017 3 0.1 % 0.1% 4018 1 0.0 % 0.0% 4019 3 0.1 % 0.1% 4022 3 0.1 % 0.1% 4023 3 0.1 % 0.1% 4024 4 0.1 % 0.1% 4025 4 0.1 % 0.1% 4026 2 0.0 % 0.0% 4030 4 0.1 % 0.1% 4032 1 0.0 % 0.0% 4033 3 0.1 % 0.1% 4034 4 0.1 % 0.1% 4039 4 0.1 % 0.1% <td>4001</td> <td>2</td> <td>0.0 %</td> <td>0.0%</td> | 4001 | 2 | 0.0 % | 0.0% |
| 4008 3 0.1 % 0.1% 4009 4 0.1 % 0.1% 4010 3 0.1 % 0.1% 4011 4 0.1 % 0.1% 4012 2 0.0 % 0.0% 4014 4 0.1 % 0.1% 4015 3 0.1 % 0.1% 4017 3 0.1 % 0.1% 4018 1 0.0 % 0.0% 4019 3 0.1 % 0.1% 4022 3 0.1 % 0.1% 4023 3 0.1 % 0.1% 4024 4 0.1 % 0.1% 4025 4 0.1 % 0.1% 4026 2 0.0 % 0.0% 4028 2 0.0 % 0.0% 4030 4 0.1 % 0.1% 4031 3 0.1 % 0.1% 4034 4 0.1 % 0.1% 4034 4 0.1 % 0.1% 4039 4 0.1 % 0.1% <td>4005</td> <td>4</td> <td>0.1 %</td> <td>0.1%</td> | 4005 | 4 | 0.1 % | 0.1% |
| 4009 4 0.1 % 0.1% 4010 3 0.1 % 0.1% 4011 4 0.1 % 0.1% 4012 2 0.0 % 0.0% 4014 4 0.1 % 0.1% 4015 3 0.1 % 0.1% 4017 3 0.1 % 0.1% 4018 1 0.0 % 0.0% 4019 3 0.1 % 0.1% 4022 3 0.1 % 0.1% 4023 3 0.1 % 0.1% 4024 4 0.1 % 0.1% 4025 4 0.1 % 0.1% 4026 2 0.0 % 0.0% 4028 2 0.0 % 0.0% 4030 4 0.1 % 0.1% 4031 3 0.1 % 0.1% 4034 4 0.1 % 0.1% 4034 4 0.1 % 0.1% 4039 4 0.1 % 0.1% 4040 2 0.0 % 0.0% <td>4006</td> <td>3</td> <td>0.1 %</td> <td>0.1%</td> | 4006 | 3 | 0.1 % | 0.1% |
| 4010 3 0.1 % 0.1% 4011 4 0.1 % 0.1% 4012 2 0.0 % 0.0% 4014 4 0.1 % 0.1% 4015 3 0.1 % 0.1% 4017 3 0.1 % 0.1% 4018 1 0.0 % 0.0% 4019 3 0.1 % 0.1% 4022 3 0.1 % 0.1% 4023 3 0.1 % 0.1% 4024 4 0.1 % 0.1% 4025 4 0.1 % 0.1% 4026 2 0.0 % 0.0% 4028 2 0.0 % 0.0% 4030 4 0.1 % 0.1% 4032 1 0.0 % 0.0% 4033 3 0.1 % 0.1% 4034 4 0.1 % 0.1% 4037 4 0.1 % 0.1% 4038 4 0.1 % 0.1% 4040 2 0.0 % 0.0% <td>4008</td> <td>3</td> <td>0.1 %</td> <td>0.1%</td> | 4008 | 3 | 0.1 % | 0.1% |
| 4011 4 0.1 % 0.1% 4012 2 0.0 % 0.0% 4014 4 0.1 % 0.1% 4015 3 0.1 % 0.1% 4017 3 0.1 % 0.1% 4018 1 0.0 % 0.0% 4019 3 0.1 % 0.1% 4022 3 0.1 % 0.1% 4023 3 0.1 % 0.1% 4024 4 0.1 % 0.1% 4025 4 0.1 % 0.1% 4026 2 0.0 % 0.0% 4030 4 0.1 % 0.1% 4032 1 0.0 % 0.0% 4033 3 0.1 % 0.1% 4034 4 0.1 % 0.1% 4037 4 0.1 % 0.1% 4038 4 0.1 % 0.1% 4039 4 0.1 % 0.1% 4040 2 0.0 % 0.0% 4041 2 0.0 % 0.0% <td>4009</td> <td>4</td> <td>0.1 %</td> <td>0.1%</td> | 4009 | 4 | 0.1 % | 0.1% |
| 4012 2 0.0 % 0.0% 4014 4 0.1 % 0.1% 4015 3 0.1 % 0.1% 4017 3 0.1 % 0.1% 4018 1 0.0 % 0.0% 4019 3 0.1 % 0.1% 4022 3 0.1 % 0.1% 4023 3 0.1 % 0.1% 4024 4 0.1 % 0.1% 4025 4 0.1 % 0.1% 4026 2 0.0 % 0.0% 4028 2 0.0 % 0.0% 4030 4 0.1 % 0.1% 4032 1 0.0 % 0.0% 4033 3 0.1 % 0.1% 4034 4 0.1 % 0.1% 4037 4 0.1 % 0.1% 4038 4 0.1 % 0.1% 4039 4 0.1 % 0.1% 4040 2 0.0 % 0.0% 4041 2 0.0 % 0.0% <td>4010</td> <td>3</td> <td>0.1 %</td> <td>0.1%</td> | 4010 | 3 | 0.1 % | 0.1% |
| 4014 4 0.1% 0.1% 4015 3 0.1% 0.1% 4017 3 0.1% 0.1% 4018 1 0.0% 0.0% 4019 3 0.1% 0.1% 4022 3 0.1% 0.1% 4023 3 0.1% 0.1% 4024 4 0.1% 0.1% 4025 4 0.1% 0.1% 4026 2 0.0% 0.0% 4030 4 0.1% 0.1% 4032 1 0.0% 0.0% 4033 3 0.1% 0.1% 4034 4 0.1% 0.1% 4037 4 0.1% 0.1% 4038 4 0.1% 0.1% 4039 4 0.1% 0.1% 4040 2 0.0% 0.0% 4041 2 0.0% 0.0% 4043 2 0.0% 0.0% | 4011 | 4 | 0.1 % | 0.1% |
| 4015 3 0.1 % 0.1% 4017 3 0.1 % 0.1% 4018 1 0.0 % 0.0% 4019 3 0.1 % 0.1% 4022 3 0.1 % 0.1% 4023 3 0.1 % 0.1% 4024 4 0.1 % 0.1% 4025 4 0.1 % 0.1% 4026 2 0.0 % 0.0% 4030 4 0.1 % 0.1% 4032 1 0.0 % 0.0% 4033 3 0.1 % 0.1% 4034 4 0.1 % 0.1% 4037 4 0.1 % 0.1% 4038 4 0.1 % 0.1% 4039 4 0.1 % 0.1% 4040 2 0.0 % 0.0% 4041 2 0.0 % 0.0% 4043 2 0.0 % 0.0% | 4012 | 2 | 0.0 % | 0.0% |
| 4017 3 0.1 % 0.1% 4018 1 0.0 % 0.0% 4019 3 0.1 % 0.1% 4022 3 0.1 % 0.1% 4023 3 0.1 % 0.1% 4024 4 0.1 % 0.1% 4025 4 0.1 % 0.1% 4026 2 0.0 % 0.0% 4030 4 0.1 % 0.1% 4032 1 0.0 % 0.0% 4033 3 0.1 % 0.1% 4034 4 0.1 % 0.1% 4037 4 0.1 % 0.1% 4038 4 0.1 % 0.1% 4039 4 0.1 % 0.1% 4040 2 0.0 % 0.0% 4041 2 0.0 % 0.0% 4043 2 0.0 % 0.0% | 4014 | 4 | 0.1 % | 0.1% |
| 4018 1 0.0 % 0.0% 4019 3 0.1 % 0.1% 4022 3 0.1 % 0.1% 4023 3 0.1 % 0.1% 4024 4 0.1 % 0.1% 4025 4 0.1 % 0.1% 4026 2 0.0 % 0.0% 4030 4 0.1 % 0.1% 4032 1 0.0 % 0.0% 4033 3 0.1 % 0.1% 4034 4 0.1 % 0.1% 4037 4 0.1 % 0.1% 4038 4 0.1 % 0.1% 4039 4 0.1 % 0.1% 4040 2 0.0 % 0.0% 4041 2 0.0 % 0.0% 4043 2 0.0 % 0.0% | 4015 | 3 | 0.1 % | 0.1% |
| 4019 3 0.1 % 0.1% 4022 3 0.1 % 0.1% 4023 3 0.1 % 0.1% 4024 4 0.1 % 0.1% 4025 4 0.1 % 0.1% 4026 2 0.0 % 0.0% 4030 4 0.1 % 0.1% 4032 1 0.0 % 0.0% 4033 3 0.1 % 0.1% 4034 4 0.1 % 0.1% 4037 4 0.1 % 0.1% 4038 4 0.1 % 0.1% 4039 4 0.1 % 0.1% 4040 2 0.0 % 0.0% 4041 2 0.0 % 0.0% 4043 2 0.0 % 0.0% | 4017 | 3 | 0.1 % | 0.1% |
| 4022 3 0.1 % 0.1% 4023 3 0.1 % 0.1% 4024 4 0.1 % 0.1% 4025 4 0.1 % 0.1% 4026 2 0.0 % 0.0% 4030 4 0.1 % 0.1% 4032 1 0.0 % 0.0% 4033 3 0.1 % 0.1% 4034 4 0.1 % 0.1% 4037 4 0.1 % 0.1% 4038 4 0.1 % 0.1% 4039 4 0.1 % 0.1% 4040 2 0.0 % 0.0% 4041 2 0.0 % 0.0% 4043 2 0.0 % 0.0% | 4018 | 1 | 0.0 % | 0.0% |
| 4023 3 0.1 % 0.1% 4024 4 0.1 % 0.1% 4025 4 0.1 % 0.1% 4026 2 0.0 % 0.0% 4030 4 0.1 % 0.1% 4032 1 0.0 % 0.0% 4033 3 0.1 % 0.1% 4034 4 0.1 % 0.1% 4037 4 0.1 % 0.1% 4038 4 0.1 % 0.1% 4039 4 0.1 % 0.1% 4040 2 0.0 % 0.0% 4041 2 0.0 % 0.0% 4043 2 0.0 % 0.0% | 4019 | 3 | 0.1 % | 0.1% |
| 4024 4 0.1 % 0.1% 4025 4 0.1 % 0.1% 4026 2 0.0 % 0.0% 4028 2 0.0 % 0.0% 4030 4 0.1 % 0.1% 4032 1 0.0 % 0.0% 4033 3 0.1 % 0.1% 4034 4 0.1 % 0.1% 4037 4 0.1 % 0.1% 4038 4 0.1 % 0.1% 4039 4 0.1 % 0.1% 4040 2 0.0 % 0.0% 4041 2 0.0 % 0.0% 4043 2 0.0 % 0.0% | 4022 | 3 | 0.1 % | 0.1% |
| 4025 4 0.1 % 0.1% 4026 2 0.0 % 0.0% 4028 2 0.0 % 0.0% 4030 4 0.1 % 0.1% 4032 1 0.0 % 0.0% 4033 3 0.1 % 0.1% 4034 4 0.1 % 0.1% 4037 4 0.1 % 0.1% 4038 4 0.1 % 0.1% 4040 2 0.0 % 0.0% 4041 2 0.0 % 0.0% 4043 2 0.0 % 0.0% | 4023 | 3 | 0.1 % | 0.1% |
| 4026 2 0.0 % 0.0% 4028 2 0.0 % 0.0% 4030 4 0.1 % 0.1% 4032 1 0.0 % 0.0% 4033 3 0.1 % 0.1% 4034 4 0.1 % 0.1% 4037 4 0.1 % 0.1% 4038 4 0.1 % 0.1% 4040 2 0.0 % 0.0% 4041 2 0.0 % 0.0% 4043 2 0.0 % 0.0% | 4024 | 4 | 0.1 % | 0.1% |
| 4028 2 0.0 % 0.0% 4030 4 0.1 % 0.1% 4032 1 0.0 % 0.0% 4033 3 0.1 % 0.1% 4034 4 0.1 % 0.1% 4037 4 0.1 % 0.1% 4038 4 0.1 % 0.1% 4039 4 0.1 % 0.1% 4040 2 0.0 % 0.0% 4041 2 0.0 % 0.0% 4043 2 0.0 % 0.0% | 4025 | 4 | 0.1 % | 0.1% |
| 4030 4 0.1 % 0.1% 4032 1 0.0 % 0.0% 4033 3 0.1 % 0.1% 4034 4 0.1 % 0.1% 4037 4 0.1 % 0.1% 4038 4 0.1 % 0.1% 4039 4 0.1 % 0.1% 4040 2 0.0 % 0.0% 4041 2 0.0 % 0.0% 4043 2 0.0 % 0.0% | 4026 | 2 | 0.0 % | 0.0% |
| 4032 1 0.0 % 0.0% 4033 3 0.1 % 0.1% 4034 4 0.1 % 0.1% 4037 4 0.1 % 0.1% 4038 4 0.1 % 0.1% 4039 4 0.1 % 0.1% 4040 2 0.0 % 0.0% 4041 2 0.0 % 0.0% 4043 2 0.0 % 0.0% | 4028 | 2 | 0.0 % | 0.0% |
| 4033 3 0.1 % 0.1% 4034 4 0.1 % 0.1% 4037 4 0.1 % 0.1% 4038 4 0.1 % 0.1% 4039 4 0.1 % 0.1% 4040 2 0.0 % 0.0% 4041 2 0.0 % 0.0% 4043 2 0.0 % 0.0% | 4030 | 4 | 0.1 % | 0.1% |
| 4034 4 0.1 % 0.1% 4037 4 0.1 % 0.1% 4038 4 0.1 % 0.1% 4039 4 0.1 % 0.1% 4040 2 0.0 % 0.0% 4041 2 0.0 % 0.0% 4043 2 0.0 % 0.0% | 4032 | 1 | 0.0 % | 0.0% |
| 4037 4 0.1 % 0.1% 4038 4 0.1 % 0.1% 4039 4 0.1 % 0.1% 4040 2 0.0 % 0.0% 4041 2 0.0 % 0.0% 4043 2 0.0 % 0.0% | 4033 | 3 | 0.1 % | 0.1% |
| 4038 4 0.1 % 0.1% 4039 4 0.1 % 0.1% 4040 2 0.0 % 0.0% 4041 2 0.0 % 0.0% 4043 2 0.0 % 0.0% | 4034 | 4 | 0.1 % | 0.1% |
| 4039 4 0.1 % 0.1% 4040 2 0.0 % 0.0% 4041 2 0.0 % 0.0% 4043 2 0.0 % 0.0% | 4037 | 4 | 0.1 % | 0.1% |
| 4040 2 0.0 % 0.0% 4041 2 0.0 % 0.0% 4043 2 0.0 % 0.0% | 4038 | 4 | 0.1 % | 0.1% |
| 4041 2 0.0 % 0.0% 4043 2 0.0 % 0.0% | 4039 | 4 | 0.1 % | 0.1% |
| 4043 2 0.0 % 0.0% | 4040 | 2 | 0.0 % | 0.0% |
| | 4041 | 2 | 0.0 % | 0.0% |
| 4044 2 0.0 % 0.0% | 4043 | 2 | 0.0 % | 0.0% |
| | 4044 | 2 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| 4047 3 0.1% 0.1% 4049 4 0.1% 0.1% 4052 3 0.1% 0.0% 4053 2 0.0% 0.0% 4054 3 0.1% 0.1% 4055 3 0.1% 0.1% 4058 3 0.1% 0.1% 4059 3 0.1% 0.1% 4060 4 0.1% 0.1% 4061 3 0.1% 0.1% 4062 1 0.0% 0.0% 4063 4 0.1% 0.1% 4064 3 0.1% 0.1% 4067 4 0.1% 0.1% 4068 4 0.1% 0.1% 4070 4 0.1% 0.1% 4071 1 0.0% 0.0% 4072 4 0.1% 0.1% 4074 4 0.1% 0.1% 4074 4 0.1% </th <th>Value</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> | Value | Frequency | % | Valid % |
|---|-------|-----------|-------|---------|
| 4049 4 0.1% 0.1% 4052 3 0.1% 0.0% 4053 2 0.0% 0.0% 4054 3 0.1% 0.1% 4055 3 0.1% 0.1% 4058 3 0.1% 0.1% 4059 3 0.1% 0.1% 4060 4 0.1% 0.1% 4061 3 0.1% 0.1% 4062 1 0.0% 0.0% 4063 4 0.1% 0.1% 4064 3 0.1% 0.1% 4067 4 0.1% 0.1% 4068 4 0.1% 0.1% 4069 2 0.0% 0.0% 4070 4 0.1% 0.1% 4071 1 0.0% 0.0% 4072 4 0.1% 0.1% 4073 4 0.1% 0.1% 4074 4 0.1% 0.1% 4076 3 0.1% 0.1% <td< td=""><td></td><td></td><td></td><td></td></td<> | | | | |
| 4052 3 0.1 % 0.0% 4053 2 0.0 % 0.0% 4054 3 0.1 % 0.1% 4055 3 0.1 % 0.1% 4058 3 0.1 % 0.1% 4059 3 0.1 % 0.1% 4060 4 0.1 % 0.1% 4061 3 0.1 % 0.1% 4062 1 0.0 % 0.0% 4063 4 0.1 % 0.1% 4064 3 0.1 % 0.1% 4067 4 0.1 % 0.1% 4068 4 0.1 % 0.1% 4070 4 0.1 % 0.1% 4071 1 0.0 % 0.0% 4072 4 0.1 % 0.1% 4073 4 0.1 % 0.1% 4074 4 0.1 % 0.1% 4075 4 0.1 % 0.1% 4074 4 0.1 % 0.1% 4076 3 0.1 % 0.1% <td></td> <td>4</td> <td></td> <td></td> | | 4 | | |
| 4054 3 0.1 % 0.1% 4055 3 0.1 % 0.1% 4058 3 0.1 % 0.1% 4059 3 0.1 % 0.1% 4060 4 0.1 % 0.1% 4061 3 0.1 % 0.1% 4062 1 0.0 % 0.0% 4063 4 0.1 % 0.1% 4064 3 0.1 % 0.1% 4067 4 0.1 % 0.1% 4068 4 0.1 % 0.1% 4070 4 0.1 % 0.1% 4071 1 0.0 % 0.0% 4072 4 0.1 % 0.1% 4073 4 0.1 % 0.1% 4074 4 0.1 % 0.1% 4076 3 0.1 % 0.1% 4079 3 0.1 % 0.1% 4080 2 0.0 % 0.0% 4082 4 0.1 % 0.1% 4084 3 0.1 % 0.1% <td>4052</td> <td>3</td> <td>0.1 %</td> <td></td> | 4052 | 3 | 0.1 % | |
| 4055 3 0.1 % 0.1% 4058 3 0.1 % 0.1% 4059 3 0.1 % 0.1% 4060 4 0.1 % 0.1% 4061 3 0.1 % 0.1% 4062 1 0.0 % 0.0% 4063 4 0.1 % 0.1% 4064 3 0.1 % 0.1% 4067 4 0.1 % 0.1% 4068 4 0.1 % 0.1% 4070 4 0.1 % 0.1% 4071 1 0.0 % 0.0% 4072 4 0.1 % 0.1% 4073 4 0.1 % 0.1% 4074 4 0.1 % 0.1% 4074 4 0.1 % 0.1% 4076 3 0.1 % 0.1% 4079 3 0.1 % 0.1% 4079 3 0.1 % 0.1% 4080 2 0.0 % 0.0% 4084 3 0.1 % 0.1% <td>4053</td> <td>2</td> <td>0.0 %</td> <td>0.0%</td> | 4053 | 2 | 0.0 % | 0.0% |
| 4058 3 0.1 % 0.1% 4059 3 0.1 % 0.1% 4060 4 0.1 % 0.1% 4061 3 0.1 % 0.1% 4062 1 0.0 % 0.0% 4063 4 0.1 % 0.1% 4064 3 0.1 % 0.1% 4067 4 0.1 % 0.1% 4068 4 0.1 % 0.1% 4070 4 0.1 % 0.1% 4071 1 0.0 % 0.0% 4072 4 0.1 % 0.1% 4073 4 0.1 % 0.1% 4074 4 0.1 % 0.1% 4075 3 0.1 % 0.1% 4076 3 0.1 % 0.1% 4079 3 0.1 % 0.1% 4079 3 0.1 % 0.1% 4080 2 0.0 % 0.0% 4082 4 0.1 % 0.1% 4084 3 0.1 % 0.1% <td>4054</td> <td>3</td> <td>0.1 %</td> <td>0.1%</td> | 4054 | 3 | 0.1 % | 0.1% |
| 4059 3 0.1 % 0.1% 4060 4 0.1 % 0.1% 4061 3 0.1 % 0.1% 4062 1 0.0 % 0.0% 4063 4 0.1 % 0.1% 4064 3 0.1 % 0.1% 4068 4 0.1 % 0.1% 4070 4 0.1 % 0.1% 4071 1 0.0 % 0.0% 4072 4 0.1 % 0.1% 4073 4 0.1 % 0.1% 4074 4 0.1 % 0.1% 4076 3 0.1 % 0.1% 4077 4 0.1 % 0.1% 4078 3 0.1 % 0.1% 4079 3 0.1 % 0.1% 4080 2 0.0 % 0.0% 4082 4 0.1 % 0.1% 4084 3 0.1 % 0.1% 4085 4 0.1 % 0.1% 4086 3 0.1 % 0.0% <td>4055</td> <td>3</td> <td>0.1 %</td> <td>0.1%</td> | 4055 | 3 | 0.1 % | 0.1% |
| 4060 4 0.1% 0.1% 4061 3 0.1% 0.1% 4062 1 0.0% 0.0% 4063 4 0.1% 0.1% 4064 3 0.1% 0.1% 4067 4 0.1% 0.1% 4068 4 0.1% 0.1% 4070 4 0.1% 0.1% 4071 1 0.0% 0.0% 4072 4 0.1% 0.1% 4073 4 0.1% 0.1% 4074 4 0.1% 0.1% 4076 3 0.1% 0.1% 4077 4 0.1% 0.1% 4078 3 0.1% 0.1% 4079 3 0.1% 0.1% 4080 2 0.0% 0.0% 4082 4 0.1% 0.1% 4084 3 0.1% 0.1% 4085 4 0.1% 0.1% 4086 3 0.1% 0.1% <td< td=""><td>4058</td><td>3</td><td>0.1 %</td><td>0.1%</td></td<> | 4058 | 3 | 0.1 % | 0.1% |
| 4061 3 0.1 % 0.1% 4062 1 0.0 % 0.0% 4063 4 0.1 % 0.1% 4064 3 0.1 % 0.1% 4067 4 0.1 % 0.1% 4068 4 0.1 % 0.1% 4070 4 0.1 % 0.1% 4071 1 0.0 % 0.0% 4072 4 0.1 % 0.1% 4073 4 0.1 % 0.1% 4074 4 0.1 % 0.1% 4076 3 0.1 % 0.1% 4077 4 0.1 % 0.1% 4079 3 0.1 % 0.1% 4079 3 0.1 % 0.1% 4080 2 0.0 % 0.0% 4082 4 0.1 % 0.1% 4084 3 0.1 % 0.1% 4085 4 0.1 % 0.1% 4086 3 0.1 % 0.0% 4088 2 0.0 % 0.0% <td>4059</td> <td>3</td> <td>0.1 %</td> <td>0.1%</td> | 4059 | 3 | 0.1 % | 0.1% |
| 4062 1 0.0 % 0.0% 4063 4 0.1 % 0.1% 4064 3 0.1 % 0.1% 4067 4 0.1 % 0.1% 4068 4 0.1 % 0.1% 4070 4 0.1 % 0.1% 4071 1 0.0 % 0.0% 4072 4 0.1 % 0.1% 4073 4 0.1 % 0.1% 4074 4 0.1 % 0.1% 4076 3 0.1 % 0.1% 4077 4 0.1 % 0.1% 4079 3 0.1 % 0.1% 4080 2 0.0 % 0.0% 4082 4 0.1 % 0.1% 4084 3 0.1 % 0.1% 4085 4 0.1 % 0.1% 4086 3 0.1 % 0.1% 4087 1 0.0 % 0.0% 4088 2 0.0 % 0.0% | 4060 | 4 | 0.1 % | 0.1% |
| 4063 4 0.1 % 0.1% 4064 3 0.1 % 0.1% 4067 4 0.1 % 0.1% 4068 4 0.1 % 0.1% 4069 2 0.0 % 0.0% 4070 4 0.1 % 0.1% 4071 1 0.0 % 0.0% 4072 4 0.1 % 0.1% 4073 4 0.1 % 0.1% 4074 4 0.1 % 0.1% 4076 3 0.1 % 0.1% 4077 4 0.1 % 0.1% 4078 3 0.1 % 0.1% 4080 2 0.0 % 0.0% 4082 4 0.1 % 0.1% 4084 3 0.1 % 0.1% 4085 4 0.1 % 0.1% 4086 3 0.1 % 0.1% 4087 1 0.0 % 0.0% 4088 2 0.0 % 0.0% | 4061 | 3 | 0.1 % | 0.1% |
| 4064 3 0.1 % 0.1% 4067 4 0.1 % 0.1% 4068 4 0.1 % 0.1% 4069 2 0.0 % 0.0% 4070 4 0.1 % 0.1% 4071 1 0.0 % 0.0% 4072 4 0.1 % 0.1% 4073 4 0.1 % 0.1% 4074 4 0.1 % 0.1% 4076 3 0.1 % 0.1% 4078 3 0.1 % 0.1% 4079 3 0.1 % 0.1% 4080 2 0.0 % 0.0% 4082 4 0.1 % 0.1% 4084 3 0.1 % 0.1% 4085 4 0.1 % 0.1% 4086 3 0.1 % 0.0% 4087 1 0.0 % 0.0% 4088 2 0.0 % 0.0% | 4062 | 1 | 0.0 % | 0.0% |
| 4067 4 0.1 % 0.1% 4068 4 0.1 % 0.1% 4069 2 0.0 % 0.0% 4070 4 0.1 % 0.1% 4071 1 0.0 % 0.0% 4072 4 0.1 % 0.1% 4073 4 0.1 % 0.1% 4074 4 0.1 % 0.1% 4076 3 0.1 % 0.1% 4077 4 0.1 % 0.1% 4079 3 0.1 % 0.1% 4080 2 0.0 % 0.0% 4082 4 0.1 % 0.1% 4084 3 0.1 % 0.1% 4085 4 0.1 % 0.1% 4086 3 0.1 % 0.0% 4087 1 0.0 % 0.0% 4088 2 0.0 % 0.0% | 4063 | 4 | 0.1 % | 0.1% |
| 4068 4 0.1 % 0.1% 4069 2 0.0 % 0.0% 4070 4 0.1 % 0.1% 4071 1 0.0 % 0.0% 4072 4 0.1 % 0.1% 4073 4 0.1 % 0.1% 4074 4 0.1 % 0.1% 4076 3 0.1 % 0.1% 4077 4 0.1 % 0.1% 4078 3 0.1 % 0.1% 4080 2 0.0 % 0.0% 4082 4 0.1 % 0.1% 4084 3 0.1 % 0.1% 4085 4 0.1 % 0.1% 4086 3 0.1 % 0.0% 4088 2 0.0 % 0.0% | 4064 | 3 | 0.1 % | 0.1% |
| 4069 2 0.0 % 0.0% 4070 4 0.1 % 0.1% 4071 1 0.0 % 0.0% 4072 4 0.1 % 0.1% 4073 4 0.1 % 0.1% 4074 4 0.1 % 0.1% 4076 3 0.1 % 0.1% 4077 4 0.1 % 0.1% 4078 3 0.1 % 0.1% 4079 3 0.1 % 0.1% 4080 2 0.0 % 0.0% 4082 4 0.1 % 0.1% 4084 3 0.1 % 0.1% 4085 4 0.1 % 0.1% 4086 3 0.1 % 0.0% 4087 1 0.0 % 0.0% 4088 2 0.0 % 0.0% | 4067 | 4 | 0.1 % | 0.1% |
| 4070 4 0.1 % 0.1% 4071 1 0.0 % 0.0% 4072 4 0.1 % 0.1% 4073 4 0.1 % 0.1% 4074 4 0.1 % 0.1% 4076 3 0.1 % 0.1% 4077 4 0.1 % 0.1% 4079 3 0.1 % 0.1% 4080 2 0.0 % 0.0% 4082 4 0.1 % 0.1% 4084 3 0.1 % 0.1% 4085 4 0.1 % 0.1% 4086 3 0.1 % 0.1% 4087 1 0.0 % 0.0% 4088 2 0.0 % 0.0% | 4068 | 4 | 0.1 % | 0.1% |
| 4071 1 0.0 % 0.0% 4072 4 0.1 % 0.1% 4073 4 0.1 % 0.1% 4074 4 0.1 % 0.1% 4076 3 0.1 % 0.1% 4077 4 0.1 % 0.1% 4078 3 0.1 % 0.1% 4079 3 0.1 % 0.1% 4080 2 0.0 % 0.0% 4082 4 0.1 % 0.1% 4084 3 0.1 % 0.1% 4085 4 0.1 % 0.1% 4086 3 0.1 % 0.1% 4087 1 0.0 % 0.0% 4088 2 0.0 % 0.0% | 4069 | 2 | 0.0 % | 0.0% |
| 4072 4 0.1 % 0.1% 4073 4 0.1 % 0.1% 4074 4 0.1 % 0.1% 4076 3 0.1 % 0.1% 4077 4 0.1 % 0.1% 4078 3 0.1 % 0.1% 4079 3 0.1 % 0.1% 4080 2 0.0 % 0.0% 4082 4 0.1 % 0.1% 4084 3 0.1 % 0.1% 4085 4 0.1 % 0.1% 4086 3 0.1 % 0.1% 4087 1 0.0 % 0.0% 4088 2 0.0 % 0.0% | 4070 | 4 | 0.1 % | 0.1% |
| 4073 4 0.1 % 0.1% 4074 4 0.1 % 0.1% 4076 3 0.1 % 0.1% 4077 4 0.1 % 0.1% 4078 3 0.1 % 0.1% 4079 3 0.1 % 0.1% 4080 2 0.0 % 0.0% 4082 4 0.1 % 0.1% 4084 3 0.1 % 0.1% 4085 4 0.1 % 0.1% 4086 3 0.1 % 0.1% 4087 1 0.0 % 0.0% 4088 2 0.0 % 0.0% | 4071 | 1 | 0.0 % | 0.0% |
| 4074 4 0.1 % 0.1% 4076 3 0.1 % 0.1% 4077 4 0.1 % 0.1% 4078 3 0.1 % 0.1% 4079 3 0.1 % 0.1% 4080 2 0.0 % 0.0% 4082 4 0.1 % 0.1% 4084 3 0.1 % 0.1% 4085 4 0.1 % 0.1% 4086 3 0.1 % 0.1% 4087 1 0.0 % 0.0% 4088 2 0.0 % 0.0% | 4072 | 4 | 0.1 % | 0.1% |
| 4076 3 0.1 % 0.1% 4077 4 0.1 % 0.1% 4078 3 0.1 % 0.1% 4079 3 0.1 % 0.1% 4080 2 0.0 % 0.0% 4082 4 0.1 % 0.1% 4084 3 0.1 % 0.1% 4085 4 0.1 % 0.1% 4086 3 0.1 % 0.1% 4087 1 0.0 % 0.0% 4088 2 0.0 % 0.0% | 4073 | 4 | 0.1 % | 0.1% |
| 4077 4 0.1 % 0.1% 4078 3 0.1 % 0.1% 4079 3 0.1 % 0.1% 4080 2 0.0 % 0.0% 4082 4 0.1 % 0.1% 4084 3 0.1 % 0.1% 4085 4 0.1 % 0.1% 4086 3 0.1 % 0.1% 4087 1 0.0 % 0.0% 4088 2 0.0 % 0.0% | 4074 | 4 | 0.1 % | 0.1% |
| 4078 3 0.1 % 0.1% 4079 3 0.1 % 0.1% 4080 2 0.0 % 0.0% 4082 4 0.1 % 0.1% 4084 3 0.1 % 0.1% 4085 4 0.1 % 0.1% 4086 3 0.1 % 0.1% 4087 1 0.0 % 0.0% 4088 2 0.0 % 0.0% | 4076 | 3 | 0.1 % | 0.1% |
| 4079 3 0.1 % 0.1% 4080 2 0.0 % 0.0% 4082 4 0.1 % 0.1% 4084 3 0.1 % 0.1% 4085 4 0.1 % 0.1% 4086 3 0.1 % 0.1% 4087 1 0.0 % 0.0% 4088 2 0.0 % 0.0% | 4077 | 4 | 0.1 % | 0.1% |
| 4080 2 0.0 % 0.0% 4082 4 0.1 % 0.1% 4084 3 0.1 % 0.1% 4085 4 0.1 % 0.1% 4086 3 0.1 % 0.1% 4087 1 0.0 % 0.0% 4088 2 0.0 % 0.0% | 4078 | 3 | 0.1 % | 0.1% |
| 4082 4 0.1 % 0.1% 4084 3 0.1 % 0.1% 4085 4 0.1 % 0.1% 4086 3 0.1 % 0.1% 4087 1 0.0 % 0.0% 4088 2 0.0 % 0.0% | 4079 | 3 | 0.1 % | 0.1% |
| 4084 3 0.1 % 0.1% 4085 4 0.1 % 0.1% 4086 3 0.1 % 0.1% 4087 1 0.0 % 0.0% 4088 2 0.0 % 0.0% | 4080 | 2 | 0.0 % | 0.0% |
| 4085 4 0.1 % 0.1% 4086 3 0.1 % 0.1% 4087 1 0.0 % 0.0% 4088 2 0.0 % 0.0% | 4082 | 4 | 0.1 % | 0.1% |
| 4086 3 0.1 % 0.1% 4087 1 0.0 % 0.0% 4088 2 0.0 % 0.0% | 4084 | 3 | 0.1 % | 0.1% |
| 4087 1 0.0 % 0.0% 4088 2 0.0 % 0.0% | 4085 | 4 | 0.1 % | 0.1% |
| 4088 2 0.0 % 0.0% | 4086 | 3 | 0.1 % | 0.1% |
| | 4087 | 1 | 0.0 % | 0.0% |
| 4089 1 0.0 % 0.0% | 4088 | 2 | 0.0 % | 0.0% |
| | 4089 | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| Value | Frequency | % | Valid % |
|-------|-----------|-------|---------|
| 4092 | 2 | 0.0 % | 0.0% |
| 4093 | 4 | 0.1 % | 0.1% |
| 4094 | 3 | 0.1 % | 0.1% |
| 4095 | 3 | 0.1 % | 0.1% |
| 4096 | 3 | 0.1 % | 0.1% |
| 4098 | 1 | 0.0 % | 0.0% |
| 4099 | 1 | 0.0 % | 0.0% |
| 4100 | 2 | 0.0 % | 0.0% |
| 4101 | 4 | 0.1 % | 0.1% |
| 4102 | 1 | 0.0 % | 0.0% |
| 4103 | 4 | 0.1 % | 0.1% |
| 4104 | 4 | 0.1 % | 0.1% |
| 4106 | 4 | 0.1 % | 0.1% |
| 4107 | 3 | 0.1 % | 0.1% |
| 4108 | 3 | 0.1 % | 0.1% |
| 4109 | 3 | 0.1 % | 0.1% |
| 4110 | 3 | 0.1 % | 0.1% |
| 4111 | 4 | 0.1 % | 0.1% |
| 4112 | 4 | 0.1 % | 0.1% |
| 4115 | 4 | 0.1 % | 0.1% |
| 4116 | 3 | 0.1 % | 0.1% |
| 4117 | 3 | 0.1 % | 0.1% |
| 4119 | 4 | 0.1 % | 0.1% |
| 4120 | 2 | 0.0 % | 0.0% |
| 4121 | 3 | 0.1 % | 0.1% |
| 4122 | 4 | 0.1 % | 0.1% |
| 4123 | 3 | 0.1 % | 0.1% |
| 4125 | 4 | 0.1 % | 0.1% |
| 4126 | 1 | 0.0 % | 0.0% |
| 4127 | 4 | 0.1 % | 0.1% |
| 4129 | 4 | 0.1 % | 0.1% |
| 4130 | 2 | 0.0 % | 0.0% |
| 4131 | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| 4132 4133 | 4 3 | 0.1 % | O 10/ |
|--------------|-----|-------|-------|
| 4133 | 3 | | 0.1% |
| | J | 0.1 % | 0.1% |
| 4134 | 3 | 0.1 % | 0.1% |
| 4135 | 4 | 0.1 % | 0.1% |
| 4136 | 4 | 0.1 % | 0.1% |
| 4137 | 3 | 0.1 % | 0.1% |
| 4139 | 3 | 0.1 % | 0.1% |
| 4140 | 1 | 0.0 % | 0.0% |
| 4141 | 3 | 0.1 % | 0.1% |
| 4142 | 4 | 0.1 % | 0.1% |
| 4143 | 1 | 0.0 % | 0.0% |
| 4144 | 1 | 0.0 % | 0.0% |
| 4145 | 1 | 0.0 % | 0.0% |
| 4146 | 3 | 0.1 % | 0.1% |
| 4147 | 3 | 0.1 % | 0.1% |
| 4148 | 3 | 0.1 % | 0.1% |
| 4149 | 3 | 0.1 % | 0.1% |
| 4150 | 2 | 0.0 % | 0.0% |
| 4151 | 3 | 0.1 % | 0.1% |
| 4152 | 2 | 0.0 % | 0.0% |
| 4153 | 4 | 0.1 % | 0.1% |
| 4154 | 1 | 0.0 % | 0.0% |
| 4155 | 1 | 0.0 % | 0.0% |
| 4156 | 2 | 0.0 % | 0.0% |
| 4157 | 3 | 0.1 % | 0.1% |
| 4158 | 4 | 0.1 % | 0.1% |
| 4159 | 4 | 0.1 % | 0.1% |
| 4160 | 3 | 0.1 % | 0.1% |
| 4161 | 4 | 0.1 % | 0.1% |
| 4162 | 4 | 0.1 % | 0.1% |
| 4163 | 2 | 0.0 % | 0.0% |
| 4164 | 4 | 0.1 % | 0.1% |
| 4165 | 3 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| 4167 4 0.1% 0.1% 4168 3 0.1% 0.1% 4169 4 0.1% 0.0% 4171 1 0.0% 0.0% 4172 3 0.1% 0.1% 4176 4 0.1% 0.1% 4178 1 0.0% 0.0% 4179 4 0.1% 0.1% 4180 1 0.0% 0.0% 4181 1 0.0% 0.0% 4182 3 0.1% 0.1% 4183 4 0.1% 0.1% 4184 3 0.1% 0.1% 4185 1 0.0% 0.0% 4186 4 0.1% 0.1% 4187 2 0.0% 0.0% 4188 4 0.1% 0.1% 4190 2 0.0% 0.0% 4191 4 0.1% 0.1% 4192 3 0.1% </th <th>Value</th> <th>Frequency</th> <th>%</th> <th>Valid %</th> | Value | Frequency | % | Valid % |
|---|-------|-----------|-------|---------|
| 4168 3 0.1% 0.1% 4169 4 0.1% 0.0% 4171 1 0.0% 0.0% 4172 3 0.1% 0.1% 4175 4 0.1% 0.1% 4176 3 0.1% 0.0% 4179 4 0.1% 0.0% 4180 1 0.0% 0.0% 4181 1 0.0% 0.0% 4182 3 0.1% 0.1% 4183 4 0.1% 0.1% 4184 3 0.1% 0.1% 4185 1 0.0% 0.0% 4186 4 0.1% 0.1% 4187 2 0.0% 0.0% 4188 4 0.1% 0.1% 4190 2 0.0% 0.0% 4191 4 0.1% 0.1% 4192 3 0.1% 0.1% 4193 1 0.0% 0.0% 4194 2 0.0% 0.0% <td< td=""><td></td><td></td><td></td><td></td></td<> | | | | |
| 4169 4 0.1 % 0.1% 4171 1 0.0 % 0.0% 4172 3 0.1 % 0.1% 4175 4 0.1 % 0.1% 4176 3 0.1 % 0.1% 4178 1 0.0 % 0.0% 4179 4 0.1 % 0.1% 4180 1 0.0 % 0.0% 4181 1 0.0 % 0.0% 4182 3 0.1 % 0.1% 4183 4 0.1 % 0.1% 4184 3 0.1 % 0.1% 4185 1 0.0 % 0.0% 4186 4 0.1 % 0.1% 4188 4 0.1 % 0.1% 4189 1 0.0 % 0.0% 4190 2 0.0 % 0.0% 4191 4 0.1 % 0.1% 4193 1 0.0 % 0.0% 4194 2 0.0 % 0.0% 4195 3 0.1 % 0.1% <td></td> <td></td> <td></td> <td></td> | | | | |
| 4171 1 0.0% 0.0% 4172 3 0.1% 0.1% 4175 4 0.1% 0.1% 4176 3 0.1% 0.0% 4178 1 0.0% 0.0% 4179 4 0.1% 0.1% 4180 1 0.0% 0.0% 4181 1 0.0% 0.0% 4182 3 0.1% 0.1% 4183 4 0.1% 0.1% 4184 3 0.1% 0.1% 4185 1 0.0% 0.0% 4186 4 0.1% 0.1% 4187 2 0.0% 0.0% 4188 4 0.1% 0.1% 4189 1 0.0% 0.0% 4190 2 0.0% 0.0% 4191 4 0.1% 0.1% 4193 1 0.0% 0.0% 4194 2 0.0% 0.0% 4195 3 0.1% 0.1% <td< td=""><td></td><td></td><td></td><td></td></td<> | | | | |
| 4172 3 0.1 % 0.1% 4175 4 0.1 % 0.1% 4176 3 0.1 % 0.1% 4178 1 0.0 % 0.0% 4179 4 0.1 % 0.1% 4180 1 0.0 % 0.0% 4181 1 0.0 % 0.0% 4182 3 0.1 % 0.1% 4183 4 0.1 % 0.1% 4184 3 0.1 % 0.1% 4185 1 0.0 % 0.0% 4186 4 0.1 % 0.1% 4187 2 0.0 % 0.0% 4188 4 0.1 % 0.1% 4190 2 0.0 % 0.0% 4191 4 0.1 % 0.1% 4193 1 0.0 % 0.0% 4193 1 0.0 % 0.0% 4194 2 0.0 % 0.0% 4199 4 0.1 % 0.1% 4199 4 0.1 % 0.1% <td></td> <td>1</td> <td></td> <td></td> | | 1 | | |
| 4176 3 0.1 % 0.1% 4178 1 0.0 % 0.0% 4179 4 0.1 % 0.1% 4180 1 0.0 % 0.0% 4181 1 0.0 % 0.0% 4182 3 0.1 % 0.1% 4183 4 0.1 % 0.1% 4184 3 0.1 % 0.1% 4185 1 0.0 % 0.0% 4186 4 0.1 % 0.1% 4189 1 0.0 % 0.0% 4190 2 0.0 % 0.0% 4191 4 0.1 % 0.1% 4193 1 0.0 % 0.0% 4193 1 0.0 % 0.0% 4194 2 0.0 % 0.0% 4195 3 0.1 % 0.1% 4197 1 0.0 % 0.0% 4198 4 0.1 % 0.1% 4199 4 0.1 % 0.1% 4200 3 0.1 % 0.1% <td>4172</td> <td>3</td> <td>0.1 %</td> <td>0.1%</td> | 4172 | 3 | 0.1 % | 0.1% |
| 4178 1 0.0 % 0.0% 4179 4 0.1 % 0.1% 4180 1 0.0 % 0.0% 4181 1 0.0 % 0.0% 4182 3 0.1 % 0.1% 4183 4 0.1 % 0.1% 4184 3 0.1 % 0.0% 4185 1 0.0 % 0.0% 4186 4 0.1 % 0.1% 4187 2 0.0 % 0.0% 4188 4 0.1 % 0.1% 4190 2 0.0 % 0.0% 4191 4 0.1 % 0.1% 4193 1 0.0 % 0.0% 4194 2 0.0 % 0.0% 4195 3 0.1 % 0.1% 4197 1 0.0 % 0.0% 4198 4 0.1 % 0.1% 4199 4 0.1 % 0.1% 4200 3 0.1 % 0.1% 4201 1 0.0 % 0.0% <td>4175</td> <td>4</td> <td>0.1 %</td> <td>0.1%</td> | 4175 | 4 | 0.1 % | 0.1% |
| 4179 4 0.1% 0.1% 4180 1 0.0% 0.0% 4181 1 0.0% 0.0% 4182 3 0.1% 0.1% 4183 4 0.1% 0.1% 4184 3 0.1% 0.1% 4185 1 0.0% 0.0% 4186 4 0.1% 0.1% 4187 2 0.0% 0.0% 4188 4 0.1% 0.1% 4190 2 0.0% 0.0% 4191 4 0.1% 0.1% 4192 3 0.1% 0.1% 4193 1 0.0% 0.0% 4194 2 0.0% 0.0% 4195 3 0.1% 0.1% 4197 1 0.0% 0.0% 4198 4 0.1% 0.1% 4199 4 0.1% 0.1% 4200 3 0.1% 0.1% 4201 1 0.0% 0.0% <td< td=""><td>4176</td><td>3</td><td>0.1 %</td><td>0.1%</td></td<> | 4176 | 3 | 0.1 % | 0.1% |
| 4180 1 0.0 % 0.0% 4181 1 0.0 % 0.0% 4182 3 0.1 % 0.1% 4183 4 0.1 % 0.1% 4184 3 0.1 % 0.1% 4185 1 0.0 % 0.0% 4186 4 0.1 % 0.1% 4187 2 0.0 % 0.0% 4188 4 0.1 % 0.1% 4190 2 0.0 % 0.0% 4191 4 0.1 % 0.1% 4192 3 0.1 % 0.1% 4193 1 0.0 % 0.0% 4194 2 0.0 % 0.0% 4195 3 0.1 % 0.1% 4197 1 0.0 % 0.0% 4198 4 0.1 % 0.1% 4199 4 0.1 % 0.1% 4200 3 0.1 % 0.1% 4201 1 0.0 % 0.0% 4202 2 0.0 % 0.0% <td>4178</td> <td>1</td> <td>0.0 %</td> <td>0.0%</td> | 4178 | 1 | 0.0 % | 0.0% |
| 4181 1 0.0 % 0.0% 4182 3 0.1 % 0.1% 4183 4 0.1 % 0.1% 4184 3 0.1 % 0.1% 4185 1 0.0 % 0.0% 4186 4 0.1 % 0.1% 4187 2 0.0 % 0.0% 4188 4 0.1 % 0.1% 4189 1 0.0 % 0.0% 4191 4 0.1 % 0.1% 4192 3 0.1 % 0.1% 4193 1 0.0 % 0.0% 4194 2 0.0 % 0.0% 4195 3 0.1 % 0.1% 4197 1 0.0 % 0.0% 4198 4 0.1 % 0.1% 4199 4 0.1 % 0.1% 4200 3 0.1 % 0.1% 4201 1 0.0 % 0.0% 4202 2 0.0 % 0.0% 4203 1 0.0 % 0.0% <td>4179</td> <td>4</td> <td>0.1 %</td> <td>0.1%</td> | 4179 | 4 | 0.1 % | 0.1% |
| 4182 3 0.1 % 0.1% 4183 4 0.1 % 0.1% 4184 3 0.1 % 0.1% 4185 1 0.0 % 0.0% 4186 4 0.1 % 0.1% 4187 2 0.0 % 0.0% 4188 4 0.1 % 0.1% 4190 2 0.0 % 0.0% 4191 4 0.1 % 0.1% 4192 3 0.1 % 0.1% 4193 1 0.0 % 0.0% 4194 2 0.0 % 0.0% 4195 3 0.1 % 0.1% 4197 1 0.0 % 0.0% 4198 4 0.1 % 0.1% 4199 4 0.1 % 0.1% 4200 3 0.1 % 0.1% 4201 1 0.0 % 0.0% 4202 2 0.0 % 0.0% 4203 1 0.0 % 0.0% | 4180 | 1 | 0.0 % | 0.0% |
| 4183 4 0.1 % 0.1% 4184 3 0.1 % 0.1% 4185 1 0.0 % 0.0% 4186 4 0.1 % 0.1% 4187 2 0.0 % 0.0% 4188 4 0.1 % 0.1% 4189 1 0.0 % 0.0% 4190 2 0.0 % 0.0% 4191 4 0.1 % 0.1% 4192 3 0.1 % 0.1% 4193 1 0.0 % 0.0% 4194 2 0.0 % 0.0% 4195 3 0.1 % 0.1% 4197 1 0.0 % 0.0% 4198 4 0.1 % 0.1% 4199 4 0.1 % 0.1% 4200 3 0.1 % 0.1% 4201 1 0.0 % 0.0% 4202 2 0.0 % 0.0% 4203 1 0.0 % 0.0% | 4181 | 1 | 0.0 % | 0.0% |
| 4184 3 0.1 % 0.1% 4185 1 0.0 % 0.0% 4186 4 0.1 % 0.1% 4187 2 0.0 % 0.0% 4188 4 0.1 % 0.1% 4189 1 0.0 % 0.0% 4190 2 0.0 % 0.0% 4191 4 0.1 % 0.1% 4192 3 0.1 % 0.1% 4193 1 0.0 % 0.0% 4194 2 0.0 % 0.0% 4195 3 0.1 % 0.1% 4197 1 0.0 % 0.0% 4198 4 0.1 % 0.1% 4199 4 0.1 % 0.1% 4200 3 0.1 % 0.1% 4201 1 0.0 % 0.0% 4202 2 0.0 % 0.0% 4203 1 0.0 % 0.0% | 4182 | 3 | 0.1 % | 0.1% |
| 4185 1 0.0 % 0.0% 4186 4 0.1 % 0.1% 4187 2 0.0 % 0.0% 4188 4 0.1 % 0.1% 4189 1 0.0 % 0.0% 4190 2 0.0 % 0.0% 4191 4 0.1 % 0.1% 4192 3 0.1 % 0.1% 4193 1 0.0 % 0.0% 4194 2 0.0 % 0.0% 4195 3 0.1 % 0.1% 4197 1 0.0 % 0.0% 4198 4 0.1 % 0.1% 4199 4 0.1 % 0.1% 4200 3 0.1 % 0.1% 4201 1 0.0 % 0.0% 4202 2 0.0 % 0.0% 4203 1 0.0 % 0.0% | 4183 | 4 | 0.1 % | 0.1% |
| 4186 4 0.1 % 0.1% 4187 2 0.0 % 0.0% 4188 4 0.1 % 0.1% 4189 1 0.0 % 0.0% 4190 2 0.0 % 0.0% 4191 4 0.1 % 0.1% 4192 3 0.1 % 0.1% 4193 1 0.0 % 0.0% 4194 2 0.0 % 0.0% 4195 3 0.1 % 0.1% 4197 1 0.0 % 0.0% 4198 4 0.1 % 0.1% 4199 4 0.1 % 0.1% 4200 3 0.1 % 0.1% 4201 1 0.0 % 0.0% 4202 2 0.0 % 0.0% 4203 1 0.0 % 0.0% | 4184 | 3 | 0.1 % | 0.1% |
| 4187 2 0.0 % 0.0% 4188 4 0.1 % 0.1% 4189 1 0.0 % 0.0% 4190 2 0.0 % 0.0% 4191 4 0.1 % 0.1% 4192 3 0.1 % 0.1% 4193 1 0.0 % 0.0% 4194 2 0.0 % 0.0% 4195 3 0.1 % 0.1% 4197 1 0.0 % 0.0% 4198 4 0.1 % 0.1% 4199 4 0.1 % 0.1% 4200 3 0.1 % 0.1% 4201 1 0.0 % 0.0% 4202 2 0.0 % 0.0% 4203 1 0.0 % 0.0% | 4185 | 1 | 0.0 % | 0.0% |
| 4188 4 0.1 % 0.1% 4189 1 0.0 % 0.0% 4190 2 0.0 % 0.0% 4191 4 0.1 % 0.1% 4192 3 0.1 % 0.1% 4193 1 0.0 % 0.0% 4194 2 0.0 % 0.0% 4195 3 0.1 % 0.1% 4197 1 0.0 % 0.0% 4198 4 0.1 % 0.1% 4200 3 0.1 % 0.1% 4201 1 0.0 % 0.0% 4202 2 0.0 % 0.0% 4203 1 0.0 % 0.0% | 4186 | 4 | 0.1 % | 0.1% |
| 4189 1 0.0 % 0.0% 4190 2 0.0 % 0.0% 4191 4 0.1 % 0.1% 4192 3 0.1 % 0.1% 4193 1 0.0 % 0.0% 4194 2 0.0 % 0.0% 4195 3 0.1 % 0.1% 4197 1 0.0 % 0.0% 4198 4 0.1 % 0.1% 4199 4 0.1 % 0.1% 4200 3 0.1 % 0.1% 4201 1 0.0 % 0.0% 4202 2 0.0 % 0.0% 4203 1 0.0 % 0.0% | 4187 | 2 | 0.0 % | 0.0% |
| 4190 2 0.0 % 0.0% 4191 4 0.1 % 0.1% 4192 3 0.1 % 0.1% 4193 1 0.0 % 0.0% 4194 2 0.0 % 0.0% 4195 3 0.1 % 0.1% 4197 1 0.0 % 0.0% 4198 4 0.1 % 0.1% 4200 3 0.1 % 0.1% 4201 1 0.0 % 0.0% 4202 2 0.0 % 0.0% 4203 1 0.0 % 0.0% | 4188 | 4 | 0.1 % | 0.1% |
| 4191 4 0.1 % 0.1% 4192 3 0.1 % 0.1% 4193 1 0.0 % 0.0% 4194 2 0.0 % 0.0% 4195 3 0.1 % 0.1% 4197 1 0.0 % 0.0% 4198 4 0.1 % 0.1% 4200 3 0.1 % 0.1% 4201 1 0.0 % 0.0% 4202 2 0.0 % 0.0% 4203 1 0.0 % 0.0% | 4189 | 1 | 0.0 % | 0.0% |
| 4192 3 0.1 % 0.1% 4193 1 0.0 % 0.0% 4194 2 0.0 % 0.0% 4195 3 0.1 % 0.1% 4197 1 0.0 % 0.0% 4198 4 0.1 % 0.1% 4200 3 0.1 % 0.1% 4201 1 0.0 % 0.0% 4202 2 0.0 % 0.0% 4203 1 0.0 % 0.0% | 4190 | 2 | 0.0 % | 0.0% |
| 4193 1 0.0 % 0.0% 4194 2 0.0 % 0.0% 4195 3 0.1 % 0.1% 4197 1 0.0 % 0.0% 4198 4 0.1 % 0.1% 4199 4 0.1 % 0.1% 4200 3 0.1 % 0.1% 4201 1 0.0 % 0.0% 4202 2 0.0 % 0.0% 4203 1 0.0 % 0.0% | 4191 | 4 | 0.1 % | 0.1% |
| 4194 2 0.0 % 0.0% 4195 3 0.1 % 0.1% 4197 1 0.0 % 0.0% 4198 4 0.1 % 0.1% 4199 4 0.1 % 0.1% 4200 3 0.1 % 0.1% 4201 1 0.0 % 0.0% 4202 2 0.0 % 0.0% 4203 1 0.0 % 0.0% | 4192 | 3 | 0.1 % | 0.1% |
| 4195 3 0.1 % 0.1% 4197 1 0.0 % 0.0% 4198 4 0.1 % 0.1% 4199 4 0.1 % 0.1% 4200 3 0.1 % 0.1% 4201 1 0.0 % 0.0% 4202 2 0.0 % 0.0% 4203 1 0.0 % 0.0% | 4193 | 1 | 0.0 % | 0.0% |
| 4197 1 0.0 % 0.0% 4198 4 0.1 % 0.1% 4199 4 0.1 % 0.1% 4200 3 0.1 % 0.1% 4201 1 0.0 % 0.0% 4202 2 0.0 % 0.0% 4203 1 0.0 % 0.0% | 4194 | 2 | 0.0 % | 0.0% |
| 4198 4 0.1 % 0.1% 4199 4 0.1 % 0.1% 4200 3 0.1 % 0.1% 4201 1 0.0 % 0.0% 4202 2 0.0 % 0.0% 4203 1 0.0 % 0.0% | 4195 | 3 | 0.1 % | 0.1% |
| 4199 4 0.1 % 0.1% 4200 3 0.1 % 0.1% 4201 1 0.0 % 0.0% 4202 2 0.0 % 0.0% 4203 1 0.0 % 0.0% | 4197 | 1 | 0.0 % | 0.0% |
| 4200 3 0.1 % 0.1% 4201 1 0.0 % 0.0% 4202 2 0.0 % 0.0% 4203 1 0.0 % 0.0% | 4198 | 4 | 0.1 % | 0.1% |
| 4201 1 0.0 % 0.0% 4202 2 0.0 % 0.0% 4203 1 0.0 % 0.0% | 4199 | 4 | 0.1 % | 0.1% |
| 4202 2 0.0 % 0.0% 4203 1 0.0 % 0.0% | 4200 | 3 | 0.1 % | 0.1% |
| 4203 1 0.0 % 0.0% | 4201 | 1 | 0.0 % | 0.0% |
| | 4202 | 2 | 0.0 % | 0.0% |
| 4204 4 0.1 % 0.1% | 4203 | 1 | 0.0 % | 0.0% |
| | 4204 | 4 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| Value | Frequency | % | Valid % |
|-------|-----------|-------|---------|
| 4205 | 4 | 0.1 % | 0.1% |
| 4206 | 3 | 0.1 % | 0.1% |
| 4207 | 4 | 0.1 % | 0.1% |
| 4208 | 3 | 0.1 % | 0.1% |
| 4209 | 4 | 0.1 % | 0.1% |
| 4210 | 3 | 0.1 % | 0.1% |
| 4211 | 4 | 0.1 % | 0.1% |
| 4212 | 2 | 0.0 % | 0.0% |
| 4213 | 4 | 0.1 % | 0.1% |
| 4214 | 4 | 0.1 % | 0.1% |
| 4215 | 4 | 0.1 % | 0.1% |
| 4216 | 3 | 0.1 % | 0.1% |
| 4217 | 4 | 0.1 % | 0.1% |
| 4218 | 4 | 0.1 % | 0.1% |
| 4219 | 1 | 0.0 % | 0.0% |
| 4220 | 2 | 0.0 % | 0.0% |
| 4221 | 4 | 0.1 % | 0.1% |
| 4222 | 2 | 0.0 % | 0.0% |
| 4223 | 4 | 0.1 % | 0.1% |
| 4224 | 3 | 0.1 % | 0.1% |
| 4225 | 4 | 0.1 % | 0.1% |
| 4226 | 4 | 0.1 % | 0.1% |
| 4227 | 3 | 0.1 % | 0.1% |
| 4228 | 2 | 0.0 % | 0.0% |
| 4229 | 4 | 0.1 % | 0.1% |
| 4230 | 4 | 0.1 % | 0.1% |
| 4231 | 1 | 0.0 % | 0.0% |
| 4232 | 3 | 0.1 % | 0.1% |
| 4233 | 4 | 0.1 % | 0.1% |
| 4234 | 3 | 0.1 % | 0.1% |
| 4236 | 2 | 0.0 % | 0.0% |
| 4237 | 1 | 0.0 % | 0.0% |
| 4238 | 4 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| Value | Frequency | % | Valid % |
|-------|-----------|-------|---------|
| 4239 | 3 | 0.1 % | 0.1% |
| 4240 | 1 | 0.0 % | 0.0% |
| 4241 | 4 | 0.1 % | 0.1% |
| 4242 | 4 | 0.1 % | 0.1% |
| 4243 | 4 | 0.1 % | 0.1% |
| 4244 | 1 | 0.0 % | 0.0% |
| 4245 | 4 | 0.1 % | 0.1% |
| 4246 | 4 | 0.1 % | 0.1% |
| 4247 | 2 | 0.0 % | 0.0% |
| 4248 | 4 | 0.1 % | 0.1% |
| 4249 | 4 | 0.1 % | 0.1% |
| 4250 | 4 | 0.1 % | 0.1% |
| 4251 | 4 | 0.1 % | 0.1% |
| 4252 | 4 | 0.1 % | 0.1% |
| 4253 | 4 | 0.1 % | 0.1% |
| 4254 | 1 | 0.0 % | 0.0% |
| 4255 | 2 | 0.0 % | 0.0% |
| 4256 | 1 | 0.0 % | 0.0% |
| 4257 | 2 | 0.0 % | 0.0% |
| 4258 | 4 | 0.1 % | 0.1% |
| 4259 | 4 | 0.1 % | 0.1% |
| 4260 | 2 | 0.0 % | 0.0% |
| 4261 | 2 | 0.0 % | 0.0% |
| 4262 | 3 | 0.1 % | 0.1% |
| 4263 | 4 | 0.1 % | 0.1% |
| 4264 | 2 | 0.0 % | 0.0% |
| 4265 | 4 | 0.1 % | 0.1% |
| 4266 | 4 | 0.1 % | 0.1% |
| 4267 | 4 | 0.1 % | 0.1% |
| 4268 | 2 | 0.0 % | 0.0% |
| 5001 | 4 | 0.1 % | 0.1% |
| 5003 | 1 | 0.0 % | 0.0% |
| 5004 | 4 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| Value | Frequency | % | Valid % |
|-------|-----------|-------|---------|
| 5005 | 3 | 0.1 % | 0.1% |
| 5006 | 4 | 0.1 % | 0.1% |
| 5007 | 4 | 0.1 % | 0.1% |
| 5009 | 4 | 0.1 % | 0.1% |
| 5010 | 4 | 0.1 % | 0.1% |
| 5011 | 4 | 0.1 % | 0.1% |
| 5012 | 4 | 0.1 % | 0.1% |
| 5013 | 3 | 0.1 % | 0.1% |
| 5014 | 4 | 0.1 % | 0.1% |
| 5015 | 3 | 0.1 % | 0.1% |
| 5016 | 4 | 0.1 % | 0.1% |
| 5017 | 4 | 0.1 % | 0.1% |
| 5018 | 3 | 0.1 % | 0.1% |
| 5019 | 4 | 0.1 % | 0.1% |
| 5020 | 4 | 0.1 % | 0.1% |
| 5021 | 4 | 0.1 % | 0.1% |
| 5022 | 3 | 0.1 % | 0.1% |
| 5023 | 4 | 0.1 % | 0.1% |
| 5024 | 3 | 0.1 % | 0.1% |
| 5025 | 4 | 0.1 % | 0.1% |
| 5026 | 4 | 0.1 % | 0.1% |
| 5027 | 4 | 0.1 % | 0.1% |
| 5028 | 3 | 0.1 % | 0.1% |
| 5029 | 4 | 0.1 % | 0.1% |
| 5030 | 1 | 0.0 % | 0.0% |
| 5031 | 4 | 0.1 % | 0.1% |
| 5032 | 4 | 0.1 % | 0.1% |
| 5033 | 4 | 0.1 % | 0.1% |
| 5035 | 4 | 0.1 % | 0.1% |
| 5036 | 1 | 0.0 % | 0.0% |
| 5038 | 4 | 0.1 % | 0.1% |
| 5039 | 4 | 0.1 % | 0.1% |
| 5040 | 1 | 0.0 % | 0.0% |
| | | | |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| Value | Frequency | % | Valid % |
|-------|-----------|-------|---------|
| 5041 | 4 | 0.1 % | 0.1% |
| 5042 | 4 | 0.1 % | 0.1% |
| 5043 | 4 | 0.1 % | 0.1% |
| 5044 | 1 | 0.0 % | 0.0% |
| 5045 | 4 | 0.1 % | 0.1% |
| 5046 | 3 | 0.1 % | 0.1% |
| 5047 | 4 | 0.1 % | 0.1% |
| 5048 | 4 | 0.1 % | 0.1% |
| 5049 | 4 | 0.1 % | 0.1% |
| 5050 | 4 | 0.1 % | 0.1% |
| 5052 | 4 | 0.1 % | 0.1% |
| 5053 | 4 | 0.1 % | 0.1% |
| 5055 | 4 | 0.1 % | 0.1% |
| 5056 | 4 | 0.1 % | 0.1% |
| 5057 | 1 | 0.0 % | 0.0% |
| 5058 | 4 | 0.1 % | 0.1% |
| 5061 | 1 | 0.0 % | 0.0% |
| 5062 | 4 | 0.1 % | 0.1% |
| 5063 | 1 | 0.0 % | 0.0% |
| 5064 | 3 | 0.1 % | 0.1% |
| 5065 | 4 | 0.1 % | 0.1% |
| 5067 | 4 | 0.1 % | 0.1% |
| 5068 | 4 | 0.1 % | 0.1% |
| 5069 | 4 | 0.1 % | 0.1% |
| 5070 | 4 | 0.1 % | 0.1% |
| 5071 | 4 | 0.1 % | 0.1% |
| 5072 | 1 | 0.0 % | 0.0% |
| 5074 | 4 | 0.1 % | 0.1% |
| 5075 | 4 | 0.1 % | 0.1% |
| 5076 | 4 | 0.1 % | 0.1% |
| 5077 | 4 | 0.1 % | 0.1% |
| 5078 | 4 | 0.1 % | 0.1% |
| 5079 | 2 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| Value | Frequency | % | Valid % |
|-------|-----------|-------|---------|
| 5080 | 1 | 0.0 % | 0.0% |
| 5081 | 2 | 0.0 % | 0.0% |
| 5082 | 4 | 0.1 % | 0.1% |
| 5083 | 1 | 0.0 % | 0.0% |
| 5084 | 4 | 0.1 % | 0.1% |
| 5085 | 4 | 0.1 % | 0.1% |
| 5086 | 4 | 0.1 % | 0.1% |
| 5087 | 4 | 0.1 % | 0.1% |
| 5088 | 4 | 0.1 % | 0.1% |
| 5089 | 4 | 0.1 % | 0.1% |
| 5090 | 1 | 0.0 % | 0.0% |
| 5091 | 4 | 0.1 % | 0.1% |
| 5092 | 3 | 0.1 % | 0.1% |
| 5093 | 4 | 0.1 % | 0.1% |
| 5094 | 4 | 0.1 % | 0.1% |
| 5095 | 4 | 0.1 % | 0.1% |
| 5096 | 4 | 0.1 % | 0.1% |
| 5097 | 4 | 0.1 % | 0.1% |
| 5098 | 4 | 0.1 % | 0.1% |
| 5099 | 4 | 0.1 % | 0.1% |
| 5100 | 4 | 0.1 % | 0.1% |
| 5101 | 4 | 0.1 % | 0.1% |
| 5102 | 4 | 0.1 % | 0.1% |
| 5103 | 4 | 0.1 % | 0.1% |
| 5104 | 4 | 0.1 % | 0.1% |
| 5105 | 4 | 0.1 % | 0.1% |
| 5106 | 4 | 0.1 % | 0.1% |
| 5107 | 4 | 0.1 % | 0.1% |
| 5108 | 4 | 0.1 % | 0.1% |
| 5109 | 4 | 0.1 % | 0.1% |
| 5110 | 4 | 0.1 % | 0.1% |
| 5111 | 4 | 0.1 % | 0.1% |
| 5112 | 4 | 0.1 % | 0.1% |
| | | | |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| Value | Frequency | % | Valid % |
|-------|-----------|-------|---------|
| 5113 | 4 | 0.1 % | 0.1% |
| 5114 | 4 | 0.1 % | 0.1% |
| 5115 | 4 | 0.1 % | 0.1% |
| 5116 | 4 | 0.1 % | 0.1% |
| 5117 | 4 | 0.1 % | 0.1% |
| 5118 | 4 | 0.1 % | 0.1% |
| 5119 | 4 | 0.1 % | 0.1% |
| 5120 | 4 | 0.1 % | 0.1% |
| 5121 | 4 | 0.1 % | 0.1% |
| 5122 | 4 | 0.1 % | 0.1% |
| 5123 | 4 | 0.1 % | 0.1% |
| 5125 | 1 | 0.0 % | 0.0% |
| 5126 | 3 | 0.1 % | 0.1% |
| 5127 | 4 | 0.1 % | 0.1% |
| 5128 | 4 | 0.1 % | 0.1% |
| 5129 | 4 | 0.1 % | 0.1% |
| 5130 | 4 | 0.1 % | 0.1% |
| 5131 | 4 | 0.1 % | 0.1% |
| 5132 | 4 | 0.1 % | 0.1% |
| 5133 | 4 | 0.1 % | 0.1% |
| 5134 | 4 | 0.1 % | 0.1% |
| 5135 | 4 | 0.1 % | 0.1% |
| 5136 | 4 | 0.1 % | 0.1% |
| 5137 | 4 | 0.1 % | 0.1% |
| 5139 | 4 | 0.1 % | 0.1% |
| 5140 | 4 | 0.1 % | 0.1% |
| 5141 | 4 | 0.1 % | 0.1% |
| 5142 | 4 | 0.1 % | 0.1% |
| 5143 | 4 | 0.1 % | 0.1% |
| 5144 | 4 | 0.1 % | 0.1% |
| 5145 | 4 | 0.1 % | 0.1% |
| 5146 | 4 | 0.1 % | 0.1% |
| 5147 | 4 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| Value | Frequency | % | Valid % |
|-------|-----------|-------|---------|
| 5148 | 4 | 0.1 % | 0.1% |
| 5149 | 4 | 0.1 % | 0.1% |
| 5150 | 4 | 0.1 % | 0.1% |
| 5151 | 4 | 0.1 % | 0.1% |
| 5152 | 4 | 0.1 % | 0.1% |
| 5153 | 2 | 0.0 % | 0.0% |
| 5154 | 4 | 0.1 % | 0.1% |
| 5155 | 4 | 0.1 % | 0.1% |
| 5156 | 4 | 0.1 % | 0.1% |
| 5157 | 3 | 0.1 % | 0.1% |
| 5158 | 4 | 0.1 % | 0.1% |
| 5159 | 4 | 0.1 % | 0.1% |
| 5160 | 1 | 0.0 % | 0.0% |
| 5161 | 3 | 0.1 % | 0.1% |
| 5162 | 4 | 0.1 % | 0.1% |
| 5163 | 4 | 0.1 % | 0.1% |
| 5164 | 4 | 0.1 % | 0.1% |
| 5165 | 4 | 0.1 % | 0.1% |
| 5166 | 4 | 0.1 % | 0.1% |
| 5167 | 3 | 0.1 % | 0.1% |
| 5168 | 4 | 0.1 % | 0.1% |
| 5169 | 4 | 0.1 % | 0.1% |
| 5170 | 4 | 0.1 % | 0.1% |
| 5171 | 2 | 0.0 % | 0.0% |
| 5172 | 4 | 0.1 % | 0.1% |
| 5173 | 4 | 0.1 % | 0.1% |
| 5175 | 4 | 0.1 % | 0.1% |
| 5176 | 4 | 0.1 % | 0.1% |
| 5178 | 1 | 0.0 % | 0.0% |
| 5179 | 3 | 0.1 % | 0.1% |
| 5180 | 4 | 0.1 % | 0.1% |
| 5181 | 4 | 0.1 % | 0.1% |
| 5182 | 4 | 0.1 % | 0.1% |
| | | | |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| Value | Frequency | % | Valid % |
|-------|-----------|-------|---------|
| 5183 | 4 | 0.1 % | 0.1% |
| 5184 | 4 | 0.1 % | 0.1% |
| 5185 | 4 | 0.1 % | 0.1% |
| 5186 | 4 | 0.1 % | 0.1% |
| 5187 | 4 | 0.1 % | 0.1% |
| 5188 | 4 | 0.1 % | 0.1% |
| 5189 | 3 | 0.1 % | 0.1% |
| 5190 | 4 | 0.1 % | 0.1% |
| 5191 | 4 | 0.1 % | 0.1% |
| 5192 | 4 | 0.1 % | 0.1% |
| 5193 | 4 | 0.1 % | 0.1% |
| 5194 | 4 | 0.1 % | 0.1% |
| 5195 | 1 | 0.0 % | 0.0% |
| 5196 | 3 | 0.1 % | 0.1% |
| 5197 | 4 | 0.1 % | 0.1% |
| 5198 | 4 | 0.1 % | 0.1% |
| 5199 | 4 | 0.1 % | 0.1% |
| 5200 | 4 | 0.1 % | 0.1% |
| 5201 | 4 | 0.1 % | 0.1% |
| 5202 | 4 | 0.1 % | 0.1% |
| 5203 | 4 | 0.1 % | 0.1% |
| 5204 | 4 | 0.1 % | 0.1% |
| 5205 | 4 | 0.1 % | 0.1% |
| 5206 | 2 | 0.0 % | 0.0% |
| 5207 | 4 | 0.1 % | 0.1% |
| 5208 | 4 | 0.1 % | 0.1% |
| 5209 | 4 | 0.1 % | 0.1% |
| 5210 | 4 | 0.1 % | 0.1% |
| 5211 | 4 | 0.1 % | 0.1% |
| 5212 | 3 | 0.1 % | 0.1% |
| 5213 | 4 | 0.1 % | 0.1% |
| 5214 | 4 | 0.1 % | 0.1% |
| 5215 | 2 | 0.0 % | 0.0% |
| | | | |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| Value | Frequency | % | Valid % |
|-------|-----------|-------|---------|
| 5216 | 4 | 0.1 % | 0.1% |
| 5217 | 1 | 0.0 % | 0.0% |
| 5218 | 4 | 0.1 % | 0.1% |
| 5219 | 4 | 0.1 % | 0.1% |
| 5220 | 4 | 0.1 % | 0.1% |
| 5221 | 1 | 0.0 % | 0.0% |
| 5222 | 1 | 0.0 % | 0.0% |
| 5223 | 1 | 0.0 % | 0.0% |
| 5224 | 4 | 0.1 % | 0.1% |
| 5225 | 4 | 0.1 % | 0.1% |
| 5226 | 3 | 0.1 % | 0.1% |
| 5227 | 4 | 0.1 % | 0.1% |
| 5228 | 4 | 0.1 % | 0.1% |
| 5229 | 4 | 0.1 % | 0.1% |
| 5230 | 4 | 0.1 % | 0.1% |
| 5231 | 4 | 0.1 % | 0.1% |
| 5232 | 4 | 0.1 % | 0.1% |
| 5233 | 4 | 0.1 % | 0.1% |
| 5234 | 4 | 0.1 % | 0.1% |
| 5235 | 4 | 0.1 % | 0.1% |
| 5236 | 4 | 0.1 % | 0.1% |
| 5237 | 4 | 0.1 % | 0.1% |
| 5238 | 1 | 0.0 % | 0.0% |
| 5239 | 1 | 0.0 % | 0.0% |
| 5240 | 4 | 0.1 % | 0.1% |
| 5241 | 4 | 0.1 % | 0.1% |
| 5242 | 4 | 0.1 % | 0.1% |
| 5243 | 2 | 0.0 % | 0.0% |
| 5244 | 4 | 0.1 % | 0.1% |
| 5245 | 4 | 0.1 % | 0.1% |
| 5246 | 4 | 0.1 % | 0.1% |
| 5247 | 4 | 0.1 % | 0.1% |
| 5248 | 4 | 0.1 % | 0.1% |
| | | | |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| Value | Frequency | % | Valid % |
|-------|-----------|-------|---------|
| 5249 | 4 | 0.1 % | 0.1% |
| 5250 | 4 | 0.1 % | 0.1% |
| 5251 | 4 | 0.1 % | 0.1% |
| 5252 | 4 | 0.1 % | 0.1% |
| 5253 | 4 | 0.1 % | 0.1% |
| 5254 | 4 | 0.1 % | 0.1% |
| 5255 | 4 | 0.1 % | 0.1% |
| 5256 | 4 | 0.1 % | 0.1% |
| 5257 | 4 | 0.1 % | 0.1% |
| 5258 | 3 | 0.1 % | 0.1% |
| 5259 | 2 | 0.0 % | 0.0% |
| 5260 | 4 | 0.1 % | 0.1% |
| 5261 | 4 | 0.1 % | 0.1% |
| 5262 | 4 | 0.1 % | 0.1% |
| 5263 | 4 | 0.1 % | 0.1% |
| 5264 | 3 | 0.1 % | 0.1% |
| 5265 | 1 | 0.0 % | 0.0% |
| 5266 | 4 | 0.1 % | 0.1% |
| 5267 | 1 | 0.0 % | 0.0% |
| 5268 | 4 | 0.1 % | 0.1% |
| 5269 | 1 | 0.0 % | 0.0% |
| 5270 | 4 | 0.1 % | 0.1% |
| 5271 | 4 | 0.1 % | 0.1% |
| 5272 | 4 | 0.1 % | 0.1% |
| 5273 | 4 | 0.1 % | 0.1% |
| 5274 | 1 | 0.0 % | 0.0% |
| 5275 | 4 | 0.1 % | 0.1% |
| 5276 | 4 | 0.1 % | 0.1% |
| 5277 | 4 | 0.1 % | 0.1% |
| 5278 | 1 | 0.0 % | 0.0% |
| 6001 | 4 | 0.1 % | 0.1% |
| 6002 | 3 | 0.1 % | 0.1% |
| 6003 | 1 | 0.0 % | 0.0% |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| Value | Frequency | % | Valid % |
|-------|-----------|-------|---------|
| 6004 | 4 | 0.1 % | 0.1% |
| 6005 | 4 | 0.1 % | 0.1% |
| 6006 | 4 | 0.1 % | 0.1% |
| 6010 | 3 | 0.1 % | 0.1% |
| 6011 | 1 | 0.0 % | 0.0% |
| 6012 | 4 | 0.1 % | 0.1% |
| 6013 | 3 | 0.1 % | 0.1% |
| 6014 | 4 | 0.1 % | 0.1% |
| 6015 | 1 | 0.0 % | 0.0% |
| 6016 | 2 | 0.0 % | 0.0% |
| 6017 | 4 | 0.1 % | 0.1% |
| 6018 | 4 | 0.1 % | 0.1% |
| 6019 | 4 | 0.1 % | 0.1% |
| 6020 | 4 | 0.1 % | 0.1% |
| 6021 | 4 | 0.1 % | 0.1% |
| 6022 | 4 | 0.1 % | 0.1% |
| 6024 | 4 | 0.1 % | 0.1% |
| 6025 | 2 | 0.0 % | 0.0% |
| 6026 | 4 | 0.1 % | 0.1% |
| 6027 | 4 | 0.1 % | 0.1% |
| 6028 | 2 | 0.0 % | 0.0% |
| 6030 | 4 | 0.1 % | 0.1% |
| 6031 | 3 | 0.1 % | 0.1% |
| 6032 | 4 | 0.1 % | 0.1% |
| 6033 | 4 | 0.1 % | 0.1% |
| 6034 | 4 | 0.1 % | 0.1% |
| 6036 | 4 | 0.1 % | 0.1% |
| 6037 | 4 | 0.1 % | 0.1% |
| 6038 | 3 | 0.1 % | 0.1% |
| 6039 | 4 | 0.1 % | 0.1% |
| 6040 | 2 | 0.0 % | 0.0% |
| 6041 | 4 | 0.1 % | 0.1% |
| 6042 | 4 | 0.1 % | 0.1% |
| | | | |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| Value | Frequency | % | Valid % |
|-------|-----------|-------|---------|
| 6043 | 3 | 0.1 % | 0.1% |
| 6044 | 4 | 0.1 % | 0.1% |
| 6045 | 4 | 0.1 % | 0.1% |
| 6046 | 4 | 0.1 % | 0.1% |
| 6047 | 4 | 0.1 % | 0.1% |
| 6048 | 4 | 0.1 % | 0.1% |
| 6049 | 1 | 0.0 % | 0.0% |
| 6050 | 4 | 0.1 % | 0.1% |
| 6051 | 4 | 0.1 % | 0.1% |
| 6052 | 4 | 0.1 % | 0.1% |
| 6053 | 4 | 0.1 % | 0.1% |
| 6054 | 4 | 0.1 % | 0.1% |
| 6055 | 3 | 0.1 % | 0.1% |
| 6056 | 4 | 0.1 % | 0.1% |
| 6057 | 4 | 0.1 % | 0.1% |
| 6058 | 4 | 0.1 % | 0.1% |
| 6059 | 4 | 0.1 % | 0.1% |
| 6060 | 2 | 0.0 % | 0.0% |
| 6061 | 4 | 0.1 % | 0.1% |
| 6062 | 4 | 0.1 % | 0.1% |
| 6063 | 2 | 0.0 % | 0.0% |
| 6064 | 4 | 0.1 % | 0.1% |
| 6065 | 4 | 0.1 % | 0.1% |
| 6066 | 2 | 0.0 % | 0.0% |
| 6067 | 4 | 0.1 % | 0.1% |
| 6068 | 2 | 0.0 % | 0.0% |
| 6069 | 4 | 0.1 % | 0.1% |
| 6070 | 4 | 0.1 % | 0.1% |
| 6071 | 4 | 0.1 % | 0.1% |
| 6072 | 4 | 0.1 % | 0.1% |
| 6073 | 4 | 0.1 % | 0.1% |
| 6074 | 3 | 0.1 % | 0.1% |
| 6075 | 3 | 0.1 % | 0.1% |
| | | | |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| Value | Frequency | % | Valid % |
|-------|-----------|-------|---------|
| 6076 | 4 | 0.1 % | 0.1% |
| 6077 | 3 | 0.1 % | 0.1% |
| 6079 | 4 | 0.1 % | 0.1% |
| 6080 | 4 | 0.1 % | 0.1% |
| 6081 | 4 | 0.1 % | 0.1% |
| 6082 | 4 | 0.1 % | 0.1% |
| 6083 | 4 | 0.1 % | 0.1% |
| 6084 | 4 | 0.1 % | 0.1% |
| 6085 | 4 | 0.1 % | 0.1% |
| 6086 | 4 | 0.1 % | 0.1% |
| 6087 | 1 | 0.0 % | 0.0% |
| 6088 | 4 | 0.1 % | 0.1% |
| 6089 | 4 | 0.1 % | 0.1% |
| 6090 | 4 | 0.1 % | 0.1% |
| 6091 | 1 | 0.0 % | 0.0% |
| 6092 | 4 | 0.1 % | 0.1% |
| 6093 | 3 | 0.1 % | 0.1% |
| 6094 | 4 | 0.1 % | 0.1% |
| 6095 | 4 | 0.1 % | 0.1% |
| 6096 | 4 | 0.1 % | 0.1% |
| 6097 | 4 | 0.1 % | 0.1% |
| 6098 | 4 | 0.1 % | 0.1% |
| 6099 | 4 | 0.1 % | 0.1% |
| 6100 | 4 | 0.1 % | 0.1% |
| 6101 | 4 | 0.1 % | 0.1% |
| 6102 | 4 | 0.1 % | 0.1% |
| 6103 | 4 | 0.1 % | 0.1% |
| 6104 | 4 | 0.1 % | 0.1% |
| 6105 | 4 | 0.1 % | 0.1% |
| 6106 | 3 | 0.1 % | 0.1% |
| 6107 | 4 | 0.1 % | 0.1% |
| 6108 | 4 | 0.1 % | 0.1% |
| 6109 | 4 | 0.1 % | 0.1% |
| | | | |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| Value | Frequency | % | Valid % |
|-------|-----------|-------|---------|
| 6110 | 1 | 0.0 % | 0.0% |
| 6111 | 3 | 0.1 % | 0.1% |
| 6112 | 3 | 0.1 % | 0.1% |
| 6113 | 3 | 0.1 % | 0.1% |
| 6114 | 4 | 0.1 % | 0.1% |
| 6115 | 4 | 0.1 % | 0.1% |
| 6116 | 4 | 0.1 % | 0.1% |
| 6117 | 4 | 0.1 % | 0.1% |
| 6118 | 2 | 0.0 % | 0.0% |
| 6119 | 4 | 0.1 % | 0.1% |
| 6120 | 4 | 0.1 % | 0.1% |
| 6121 | 2 | 0.0 % | 0.0% |
| 6122 | 4 | 0.1 % | 0.1% |
| 6123 | 4 | 0.1 % | 0.1% |
| 6124 | 4 | 0.1 % | 0.1% |
| 6125 | 1 | 0.0 % | 0.0% |
| 6126 | 2 | 0.0 % | 0.0% |
| 6127 | 4 | 0.1 % | 0.1% |
| 6128 | 4 | 0.1 % | 0.1% |
| 6129 | 1 | 0.0 % | 0.0% |
| 6130 | 4 | 0.1 % | 0.1% |
| 6131 | 4 | 0.1 % | 0.1% |
| 6132 | 3 | 0.1 % | 0.1% |
| 6133 | 4 | 0.1 % | 0.1% |
| 6134 | 4 | 0.1 % | 0.1% |
| 6135 | 4 | 0.1 % | 0.1% |
| 6136 | 4 | 0.1 % | 0.1% |
| 6137 | 1 | 0.0 % | 0.0% |
| 6138 | 4 | 0.1 % | 0.1% |
| 6139 | 3 | 0.1 % | 0.1% |
| 6140 | 4 | 0.1 % | 0.1% |
| 6141 | 1 | 0.0 % | 0.0% |
| 6142 | 4 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| Value | Frequency | % | Valid % |
|-------|-----------|-------|---------|
| 6143 | 3 | 0.1 % | 0.1% |
| 6144 | 4 | 0.1 % | 0.1% |
| 6145 | 4 | 0.1 % | 0.1% |
| 6146 | 4 | 0.1 % | 0.1% |
| 6147 | 1 | 0.0 % | 0.0% |
| 6148 | 4 | 0.1 % | 0.1% |
| 6149 | 4 | 0.1 % | 0.1% |
| 6150 | 4 | 0.1 % | 0.1% |
| 6151 | 4 | 0.1 % | 0.1% |
| 6152 | 4 | 0.1 % | 0.1% |
| 6153 | 4 | 0.1 % | 0.1% |
| 6154 | 2 | 0.0 % | 0.0% |
| 6155 | 2 | 0.0 % | 0.0% |
| 6156 | 3 | 0.1 % | 0.1% |
| 6157 | 4 | 0.1 % | 0.1% |
| 6158 | 4 | 0.1 % | 0.1% |
| 6159 | 4 | 0.1 % | 0.1% |
| 6160 | 4 | 0.1 % | 0.1% |
| 6161 | 4 | 0.1 % | 0.1% |
| 6162 | 4 | 0.1 % | 0.1% |
| 6163 | 4 | 0.1 % | 0.1% |
| 6164 | 3 | 0.1 % | 0.1% |
| 6165 | 4 | 0.1 % | 0.1% |
| 6166 | 3 | 0.1 % | 0.1% |
| 6167 | 3 | 0.1 % | 0.1% |
| 6168 | 1 | 0.0 % | 0.0% |
| 6169 | 3 | 0.1 % | 0.1% |
| 6170 | 4 | 0.1 % | 0.1% |
| 6171 | 1 | 0.0 % | 0.0% |
| 6172 | 4 | 0.1 % | 0.1% |
| 6173 | 4 | 0.1 % | 0.1% |
| 6174 | 4 | 0.1 % | 0.1% |
| 6175 | 4 | 0.1 % | 0.1% |
| | | | |

| Variable | Variable Description | | | |
|----------|----------------------|-----------|---|---------|
| ID | ID (cont.) | | | |
| | Value | Frequency | % | Valid % |

| Value | Frequency | % | Valid % |
|-------|-----------|-------|---------|
| 6176 | 3 | 0.1 % | 0.1% |
| 6177 | 3 | 0.1 % | 0.1% |
| 6178 | 4 | 0.1 % | 0.1% |
| 6179 | 3 | 0.1 % | 0.1% |
| 6181 | 4 | 0.1 % | 0.1% |
| 6182 | 1 | 0.0 % | 0.0% |
| 6183 | 1 | 0.0 % | 0.0% |
| 6184 | 4 | 0.1 % | 0.1% |
| 6185 | 4 | 0.1 % | 0.1% |
| 6186 | 4 | 0.1 % | 0.1% |
| 6187 | 3 | 0.1 % | 0.1% |
| 6188 | 4 | 0.1 % | 0.1% |
| 6189 | 4 | 0.1 % | 0.1% |
| 6190 | 2 | 0.0 % | 0.0% |
| 6191 | 4 | 0.1 % | 0.1% |
| 6192 | 4 | 0.1 % | 0.1% |
| 6193 | 4 | 0.1 % | 0.1% |
| 6194 | 4 | 0.1 % | 0.1% |
| 6195 | 4 | 0.1 % | 0.1% |
| 6196 | 4 | 0.1 % | 0.1% |
| 6197 | 3 | 0.1 % | 0.1% |
| 6198 | 4 | 0.1 % | 0.1% |
| 6199 | 4 | 0.1 % | 0.1% |
| 6200 | 4 | 0.1 % | 0.1% |
| 6201 | 4 | 0.1 % | 0.1% |
| 6202 | 4 | 0.1 % | 0.1% |
| 6203 | 4 | 0.1 % | 0.1% |
| 6204 | 3 | 0.1 % | 0.1% |
| 6205 | 3 | 0.1 % | 0.1% |
| 6206 | 3 | 0.1 % | 0.1% |
| 6207 | 3 | 0.1 % | 0.1% |
| 6208 | 2 | 0.0 % | 0.0% |
| 6209 | 4 | 0.1 % | 0.1% |

| Variable | Variable Description |
|----------|----------------------|
| ID | ID (cont.) |

| Value | Frequency | % | Valid % |
|-------|-----------|-------|---------|
| 6210 | 2 | 0.0 % | 0.0% |
| 6211 | 4 | 0.1 % | 0.1% |
| 6212 | 4 | 0.1 % | 0.1% |
| 6213 | 4 | 0.1 % | 0.1% |
| 6214 | 4 | 0.1 % | 0.1% |
| 6215 | 4 | 0.1 % | 0.1% |
| 6216 | 2 | 0.0 % | 0.0% |
| 6217 | 4 | 0.1 % | 0.1% |
| 6218 | 4 | 0.1 % | 0.1% |
| 6219 | 4 | 0.1 % | 0.1% |
| 6220 | 4 | 0.1 % | 0.1% |
| 6221 | 4 | 0.1 % | 0.1% |
| 6222 | 1 | 0.0 % | 0.0% |
| 6223 | 4 | 0.1 % | 0.1% |
| 6224 | 4 | 0.1 % | 0.1% |
| 6225 | 4 | 0.1 % | 0.1% |
| 6226 | 4 | 0.1 % | 0.1% |
| 6228 | 4 | 0.1 % | 0.1% |
| 6229 | 4 | 0.1 % | 0.1% |
| 6230 | 4 | 0.1 % | 0.1% |
| 6231 | 4 | 0.1 % | 0.1% |
| 6232 | 1 | 0.0 % | 0.0% |
| 6233 | 1 | 0.0 % | 0.0% |
| 6234 | 3 | 0.1 % | 0.1% |
| 6235 | 4 | 0.1 % | 0.1% |
| 6236 | 4 | 0.1 % | 0.1% |
| 6237 | 4 | 0.1 % | 0.1% |
| 6238 | 1 | 0.0 % | 0.0% |
| 6239 | 4 | 0.1 % | 0.1% |
| 6240 | 4 | 0.1 % | 0.1% |
| 6241 | 4 | 0.1 % | 0.1% |
| 6242 | 1 | 0.0 % | 0.0% |
| 6243 | 4 | 0.1 % | 0.1% |
| | | | |

| Variable | Variable Description | | | |
|----------|----------------------|-----------|-------|---------|
| ID | ID (cont.) | | | |
| | Value | Frequency | % | Valid % |
| | 6244 | 4 | 0.1 % | 0.1% |
| | 6245 | 4 | 0.1 % | 0.1% |
| | 6246 | 4 | 0.1 % | 0.1% |
| | 6247 | 4 | 0.1 % | 0.1% |
| | 6249 | 4 | 0.1 % | 0.1% |
| | 6250 | 4 | 0.1 % | 0.1% |
| | 6251 | 4 | 0.1 % | 0.1% |
| | 6252 | 4 | 0.1 % | 0.1% |
| | 6253 | 4 | 0.1 % | 0.1% |
| | 6254 | 4 | 0.1 % | 0.1% |
| | 6255 | 4 | 0.1 % | 0.1% |
| | 6256 | 2 | 0.0 % | 0.0% |
| | 6257 | 3 | 0.1 % | 0.1% |
| | 6258 | 3 | 0.1 % | 0.1% |
| | 6259 | 1 | 0.0 % | 0.0% |

6260

6261

6262

6263

6264

6265

0.1%

0.1%

0.1%

0.1%

0.1%

0.1%

4

3

3

4

4

4

0.1 %

0.1 %

0.1 %

0.1 %

0.1 %

0.1 %