1. T1Q1. Which Microsoft ethical AI principle is aimed at ensuring AI systems treat all people equally?

   A. Privacy and Security
   B. Fairness
   C. Reliability and Safety
   D. Inclusiveness

   B. Fairness

2. T2Q1. What is the primary role of the '/optimize' slash command in Visual Studio?

   A. Translates code into a more performant language.
   B. Automatically formats the code according to the selected style guide.
   C. Summarizes your documentation into more maintainable and readable formats.
   D. Enhances the performance of the selected code by analyzing its runtime complexity.

   D. Enhances the performance of the selected code by analyzing its runtime complexity.

3. T2Q2. Which GitHub Copilot plan could an Azure DevOps organization use without requiring a GitHub Enterprise license?

   A. GitHub Copilot Enterprise
   B. GitHub Copilot for Azure DevOps
   C. Copilot Teams
   D. GitHub Copilot Individual

   B. GitHub Copilot for Azure DevOps

4. T6Q5. When using GitHub Copilot Chat to generate unit tests, which slash command would you use?

   C. /tests

A. /create-tests
B. /generate-tests
C. /tests
D. /init-tests

5. T2Q19. If you are working on open source projects, GitHub Copilot Individual can be paid:

A. Through an invoice or a credit card
B. Through an Azure Subscription
C. Based on the payment method in your user profile
D. N/A - Copilot Individual is a free service for all open source projects

A. Through an invoice or a credit card

6. T1Q23. What role does chat history play in GitHub Copilot's code suggestions?

A. Chat history is used to train the GitHub Copilot model in real-time.
B. Chat history provides context to GitHub Copilot, improving the relevance and accuracy of its code suggestions.
C. Chat history is stored and shared with other users to enhance collaboration.
D. Chat history is irrelevant to GitHub Copilot and does not affect its functionality.

B. Chat history provides context to GitHub Copilot, improving the relevance and accuracy of its code suggestions.

7. T2Q54. How does GitHub Copilot Chat utilize its training data and external sources to generate responses when answering coding questions?

C. It combines its training data set, code in user repositories, and external sources like Bing to generate responses.

A. It primarily relies on the model's training data to generate responses.
B. It primarily uses search results from Bing to generate responses.
C. It combines its training data set, code in user repositories, and external sources like Bing to generate responses.
D. It uses user-provided documentation and exclusively to generate responses.

8. T1Q22. How can you improve the context used by GitHub Copilot? (Choose two.)

A. By opening the relevant tabs in your IDE
B. By adding variables (#selection) to your prompt
C. By adding the important files to your .gitconfig
D. By adding the full file paths to your prompt of important files

A. By opening the relevant tabs in your IDE
D. By adding the full file paths to your prompt of important files

9. T1Q16. What GitHub Copilot feature can be configured at the organization level to prevent GitHub Copilot suggesting publicly available code snippets?

A. GitHub Copilot Chat in the IDE
B. GitHub Copilot Chat in GitHub Mobile
C. GitHub Copilot duplication detection filter
D. GitHub Copilot access to Bing

C. GitHub Copilot duplication detection filter

10.

T1Q116. Which scenarios can GitHub Copilot Chat be used to increase productivity? (Choose two.)

A. A developer is added to a new project and would like to understand the current software code.
B. A project plan for the team needs to be generated using a project management software.
C. Fast tracking of release management activities to move code to production main branch.
D. Create a documentation file for the newly created code base.

A. A developer is added to a new project and would like to understand the current software code.
D. Create a documentation file for the newly created code base.

11. T1Q12. How do you generate code suggestions with GitHub Copilot in the CLI?

A. Write code comments -> Press the suggestion shortcut -> Select the best suggestion from the list.
B. Use 'gh copilot suggest' -> Write the command you want -> Select the best suggestion from the list.
C. Type out the code snippet -> Use the copilot refine command to enhance it -> Review the suggest command.
D. Describe the project's architecture -> Use the copilot generate command -> Accept the generated suggestion.

B. Use 'gh copilot suggest' -> Write the command you want -> Select the best suggestion from the list.

12. T1Q90. When using GitHub Copilot to identify missing tests in your codebase, which of the

A. Ensuring that the correct context is available to GitHub Copilot.

following is the most important factor to consider?

A. Ensuring that the correct context is available to GitHub Copilot.
B. Close all the tabs in your IDE that do not have tests in them.
C. Having a high test coverage percentage in the codebase.
D. Using well-known coding practices in your repository.

13. T1Q78. What are the additional checks that need to pass before the GitHub Copilot responses are submitted to the user? (Each correct answer presents part of the solution. (Choose two.)

A. Code quality
B. Performance benchmarking
C. Suggestions matching public code (optional based on settings)
D. Compatibility with user-specific settings

A. Code quality
C. Suggestions matching public code (optional based on settings)

14. T1Q49. What are the potential limitations of GitHub Copilot Chat? (Choose two.)

A. Limited training data
B. Ability to handle complex code structures
C. No biases in code suggestions
D. Extensive support for all programming languages

A. Limited training data
B. Ability to handle complex code structures

15. T1Q2. What method can be used to interact with GitHub Copilot?

A. By using a property configured GitHub CLI
B. By using chat capabilities in NeoVim
C. From a watch window in an IDE debug session
D. From a web browser at https://github.copilot.com

D. From a web browser at https://github.copilot.com

16. T1Q29. Why might a Generative AI (Gen AI) tool create inaccurate outputs?

A. The Gen AI tool is being overloaded with too many requests at once.
B. The Gen AI tool is experiencing downtime and is not fully recovered.
C. The Gen AI tool is programmed with a focus on creativity over factual accuracy.
D. The training data might contain biases or inconsistencies.

C. The Gen AI tool is programmed with a focus on creativity over factual accuracy.

17. T1Q27. How does GitHub Copilot Enterprise assist in code reviews during the pull request process? (Choose two.)

A. It automatically merges pull requests after an automated review.
B. It generates a prose summary and a bulleted list of key changes for all pull requests.
C. It can validate the accuracy of the changes in the pull request.

B. It generates a prose summary and a bulleted list of key changes for all pull requests.
D. It can answer questions about the changeset of the pull request.

D. It can answer questions about the change-set of the pull request.

18. T1Q6. Which of the following GitHub Copilot Business related activities can be tracked using the organization audit logs?

A. Accepted chat suggestions
B. Code suggestions made by GitHub Copilot
C. Changes to content exclusion settings
D. Suggestions blocked by duplication detection filtering

C. Changes to content exclusion settings

19. T1Q114. A social media manager wants to use AI to filter content. How can they promote transparency in the platform's AI operations?

A. By providing clear explanations about the types of content the AI is designed to filter and how it arrives at its conclusion.
B. By focusing on user satisfaction with the content filtering.
C. By regularly updating the AI filtering algorithm.
D. By relying on a well-regarded AI development company.

A. By providing clear explanations about the types of content the AI is designed to filter and how it arrives at its conclusion.

20. T1Q91. What types of content can GitHub Copilot Knowledge Base answer questions about? (Choose three.)

A. code snippets
B. screenshots

A. code snippets
C. documentation
D. design patterns

C. documentation
D. design patterns
E. compiled binaries

21. T1Q102. In what ways can GitHub Copilot contribute to the design phase of the Software Development Life Cycle (SDLC)?

A. GitHub Copilot can independently create a complete software design.
B. GitHub Copilot can suggest design patterns and best practices relevant to the project.
C. GitHub Copilot can generate user interface (UI) prototypes without prompting.
D. GitHub Copilot can manage design team collaboration and version control.

B. GitHub Copilot can suggest design patterns and best practices relevant to the project.

22. T1Q115. How does GitHub Copilot assist developers in minimizing context switching?

A. GitHub Copilot can automatically handle project management tasks.
B. GitHub Copilot allows developers to stay in their IDE.
C. GitHub Copilot can completely replace the need for human collaboration.
D. GitHub Copilot can predict and prevent bugs before they occur.

B. GitHub Copilot allows developers to stay in their IDE.

23. T1Q104. Which GitHub Copilot plan could an Azure DevOps organization use without requiring a GitHub Enterprise license?

C. GitHub Copilot for Azure DevOps

A. GitHub Copilot Individual
B. GitHub Copilot Enterprise
C. GitHub Copilot for Azure DevOps
D. Copilot Teams

24. T1Q107. What is used by GitHub Copilot in the IDE to determine the prompt context?

A. All the code in the current repository and any git submodules.
B. All the code visible in the current IDE.
C. The open tabs in the IDE and the current folder of the terminal.
D. Information from the IDE like open tabs, cursor location, selected code.

D. Information from the IDE like open tabs, cursor location, selected code.

25. T1Q86. What is the impact of the "Fill-In-the-Middle" (FIM) technique on GitHub Copilot's code suggestions?

A. Allows Copilot to generate suggestions based only on the prefix of the code.
B. Ignores both the prefix and suffix of the code, focusing only on user comments for context.
C. Improves suggestions by considering both the prefix and suffix of the code, filling in the middle part more accurately.
D. Restricts Copilot to use only external databases for generating code suggestions.

C. Improves suggestions by considering both the prefix and suffix of the code, filling in the middle part more accurately.

26. T1Q85. A team is using GitHub Copilot Individual in their daily development activities. They

A. Upgrade to Copilot Business

need to exclude specific files from being used to inform code completion suggestions. How can they achieve this?

A. Upgrade to Copilot Business
B. Have a repo administrator configure content exclusions
C. Have an organization owner configure content exclusions
D. Use the #file Chat variable to exclude the files
E. Add a .gitignore file to the repo

Only Admin or Owners can do this from within the repository or organization setings via the following format: [- "/PATH/TO/DIRECTORY/OR/FILE"].

27. T1Q94. In what ways can GitHub Copilot support a developer during the code refactoring process? (Choose two.)

A. By providing suggestions for improving code readability and maintainability based on best practices.
B. By offering code transformation examples that enhance performance and reduce complexity.
C. By autonomously refactoring entire codebases to the latest programming language.
D. By independently ensuring compliance with regulatory standards across industries.

A. By providing suggestions for improving code readability and maintainability based on best practices.
B. By offering code transformation examples that enhance performance and reduce complexity.

28. T1Q83. How can users provide feedback about GitHub Copilot Chat using their IDE?

A. By emailing the support team directly.
B. Through the "Share Feedback" button in the

C. By posting on the GitHub forums.

From documentation:
To leave feedback about the GitHub Copilot Chat extension, open an issue

	Copilot Chat panel. C. By posting on the GitHub forums. D. By filling out a feedback form on the GitHub website.	in the microsoft/vscode-copilot-release repository.
29.	T1Q76. When crafting prompts for GitHub Copilot, what is a recommended strategy to enhance the relevance of the generated code? A. Write the prompt in natural language without any programming language. B. Provide examples of expected input and output within the prompt. C. Keep the prompt as short as possible, using single words or brief phrases. D. Avoid mentioning the programming language to allow for more flexible suggestions.	B. Provide examples of expected input and output within the prompt.
30.	T1Q96. How can GitHub Copilot assist in maintaining consistency across your tests? A. By identifying a pattern in the way you write tests and suggesting similar patterns for future tests. B. By automatically fixing all tests in the code based on the context. C. By writing the implementation code for the function based on context. D. By providing documentation references based on industry best practices.	C. By writing the implementation code for the function based on context.
31.	T1Q82. What is the primary purpose of organization audit logs in GitHub Copilot Business?	B. To monitor administrator activities and actions within the organization

A. To track the number of lines of code suggested by Copilot
B. To monitor administrator activities and actions within the organization
C. To monitor code conflicts across repositories
D. To assign software licenses within the organization

32. T1Q89. Are there any limitations to consider when using GitHub Copilot for code refactoring?

A. GitHub Copilot always produces bug-free code during refactoring.
B. GitHub Copilot understands the context of your entire project and refactors code accordingly.
C. GitHub Copilot can only be used with a limited set of programming languages.
D. GitHub Copilot may not always produce optimized or best-practice code for refactoring.

D. GitHub Copilot may not always produce optimized or best-practice code for refactoring.

33. T1Q98. How can GitHub Copilot aid developers in writing documentation for their code?

A. GitHub Copilot can automatically generate complete and detailed documentation.
B. GitHub Copilot can suggest summaries or descriptions based on the code's functionality.
C. GitHub Copilot cannot assist in writing documentation or comments.

B. GitHub Copilot can suggest summaries or descriptions based on the code's functionality.

D. GitHub Copilot can only generate content in markdown format.

34. T1Q106. How can the insights gained from the metrics API be used to improve the development process in conjunction with GitHub Copilot?

A. Insights on the types of coding languages where GitHub Copilot is most helpful.
B. Real-time debugging and error resolution statistics.
C. Detailed analysis of GitHub Copilot's suggestions vs. manual coding.
D. Automated generation of complete project documentation.

*Q makes little sense, might not be in exam

C. Detailed analysis of GitHub Copilot's suggestions vs. manual coding.

35. T1Q92. Where can you validate if GitHub Copilot is not returning suggestions because of content exclusions?

A. The GitHub Copilot logs on GitHub.com under your user settings
B. The GitHub Copilot icon in the status bar of the editor will display a message
C. The GitHub Copilot errors panel in your IDE
D. The code suggestions window will display a warning message
E. By editing a file subject to content exclusion

E. By editing a file subject to content exclusion

None of the answers provided by ExTp are correct.

36.

T1Q77. What is one of the recommended practices when using GitHub Copilot Chat to enhance code quality?

A. Rely solely on Copilot's suggestions without reviewing them.
B. Disable Copilot's inline suggestions.
C. Regularly review and refactor the code suggested by Copilot.
D. Avoid using Copilot for complex tasks.

C. Regularly review and refactor the code suggested by Copilot.

37. T1Q103. Which of the following are true about code suggestions? (Choose two.)

A. Alternative code suggestions can be shown in a new tab
B. You can use keyboard shortcuts to accept the next word in a suggestion
C. Code suggestions will always compile or run without modifications
D. Code suggestions are guaranteed to not expose known security vulnerabilities
E. Code suggestions are limited to single-line suggestions

A. Alternative code suggestions can be shown in a new tab
B. You can use keyboard shortcuts to accept the next word in a suggestion

38. T1Q108. How does GitHub Copilot identify matching code and ensure that public code is appropriately handled or blocked? (Choose two.)

A. Filtering out suggestions that match code from public repositories
B. Using machine learning models trained only

A. Filtering out suggestions that match code from public repositories
C. Implementing safeguards to detect and avoid suggesting verbatim snippets from public code

on private repositories
C. Implementing safeguards to detect and avoid suggesting verbatim snippets from public code
D. Reviewing and storing user-specific private repository data for future suggestions

39. T1Q95. What reasons could apply if code suggestions are not working in your editor? (Choose three.)

A. You do not have an active internet connection
B. Your programming language is not supported
C. Your content exclusion is active and blocks the use of GitHub Copilot
D. You do not have a valid GitHub Copilot license
E. You are working in files included in your .gitignore

A. You do not have an active internet connection
C. Your content exclusion is active and blocks the use of GitHub Copilot
D. You do not have a valid GitHub Copilot license

40. T1Q112. When using an IDE with a supported GitHub Copilot plug-in, which Chat features can be accessed from within the IDE? (Choose two.)

A. Generate unit tests
B. Explain code and suggest improvements
C. Plan coding tasks
D. Find out about releases and commits

A. Generate unit tests
B. Explain code and suggest improvements

41.

T1Q88. How does GitHub Copilot utilize chat history to enhance its code completion capabilities?

A. By analyzing past chat interactions to identify common programming patterns and errors.
B. By using chat history to offer personalized code snippets based on previous prompts.
C. By logging chat history to monitor user activity and ensure compliance with coding standards.
D. By sharing chat history with third-party services to improve integration and functionality.

B. By using chat history to offer personalized code snippets based on previous prompts.

+ By facilitating contextual understanding in subsequent interactions.

42. T1Q99. What role does the pre-processing of user input play in the data flow of GitHub Copilot Chat?

A. It enriches the input prompt with additional context before passing it to the language model.
B. It directly generates a response based on the user's input prompt.
C. It filters out irrelevant information from the user's input prompt.
D. It formats the output response before presenting it to the user.

A. It enriches the input prompt with additional context before passing it to the language model.

43. T1Q111. What is the main purpose of the duplication detection filter in GitHub Copilot?

A. To encourage the user to follow coding best

D. To detect and block suggestions that match public code snippets on

practices preventing code duplication.
B. To compare user-generated code against a private repository for potential matches.
C. To allow administrators to control which suggestions are visible to developers based on custom criteria.
D. To detect and block suggestions that match public code snippets on GitHub if they contain about 150 characters.

GitHub if they contain about 150 characters.

44. T1Q97. If you are working on open source projects, GitHub Copilot Individual can be paid:

A. Based on the payment method in your user profile
B. Through an invoice or a credit card
C. Through an Azure Subscription
D. N/A - Copilot Individual is a free service for all open source projects

B. Through an invoice or a credit card

45. T1Q109. How does GitHub Copilot Chat help to fix security issues in your codebase?

A. By annotating the given suggestions with known vulnerability patterns.
B. By automatically refactoring the entire codebase to remove vulnerabilities.
C. By enforcing strict coding standards that prevent the introduction of vulnerabilities.
D. By providing detailed reports on the security vulnerabilities present in the codebase.

A. By annotating the given suggestions with known vulnerability patterns.

46.

T1Q87. What type of information can you retrieve through GitHub Copilot Business Subscriptions via REST API? (Choose two.)

A. View code suggestions for a specific user
B. List all GitHub Copilot seat assignments for an organization
C. Get a summary of GitHub Copilot usage for organization members
D. List of all unsubscribed GitHub Copilot members within an organization

B. List all GitHub Copilot seat assignments for an organization
C. Get a summary of GitHub Copilot usage for organization members

47. T1Q74. What can be done during AI development to minimize bias?

A. Focus on accuracy of the data.
B. Collect massive amounts of data for training.
C. Use diverse data, fairness metrics, and human oversight.
D. Improve on the computational efficiency and speed.

C. Use diverse data, fairness metrics, and human oversight.

48. T1Q100. Which of the following steps correctly demonstrates how to establish an organization-wide policy for GitHub Copilot Business to restrict its use to certain repositories?

A. Create a copilot.policy file in each repository
B. Configure the policies in the organization settings
C. Create a copilot.policy in the .github reposi-

B. Configure the policies in the organization settings

tory
D. Apply policies through the GitHub Actions configuration

49. T1Q105. How does GitHub Copilot assist developers in reducing the amount of manual boilerplate code they write?

A. By refactoring the entire codebase to eliminate boilerplate code without developer input.
B. By predicting future coding requirements and pre-emptively generating boilerplate code.
C. By suggesting code snippets that can be reused across different parts of the project.
D. By engaging in real-time collaboration with multiple developers to write boilerplate code.

C. By suggesting code snippets that can be reused across different parts of the project.

50. T1Q80. What is few-shot prompting?

A. Telling GitHub Copilot to try multiple times to answer the prompt
B. Telling GitHub Copilot to iterate several times on the answer before returning it to you
C. Telling GitHub Copilot about the mechanism you want it to use and how to incorporate that into the response
D. Telling GitHub Copilot from which sources it should base the response on

C. Telling GitHub Copilot about the mechanism you want it to use and how to incorporate that into the response

In better words: provide examples before asking GHCopilot to generate code

51. T1Q117. What specific function does the '/fix' slash command perform?

C. Proposes changes for detected issues, suggesting corrections for syn-

A. Generates new code snippets based on language syntax and best practices.
B. Initiates a code review with static analysis tools for security and logic errors.
C. Proposes changes for detected issues, suggesting corrections for syntax errors and programming mistakes.
D. Converts pseudocode into executable code, optimizing for readability and maintainability.

tax errors and programming mistakes.

52. T1Q101. Which Copilot Enterprise features are available in all commercially supported IDEs?

A. Inline suggestions
B. Chat
C. Knowledge bases
D. Pull request summaries

A. Inline suggestions

53. T1Q75. When using GitHub Copilot Chat to generate boilerplate code for various test types, how can you guide the Al to follow the testing standards of your company?

A. By using a specific slash command in the prompt.
B. By using specific prompt examples in your chat request.
C. By using a specific command in the terminal.
D. By using a specific setting in GitHub Copilot's configuration.

B. By using specific prompt examples in your chat request.

54. T1Q79. How does GitHub Copilot typically handle code suggestions that involve deprecated features or syntax of programming languages?

A. GitHub Copilot always filters out deprecated elements to promote the use of current standards.
B. GitHub Copilot may suggest deprecated syntax or features if they are present in its training data.
C. GitHub Copilot automatically updates deprecated features in its suggestions to the latest version.
D. GitHub Copilot rejects all prompts involving deprecated features to avoid compilation errors.

B. GitHub Copilot may suggest deprecated syntax or features if they are present in its training data.

55. T1Q84. A team is using GitHub Copilot Individual in their daily development activities. They need to exclude specific files from being used to inform code completion suggestions. How can they achieve this?

A. Upgrade to Copilot Business
B. Have a repo administrator configure content exclusions
C. Have an organization owner configure content exclusions
D. Use the #file Chat variable to exclude the files
E. Add a .gitignore file to the repo

A. Upgrade to Copilot Business

56. T1Q81. When using GitHub Copilot Chat to generate unit tests, which slash command would you use?

A. /generate-tests
B. /tests
C. /create-tests
D. /init-tests

B. /tests

57. T1Q93. Why is it important to ensure the security of the code used in Generative AI (Gen AI) tools?

A. Ensuring code security maintains the integrity of the AI system.
B. Ensuring code security prevents unauthorized access and potential data breaches.
C. Ensuring code security supports the development of more advanced AI features.
D. Ensuring code security enables the AI system to handle larger datasets effectively.

B. Ensuring code security prevents unauthorized access and potential data breaches.

58. T1Q110. What are the potential limitations of GitHub Copilot in maintaining existing codebases?

A. GitHub Copilot can refactor and optimize the entire codebase up to 10,000 lines of code.
B. GitHub Copilot might not fully understand the context and dependencies within a large codebase.
C. GitHub Copilot can independently manage

B. GitHub Copilot might not fully understand the context and dependencies within a large codebase.

and resolve all merge conflicts in version control.
D. GitHub Copilot's suggestions are always aware of the entire codebase.

59. T1Q4. How can GitHub Copilot assist developers during the requirements analysis phase of the Software Development Life Cycle (SDLC)?

A. By automatically generating detailed requirements documents.
B. By providing templates and code snippets that help in documenting requirements.
C. By identifying and fixing potential requirement conflicts when using /help.
D. By managing stakeholder communication and meetings.

B. By providing templates and code snippets that help in documenting requirements.

60. T1Q18. What types of prompts or code snippets might be flagged be the GitHub Copilot toxicity filter? (Choose two.)

A. Hate speech or discriminatory language (e.g., racial slurs, offensive stereotypes)
B. Sexually suggestive or explicit content
C. Code that contains logical errors or produces unexpected results
D. Code comments containing strong opinions or criticisms

A. Hate speech or discriminatory language (e.g., racial slurs, offensive stereotypes)
B. Sexually suggestive or explicit content

61. T1Q26. Select a strategy to increase the performance of GitHub Copilot Chat.

C. Apply prompt engineering techniques to be more specific

A. Use a single GitHub Copilot Chat query to find resolutions for the collection of technical requirements
B. Limit the number of concurrent users accessing GitHub Copilot Chat
C. Apply prompt engineering techniques to be more specific
D. Optimize the usage of memory-intensive operations within generated code

62. T1Q36. What is a benefit of using custom models in GitHub Copilot?

A. Responses are faster to produce and appear sooner
B. Responses use practices and patterns in your repositories
C. Responses use the organization's LLM engine
D. Responses are guaranteed to be correct

B. Responses use practices and patterns in your repositories

63. T1Q64. How can you get multiple suggestions from GitHub Copilot?

A. By asking for multiple suggestions using comments in your code
B. By opening the completions panel in your editor
C. By using the inline chat functionality with the command /multiple
D. By using @workspace in the chat window

B. By opening the completions panel in your editor

64.

T1Q19. How does the '/tests' slash command assist developers?

A. Constructs detailed test documentation.
B. Creates unit tests for the selected code.
C. Integrates with external testing frameworks.
D. Executes test cases to find issues with the code.

B. Creates unit tests for the selected code.

65. T1Q59. Why is code reviewing still necessary when using GitHub Copilot to write tests?

A. Because GitHub Copilot can cover all possible scenarios in your test cases.
B. Because GitHub Copilot generates the best code possible for the test scenario.
C. Because GitHub Copilot's generated test cases may not cover all possible scenarios.
D. Because GitHub Copilot replaces the need for manual testing.

C. Because GitHub Copilot's generated test cases may not cover all possible scenarios.

66. T1Q30. Which of the following is a risk associated with using AI?

A. AI algorithms are incapable of perpetuating existing biases.
B. AI systems can sometimes make decisions that are difficult to interpret.
C. AI eliminates the need for data privacy regulations.
D. AI replaces the need for developer opportunities in most fields.

B. AI systems can sometimes make decisions that are difficult to interpret.

67. T1Q46. What content can be configured to be excluded with content exclusions? (Choose three.)

A. Lines in files
B. Files
C. Folders
D. Repositories
E. Gists

B. Files
C. Folders
D. Repositories

68. T1Q72. What two options navigate to configure duplicate detection? (Choose two.)

A. Enterprise settings -> Copilot -> Policies
B. Organization settings -> Copilot -> Policies
C. Repository settings -> Copilot -> Policies
D. User settings -> Copilot -> Policies

B. Organization settings -> Copilot -> Policies
C. Repository settings -> Copilot -> Policies

69. T1Q34. A company is currently storing code in BitBucket and would like to use GitHub Copilot. Which GitHub Copilot plan will be most cost effective to allow them to manage users with their Identity Provider (e.g. Okta)?

A. GitHub Copilot Business for non-GHE customers
B. GitHub Copilot Individual
C. GitHub Copilot Enterprise
D. GitHub Copilot Teams

A. GitHub Copilot Business for non-GHE customers

70. T1Q14. What practices enhance the quality of suggestions provided by GitHub Copilot?

A. Clearly defining the problem or task

(Choose three.)

A. Clearly defining the problem or task
B. Including personal information in the code comments
C. Using meaningful variable names
D. Providing examples of desired output
E. Use a .gitignore file to exclude irrelevant files

C. Using meaningful variable names
D. Providing examples of desired output

71. T1Q61. What method can a developer use to generate sample data with GitHub Copilot? (Choose two.)

A. Utilizing GitHub Copilot's ability to create fictitious information from patterns in training data
B. Leveraging GitHub Copilot's ability to independently initiate and manage data storage services.
C. Utilize GitHub Copilot's capability to directly access and use databases to create sample data.
D. Leveraging GitHub Copilot's suggestions to create data based on API documentation in the repository.

A. Utilizing GitHub Copilot's ability to create fictitious information from patterns in training data
D. Leveraging GitHub Copilot's suggestions to create data based on API documentation in the repository.

72. T1Q67. Which of the following statements correctly describes how GitHub Copilot Individual uses prompt data? (Each correct answer presents part of the solution. (Choose two.)

A. Prompt data is used to train machine learning models for better code suggestions.

A. Prompt data is used to train machine learning models for better code suggestions.
C. Real-time user input helps generate context-aware code suggestions.

B. Prompt data is used internally by GitHub for improving the search engine.
C. Real-time user input helps generate context-aware code suggestions.
D. Prompt data is stored unencrypted for faster processing.

73. T1Q56. Which of the following is correct about GitHub Copilot Knowledge Bases?

A. All repos are indexed
B. Indexing is static
C. It is an Enterprise feature
D. All file types are indexed

C. It is an Enterprise feature

74. T1Q32. How can GitHub Copilot assist with code refactoring tasks?

A. GitHub Copilot can fix syntax errors without user input.
B. GitHub Copilot can automatically rewrite code to follow best practices.
C. GitHub Copilot can suggest refactoring improvements for better code quality.
D. GitHub Copilot can remove unnecessary files from the project directory

C. GitHub Copilot can suggest refactoring improvements for better code quality.

75. T1Q33. Which principle emphasizes that AI systems should be understandable and provide clear information on how they work?

A. Fairness
B. Transparency

B. Transparency

C. Inclusiveness
D. Accountability

76. T1Q35. When can GitHub Copilot still use content that was excluded using content exclusion?

A. If the contents of an excluded file are referenced in code that is not excluded, for example function calls.
B. When the repository level settings allow overrides by the user.
C. If the content exclusion was configured at the enterprise level, and is overwritten at the organization level.
D. When the user prompts with @workspace.

A. If the contents of an excluded file are referenced in code that is not excluded, for example function calls.

77. T1Q39. What is the best way to share feedback about GitHub Copilot Chat when using it on GitHub Mobile?

A. The Settings menu in the GitHub Mobile app.
B. The feedback section on the GitHub website.
C. Use the emojis in the Copilot Chat interface.
D. By tweeting at GitHub's official X (previously known as Twitter) account.

C. Use the emojis in the Copilot Chat interface.

78. T1Q53. What are the potential risk associated with relying heavily on code generated from GitHub Copilot? (Choose two.)

A. GitHub Copilot may introduce security vulnerabilities by suggesting code with known exploits.
C. GitHub Copilot's suggestions may

A. GitHub Copilot may introduce security vulnerabilities by suggesting code with known exploits.
B. GitHub Copilot may decrease developer velocity by requiring too much time in prompt engineering.
C. GitHub Copilot's suggestions may not always reflect best practices or the latest coding standards.
D. GitHub Copilot may increase development lead time by providing irrelevant suggestions.

not always reflect best practices or the latest coding standards.

79. T1Q47. Which of the following is the correct way to access the audit log events for GitHub Copilot Business?

A. Navigate to the Security tab in the organization's GitHub settings
B. Navigate to the Insights tab in the repository settings
C. Use the Audit log section in the organization's GitHub settings
D. Use the Code tab in the GitHub repository

C. Use the Audit log section in the organization's GitHub settings

80. T1Q43. What should developers consider when relying on GitHub Copilot for generating code that involves statistical analysis?

A. GitHub Copilot can independently verify the statistical significance of results.
B. GitHub Copilot's suggestions are based on statistical trends may not always apply accu-

B. GitHub Copilot's suggestions are based on statistical trends may not always apply accurately to specific datasets.

rately to specific datasets.
C. GitHub Copilot will automatically correct any statistical errors found in the user's initial code.
D. GitHub Copilot can design new statistical methods that have not been previously documented.

81. T1Q15. How does GitHub Copilot Chat ensure that a function works correctly?

A. By suggesting assertions based on the code's context and semantics.
B. By automatically writing all the tests for the function.
C. By working the implementation code for the function.
D. By executing the test cases to validate the correctness of the code.

A. By suggesting assertions based on the code's context and semantics.

82. T1Q17. What are the effects of content exclusions? (Choose two.)

A. The excluded content is not directly available to GitHub Copilot to use a context.
B. GitHub Copilot suggestions are no longer available in the excluded files.
C. The excluded content is no longer used while debugging the code.
D. The IDE will not count coding suggestions in the excluded content.

A. The excluded content is not directly available to GitHub Copilot to use a context.
B. GitHub Copilot suggestions are no longer available in the excluded files.

83.

T1Q45. What is the process behind identifying public node matches when using a public code filter enabled in GitHub Copilot?

A. Running code suggestions through filters designed to detect public code
B. Comparing suggestions against public code using machine learning
C. Analyzing the context and structure of the code being written
D. Reviewing the user's browsing history to identify public repositories

A. Running code suggestions through filters designed to detect public code

84. T1Q28. Which of the following scenarios best describes the intended use of GitHub Copilot Chat as a tool?

A. A complete replacement for developers generating code.
B. A productivity tool that provides suggestions, but relying on human judgment.
C. A solution for software development, requiring no additional input or oversight.
D. A tool solely designed for debugging and error correction.

B. A productivity tool that provides suggestions, but relying on human judgment.

85. T1Q65. In what way can GitHub Copilot and GitHub Copilot Chat aid developers in modernizing applications?

A. GitHub Copilot can directly convert legacy applications into cloud-native architectures.
B. GitHub Copilot can suggest modern pro-

B. GitHub Copilot can suggest modern programming patterns based on your code.

gramming patterns based on your code.
C. GitHub Copilot can create and deploy full-stack applications based on a single query.
D. GitHub Copilot can automatically refactor applications to align with upcoming standards.

86. T1Q44. Which Microsoft ethical AI principle is aimed at ensuring AI systems treat all people equally?

A. Privacy and Security
B. Fairness
C. Reliability and Safety
D. Inclusiveness

B. Fairness

87. T1Q57. How long does GitHub retain Copilot data for Business and Enterprise? (Choose two.)

A. Prompts and Suggestions: Not retained
B. Prompts and Suggestion: Retained for 28 days
C. User Engagement Data: Kept for Two Years
D. User Engagement Data: Kept for 1 Year

B. Prompts and Suggestion: Retained for 28 days
C. User Engagement Data: Kept for Two Years

88. T1Q41. Which of the following statements best describes the impact of GitHub Copilot on the software development process?

A. It decreases software vulnerabilities from third party dependencies.
B. It reduces developer overhead by automat-

C. It increases productivity by automating repetitive coding tasks.

ing testing workflows.
C. It increases productivity by automating repetitive coding tasks.
D. It replaces the need for developers in the software development process.

89. T1Q73. What are the different ways to give context to GitHub Copilot to get more precise responses? (Choose two.)

A. Engage with chat participants such as @workspace to incorporate collaborative context into the responses.
B. Utilize chat variables like #file and #editors to anchor the conversation within the specific context of the files or editors in use.
C. Utilize to interpret developer's thoughts and intentions without any code or comments.
D. Access developer's previous projects and code repositories to understand their coding style without explicit permission.

A. Engage with chat participants such as @workspace to incorporate collaborative context into the responses.
B. Utilize chat variables like #file and #editors to anchor the conversation within the specific context of the files or editors in use.

90. T1Q21. How can GitHub Copilot facilitate a smoother learning experience when diving into a new programming language? (Choose two.)

A. GitHub Copilot Chat can provide guidance and support for common coding tasks and challenges in the targeted programming language.
B. GitHub Copilot's /understand command will

A. GitHub Copilot Chat can provide guidance and support for common coding tasks and challenges in the targeted programming language.
D. GitHub Copilot can convert comments into code to grasp the syntax and nuances of a new programming language.

help GitHub Copilot to understand code written in a targeted programming language.
C. GitHub Copilot can provide contextualized code suggestions and answer sources from an organization's documentation.
D. GitHub Copilot can convert comments into code to grasp the syntax and nuances of a new programming language.

91. T1Q37. Which Copilot individual features are available when using a supported extension for Visual Studio, VS Code, or JetBrains IDEs? (Choose two.)

A. Code suggestions
B. Chat
C. Knowledge Base
D. Pull Request Diff Analysis

A. Code suggestions
B. Chat

92. T1Q40. What is the primary role of the '/optimize' slash command in Visual Studio?

A. Automatically formats the code according to the selected style guide.
B. Enhances the performance of the selected code by analyzing its runtime complexity.
C. Summarizes your documentation into more maintainable and readable formats.
D. Translates code into a more performant language.

B. Enhances the performance of the selected code by analyzing its runtime complexity.

93. T1Q66. Which of the following does GitHub Copilot's LLM derive context from when pro-

A. Neighboring or related files within a project

ducing a response?

A. Neighboring or related files within a project
B. Version control system integrated with the IDE
C. Frequency of commits to the repository
D. Syntax highlighting scheme of the code in the IDE

94. T1Q70. Identify the steps involved in the life cycle of a GitHub Copilot code suggestion? (Choose two.)

A. Processing telemetry data
B. Capturing the user's context
C. Storing user data
D. Retraining the model
E. Generate suggestions

B. Capturing the user's context
E. Generate suggestions

95. T1Q48. How does GitHub Copilot Chat help in understanding the existing codebase?

A. By running code linters and formatters.
B. By providing visual diagrams of the code structure.
C. By answering questions about the code and generating explanations.
D. By automatically refactoring code to improve readability.

C. By answering questions about the code and generating explanations.

96. T1Q38. What is a key consideration when relying on GitHub Copilot Chat's explanations of code functionality and proposed improve-

B. Reviewing and validating the generated output for accuracy and completeness.

ments?

A. The explanations are dynamically updated based on user feedback.
B. Reviewing and validating the generated output for accuracy and completeness.
C. GitHub Copilot Chat uses a static database for generating explanations.
D. The explanations are primarily derived from user-provided documentation.

97. T1Q55. How can you use GitHub Copilot to get inline suggestions for refactoring your code? (Choose two.)

A. By adding comments to your code and triggering a suggestion.
B. By highlighting the code you want to fix, right-clicking, and selecting "Fix using GitHub Copilot."
C. By running the gh copilot fix command.
D. By using the "/fix" command in GitHub Copilot in-line chat.
E. By highlighting the code, you want to fix, right-clicking, and selecting "Refactor using GitHub Copilot."

A. By adding comments to your code and triggering a suggestion.
D. By using the "/fix" command in GitHub Copilot in-line chat.

98. T1Q58. How can GitHub Copilot be limited when it comes to suggesting unit tests?

A. GitHub copilot can generate all types of unit tests, including those for edge cases and complex integration scenarios

B. GitHub Copilot primarily suggests basic unit tests that focus on core functionalities, often requiring additional input from developers for comprehensive coverage.

B. GitHub Copilot primarily suggests basic unit tests that focus on core functionalities, often requiring additional input from developers for comprehensive coverage.
C. GitHub Copilot can handle any complexity in code and automatically generate appropriate unit tests.
D. GitHub Copilot's limitations in generating unit tests can vary based on the IDE version you are using.

99. T1Q51. Where is the proxy service hosted?

A. Self hosted
B. Amazon Web Service
C. Microsoft Azure
D. Google Cloud Platform

C. Microsoft Azure

100. T1Q52. GitHub Copilot in the Command Line Interface (CLI) can be used to configure the following settings: (Choose two.)

A. The default execution confirmation
B. Usage analytics
C. The default editor
D. GitHub CLI subcommands

A. The default execution confirmation
B. Usage analytics

List
1. Alias configuration
2. Feedback mechanism
3. Organizational settings
4. Data handling (answer B)

101. T1Q20. How can the concept of fairness be integrated into the process of operating an AI tool?

A. Focusing on accessibility will ensure fair-

D. Training AI data and algorithms to be free from biases will ensure fairness.

ness.
B. Focusing on collecting large datasets for training will ensure fairness.
C. Regularly monitoring the AI tool's performance will ensure fairness in its outputs.
D. Training AI data and algorithms to be free from biases will ensure fairness.

102. T1Q71. Which GitHub Copilot pricing plans include features that exclude your GitHub Copilot data like usage, prompts, and suggestions from default training GitHub Copilot? (Choose two.)

A. GitHub Copilot Individual
B. GitHub Copilot Business
C. GitHub Copilot Enterprise
D. GitHub Copilot Codespace

B. GitHub Copilot Business
C. GitHub Copilot Enterprise

103. T1Q62. An independent contractor develops applications for a variety of different customers. Assuming no concerns from their customers, which GitHub Copilot plan is best suited?

A. GitHub Copilot individual
B. GitHub Copilot Business
C. GitHub Copilot Business for non-GHE Customers
D. GitHub Copilot Enterprise
E. GitHub Copilot Teams

A. GitHub Copilot individual

104.

T1Q50. What is a limitation of content exclusions?

A. Content exclusions can be worked around as it is only available for Git repositories.
B. Content exclusions can only be configured by an enterprise administrator.
C. Content exclusions are only available in the GitHub Copilot individual plan.
D. Repository administrators and organization owners cannot manage content exclusion settings.

A. Content exclusions can be worked around as it is only available for Git repositories.

105. T1Q13. How does GitHub Copilot suggest code optimizations for improved performance?

A. By analyzing the codebase and suggesting more efficient algorithms or data structures.
B. By automatically rewriting the codebase to use more efficient code.
C. By enforcing strict coding standards that ensure optimal performance.
D. By providing detailed reports on the performance of the codebase.

A. By analyzing the codebase and suggesting more efficient algorithms or data structures.

106. T1Q31. Which of the following prompts can be used to guide GitHub Copilot Chat in refactoring code for quality improvements? (Choose two.)

A. "Show me how to improve the readability of this function."
B. "Suggest ways to enhance the maintainabil-

A. "Show me how to improve the readability of this function."
B. "Suggest ways to enhance the maintainability of this code segment."

ity of this code segment."
C. "Refactor my application meet the latest coding standards."
D. "Predict future coding trends and update my codebase accordingly."

107. T1Q63. Identify the right use cases where GitHub Copilot Chat is most effective. (Choose two.)

A. Create a technical requirement specification from the business requirement documentation
B. Explain a legacy COBOL code and translate the code to another language like C#
C. Creation of a unit test scenario for newly developed Python code
D. Creation of end-to-end performance testing scenarios for a web application

B. Explain a legacy COBOL code and translate the code to another language like C#
C. Creation of a unit test scenario for newly developed Python code

108. T1Q60. What GitHub Copilot pricing plan gives you access to your company's knowledge bases?

A. GitHub Copilot Individual
B. GitHub Copilot Business
C. GitHub Copilot Enterprise
D. GitHub Copilot Professional

C. GitHub Copilot Enterprise

109. T1Q25. What is zero-shot prompting?

A. Giving as little context to GitHub Copilot as possible

C. Only giving GitHub Copilot a question as a prompt and no examples

B. Telling GitHub Copilot it needs to show only the correct answer
C. Only giving GitHub Copilot a question as a prompt and no examples
D. Giving GitHub Copilot examples of the problem you want to solve
E. Giving GitHub Copilot examples of the algorithm and outcome you want to use

110. T1Q68. What do you check when GitHub Copilot content exclusions are not working? Each correct answer presents part of the solution. (Choose two.)

A. If the user is in an organization that has content exclusions configured.
B. If the content exclusion settings changed in the last 30 minutes or before that.
C. If GitHub Copilot can connect to the server selected in your user settings.
D. If the user is part of the content exclusion team that limits the use of content exclusions.

A. If the user is in an organization that has content exclusions configured.
B. If the content exclusion settings changed in the last 30 minutes or before that.

111. T1Q69. What GitHub Copilot configuration needs to be enabled to protect against IP infringements?

A. Allowing public code matches
B. Blocking public code matches
C. Allowing license check configuration
D. Blocking license check configuration

B. Blocking public code matches

112.

T1Q42. What is a likely effect of GitHub Copilot being trained on commonly used code patterns?

A. Suggest homogeneous solutions if provided a diverse data set.
B. Suggest innovative coding solutions that are not yet popular.
C. Suggest code snippets that reflect the most common practices in the training data.
D. Suggest completely novel projects, while reducing time on a project.

C. Suggest code snippets that reflect the most common practices in the training data.

113. T1Q24. Which of the following describes role prompting?

A. Describing in your prompt what your role is to get a better suggestion
B. Tell GitHub Copilot in what tone of voice it should respond
C. Prompt GitHub Copilot to explain what was the role of a suggestion
D. Giving GitHub Copilot multiple examples of the form of the data you want to use

A. Describing in your prompt what your role is to get a better suggestion

114. T1Q1. What kind of insights can the GitHub Copilot usage metrics API provide to help evaluate the effectiveness of GitHub Copilot? (Choose two.)

A. The API can generate detailed reports on code quality improvements made by GitHub Copitot.

B. The API can track the number of code suggestions accepted and used in the organization.
E. The API can provide Copilot Chat specific suggestions acceptance metrics.

B. The API can track the number of code suggestions accepted and used in the organization.
C. The API can refactor your code to improve productivity.
D. The API can provide feedback on coding style and standards compliance.
E. The API can provide Copilot Chat specific suggestions acceptance metrics.

115. T1Q11. Which GitHub Copilot plan allows for prompt and suggestion collection?

A. GitHub Copilot Individuals
B. GitHub Copilot Business
C. GitHub Copilot Enterprise
D. GitHub Copilot Codespace

C. GitHub Copilot Enterprise

116. T1Q10. What configuration needs to be set to get help from Microsoft and GitHub protecting against IP infringement while using GitHub Copilot?

A. Suggestions matching public code to 'blocked'
B. Enforce blocking of MIT or GPL licensed code
C. You need to check code suggestions yourself before accepting
D. Enabled GitHub Copilot license checking

A. Suggestions matching public code to 'blocked'

117. T1Q9. Which of the following user management options is used to modify details about a

A. Add teams to the Copilot subscription for an orga-

GitHub Copilot Business subscription? (Choose two.)

A. Add teams to the Copilot subscription for an organization
B. Upgrade or downgrade the subscription tier
C. Migrate Copilot seat assignments between GitHub organizations
D. Reassign Copilot seats base on GitHub repository size
E. Remove teams from the Copilot subscription for an organization

nization (POST: /orgs/{org}/copilot/billing/selected_teams)
E. Remove teams from the Copilot subscription for an organization (DELETE: /orgs/{org}/copilot/billing/selected_users)

Full list: https://docs.github.com/en/rest/copilot/copilot-user-management?apiVersion=2022-11-28

118. T1Q8. How long does it take content exclusion to add or be updated?

A. Up to 30 minutes
B. 45-60 minutes
C. 60-90 minutes
D. 24 hours

A. Up to 30 minutes

119. T1Q7. What are two techniques that can be used to improve prompts to GitHub Copilot? (Choose two.)

A. Provide specific success criteria
B. Provide all information about the utilized files
C. Provide insight on where to get the content from to get a response
D. Provide links to supporting documentation

A. Provide specific success criteria
C. Provide insight on where to get the content from to get a response

120. T1Q3. How is GitHub Copilot Individual billed? (Choose two.)

A. Monthly as a subscription
B. Annually as a subscription
C. Monthly, as a metered service based on actual consumption
D. Free (not billed) for all open source projects

A. Monthly as a subscription
B. Annually as a subscription

121. T1Q5. What is the correct way to exclude specific files from being used by GitHub Copilot Business during code suggestions?

A. Modify the .gitignore file to include the specific files
B. Add the specific files to a copilot.ignore file
C. Use the GitHub Copilot settings in the user interface to exclude files
D. Rename the files to include the suffix _no_copilot

C. Use the GitHub Copilot settings in the user interface to exclude files