	ABSTRACT FOR UPPAL I	DA SITE					
Indus ID:		IN -1009884					
Site Name:		UPPAL IDA					
Opco Name: Opco site ID:		AIRTEL-LTE TDD HY1378					
PO No:	e ib.	3103004					
Ref No:		R/RL-25	53590				
District &	& Circle:	Hyderabad & T.S					
S. No.	Item Description	Unit	Qty	Rate	Amount	Remarks	
	Civil Quantities		1	1 1			
1	Pedestals (100x100x100)MM	Each	10.00	100.00	1000.00	Claim in Misc	
2	S/L 40 MM GI PIPE	Mtr	9.00	260.00	2340.00		
3	OFC Duct Laying Charges  CIVIL TOTAL	Rmt	67.00	185.00	12395.00		
	CIVIL TOTAL			Į.	15,735.00		
S. No.	Item Description	Unit	Qty	Rate	Amount	Remarks	
	Electrical Quantiti	es	1	1			
1	Cable,25 Sq MM,1 Core,Copper Unarmoured Multi strand HRFR.Version 1.0	Mtr	6.50	144.98	942.37		
2	Cable, 70 Sq MM, 1 Core Black, Copper Unarmoured Multi strand HRFR. Version 1.0	Mtr	7.00	391.13	2737.91		
3	Cable,70 Sq MM,1 Core Red,Copper Unarmoured Multi strand	Mtr	6.00	391.13	2346.78		
4	HRER. Version 1.0 Cable,35 Sq MM,1 Core Red,Copper Unarmoured Multi strand	Mtr	4.00	190.87	763.48		
5	HRFR.Version 1.0 Cable,35 Sq MM,1 Core Black,Copper Unarmoured Multi strand	Mtr	4.00	190.87	763.48		
6	HRFR.Version 1.0 Cable,0.5 MM Dia,5 Pair,Aluminium Tinned Copper single strand	Mtr	65.00	18.36	1193.40		
7	Unarmoured(FRLS).Version 1.0 - Capex Cable,0.5 MM Dia,2 Pair,Aluminium Tinned Copper single strand	Mtr	5.00	9.00	45.00	Claim in Misc	
8	Unarmoured(FRLS).Version 1.0 - Capex Cable,6 Sq MM,1 Core,Copper Unarmoured Multi strand	Mtr	8.00	34.66	277.28		
9	HRFR. Version 1.0 - Capex Cable, 16 Sq MM, 2 Core, Aluminum Armoured, XLPE	Mtr	62.00	81.16	5031.92		
	insulation.Version 1.0 Cable,6 Sq MM,2 Core,Copper Armoured Multi strand						
10	HRER Version 1.0 Cable,6 Sq MM,2 Core,Copper Unarmoured Multi strand	Mtr	66.00	109.83	7248.78	Claim in 6Sq mm,2C Cable	
11	HRFR.Version 1.0 - Canex Cable, 1.5 Sq MM,1 Core,Copper Unarmoured Multi strand	Mtr	20.00	81.00	1620.00	-	
12	HRFR. Version 1.0 - Capex	Mtr	4.00	9.00	36.00	Claim in Misc	
13	Earthing, GI strip (25x6) mm with all installation accessories, (As per Indus Standards and Guidelines)	Mtr	5.00	148.00	740.00		
14 15	S/F 16 Amps 2 pole MCB S/F 32 Amps 2 pole MCB	Nos Nos	4.00 2.00	272.80 272.80	1091.20 545.60	Claim in 16A,2P MCB	
16	S/F 63 Amps 1 pole MCB	Nos	5.00	196.90	984.50	,	
17	S/F 100Amps 3 Pole MCCB	Nos	1.00	2719.00	2719.00		
18	S/F 8 Way DCDB Box	Nos	1.00	1800.00	1800.00		
19	S/I of Smoke and Fire Sensor	Nos	2.00	1590.00	3180.00		
20	40MM GREEN FLEXIBLE PIPE	Mtr.	5.00	58.00	290.00		
21	25MM GREEN FLEXIBLE PIPE	Mtr.	10.00	42.00	420.00		
22	GI Wire Reinforced HDPE Conduit Pipe 25 mm, Version 1.0 S/I of Meter Box	Mtr. Nos	34.00 1.00	69.00 4240.00	2346.00 4240.00		
24	S/I Neutral Link with MCCB	Nos	1.00	250.00	250.00	Claim in Misc	
25	SEALANT BOTTLE	Nos	2.00	400.00	800.00	Cidili III Wilse	
26	Cable laying charges(40% on cable cost)	LS	0.40	23006.40	9202.56		
	ELECTRICAL TOTAL				51,615.26		
				_			
S. No.	Item Description Services Quantitie	Unit	Qty	Rate	Amount	Remarks	
1	A Class Material Transportation Charges	Per Site	1.00	15000.00	15000.00		
2	PMC Charges	Per Site	1.00	8500.00	8500.00		
3	Site security/caretaker during site construction till completion of	Per Site	1.00	8100.00	8100.00		
4	site. Installation, Commissioning & Testing of SMPS	Per Site	1.00	1200.00	1200.00		
5	Installation, Commissioning & Testing of Battery Bank	Per Site	2.00	2000.00	4000.00		
6	Dismantling Charges, Battery Bank - Capex	Per Site	1.00	1050.00	1050.00		
7	Installation Of SPS & De-installation of PIU/PMS	Per Site	1.00	3500.00	3500.00		
8	Installation, Commissioning & Testing of Stabilizer	Per Site	2.00	2000.00	4000.00		
9	EB Laisoning Charges (CT-Meter)	Per Site	1.00	4000.00	4000.00	Claim in Misc	
10	A Class Material Lifting Charges	Per Site	1.00	9000.00	9000.00		
	SERVICES TOTAL				58,350.00		
1	- Lour ( ( ( NO ) )						
	1000						



			1	1	
Ref. Number	RR1-2553590	Audit Date	200	11/01	119
Indus ID	IN-100 9884	TSP Name	OSPI		/
Site Name	TOA 100-1	QA Name	Tich	town	
Site ID	124700	Guest Opco Name	ATEU	-LTD-F00	
Anchor Opco Name	Aired	Guest Opco ID	614 1398		
Anchor Opco ID	IN 1378	dutat opeo io			
Sno.	Description	Utilization	UNIT	Make	Quantity
1	S/L 25 Sq.mm , 4 Core Aluminium conductor, armoured power	Meter Box to PIU	Mtr		
	cable including providing glands & thimbles S/L 00Sq.mm , 2 Core Aluminium conductor, armoured power	CALLO ACTO			(0.001-1
2	cable including providing glands & thimbles	C. POPULLE	Mtr		DX MITO
3	S/L Sq.mm , 2 Core Copper conductor, armoured power cable including providing glands & thimbles	a. Pillto AVI. A	Mtr		66 MKK
4	S/L 2,5 Sq.mm , 2 Core Copper conductor, armoured power cable	THUS LODE	Mtr		-00
	including providing glands & thimbles S/L 70 Sq.mm , single Core copper conductor, unarmoured	PIU to Yard Lights	Mu	0 /	
5	flexible multistrand power cable including providing glands & thimbles	SMPS to Battery Bank	Bank Mtr R-6		13 M/B
6	S/L 16 Sq.mm , 4 Core copper conductor, unarmoured flexible multistrand power cable including providing glands & thimbles	PIU to PP	Mtr		
7	1) PIU Body earthing	Earthing of Equipment	Mtr		
8	2). PIU Neutral earthing	Earthing of Equipment	Mtr		
9	3). PIU PE Earthing	Earthing of Equipment	Mtr		
10	4) DG body earthing		Mtr		
11	5) DG Neutral Earthing	Earthing of Equipment			
		Earthing of Equipment	Mtr		
12	6) SMPS Positive bus bar earthing	Earthing of Equipment	Mtr		
13	7) SMPS Body Earthing	Earthing of Equipment	Mtr		
14	8) BB body Earthing	Earthing of Equipment	Mtr		
15.	9) Aircon body Earthing	Earthing of Equipment	Mtr		
16	10) other Equipments Earthing	Earthing of Equipment	Mtr		
17	S/L 25 Sq.mm , Green,single Core copper conductor, unarmoured flexible multistrand power cable including providing thimbles	Earthing of Equipment	Mtr		6.5M
18		Earthing of Equipment	Mtr		
19		Earthing of Equipment	Mtr	0-4	
20	S/L 35 Sq.mm , single Core copper conductor, unarmoured flexible multistrand power cable including providing thimbles	Meter to HRC Fuse/MCCB	Mtr	R-4 B-4	8 m78
21	S/L 6 Sq.mm , single Core copper conductor, unarmoured flexible multistrand power cable including providing thimbles	as per requirement	Mtr		8 Mts
22	S/L 6 Sq.mm , 2 Core copper conductor, unamoured flexible multistrand power cable including providing thimbles(4 Runs)	PP to TxRack	Mtr		20 M
23	S/L 4 Sq.mm , single Core copper conductor, unarmoured flexible multistrand power cable including providing thimbles	as per requirement	Mtr	ř	
24	S/L \$.5 Sq.mm , single Core copper conductor, unarmoured flexible multistrand power cable including providing thimbles	as per requirement	Mtr	R-BD-2	4 M18
25	S/L 5 pair 0.5 sq mm copper cable		Mtr		65 MA
26	S/L 2 pair 0.5 sq mm copper cable	SMPS to DDF	Mtr		s mts
27	P/F earthing strip down conductors with GI strip of 25X6mm including steel clamps/saddles at 2 ft distance with steel/plastic fastners at min 2* CIC with steel screws, drilling, brazing, making strips straight, all scafolding/or laying the strip 0.5mtr u	Earthing Strip Down Conductor	Mtr		SMA
28	P/F earthing strip down conductors with GI strip of 25X3mm including steel clamps/saddles at 2 ft distance with steel/plastic fastners at min 2* C/C with steel screws, drilling, brazing, making strips straight, all scal	Earthing Strip Down Conductor	Mtr		
29	P/F external grounding bus bar(EGB) made of GI plates of size 300X150X3mm incl providing insulators of 2 nos, fastners, nuts, bolts, washers, drilling of holes before galvanizing etc complete	External Grounding Ba	ar Nos		
30	P/F of Tinned Copper Internal Bus Bar(IGB) (300mm (L)X75mm (H)X3m (T)) with 16 Nos. of Holes (with Birm nuts,bolts & washers) for termination of 25 sq. mm. (1 core) earthing cable. EGB to be fixed to shelter using insulators	Internal Grounding Ba	n Nos		
31	P/F GI strip 50x6 mm below the ground for shorting earth pit.  P/F earthing strip down conductors with GI strip of 25X6 mm	-		<del> </del>	<del>                                     </del>
32	including insulators at 2 ft distance		Mtr		1.

1 Marian aba aba aba aba

So. Som apora.



	1		200			
Ref. Number	P/FL-2553590		1 3 3 4 4 4 9	11/04/1	9	
Indus ID	5N-1009884	Audit Date	2001		+	
Site Name	Ind uppay	TSP Name	0567			
Site ID	H7137	QA Name	Indus tower	TE 600		
Anchor Opco Name	Alvery	Guest Opco Name		18-1179		
Anchor Opco ID	14138	Guest Opco ID	41778			
33	Providing & fixing of Franklin Rod of 19 mm dia and 800					
		Tower	Nos		-	
34	Providing & fixing of GI Rod of 25 mm dia and 800 mm length with pointed on top.	Tower	Nos			
35	P/F Aviation Light LED based -1 ype B, 32 cd intensity, 24 / 48 v DC operated, UV protected, -10 to 60 C. Cable entry IP65 polyamide gland suitable up to 2C X 2.5 sq.mm screened PVC shielding armoured cable, IP65 polyamide gland suitable up to 2C X 2.5 sq.		Nos	/		
36	P/F of 100 Amps MCCB With Nutral Link	After Meter	Nos		SIPO	
37	IP/F GI Pipe B class of 2" dia	DG to Shelter	Mtr		0./	
38	P& making of power points - 1 nos and laying wiring for the same ( 2.5 sq mm, ) P/F Yard Lights		Nos		/	
40	P/F tube light fittings - 2 nos and laving wiring for the same ( 1.5		Nos		/	
	SQ TIME		Nos			
41	Providing & Fixing of Fire and smoke detectors - 1 no	as per requirement	Nos		02.	
42	Supply & Fixing of door sensor	as per requirement	Nos			
43	P/F 45°45 cable chute(duct)	as per requirement	Mtr			
44	P/F 63 Amps 4 pole	as per requirement	Nos			
45	P/F 63 Amps 2 pole	as per requirement	Nos			
46	P/F 63 Amps 1 pole	Spir requirement	Nos		5 MO.	
47	P/F 32 Amps pole	as per requirement	Nos		2 00	
48	P/F Amps 2pole	as per requirement	Nos		3,00-	- m - 80M
49	HDPE pipe	as per requirement	Mtr		34 Mt	К
50	Supply and Laying of GREEN FLEXIBLE PIPE.	as per requirement	Mtr	14	( Mts	
51	Supply and Laying of GREEN FLEXIBLE PIPE-50MM	as per requirement	Mtr		7	
52	Supply and Laying of GREEN FLEXIBLE PIPE-25MM	as per requirement	Mtr		10 Mtz	}
53	GI Pipe 50mm Dia	As per requirement	Mtr	/	/	
54	GI Pipe 40mm Dia	As per requirement	Mtr		9 MM	1
55	Stikkers asper P1				/	1
56	ISI Rubber mat				01	1
57	50°50°6 Angular				/	1
58	4Way weather proof Box					1
59	12Core 1.5Sqmm Copper Armoured Cable	IIPMS TO DG	Mtr			1
60	16Amps Socket					1
61	16AMps Switch					
62	16Amps Switch				<u> </u>	
63	Krone Box					
65	Meter Box	-			0	
03						

CA Engineer Name S10 · SOWOF PORE.
Signature S0 · H

GPUSGROUY.

66. 25 som cu. Rex cose [sms to ALDB] Blue - 7mt6
67. select softy - 2ND.
68. 8 word DCPB - 1ND.
69. E.B litoning - ci reter- 1705.
70. Oft Quet Pipe - 134 Mt8
71. Nylone siepe - 136 Mt8
72. End caps - 4NO.
73. pedostrus [100x100x100] - 10NO.



## कर्मचारी भविष्य निधि संगठन Employees' Provident Fund Organization

भविष्य निधि भवन, १४, भीकाजी कामा प्लेस, नई दिल्ली - ११००६६ Bhavishya Nidhi Bhawan, 14, Bhikaji Cama Place, New Delhi - 110066

Generated On 14/09/2019 15:53:

## **Payment Confirmation Receipt**

TRRN No:	1201909017299
Challan Status :	Payment Confirmed
Challan Generated On :	14-SEP-2019 15:13:58
Establishment ID :	APHYD0042194000
Establishment Name :	OSPS TELECOM SERVICES PVT. LTD.
Challan Type :	Monthly Contribution Challan
Total Members :	52
Wage Month :	AUG-2019
Total Amount (Rs) :	1,08,225
Account-1 Amount (Rs) :	72,338
Account-2 Amount (Rs) :	2,170
Account-10 Amount (Rs) :	31,808
Account-21 Amount (Rs) :	1,909
Account-22 Amount (Rs) :	0
Payment Confirmation Bank :	HDFC Bank
CRN:	240140919011208
Payment Date :	14-SEP-2019
Payment Confirmation Date :	14-SEP-2019





## Insurance

0

Monthly Contribution > Online Challan Form

ransaction Details	* Required Field	
Transaction status:	Completed Successfully	
Employer's Code No:	52000202200001099	
Employer's Name:	O S P S TELECOM SERVICES	
Challan Period:	Aug-2019	
Challan Number :	05219131337638	
Challan Created Date	14-09-2019 15:46:15	
Challan Submitted Date	14-09-2019 15:46:23	
Amount Paid:	15673.00	
Transaction Number:	192575546754	

DISCLAIMER: Content owned, maintained and updated by Employee's State Insurance Corporation. Copyright © 2009. ESIC. India. All Rights Reserved. Best viewed in 1024 x 768 pixels, Designed and Developed by Wipro LTD.IP Address: