


**FW: Request for survey report-Idea 3G & 4G sites**

**Mahmood Hussain** <hussain@ospssurvey.com>

To: abdul aziz <ospssurvey@gmail.com>, osps survey <ospssurvey@gmail.com>

Hi,

Please take up survey

*Thanks & Regards*

*Mahmood Hussain*

**OSPS**

**From:** Hari B [mailto:a-hari.b@INDUSTOWERS.COM]

**Sent:** Thursday, November 08, 2018 3:41 PM

**To:** Mahmood Hussain; A Ranganadh

**Cc:** Jayakrishna B; Baji Babu Shaik; Sampath Kidambi; Siva Velisala; M Srikanth; Venkateshwara Rao P; Santhosh Kumar; Ashok Bodapudi; Venkatesh Madigela; Mohd Abdul Majed

**Subject:** RE: Request for survey report-Idea 3G & 4G sites

Hi Team,

Pls find the D-Mart,KPHB Ph-5 Survey Report attached FYR.

Pls takeup Survey for the below 7-Sites as per P1 & Submit the same.

PR No: 31040070735

Request Ref No	As per ISQ Network	SR Type	Indus ID	Anchor	Anchor Site Name	Anchor Site ID	Customer	Customer Site ID	Tower Type	DIST	Upgradation type
R/RL-2806173	3G	3G	IN-1043052	Airtel	VENGALRAONAGAR	HYD647	IDEA	HYD04264	RTP	Hyderabad	MAJOR
R/RL-2821078	4G	4G	IN-1077970	Airtel	RAVINEDRA NAGAR	nlg020	IDEA	NGSHIX01	RTP	Nalgonda	MAJOR
R/RL-2848793	4G	4G	IN-1009397	Idea	Banjara RD 3	Banjara RD 3	IDEA	Banjara RD 3	RTP	Hyderabad	MAJOR
R/RL-2848635	4G	4G	IN-1256820	Airtel	IDPL2(MOOSAPET)	HY2482	IDEA	HYD00110	RTP	Hyderabad	MAJOR
R/RL-2849366	4G	4G	IN-1128381	Idea	Lingampally Station(resurvey)	Lingampally Station(resurvey)	IDEA	Lingampally Station(resurvey)	RTP	Hyderabad	MAJOR
R/RL-2849549	4G	4G	IN-1042132	Airtel	CHANDA NAGAR	HY1085	IDEA	HYD02071	RTP	Hyderabad	MAJOR
R/RL-2859590	4G	4G	IN-1279815	Vodafone	Jagadgiri Gutta	HY2315	IDEA	HYD04106	RTP	Hyderabad	MAJOR

**Thanks & Regards**

**B.Hari**

Mobile: +91-800-834-6262

Land line:+91-40-67209089



Indus Towers Limited  
Survey No. 133, 4-51  
8th Floor, SLN Terminus  
Beside Botanical Gardens  
Gachibowli  
Hyderabad - 500 032  
Telangana  
[www.industowers.com](http://www.industowers.com)

*we transform lives by enabling communication*

**From:** Hari B

**Sent:** Thursday, 08 November, 2018 15:26

**To:** 'Mahmood Hussain' <[hussain@ospsindia.com](mailto:hussain@ospsindia.com)>; A Ranganadh <[a-a.ranganadh@INDUSTOWERS.COM](mailto:a-a.ranganadh@INDUSTOWERS.COM)>

**Cc:** Jayakrishna B <[jayakrishna.b@INDUSTOWERS.COM](mailto:jayakrishna.b@INDUSTOWERS.COM)>; Baji Babu Shaik <[Baji.Shaik@INDUSTOWERS.COM](mailto:Baji.Shaik@INDUSTOWERS.COM)>; Sampath Kidambi <[Sampath.Kidambi@INDUSTOWERS.COM](mailto:Sampath.Kidambi@INDUSTOWERS.COM)>; S Venkateshwara Rao P <[Venkateshwara.Rao@INDUSTOWERS.COM](mailto:Venkateshwara.Rao@INDUSTOWERS.COM)>; Santhosh Kumar <[santhosh.kumar@INDUSTOWERS.COM](mailto:santhosh.kumar@INDUSTOWERS.COM)>; Ashok Bodapudi <[ashok.bodapudi1@INDUSTOWERS.COM](mailto:ashok.bodapudi1@INDUSTOWERS.COM)>; Surendra Y <[A-SURENDRA.Y1@INDUSTOWERS.COM](mailto:A-SURENDRA.Y1@INDUSTOWERS.COM)>

**Subject:** RE: Request for survey report-Idea 3G & 4G sites

Hi Team,

Pls find the Rangareddy Guda Survey Attached FYR

**Thanks & Regards**

**B.Hari**

**Mobile:** +91-800-834-6262

**Land line:** +91-40-67209089



Indus Towers Limited  
Survey No. 133, 4-51  
8th Floor, SLN Terminus  
Beside Botanical Gardens  
Gachibowli  
Hyderabad - 500 032  
Telangana  
[www.industowers.com](http://www.industowers.com)

*we transform lives by enabling communication*

**From:** Mahmood Hussain [mailto:[hussain@ospsindia.com](mailto:hussain@ospsindia.com)]

**Sent:** Monday, 05 November, 2018 17:35

**To:** Hari B <[a-hari.b@INDUSTOWERS.COM](mailto:a-hari.b@INDUSTOWERS.COM)>; A Ranganadh <[a-a.ranganadh@INDUSTOWERS.COM](mailto:a-a.ranganadh@INDUSTOWERS.COM)>

**Cc:** Jayakrishna B <[jayakrishna.b@INDUSTOWERS.COM](mailto:jayakrishna.b@INDUSTOWERS.COM)>; Baji Babu Shaik <[Baji.Shaik@INDUSTOWERS.COM](mailto:Baji.Shaik@INDUSTOWERS.COM)>; Sampath Kidambi <[Sampath.Kidambi@INDUSTOWERS.COM](mailto:Sampath.Kidambi@INDUSTOWERS.COM)>; S Venkateshwara Rao P <[Venkateshwara.Rao@INDUSTOWERS.COM](mailto:Venkateshwara.Rao@INDUSTOWERS.COM)>; Santhosh Kumar <[santhosh.kumar@INDUSTOWERS.COM](mailto:santhosh.kumar@INDUSTOWERS.COM)>; Ashok Bodapudi <[ashok.bodapudi1@INDUSTOWERS.COM](mailto:ashok.bodapudi1@INDUSTOWERS.COM)>; Surendra Y <[A-SURENDRA.Y1@INDUSTOWERS.COM](mailto:A-SURENDRA.Y1@INDUSTOWERS.COM)>

**Subject:** Request for survey report-Idea 3G & 4G sites

Dear Sir,

Please share survey reports for below sites.

Request Ref No	As per ISQ Network	SR Type	Indus ID	Anchor	Anchor Site Name	Anchor Site ID	Customer	Customer Site ID	Tower Type	DIST	Upgradation type
R/RL-2806173	3G	3G	IN-1043052	Airtel	VENGALRAONAGAR	HYD647	IDEA	HYD04264	RTP	Hyderabad	MAJOR
R/RL-2821078	4G	4G	IN-1077970	Airtel	RAVINEDRA NAGAR	nlg020	IDEA	NGSHIX01	RTP	Nalgonda	MAJOR
R/RL-2848793	4G	4G	IN-1009397	Idea	Banjara RD 3	Banjara RD 3	IDEA	Banjara RD 3	RTP	Hyderabad	MAJOR
R/RL-2848635	4G	4G	IN-1256820	Airtel	IDPL2(MOOSAPET)	HY2482	IDEA	HYD00110	RTP	Hyderabad	MAJOR
R/RL-2849366	4G	4G	IN-1128381	Idea	Lingampally Station(resurvey)	Lingampally Station(resurvey)	IDEA	Lingampally Station(resurvey)	RTP	Hyderabad	MAJOR

R/RL-2849549	4G	4G	IN-1042132	Airtel	CHANDA NAGAR	HY1085	IDEA	HYD02071	RTP	Hyderabad	MAJOR
R/RL-2850427	4G	4G	IN-1065188	Airtel	RANGAREDDY GUDA	BLN002	IDEA	Q1368	GBT	Mahaboobnagar	MAJOR
R/RL-2852608	4G	4G	IN-1253366	Vodafone	D-Mart,KPHB Ph-5	HY1851	IDEA	HYD03787	RTT	Hyderabad	MAJOR
R/RL-2859590	4G	4G	IN-1279815	Vodafone	Jagadgiri Gutta	HY2315	IDEA	HYD04106	RTP	Hyderabad	MAJOR

*Thanks & Regards*

*Mahmood Hussain*

**OSPS**

**From:** Surendra Y [<mailto:A-SURENDRA.Y1@INDUSTOWERS.COM>]

**Sent:** Monday, November 05, 2018 2:43 PM

**To:** Mahmood Hussain; Mohd Abdul Majeed

**Cc:** Jayakrishna B; Baji Babu Shaik; Sampath Kidambi; Siva Velisala; M Srikanth; Venkateshwara Rao P; Santhosh Kumar; Ashok Bodapudi; Venkatesh Madigela

**Subject:** Sites are allocating for Idea 3G and 4G- reg

Dear Team,

Below sites are allocating for Idea 4G Site.

Note: 8 way DCDB required for all Idea 4G and TDD sites (1-63 A - 1P (input),3-16 A & 4-32 A MCB's all MCB's are single Pole) ;

DCDB not required for Idea 3G sites

Request Ref No	As per ISQ Network	SR Type	SR Type	Indus ID	Anchor	Anchor Site Name	Anchor Site ID	Customer	Customer Site ID	Tower Type	
R/RL-2527476	3G	3G	3G	IN-1042871	Airtel	GANDHINAGAR	HYD299	IDEA	HYD04071	RTP	H
R/RL-2792744	3G	3G	3G	IN-1236100	Airtel	CHINNAPORLA	CNAP11	IDEA	MNCNPL01	GBT	Mah
R/RL-2794202	3G	3G	3G	IN-1065017	Airtel	UTKOOR	UTKR11	IDEA	Q1397	GBT	Mah
R/RL-2806173	3G	3G	3G	IN-1043052	Airtel	VENGALRAONAGAR	HYD647	IDEA	HYD04264	RTP	H
R/RL-2821078	4G	4G	4G - TDD	IN-1077970	Airtel	RAVINEDRA NAGAR	nlg020	IDEA	NGSHIX01	RTP	N
R/RL-2826059	4G	4G	4G - TDD	IN-1009440	Idea	Doodhbowli	Doodhbowli	IDEA	Doodhbowli	RTP	H
R/RL-2826175	4G	4G	4G - TDD	IN-1004804	Vodafone	AMBERPET	HYD494	IDEA	HYD01587	RTP	H
R/RL-2843085	3G	3G	3G	IN-1006192	Vodafone	TUNGA PAHAD	MIR021	IDEA	Q1461	RTT	N
R/RL-2848785	4G	4G	4G - TDD	IN-1009334	Idea	Khairatabad X Road	Khairatabad X Road	IDEA	Khairatabad X Road	RTP	H
R/RL-2848790	4G	4G	4G - TDD	IN-1010066	Idea	Abdullapurmet	Abdullapurmet	IDEA	Abdullapurmet	RTT	H
R/RL-2848793	4G	4G	4G - TDD	IN-1009397	Idea	Banjara RD 3	Banjara RD 3	IDEA	Banjara RD 3	RTP	H
R/RL-	4G	4G	4G - TDD	IN-	Idea	Jawahar Nagar RTC X	Jawahar Nagar	IDEA	Jawahar Nagar	RTP	H

2848799				1009422		Road	RTC X Road		RTC X Road		
R/RL-2848635	4G	4G	4G - TDD	IN-1256820	Airtel	IDPL2(MOOSAPET)	HY2482	IDEA	HYD00110	RTP	H
R/RL-2849366	4G	4G	4G - TDD	IN-1128381	Idea	Lingampally Station(resurvey)	Lingampally Station(resurvey)	IDEA	Lingampally Station(resurvey)	RTP	H
R/RL-2849418	4G	4G	4G - TDD	IN-1005485	Vodafone	SHALIBANDA	HYD058	IDEA	HYD01261	RTT	H
R/RL-2849549	4G	4G	4G - TDD	IN-1042132	Airtel	CHANDA NAGAR	HY1085	IDEA	HYD02071	RTP	H
R/RL-2849622	4G	4G	4G - TDD	IN-1096338	Airtel	Naagarjuna hills-Meerpet	HY2211	IDEA	HYD02628	RTT	H
R/RL-2850427	4G	4G	4G - TDD	IN-1065188	Airtel	RANGAREDDY GUDA	BLN002	IDEA	Q1368	GBT	Mah
R/RL-2852183	4G	4G	4G - TDD	IN-1284375	Idea	Srinivasnagar	NGKODD11	IDEA	NGKODD11	MCL Pole	N
R/RL-2852280	4G	4G	4G - TDD	IN-1284647	Idea	Suryapeta16	Suryapeta16	IDEA	NGSRYP16	RTP	N
R/RL-2852608	4G	4G	4G - TDD	IN-1253366	Vodafone	D-Mart,KPHB Ph-5	HY1851	IDEA	HYD03787	RTT	H
R/RL-2852874	4G	4G	4G - TDD	IN-1336732	Idea	RAMNAGAR-2 Relo	RAMNAGAR-2 Relo	IDEA	HYD00267-R	RTP	H
R/RL-2859584	4G	4G	4G - TDD	IN-1005159	Vodafone	MOINBAGH	HYD758	IDEA	HYD03290	RTP	H
R/RL-2859590	4G	4G	4G - TDD	IN-1279815	Vodafone	Jagadgiri Gutta	HY2315	IDEA	HYD04106	RTP	H
R/RL-2860047	4G	4G	4G - TDD	IN-1235530	Airtel	Kammadanam	KMDM11	IDEA	MNKMDM01	GBT	Mah
R/RL-2885028	4G	4G	4G - TDD	IN-1042135	Airtel	BAKARAM	HY1299	Idea	HYD01578	RTP	H

ZH	Zone Name	CM Name	Tech	Tech No	FSE	FSE No
Baji babu	Hyderabad1	Venkatesh Madigela	Lekireddy Indhra Reddy	9985821369	Ravi Shankar	8978999771
Jaya Krishna	Hyderabad2	Santhosh Kumar	Katla Ramaiah	7032999373	Rasheed Khan	7675822033
Jaya Krishna	Hyderabad2	Santhosh Kumar	Katla Ramaiah	7032999373	Rasheed Khan	7675822033
Jaya Krishna	Hyderabad2	Pathuri Venkat	K. Bhaskar Rao	9100962315	S. Ramakrishna	9177002311
Sampath Kidambi	Warangal	Ashok B	S.Parashuramulu	9177333082	Jithendar Reddy	9701111921
Baji babu	Hyderabad1	M Srikanth	Mala Raju	9885424066	Emmadi Venkatesh	9966600614
Baji babu	Hyderabad1	Thirumala Dasari	Mudhavath Santosh	9985411443	Chandrashekar Reddy	9030349202
Sampath Kidambi	Warangal	Ashok B	Chakra Nagesh	9177333009	Ratnam	9000086593
Baji babu	Hyderabad1	Venkatesh Madigela	Siripurapu Bharat	9985411445	K. Ramesh	8008300845
Baji babu	Hyderabad1	M Srikanth	Najuti Shanker	8096915217	Karunakar Reddy	9642224044
Jaya Krishna	Hyderabad2	Pathuri Venkat	P. Mallesh	9100962317	S. Ramakrishna	9177002311
Baji babu	Hyderabad1	Venkatesh Madigela	Lekireddy Indhra Reddy	9985821369	Ravi Shankar	8978999771

Jaya Krishna	Hyderabad2	Pathuri Venkat	S.Jagadheesh	9100962309	K. Mahender	9000700488
Jaya Krishna	Hyderabad2	Pathuri Venkat	M. Sriram Rajesh	9100962320	G.D. Nagaraju	9177002339
Baji babu	Hyderabad1	M Srikanth	Konda Venukumar	9966766671	Emmadi Venkatesh	9966600614
Jaya Krishna	Hyderabad2	Pathuri Venkat	M. Panduranga Rao	9100962324	G.D. Nagaraju	9177002339
Baji babu	Hyderabad1	M Srikanth	SALLOJU MURALI	9966012917	Narendar S	9515131817
Jaya Krishna	Hyderabad2	Santhosh Kumar	S Shiva	7032999364	P Chary	9000078358
Sampath Kidambi	Warangal	Ashok B	Ambati Ramesh	9177333064	Mortha Prasad	9959319649
Sampath Kidambi	Warangal	Ashok B	K. Govardhan Reddy	9177333069	Mortha Prasad	9959319649
Jaya Krishna	Hyderabad2	Pathuri Venkat	Nagula Randheer	9100962304	K. Mahender	9000700488
Baji babu	Hyderabad1	Venkatesh Madigela	Jakkali Lingaswamy	9966402839	Ravi Shankar	8978999771
Baji babu	Hyderabad1	M Srikanth	Shaik Mohammad Rafi	9985411418	Sandeep	7702804477
Jaya Krishna	Hyderabad2	Pathuri Venkat	A.Swamy	9100962310	Siva Sandeep	9963475566
Jaya Krishna	Hyderabad2	Santhosh Kumar	Balraju	7032999362	P Chary	9000078358
Baji babu	Hyderabad1	Venkatesh Madigela	M. Ganesh	9985411441	Ravi Shankar	8978999771

Required EB Capacity	Required DG Capacity & 1Ph/3Ph	Proposed DG Location (Ground floor / Cellar / Roof top)	Required PP capacity & Rectifier Voltage	Required Battery Bank capacity and Voltage	Required PIU Capacity & 1Ph/3Ph & ID or OD	Shelter Requirement	Required AC Capacity & 1Ph&3Ph	Chiller Requirement	OD Bed for BTS /Chiller /PIU	Required Mounts for GSM/MW	Required No of Poles & Height	Require Hatch Plate
17KW 3P	NR	NR	NR	NR	NR	NR	NR	NR	NR	Not Requested	Addition of GSM not feasible, Swapping of antennas feasible only after pole jacketing or strengthening. All RRU's should be placed at bottom 3M or bracing and MOUNT SHOULD BE CONNECTED TO POLE. MOUNT ON MOUNT SHOULD NOT BE ALLOWED.	NR
9KW 3P	NR	NR	1*3200W Module Emerson	NR	NR	NR	NR	NR	NR	3 GSM	NR	NR
16KW 3P	NR	NR	1*4000W Module Delta	NR	NR	NR	NR	NR	NR	3 GSM	NR	NR
14.6KW 3P	25Kva DG required	NR	NR	NR	NR	NR	NR	NR	NR	Antenna Swapping Proposed	NR	NR
9.51KW 3P	NR	NR	Additional Catridge Nextgen ID Emerson Modules	NR	SPS 25Kva	NR	NR	NR	NR	Antenna Swapping Proposed	Addition of GSM not feasible, Swapping of antennas feasible only after pole jacketing or strengthening. All RRU's should be placed at bottom	NR

											3M or bracing and MOUNT SHOULD BE CONNECTED TO POLE. MOUNT ON MOUNT SHOULD NOT BE ALLOWED.	
10.6KW 3P	NR	NR	NR	NR	NR	NR	NR	NR	NR	Antenna Swapping Proposed	Addition of GSM not feasible, Swapping of antennas feasible only after pole jacketing or strengthening. All RRU's should be placed at bottom 3M or bracing and MOUNT SHOULD BE CONNECTED TO POLE. MOUNT ON MOUNT SHOULD NOT BE ALLOWED.	NR
9KW 3P	NR	NR	NR	NR	NR	NR	NR	NR	NR	Antenna Swapping Proposed	Addition of GSM not feasible, Swapping of antennas feasible only after pole jacketing or strengthening. All RRU's should be placed at bottom 3M or bracing and MOUNT SHOULD BE CONNECTED TO POLE. MOUNT ON MOUNT SHOULD NOT BE ALLOWED.	NR
12KW 3P	NR	NR	NR	NR	NR	NR	NR	NR	NR	3 GSM	NR	NR
9KW 3P	NR	NR	NR	NR	NR	NR	NR	NR	NR	Antenna Swapping	Addition of GSM not feasible, Swapping of antennas feasible only after pole jacketing or strengthening. All RRU's should be placed at bottom 3M or bracing and MOUNT SHOULD BE CONNECTED TO POLE. MOUNT ON MOUNT SHOULD NOT BE ALLOWED.	NR
8KW 3P	NR	NR	NR	NR	NR	NR	NR	NR	NR	3 GSM	NR	NR
7.3KW 3P	NR	NR	NR	NR	New SP 25KVA 3P OD; Remove STB	NR	NR	NR	NR	Antenna Swapping Proposed	Addition of GSM not feasible, Swapping of antennas feasible only after pole jacketing or strengthening. All RRU's should be placed at bottom 3M or bracing and MOUNT SHOULD BE CONNECTED TO POLE. MOUNT ON MOUNT SHOULD NOT BE ALLOWED.	NR
7KW 3P	NR	NR	NR	NR	NR	NR	NR	NR	NR	Antenna Swapping	Addition of GSM not feasible, Swapping of antennas feasible only after pole jacketing or strengthening. All RRU's should be placed at bottom 3M or bracing and MOUNT SHOULD BE CONNECTED TO POLE. MOUNT ON MOUNT SHOULD NOT BE ALLOWED.	NR
15.9KW 3P	NR	NR	1*4000W Delta Module	NR	SPS 25KVA with 2*4Kva Stabilizers required (Check in energy project before lifting)	NR	NR	NR	NR	Antenna Swapping	NR	NR
7.9KW 3P	NR	NR	1*3200W Emerson Module	NR	New SPS 25KVA 3P OD; Please	NR	NR	NR	NR	Antenna Swapping Proposed	Addition of GSM not feasible, Swapping of antennas feasible only after pole jacketing or	NR

					check Energy before deploying; Remove PIU						strengthening. All RRU's should be placed at bottom 3M or bracing and MOUNT SHOULD BE CONNECTED TO POLE. MOUNT ON MOUNT SHOULD NOT BE ALLOWED.	
8KW 3P	NR	NR	NR	NR	NR	NR	NR	NR	NR	Antenna Swapping Proposed	NR	NR
21KW 3P	DG smartcharging required @3% if already implemented ignore	NR	NR	NR	37.5Kva PIU required	NR	NR	NR	NR	Antenna Swapping Proposed	NR	NR
11KW 3P	NR	NR	NR	NR	NR	NR	NR	NR	NR	Antenna Swapping	NR	NR
14.9KW 3P	NR	NR	Additional Delta OD Catridge module set	Additional 600AH BB should be upgraded	NR	NR	NR	NR	NR	Antenna Swapping Proposed	NR	NR
11.7KW 3P	NR	NR	1*4000W Emerson module	NR	NR	NR	NR	NR	NR	Antenna Swapping Proposed	NR	NR
7.3KW 3P	NR	NR	NR	NR	NR	NR	NR	NR	NR	Antenna Swapping	NR	NR
15.9KW 3P	NR	NR	3*4000W Delta normal modules	Additional 600AH BB required	NR	NR	NR	NR	NR	3 GSM	NR	NR
7KW 3P	NR	NR	NR	NR	NR	NR	NR	NR	NR	3 GSM	Only one GSM addition allowed on each pole only after pole jacketing or strengthening. All RRU's should be placed at bottom 3M or bracing and MOUNT SHOULD BE CONNECTED TO POLE. MOUNT ON MOUNT SHOULD NOT BE ALLOWED.	NR
15.5KW 3P	NR	NR	2*4000W Delta Modules required and remove emerson SMPS and load should be shiftytd to Delta SMPS only	NR	NR	NR	NR	NR	NR	Antenna Swapping Proposed	NR	NR
15.9KW 3P	NR	NR	3*4000W Emerson normal modules	NR	SP 25KVA required	NR	NR	NR	NR	Antenna swapping	NR	NR

15KW 3P	DG smartcharging required @3% if already implemented ignore	NR	3*3200W Emerson Modules	NR	NR	NR	NR	NR	NR	Antenna Swapping	NR	NR
14.4KW 3P	NR	NR	1*4000W Module Delta	NR	NR	NR	NR	NR	NR	Antenna Swapping Proposed	Addition of GSM not feasible, Swapping of antennas feasible only after pole jacketing or strengthening. All RRU's should be placed at bottom 3M or bracing and MOUNT SHOULD BE CONNECTED TO POLE. MOUNT ON MOUNT SHOULD NOT BE ALLOWED.	NR

Surendra.Y

9515105566

IN-1253366.zip  
56K





कर्मचारी भविष्य निधि संगठन  
Employees' Provident Fund Organization

भविष्य निधि भवन, १४, भीकाजी कामा प्लेस, नई दिल्ली - ११००६६  
Bhavishya Nidhi Bhawan, 14, Bhikaji Cama Place, New Delhi - 110066

Generated On 14/11/2019 11:33:

**Payment Confirmation Receipt**

TRRN No :	1201911013134
Challan Status :	Payment Confirmed
Challan Generated On :	12-NOV-2019 14:19:05
Establishment ID :	APHYD0042194000
Establishment Name :	OSPS TELECOM SERVICES PVT. LTD.
Challan Type :	Monthly Contribution Challan
Total Members :	54
Wage Month :	OCT-2019
Total Amount (Rs) :	1,06,539
Account-1 Amount (Rs) :	71,285
Account-2 Amount (Rs) :	2,136
Account-10 Amount (Rs) :	31,243
Account-21 Amount (Rs) :	1,875
Account-22 Amount (Rs) :	0
Payment Confirmation Bank :	HDFC Bank
CRN :	240141119003920
Payment Date :	14-NOV-2019
Payment Confirmation Date :	14-NOV-2019





**ESIC**  
Employees' State Insurance Corporation

Insurance

0

[Monthly Contribution](#) > Online Challan Form

Transaction Details		* Required Fields
Transaction status:	Completed Successfully	
Employer's Code No:	52000202200001099	
Employer's Name:	O S P S TELECOM SERVICES	
Challan Period:	Oct-2019	
Challan Number :	05219138487495	
Challan Created Date	14-11-2019 11:39:50	
Challan Submitted Date	14-11-2019 11:40:01	
Amount Paid:	15612.00	
Transaction Number:	193183130250	
<div>PrintClose</div>		

DISCLAIMER: Content owned, maintained and updated by Employee's State Insurance Corporation. Copyright © 2009, ESIC, India. All Rights Reserved. Best viewed in 1024 x 768 pixels, Designed and Developed by Wipro LTD. IP Address :