Access-Mode *ID_2* — Operational / Runtime Reasoning

Companion to Version E — Operational Governance Sessions and Stress Discipline

APOD-ID2-OR-001 • Informative • Non-Normative

Document Control Information

Document Identifier: APOD-ID2-OR-001
Title: Access-Mode ID_2 — Operational Governance Sessions and Stress Discipline
Edition: Companion Handbook — Version ID_2
Date of Issue: 20 February 2026
Status: Informative Companion — Non-Normative
Author: Anthony Siljeg
Affiliation: Alnotrea Labs / Policy of Developments — Access PoD *Initiative*

Abstract

Access-Mode ID_2 provides a structured operational reasoning posture for AI-assisted governance work. As governance tooling becomes more technical and AI systems more capable, the risk of conflating learning, operational analysis, and inspection reasoning increases. Outputs may appear fluent and authoritative while obscuring uncertainty, responsibility, and boundary discipline.

This guide explains how to run ID_2 governance sessions using the six-module framework, how to apply Version D stress-testing constructs within operational posture, and how to record findings using optional structured JSON records — without requiring coding knowledge.

ID_2 is exploratory by design. It surfaces fragility, authority drift, escalation triggers, and ethical tension under pressure. It does not assert adequacy, compliance, certification, or readiness. JSON recording and PowerShell scripts are optional support tools. The core discipline is cognitive: signals are treated as signals, and decisions remain human.

This document is practical and methodological. It supports structured operational reasoning in environments where governance complexity is increasing, and technical tooling may otherwise obscure interpretability.

Intended Audience

This handbook is intended for:

- Governance practitioners conducting AI-assisted operational reasoning under ID_2 posture
- Enterprise governance leads responsible for runtime interpretability and stress-testing
- Standards and regulatory reviewers seeking to understand operational posture discipline
- Facilitators running comparative stress sessions
- Organizations preparing for structured inspection work under separate posture

This document is informative and non-normative.
It does not define requirements, controls, compliance criteria, or readiness.

Release Relationship and Publication Note

This handbook is the companion document for Mode ID_2 as defined in Version E and implemented in the ID_2-access release:
https://github.com/Access-PoD/access-pod-artifacts/releases/tag/ID_2-access

All canonical and public review materials for Access-Mode remain in the **v1.0-access-mode** release:
https://github.com/Access-PoD/access-pod-artifacts/releases/tag/v1.0-access-mode

This ID_2 release includes three primary reference documents in `/docs/relationship_to_version_E/`: APOD-TR-006 (Version E — Access-Mode Method), APOD-TR-006-E.2 (Artifact Lifecycle Companion), and Access_Mode_Project_Guide.pdf (AMPG-ORCH-001). Version E governs reasoning posture and method interpretation; Version E.2 clarifies artifact lifecycle and freeze discipline; the Project Guide governs project setup, file requirements, and mode enforcement.

Operational workflow examples for creating and comparing baseline and variant sessions are provided in:

ID_2 Toolkit Script Examples Companion.pdf
Located in `/docs/create_sessions/`

This document illustrates practical session scaffolding, normalization, tagging, and comparative execution steps. It is instructional and does not alter reasoning posture, lifecycle rules, or project configuration authority.

This handbook governs operational session discipline under ID_2 posture within the architecture defined above.

Contents

Access-Mode *ID_2* – Operational / Runtime Reasoning) 1

Abstract 1

Intended Audience 2

1. Why ID_2 Exists 8

1.1 The Growing Complexity of AI Governance Tooling 8

1.2 The Problem of Reasoning Mode Collapse 9

1.3 Operational Governance Requires Exploratory Discipline 9

1.4 The Shift from Prompt-Only Use to Structured Sessions 10

1.5 ID_2 as a Non-Normative Operational Posture 10

2. What ID_2 Is Not 12

2.1 ID_2 Is Not Inspection 12

2.2 ID_2 Is Not Compliance or Certification 12

2.3 ID_2 Is Not Automated Enforcement 13

2.4 ID_2 Is Not a Replacement for Governance Frameworks 13

2.5 ID_2 Is Not Mixed-Mode 14

2.6 ID_2 Is Not Outcome-Oriented 14

2.7 ID_2 Does Not Grant Trust 14

3. Relationship to Canonical Artifact Packs (v1a, v1b) 16

3.1 Canonical Authority (v1a) 16

3.2 Architecture Extensions (v1b) 16

3.3 ID_2 Records vs Canonical Artifacts 17

3.4 Lifecycle Separation 17

3.5 Why This Separation Matters 18

4. Session Architecture and Organizer Mode Discipline 19

4.1 The ID_2 Session as a Governance Container 19

4.2 Single-Mode Discipline (ID_2 Only) 19

4.3 Organizer Mode: Preventing Posture Drift 20

4.4 Module Sequencing and Structural Integrity 20

4.5 Session Records (Conceptual Overview) 21
4.6 Baseline and Variant Sessions 22
4.7 Stop and Reset Conditions 22
4.8 Session Lifecycle Discipline 23
4.9 Human Accountability 23
5. Running an ID_2 Session 25
Clarification: Hash Keys vs Session Steps 25
5.1 Step 1 — Create a Bounded Session 26
5.2 Step 2 — Complete Module 1: Governance AI Identity 26
5.3 Step 3 — Complete Module 2: Intent and Scope 27
5.4 Step 4 — Run Module 3: SAPP Simulation and Stress Testing 27
5.5 Step 5 — Capture Fragility and Authority Drift 28
5.6 Step 6 — Document Ethical Tensions 28
5.7 Step 7 — Optional: Structured Recording 29
5.8 Step 8 — Create a Variant Session 29
5.9 Step 9 — Close the Session 30
5.10 Common Errors During Session Execution 30
5.11 What a Successful ID_2 Session Looks Like 30
6. JSON Recording (Optional, No Coding Required) 32
6.1 Why Structured Recording Exists 32
6.2 JSON Is Optional 32
6.3 What a Session-Level Record Captures 33
6.4 What a Module-Level Record Captures 33
6.5 Editing JSON Safely (No Coding Required) 34
6.6 Scripts as Optional Helpers 35
6.7 JSON Does Not Equal Inspection 35
6.8 Baseline and Variant Comparison Using JSON 36
6.9 Lifecycle Discipline and JSON 36
6.10 When to Avoid JSON 36

6.11 Where JSON Adds Operational Value 37
Rendering and Sorting Benefits 38
When Comparative Structure Matters Most 38
6.12 Offline Operation and Security Considerations 39
7. Consolidated Guardrails and Non-Claims 40
7.1 Signals Are Not Decisions 40
7.2 No Adequacy or Compliance Claims 40
7.3 No Automated Enforcement 41
7.4 No Silent Mode Switching 41
7.5 Stress Is Not Validation 41
7.6 JSON Does Not Confer Authority 42
7.7 Population Does Not Equal Freeze 42
7.8 Human Judgment Is Non-Delegable 43
7.9 Interpretive Responsibility 43
7.10 Final Non-Claim 43
8.0 Clarification: Hash Keys vs Session Steps vs Prompts 45
8.1 Module 1 — Governance AI Identity (ID_2) 45
8.2 Module 2 — Intent and Scope Boundaries (ID_2) 45
8.3 Module 3 — SAPP Simulation & Stress Testing (ID_2) 46
8.4 Module 4 — Writing Governance Artifacts (ID_2) 46
8.5 Module 5 — Runtime Enforcement Reasoning (ID_2) 47
8.6 Module 6 — CSC Scoring & Revocation Signals (ID_2) 47
Structured Comparative Analysis (Optional) 48
8.8 Guardrail Prompts to Avoid 48
8.9 Relationship to v1.0 Prompt & Project Naming Guidance 49
9. Common Failure Patterns in Operational AI Governance 50
9.1 Mode Collapse 50
9.2 Authority Drift 50
9.3 Signal-to-Decision Collapse 51

9.4 Stress as Validation 51
9.5 Scope Creep Under Pressure 52
9.6 Delegation Illusion 52
9.7 Incentive Compression 53
9.8 Goodhart Effects in Scoring 53
9.9 Lifecycle Confusion 54
9.10 Overconfidence Through Tooling 54
9.11 Early Detection and Reset 55
10. Transitioning to ID_3 56
10.1 When Transition May Be Required 56
10.2 Explicit Posture Declaration 56
10.3 What Changes Under ID_3 57
10.4 What Does Not Change 57
10.5 Preparing ID_2 Outputs for Inspection Structuring 57
10.6 Lifecycle Separation and Freeze Discipline 58
10.7 Execution Environment Considerations (Online and Offline) 58
10.8 Avoiding Lifecycle Confusion 59
10.9 Relationship to Canonical Artifact Packs 59
10.10 Longitudinal Comparative Drift and Inspection Visibility 60
10.11 When Not to Transition 60
10.12 Summary 61
Appendix A 62
A.1 What AI Governance Typically Includes 62
Policy 62
Risk Management 62
Accountability 62
Telemetry and Monitoring 62
Escalation and Response 62
A.2 Governance Authority vs Operational Reasoning 62

A.3 Runtime vs Documentation 63
A.4 Human Accountability 63
A.5 Telemetry Discipline 64
A.6 Relationship to Versions A–E 64
A.7 What This Appendix Is Not 65

1. Why ID_2 Exists

Artificial intelligence is increasingly used in governance contexts to explain policy, analyze operational scenarios, draft documentation, and support review preparation. As AI capability and governance tooling expand, the complexity of reasoning interactions also increases. More models, more automation layers, more telemetry, and more policy artifacts do not automatically produce clearer governance. In many cases, they increase cognitive load and blur the boundaries between explanation, operational analysis, and inspection.

ID_2 exists to address this specific problem.

1.1 The Growing Complexity of AI Governance Tooling

Modern AI governance environments frequently include:

- Policy frameworks and control libraries
- Runtime telemetry and monitoring systems
- Escalation and revocation mechanisms
- Scoring or signal systems
- External regulatory and standards expectations
- AI-assisted drafting and analytical tools

Each of these components serves a legitimate purpose. However, when AI systems are used to reason across these layers without posture discipline, outputs may appear fluent and coherent while masking uncertainty, implicit assumptions, or shifts in authority.

As tooling becomes more technical, the risk increases that reasoning becomes harder to interpret. AI systems may:

- Merge explanatory and operational language
- Introduce inspection-style certainty into exploratory analysis
- Treat illustrative examples as authoritative
- Project confidence without clarifying assumptions

ID_2 is designed to slow this process down deliberately.

1.2 The Problem of Reasoning Mode Collapse

When AI systems are used in governance work without explicit reasoning controls, a common failure mode emerges: learning, operational analysis, and inspection reasoning become blended within a single interaction.

This blending creates ambiguity.

For example, an AI system may:

- Explain a governance concept (learning posture),
- Simulate runtime behavior (operational posture), and
- Conclude using inspection-style language (review posture),

without signaling the transition between these reasoning modes.

The result is not necessarily incorrect content. The risk lies in over-confidence and interpretive drift. Outputs may sound authoritative even when they are exploratory. Signals may be mistaken for decisions. Scenarios may be interpreted as validation.

ID_2 exists to prevent this collapse by explicitly defining operational reasoning posture.

1.3 Operational Governance Requires Exploratory Discipline

Governance work under operational conditions is rarely static. It involves:

- Hypothetical reasoning
- Scenario stress-testing
- Ambiguous evidence
- Conflicting signals
- Escalation considerations
- Ethical trade-offs under uncertainty

ID_2 formalizes this posture.

Under ID_2:

- Outputs are exploratory, not declarative.
- Signals are treated as signals, not verdicts.
- Fragility is surfaced, not concealed.
- Escalation triggers are identified, not executed.
- Human judgment remains authoritative.

Operational reasoning must remain conditional and uncertainty-aware by design.

1.4 The Shift from Prompt-Only Use to Structured Sessions

Many governance practitioners initially interact with AI systems through prompt-only exchanges. While useful for learning and drafting, prompt-only interaction is insufficient for high-impact operational reasoning.

Prompt-only workflows assume that:

- Intent remains stable across interactions,
- Reasoning posture does not drift,
- Users will detect silent changes in tone or certainty.

In practice, these assumptions often fail.

ID_2 introduces session-based discipline. Instead of isolated prompts, it uses:

- Explicit mode declaration
- Structured module progression
- Scenario-based stress testing
- Documented fragility capture
- Optional structured record-keeping

This structure does not increase bureaucracy. It increases interpretability.

1.5 ID_2 as a Non-Normative Operational Posture

ID_2 does not certify systems.
It does not approve deployment.
It does not assert compliance or adequacy.

It governs how operational reasoning is conducted when AI systems assist governance work.

ID_2 treats operational exploration as a disciplined cognitive activity. Its purpose is to:

- Surface boundary degradation under stress
- Reveal authority drift
- Expose uncertainty
- Clarify escalation logic

- Make ethical tension visible

All findings remain provisional.

The objective of ID_2 is not to reach conclusions.
It is to ensure that reasoning under pressure remains interpretable, bounded, and reviewable.

2. What ID_2 Is Not

ID_2 is an operational reasoning posture.
It is not an approval mechanism, not a compliance instrument, and not an inspection substitute.

Clarifying what ID_2 is not is essential to prevent interpretive drift and authority inflation.

2.1 ID_2 Is Not Inspection

ID_2 does not prepare artifacts for inspection readiness.

Although ID_2 sessions may produce structured documentation, scenario notes, and signal interpretation records, these outputs are exploratory. They are not frozen artifacts and are not intended to be treated as inspection-ready materials.

Inspection posture requires:

- explicit freeze declaration,
- enumerated content stability,
- traceability discipline,
- and review-oriented structure.

Those conditions fall outside the scope of this release.

ID_2 outputs may inform future inspection work, but they do not constitute inspection.

2.2 ID_2 Is Not Compliance or Certification

ID_2 does not determine:

- regulatory compliance,
- standards conformance,
- governance adequacy,
- or readiness for deployment.

Stress-testing within ID_2 may reveal fragility or uncertainty, but it does not validate controls.

Scenario results are signals.
Signals are not proof.
Exploration is not certification.

Any interpretation of ID_2 outputs as evidence of compliance or assurance would misrepresent the posture under which they were produced.

2.3 ID_2 Is Not Automated Enforcement

Although ID_2 sessions may reason about runtime signals, escalation triggers, and delegation boundaries, ID_2 does not execute enforcement.

Within ID_2:

- Signals are interpreted, not acted upon.
- Thresholds are prompts for review, not triggers for action.
- Escalation is a governance consideration, not an automated outcome.

All consequential decisions require explicit human judgment.

No automated enforcement or revocation is permitted under ID_2 posture.

2.4 ID_2 Is Not a Replacement for Governance Frameworks

ID_2 does not replace:

- policy frameworks,
- control libraries,
- risk registers,
- assurance programs,
- or regulatory structures.

It governs how reasoning occurs when working with those materials.

ID_2 provides a posture discipline.
It does not define governance content.

Organizations must continue to rely on their formal governance frameworks for authority, accountability, and decision-making.

2.5 ID_2 Is Not Mixed-Mode

This release is a single-mode ID_2 configuration.

Mixed-mode configurations — where learning, operational, or inspection postures are intentionally combined under declared controls — are defined in the Access-Mode method paper and are not required to use this guide.

Readers should not attempt to blend inspection reasoning or learning-mode experimentation into ID_2 sessions without explicit reconfiguration and declaration.

Single-mode discipline preserves clarity and prevents authority collapse.

2.6 ID_2 Is Not Outcome-Oriented

ID_2 does not aim to “pass” scenarios or demonstrate success.

Stress-testing under ID_2 may surface:

- fragility,
- ambiguity,
- authority drift,
- ethical tension,
- escalation confusion.

These findings are expected and valuable.

The purpose of ID_2 is not to confirm robustness.
It is to remove false confidence.

2.7 ID_2 Does Not Grant Trust

Participation in ID_2 sessions, completion of modules, or structured JSON recording does not:

- elevate trust signals,
- increase assurance levels,
- justify deployment,
- or imply governance maturity.

Trust claims must be supported through appropriate lifecycle processes and, where applicable, inspection posture under separate conditions.

ID_2 strengthens interpretability.
It does not confer authority.

3. Relationship to Canonical Artifact Packs (v1a, v1b)

Access-Mode ID_2 operates within a broader governance architecture that includes canonical artifact packs released under Version A (v1a) and Version B (v1b). This section clarifies how those packs relate to ID_2 and prevents interpretive drift between operational reasoning and canonical authority.

3.1 Canonical Authority (v1a)

The v1a artifact pack defines governance authority semantics, Compliance Star Certificate (CSC) logic, and the formal structure of governance artifacts.

v1a establishes:

- Assurance semantics
- Certificate structure
- Trust signal interpretation
- Degradation and revocation meaning
- Canonical evidence schemas

ID_2 does not modify, extend, or reinterpret v1a authority semantics.

ID_2 sessions may reference v1a artifacts as inputs, but ID_2 outputs do not substitute for canonical certificates, manifests, or evidence records.

Authority remains defined exclusively by Version A.

3.2 Architecture Extensions (v1b)

The v1b artifact pack provides architecture-specific extensions and structured evidence artifacts that illustrate execution-level feasibility and mapping to governance structures.

v1b may include:

- Evidence manifests
- Annex alignment materials
- Reference structures
- Operator and regulator review aids

These artifacts support structured governance exploration but do not redefine authority semantics.

ID_2 does not replace v1b artifacts.
It governs how operational reasoning is conducted when working with them.

3.3 ID_2 Records vs Canonical Artifacts

ID_2 sessions may optionally produce structured JSON records. These records capture:

- Scenario seeds
- Stress conditions
- Fragility points
- Authority drift flags
- Escalation triggers
- Ethical tensions

ID_2 JSON records are:

- Exploratory
- Non-inspection
- Non-certification
- Non-authoritative

They are not:

- Evidence manifests
- CSC artifacts
- Certification materials
- Compliance documentation

Structured recording improves replayability and comparison.
It does not elevate trust or confer authority.

3.4 Lifecycle Separation

Canonical artifact packs (v1a, v1b) represent authoritative or structured governance materials.

ID_2 sessions represent operational reasoning exercises.

Transition to inspection or freeze conditions requires explicit posture change under a separate configuration (ID_3). No ID_2 session becomes canonical by completion.

Population does not equal freeze.
Recording does not equal certification.

3.5 Why This Separation Matters

Without explicit separation:

- Exploratory sessions may be mistaken for inspection artifacts.
- Stress findings may be misinterpreted as certification evidence.
- Operational notes may be treated as compliance documentation.

This guide maintains a clear architectural boundary:

- v1a defines authority.
- v1b provides structured extensions.
- ID_2 governs operational reasoning posture.

Each layer performs a distinct function. None replaces the other.

4. Session Architecture and Organizer Mode Discipline

ID_2 is not a collection of prompts. It is a session-based reasoning posture.
Every ID_2 activity should occur within a clearly structured session that defines scope, authority boundaries, stress conditions, and recording discipline before analysis begins.

This section explains how ID_2 sessions are structured and how Organizer Mode prevents posture drift.

4.1 The ID_2 Session as a Governance Container

An ID_2 session is a bounded operational reasoning container. It exists to:

- Declare posture explicitly
- Define scope before stress testing
- Run structured modules sequentially
- Record fragility and uncertainty
- Prevent silent shifts into inspection or decision-making

Each session contains:

- A declared primary Access-Mode (ID_2)
- Six structured modules
- Optional structured JSON records
- Explicit non-claims
- Clear human accountability

The session, not the individual prompt, is the unit of governance reasoning.

4.2 Single-Mode Discipline (ID_2 Only)

This release is a single-mode ID_2 configuration.

Within an ID_2 session:

- Learning-mode (ID_1) experimentation is not blended implicitly.
- Inspection-mode (ID_3) structuring is not introduced.
- Mixed-mode reasoning is not permitted.

All reasoning remains operational, exploratory, and uncertainty-aware.

If posture needs to change:

- The current session must be stopped.
- A new session must be created under the appropriate mode.

Mode switching mid-session is prohibited because it introduces interpretive ambiguity and authority collapse.

4.3 Organizer Mode: Preventing Posture Drift

Organizer Mode functions as a control file that locks the reasoning posture before modules are run.

Under ID_2 Organizer Mode:

- Exploration of runtime behavior is permitted.
- Simulation and signal-based reasoning are permitted.
- Fragility and uncertainty surfacing are required.

The following are explicitly prohibited:

- Concluding adequacy or sufficiency
- Asserting compliance or approval
- Treating signals as decisions
- Permitting automated enforcement

Organizer Mode enforces:

- Primary mode authority must not be overridden
- Secondary modes are disabled unless explicitly declared
- Mode switching mid-session is not allowed
- Human review is required before external use

This ensures that the reasoning posture remains stable even under stress.

4.4 Module Sequencing and Structural Integrity

Each ID_2 session follows a defined module sequence:

1. Governance AI Identity

2. Intent and Scope Boundaries
3. SAPP Simulation and Stress Testing
4. Writing Governance Artifacts
5. Runtime Enforcement Reasoning
6. CSC Scoring and Revocation Signals

This sequence matters.

Modules 1 and 2 establish:

- Identity
- Accountability
- Scope
- Boundaries

Only after boundaries are explicit should stress testing (Module 3) occur.

Modules 4–6 refine:

- Documentation discipline
- Runtime signal interpretation
- Escalation logic

Skipping modules or running them out of order increases governance risk.

4.5 Session Records (Conceptual Overview)

Although JSON recording is optional, every ID_2 session conceptually contains two layers:

1. Session-level metadata
2. Module-level stress and signal capture

Session-level metadata typically includes:

- Session ID
- Creation time
- Facilitator and participants
- Project context
- Scope and exclusions
- Validation requirements
- Non-inspection declaration

Module-level capture includes:

- Scenario seeds
- Stress conditions
- Fragility points
- Authority drift flags
- Uncertainty notes
- Escalation triggers
- Ethical tensions

These structures do not convert ID_2 into inspection.
They simply make reasoning replayable and comparable.

4.6 Baseline and Variant Sessions

ID_2 is most effective when sessions are comparative.

A recommended pattern:

- Create a baseline session under declared scope.
- Duplicate the session.
- Intensify one stress variable (e.g., time pressure).
- Compare fragility, authority drift, and escalation logic.

This comparison reveals how governance reasoning degrades under pressure.

Importantly:

- Scenario framing remains stable.
- Scope remains stable.
- Only stress intensity changes.

This preserves analytical integrity.

4.7 Stop and Reset Conditions

An ID_2 session must be stopped or reset if:

- Recommendation language appears without re-scoping
- Adequacy or compliance claims emerge

- Signal-to-decision collapse occurs
- Scope boundaries silently expand
- Escalation becomes automated rather than human-controlled

Stop/reset is not failure.
It is posture preservation.

4.8 Session Lifecycle Discipline

An ID_2 session moves through conceptual states:

- Draft
- Active
- Completed

Completion does not imply inspection readiness.

If inspection is later required:

- A new session must be created
- ID_3 posture must be explicitly declared
- Artifacts must be frozen deliberately

No session becomes inspection-ready by appearance alone.

4.9 Human Accountability

Throughout an ID_2 session:

- AI may assist with drafting and scenario generation
- AI may surface alternative framings
- AI may help structure reasoning

However:

- AI does not decide
- AI does not escalate
- AI does not approve
- AI does not determine adequacy

Human judgment remains non-delegable.

Session architecture exists to preserve that boundary.

5. Running an ID_2 Session

Step-by-Step Operational Walkthrough

This section demonstrates how to run a complete ID_2 session from start to finish. It mirrors the structure of an actual operational session and shows how to maintain posture discipline under stress.

No coding is required. Structured JSON recording is optional. The essential requirement is disciplined reasoning.

Clarification: Hash Keys vs Session Steps

Each ID_2 module includes internal "Hash Keys" (HK 1–10). These Hash Keys structure reasoning within a module. They are not the same as the step-by-step session walkthrough presented in this guide.

The two serve different purposes:

Hash Keys (HK 1–10):

- Operate inside individual modules
- Provide disciplined reasoning checkpoints
- Ensure scope control, signal discipline, and posture stability
- Are repeated within each module as structural anchors

Session Steps (Step 1–9 in this guide):

- Operate at the session level
- Describe how modules are sequenced
- Explain how to run baseline and variant sessions
- Provide operational flow across modules

Hash Keys govern internal reasoning integrity.
Session Steps govern operational execution order.

They are complementary, not interchangeable.

Readers should not collapse Hash Keys into session steps or treat the walkthrough steps as replacements for module-level discipline.

5.1 Step 1 — Create a Bounded Session

Before beginning any AI-assisted reasoning, create a defined session container.

A session requires:

- A clear session identifier
- Declared ID_2 posture
- Stated purpose
- Explicit scope and exclusions
- Named human accountability

The session should answer:

- Why is this reasoning being conducted?
- Who is responsible for the outputs?
- What is explicitly out of scope?

Do not begin stress testing before these elements are written.

If structured records are used, a session.json file captures this metadata. If not, the same content must exist in written form.

The session is the boundary that prevents reasoning drift.

5.2 Step 2 — Complete Module 1: Governance AI Identity

Establish authorship and accountability before analysis begins.

Clarify:

- The role of the facilitator
- The boundary between AI assistance and human judgment
- Non-delegable decisions
- Risks of tone drift or authority leakage

This step prevents silent transfer of decision authority to AI.

If discomfort arises about defending the output to a reviewer or regulator, pause and clarify authorship boundaries before proceeding.

5.3 Step 3 — Complete Module 2: Intent and Scope

Define the operational purpose clearly and narrowly.

Explicitly state:

- In scope
- Out of scope
- Assumptions
- AI assistance limits

Scope must be stable before simulation begins.

If stakeholders request recommendations, approvals, or compliance judgments, re-scope deliberately rather than silently expanding authority.

Scope discipline is the most important safeguard in ID_2.

5.4 Step 4 — Run Module 3: SAPP Simulation and Stress Testing

With identity and scope stabilized, introduce structured stress.

A baseline session typically includes:

- A defined scenario seed
- One or more stress conditions
- Declared assumptions
- Explicit guardrails

Examples of stress conditions:

- Time pressure
- Conflicting telemetry
- Stakeholder urgency
- Incentive tension
- Ethical ambiguity

During the simulation:

- Observe signals
- Identify branch points
- Record fragility

- Surface authority drift
- Document uncertainty
- Identify escalation triggers

Do not conclude adequacy.
Do not infer compliance.
Do not validate outcomes.

Outputs must remain exploratory and descriptive.

5.5 Step 5 — Capture Fragility and Authority Drift

After the simulation, review where reasoning degraded.

Record:

- Where scope blurred
- Where tone shifted toward endorsement
- Where escalation became ambiguous
- Where uncertainty was reduced prematurely
- Where trade-offs became visible

Fragility is expected.
It is not evidence of failure.

It is governance insight.

5.6 Step 6 — Document Ethical Tensions

Explicitly surface ethical tension.

Examples:

- Speed versus thorough review
- Clarity versus uncertainty transparency
- Efficiency versus measurement accuracy
- Reassurance versus caution

Ethical evaluation in ID_2 does not resolve tensions.
It records them.

The purpose is to make ethical pressure visible before harm occurs.

5.7 Step 7 — Optional: Structured Recording

If structured JSON recording is used:

- Session metadata captures context and posture
- Module-level records capture stress conditions and observations

Recording is optional.
It supports replayability and comparison but does not change posture.

Structured recording must never be interpreted as inspection readiness.

Signals remain signals.

5.8 Step 8 — Create a Variant Session

ID_2 is most powerful when comparative.

To create a variant:

1. Duplicate the baseline session.
2. Intensify one stress variable.
3. Keep scenario framing and scope stable.
4. Re-run the simulation.

Compare:

- Stress conditions
- Fragility points
- Authority drift flags
- Escalation triggers
- Ethical trade-offs

The objective is not to “improve” outcomes.
The objective is to understand degradation patterns.

5.9 Step 9 — Close the Session

When the session is complete:

- Confirm that no adequacy claims were introduced.
- Confirm that no signal-to-decision collapse occurred.
- Confirm that escalation remains human-controlled.
- Confirm that outputs remain exploratory.

Mark the session as completed.

Completion does not imply inspection readiness.

If inspection is later required, a separate ID_3 session must be created with explicit freeze conditions.

5.10 Common Errors During Session Execution

Be alert for:

- Recommendation language appearing under pressure
- Metrics framed as verdicts
- Stakeholder expectations shifting scope silently
- Telemetry treated as conclusive evidence
- Ethical tension ignored due to urgency
- Escalation deferred without documentation

If any of these occur, stop and reset.

Stopping a session is not failure.
It is governance discipline.

5.11 What a Successful ID_2 Session Looks Like

A successful ID_2 session:

- Surfaces fragility without panic
- Documents uncertainty without smoothing it
- Preserves human accountability
- Avoids declarative claims

- Enables comparison across stress conditions
- Leaves clear traces of reasoning steps

It does not produce:

- Certification
- Approval
- Compliance claims
- Enforcement actions

It produces structured insight.

6. JSON Recording (Optional, No Coding Required)

Structured JSON recording is an optional support mechanism for ID_2 sessions. It improves replayability, comparability, and clarity. It does not change reasoning posture, and it does not convert exploratory work into inspection-ready artifacts.

This section explains what JSON recording does — and what it does not do.

6.1 Why Structured Recording Exists

ID_2 sessions generate structured reasoning:

- Scenario seeds
- Stress conditions
- Fragility points
- Authority drift flags
- Uncertainty notes
- Escalation triggers
- Ethical tensions

These elements can be captured in:

- Plain text notes
- Markdown documents
- Or structured JSON records

JSON exists to:

- Make sessions replayable
- Enable comparison between baseline and variant runs
- Reduce ambiguity about what was observed
- Preserve stress findings without rewriting them

JSON does not introduce new governance authority.

6.2 JSON Is Optional

ID_2 does not require technical skill.

You can run a complete ID_2 session using:

- The module Markdown files
- A written notebook
- A shared document
- Or structured session templates

JSON recording is optional.

If used, it supports structure.
If not used, the posture discipline remains identical.

The essential requirement is reasoning discipline, not file format.

6.3 What a Session-Level Record Captures

A session-level record typically includes:

- Session ID
- Creation timestamp
- Facilitator and participants
- Project context
- Scope and exclusions
- Validation requirements
- Non-inspection acknowledgment

This metadata establishes:

- Who is accountable
- What posture is declared
- What is explicitly excluded
- That outputs are exploratory

This does not imply freeze, certification, or compliance.

6.4 What a Module-Level Record Captures

Module-level JSON (for example, Module 3) may capture:

- Scenario seeds
- Stress conditions
- Assumptions

- Evidence to capture
- Guardrails
- Simulation runs
- Fragility points
- Authority drift flags
- Uncertainty notes
- Escalation triggers
- Ethical tensions

These records represent:

Exploratory observations under operational stress.

They are not:

Evidence manifests
Inspection artifacts
Compliance documentation
Certification materials

Signals remain signals.

6.5 Editing JSON Safely (No Coding Required)

JSON files are text files.

Editing typically involves:

- Opening the file
- Changing values
- Saving the file

No programming knowledge is required.

Basic safeguards:

- Keep one file per session
- Avoid creating multiple versions inside the same session folder
- Duplicate sessions for variants instead of editing history
- Do not alter timestamps unintentionally
- Maintain consistency between folder name and session ID

Structured editing tools may help, but they are optional.

6.6 Scripts as Optional Helpers

PowerShell scripts included in the release assist with:

- Creating session folders
- Editing session metadata
- Mapping stress constructs to structured fields
- Adding timestamps

Scripts are accelerators.

They are not required to use ID_2.

The framework functions fully without automation.

6.7 JSON Does Not Equal Inspection

Structured JSON may appear technical or formal.
It does not confer inspection status.

ID_2 JSON records are explicitly marked as:

- Non-inspection
- Not frozen
- Signals only
- Human decision required

Completion of a structured record does not imply:

- Adequacy
- Sufficiency
- Compliance
- Certification
- Approval
- Readiness

Inspection requires separate posture declaration under ID_3.

6.8 Baseline and Variant Comparison Using JSON

JSON supports comparative reasoning by making deltas visible.

When running a variant session:

- Duplicate the baseline folder
- Modify stress intensity
- Preserve scope and scenario framing
- Compare fragility and authority drift fields

This structured comparison is one of the primary benefits of optional recording.

Comparison improves interpretability.
It does not validate controls.

6.9 Lifecycle Discipline and JSON

JSON records reflect session state:

- Draft
- Active
- Completed

They do not represent:

- Frozen artifacts
- Canonical governance objects
- Certified documents

Freeze conditions require separate posture and lifecycle controls outside ID_2.

Population is not freeze.
Recording is not certification.

6.10 When to Avoid JSON

JSON may not be necessary when:

- Running short exploratory sessions
- Conducting early learning discussions
- Facilitating live workshops without recording requirements
- Testing conceptual boundaries

If recording increases friction or reduces clarity, use written notes instead.

Posture discipline is always primary.

6.11 Where JSON Adds Operational Value

While JSON recording is optional, it provides distinct advantages when comparative analysis becomes important.

Structured JSON shines in environments where:

- Multiple sessions are conducted over time
- Baseline and variant runs are compared
- Stress conditions are intensified incrementally
- Fragility patterns are tracked longitudinally
- Authority drift trends are monitored
- Escalation triggers are refined iteratively

Because JSON uses consistent field names across sessions, it enables:

- Reliable comparison of stress conditions
- Direct comparison of fragility points across runs
- Identification of recurring authority drift patterns
- Aggregation of escalation triggers
- Trend-based review over time

Structured fields such as:

- `stress_conditions`
- `fragility_points`
- `authority_drift_flags`
- `escalation_triggers`
- `ethical_constructs`

can be sorted, grouped, or filtered without re-reading narrative text.

This improves interpretability.

It does not change posture.

Rendering and Sorting Benefits

When multiple sessions exist, JSON allows:

- Simple listing of stress intensities across runs
- Side-by-side comparison of baseline versus variant
- Identification of new versus recurring fragilities
- Detection of stress-induced acceleration patterns
- Traceable updates to guardrails

Because each session follows the same schema, comparative analysis becomes:

- Consistent
- Reproducible
- Less reliant on memory
- Less vulnerable to narrative bias

JSON supports structured reasoning discipline.

It does not introduce automation, validation, or inspection.

When Comparative Structure Matters Most

JSON recording becomes especially valuable when:

- Sessions are used for standards preparation
- Governance maturity is assessed over time
- Organizational stakeholders request structured evidence of reasoning discipline
- Multiple facilitators conduct sessions independently
- Stress-testing becomes a recurring practice

In these contexts, structured recording improves clarity and comparability without changing authority.

Signals remain signals.
Comparisons remain exploratory.

6.12 Offline Operation and Security Considerations

ID_2 sessions may be conducted entirely offline. Structured JSON records and optional PowerShell 7 helper scripts can operate locally without transmitting data externally. This reduces dependency on third-party platforms and limits exposure of governance materials during exploratory reasoning.

Recent public security incidents across cloud platforms, developer tooling ecosystems, and software update infrastructures demonstrate that even trusted environments may be compromised. For organizations handling sensitive governance artifacts, maintaining the ability to conduct operational reasoning locally and without data sharing enhances resilience without altering posture discipline.

Offline execution strengthens confidentiality.
It does not alter the non-inspection status of ID_2 outputs.

---

7. Consolidated Guardrails and Non-Claims

This section consolidates the guardrails that govern all ID_2 sessions. These principles apply across modules, JSON records, scripts, and facilitator practice.

They are not optional.

7.1 Signals Are Not Decisions

Throughout ID_2:

- Signals remain signals.
- Scores remain informational.
- Stress findings remain exploratory.
- Escalation triggers remain prompts for human review.

No signal, metric, or stress outcome is sufficient to justify action without explicit human judgment.

Signal-to-decision collapse is prohibited.

7.2 No Adequacy or Compliance Claims

ID_2 does not assert:

- Governance adequacy
- Regulatory compliance
- Standards conformance
- Certification readiness
- Approval for deployment

Stress-testing may surface fragility.
It does not validate controls.

Structured recording may increase clarity.
It does not elevate trust.

Any claim of sufficiency or compliance derived from ID_2 work misrepresents its posture.

7.3 No Automated Enforcement

ID_2 reasoning may examine:

- Runtime signals
- Delegation boundaries
- Escalation logic
- Revocation considerations

It does not execute enforcement.

Thresholds are prompts, not triggers.
Revocation is a governance consideration, not an automated outcome.

All consequential actions require human confirmation.

7.4 No Silent Mode Switching

This release operates under single-mode ID_2 configuration.

Learning-mode (ID_1) reasoning and inspection-mode (ID_3) structuring must not be blended implicitly into an ID_2 session.

If posture must change:

- Stop the session.
- Declare the new mode explicitly.
- Begin a new session under that posture.

Silent transitions create interpretive risk and undermine governance clarity.

7.5 Stress Is Not Validation

Version D stress constructs, when applied under ID_2:

- Reveal degradation
- Surface fragility
- Identify authority drift
- Highlight escalation ambiguity

They do not prove robustness.

Stress-testing constrains overconfidence.
It does not confirm maturity.

7.6 JSON Does Not Confer Authority

Structured JSON recording:

- Improves replayability
- Supports comparison
- Enables sorting and aggregation
- Documents uncertainty

It does not:

- Convert sessions into inspection artifacts
- Serve as evidence manifests
- Replace canonical governance packs
- Satisfy regulatory expectations

Format does not equal authority.

7.7 Population Does Not Equal Freeze

Completion of modules or sessions does not imply inspection readiness.

ID_2 sessions remain:

- Posture-bound
- Exploratory
- Non-inspectable

Freeze conditions require separate declaration under inspection posture.

No ID_2 session becomes canonical by appearance alone.

7.8 Human Judgment Is Non-Delegable

AI may assist with:

- Drafting
- Structuring
- Scenario generation
- Alternative framing

AI does not:

- Decide
- Escalate
- Approve
- Certify
- Determine adequacy

Human accountability remains explicit and non-transferable.

7.9 Interpretive Responsibility

Readers and facilitators must:

- Respect declared posture
- Avoid over-reading exploratory artifacts
- Resist converting structure into authority
- Surface uncertainty rather than smoothing it

ID_2 strengthens interpretability.

It does not grant endorsement.

7.10 Final Non-Claim

This guide does not establish:

- Governance standards
- Certification criteria
- Compliance frameworks
- Maturity scoring

- Enforcement mechanisms

It describes disciplined operational reasoning posture under ID_2.

All claims of authority, compliance, certification, or adequacy must arise from appropriate lifecycle and inspection processes outside this document.

8.0 Clarification: Hash Keys vs Session Steps vs Prompts

Each module contains internal **Hash Keys (HK 1–10)**. These are reasoning checkpoints inside the module and ensure:

- Scope discipline
- Authority clarity
- Signal-to-decision separation
- Escalation awareness

The session walkthrough steps in Section 5 describe execution order across modules.

The prompts below are facilitator aids.

These three structures serve different purposes:

- **Hash Keys** govern reasoning integrity inside modules.
- **Session Steps** govern operational sequencing.
- **Prompts** support posture clarity during interaction.

They are complementary and should not be collapsed into one another.

8.1 Module 1 — Governance AI Identity (ID_2)

Use when establishing accountability and authority boundaries.

Example prompts:

- Clarify the human decision-maker in this scenario.
- What authority remains exclusively human?
- Where could tone drift imply endorsement?
- Which decisions must not be delegated to AI?

Posture reminder:
Do not simulate approval, compliance, or certification.

8.2 Module 2 — Intent and Scope Boundaries (ID_2)

Use to stabilize scope before stress testing.

Example prompts:

- What is explicitly in scope for this session?
- What is explicitly out of scope?
- What assumptions are required for this reasoning to hold?
- Where might stakeholders attempt to expand scope?

Posture reminder:
Re-scope explicitly before accepting recommendation-style language.

8.3 Module 3 — SAPP Simulation & Stress Testing (ID_2)

Use to introduce structured stress.

Example prompts:

- What happens if this assumption fails under time pressure?
- Where could governance drift occur under ambiguous telemetry?
- Identify fragility points in this scenario.
- What escalation triggers would require human review?
- What ethical tensions become visible under this stress?

Posture reminder:
Stress findings are signals, not validation.

8.4 Module 4 — Writing Governance Artifacts (ID_2)

Use to refine documentation under operational posture.

Example prompts:

- Where does this language imply endorsement?
- Which phrases increase certainty beyond available evidence?
- Does this text introduce recommendation language without re-scoping?
- What uncertainty should be surfaced rather than smoothed?

Posture reminder:
Clarity must not downgrade uncertainty.

8.5 Module 5 — Runtime Enforcement Reasoning (ID_2)

Use to reason about signal interpretation without acting on it.

Example prompts:

- What signals are being interpreted?
- Are these signals sufficient to justify escalation?
- Where could signal-to-decision collapse occur?
- What remains uncertain in this runtime context?

Posture reminder:
Thresholds are prompts for review, not triggers for action.

8.6 Module 6 — CSC Scoring & Revocation Signals (ID_2)

Use to examine scoring logic as informational input.

Example prompts:

- What does this score represent?
- What does it not represent?
- What trend information is missing?
- Would a reviewer misinterpret this as adequacy?
- What escalation triggers are defined?

Posture reminder:
Score-as-signal, never score-as-verdict.

8.7 Comparative Prompt Use (Baseline vs Variant)

When running a variant session under ID_2 posture:

- Keep the scenario seed stable.
- Increase only one declared stress variable.
- Ask: what changed compared to baseline?
- Compare fragility points, authority drift flags, and escalation triggers.
- Preserve declared scope boundaries.
- Do not introduce new stress categories unless explicitly declared.

Comparative prompts are designed to surface degradation patterns under intensified stress — not to demonstrate improvement or validate controls.

Stress-testing remains exploratory.
Signals remain signals.

Structured Comparative Analysis (Optional)

For sessions that use structured JSON records, facilitators may optionally conduct baseline–variant comparison using structured delta analysis and recurrence aggregation.

Two supporting documents are available within this release:

APOD-ID2-CSA-001 — ID_2 Structured Comparative Analysis (Informative Supplement)
Located in /docs/additional/
This supplement explains deterministic delta detection, replacement identification, and recurrence aggregation logic. It clarifies how structural drift becomes visible across variants without altering ID_2 posture or introducing inspection authority.

ID_2 Toolkit Script Examples Companion
Located in /docs/create_sessions/
This document provides practical workflow examples for creating baseline and variant sessions, applying normalization, tagging stress categories, and executing comparative runs using PowerShell 7 scripts.

The CSA supplement explains *what* structured comparison detects.
The Toolkit Companion explains *how* to execute it in practice.

Both documents are instructional and non-canonical.
They do not determine adequacy, assert compliance, confer inspection readiness, or replace facilitator judgment.

Structured comparison enhances interpretability over time.
It does not elevate authority.

8.8 Guardrail Prompts to Avoid

Avoid prompts that:

- Ask for compliance confirmation

- Ask for approval decisions
- Request certification language
- Remove uncertainty
- Collapse multiple reasoning modes

Examples to avoid:

- “Is this compliant with the regulation?”
- “Can we approve this approach?”
- “Confirm this governance model is sufficient.”

If such language appears, stop and reframe under ID_2 constraints.

8.9 Relationship to v1.0 Prompt & Project Naming Guidance

Additional posture-aligned prompt examples and project naming guidance are available in:

Prompts & Project Names — Examples (v1.0-Access-mode GitHub release)

Document:

`Prompts_and_Project_Names_Examples_v1.0.PDF`

That document provides broader prompt scaffolding across modes.
This guide restricts examples to ID_2 posture only.

9. Common Failure Patterns in Operational AI Governance

Operational AI governance does not typically fail because of missing policy language. It fails because reasoning posture shifts under pressure.

This section identifies recurring failure patterns observed in AI-assisted governance work. Recognizing these patterns early strengthens discipline and reduces unintended authority inflation.

9.1 Mode Collapse

Mode collapse occurs when learning, operational reasoning, and inspection posture blend implicitly within a single session.

Indicators of mode collapse include:

- Moving from explanation to recommendation without re-scoping
- Introducing compliance-style language in exploratory analysis
- Treating stress-testing results as validation
- Concluding adequacy during scenario simulation

Mode collapse reduces interpretability.

Prevention requires:

- Explicit primary mode declaration
- Clear stop/reset triggers
- Strict separation of ID_2 and ID_3 work

If posture becomes unclear, stop the session and reframe.

9.2 Authority Drift

Authority drift occurs when language becomes more confident or prescriptive than the evidence supports.

Common signs:

- Use of words such as “sufficient,” “adequate,” or “compliant”
- Implicit endorsement language

- Removal of uncertainty qualifiers
- Framing signals as conclusions

Authority drift often appears under time pressure.

Prevention requires:

- Line-by-line tone review
- Replacing declarative language with conditional phrasing
- Re-anchoring statements to scenario scope

Authority must remain human-controlled and explicitly bounded.

9.3 Signal-to-Decision Collapse

Signal-to-decision collapse occurs when metrics, scores, or runtime indicators are treated as direct triggers for action.

Examples include:

- Escalating based on a single CSC score
- Treating thresholds as enforcement triggers
- Inferring adequacy from telemetry stability
- Overreacting to transient anomalies

Signals are informational.
Decisions require human judgment.

Prevention requires:

- Multi-signal review
- Trend-based interpretation
- Explicit documentation of alternative explanations
- Human confirmation before escalation

9.4 Stress as Validation

Stress-testing may unintentionally be reframed as proof of robustness.

Indicators:

- Language suggesting that stress scenarios “demonstrate” stability
- Treating absence of visible failure as evidence of sufficiency
- Using stress outcomes to justify deployment decisions

Stress-testing reveals fragility.
It does not certify controls.

Prevention requires:

- Explicit uncertainty notes
- Clear non-claims statements
- Avoidance of outcome-oriented language

Stress constrains trust; it does not elevate it.

9.5 Scope Creep Under Pressure

Scope creep occurs when stakeholders request additional outputs beyond declared boundaries.

Common examples:

- “Can you also recommend a course of action?”
- “Can you confirm this meets regulatory expectations?”
- “Can you include best practices?”

These requests expand authority silently.

Prevention requires:

- Re-scope explicitly
- Document scope changes
- Create a new session if posture must change

Uncontrolled scope expansion erodes governance clarity.

9.6 Delegation Illusion

Delegation illusion occurs when AI-generated outputs are treated as authoritative simply because they are structured or fluent.

Indicators include:

- Treating structured JSON as certification evidence
- Assuming policy-as-code carries governance authority
- Accepting AI phrasing as final wording without review

Structure does not equal authority.

Prevention requires:

- Explicit human sign-off
- Clear documentation of authorship
- Reinforcement of non-delegable decisions

9.7 Incentive Compression

Incentive compression occurs when operational speed, stakeholder urgency, or organizational pressure compresses review discipline.

Common manifestations:

- Removing uncertainty to simplify messaging
- Shortening review cycles
- Delaying escalation to meet deadlines
- Framing metrics to preserve reassurance

Under compression, governance often shifts tone before logic shifts.

Prevention requires:

- Declaring time-pressure explicitly
- Recording urgency as a stress condition
- Increasing, not decreasing, monitoring under deadlines

Governance clarity must not degrade silently under urgency.

9.8 Goodhart Effects in Scoring

Goodhart effects occur when actors optimize behavior to improve a metric rather than improve governance quality.

In operational governance, this may appear as:

- Sudden score improvement without contextual explanation
- Reframing activity to match scoring criteria
- Treating CSC improvement as governance maturity

Scores are signals.
Signals can be gamed.

Prevention requires:

- Contextual review of score changes
- Corroboration with other indicators
- Explicit acknowledgment of noise and manipulation risk

9.9 Lifecycle Confusion

Lifecycle confusion occurs when exploratory outputs are mistaken for frozen artifacts.

Examples:

- Treating ID_2 session JSON as inspection evidence
- Circulating draft artifacts as final determinations
- Assuming structured format equals readiness

Population is not freeze.
Completion is not inspection.

Prevention requires:

- Explicit session status labeling
- Clear lifecycle separation
- Separate posture declaration for inspection work

9.10 Overconfidence Through Tooling

As AI tooling becomes more capable, outputs may appear more authoritative simply due to fluency and structure.

Risk indicators include:

- Reduced tolerance for ambiguity
- Increased reliance on automated formatting
- Overuse of structured outputs as proof of rigor

Governance clarity must be measured by interpretability, not polish.

9.11 Early Detection and Reset

The most effective governance discipline is early detection.

When any of the above patterns appear:

- Pause the session
- Re-state the primary mode
- Re-clarify scope
- Re-assert non-claims
- Resume only if posture is restored

Stopping is not failure.

Stopping is governance control.

10. Transitioning to ID_3

Inspection-Ready Structuring (When Required)

ID_2 is an operational reasoning posture. It is exploratory, stress-oriented, and explicitly non-inspection.

There may be circumstances where structured inspection or standards engagement becomes necessary. When this occurs, posture must change explicitly. This section explains how to transition responsibly.

10.1 When Transition May Be Required

Transition to ID_3 may be appropriate when:

- External review is requested
- Standards alignment must be documented
- Regulatory engagement is anticipated
- Structured traceability is required
- Governance artifacts must be frozen
- Inspection-ready documentation is necessary

Transition is not automatic.

Completion of an ID_2 session does not trigger inspection readiness.

10.2 Explicit Posture Declaration

Transitioning to ID_3 requires:

- Stopping the ID_2 session
- Declaring inspection posture explicitly
- Creating a new session under ID_3 configuration
- Reframing artifacts for review

ID_2 and ID_3 must not be blended implicitly.

Inspection reasoning must not occur inside an ID_2 session.

10.3 What Changes Under ID_3

Under inspection posture:

- Content must be stabilized
- Assumptions must be enumerated
- Traceability must be explicit
- Uncertainty must be visible and bounded
- Claims must be tightly scoped
- Lifecycle state must be declared

ID_3 emphasizes:

- Clarity
- Structure
- Interpretability
- Reviewability

It does not simulate stress.
It documents what was done.

10.4 What Does Not Change

Transitioning posture does not:

- Retroactively convert ID_2 stress results into certification
- Elevate exploratory JSON records into canonical artifacts
- Imply compliance or adequacy
- Grant approval authority

Stress findings from ID_2 may inform inspection documentation.
They do not become inspection evidence by default.

Population is not freeze.
Recording is not certification.

10.5 Preparing ID_2 Outputs for Inspection Structuring

If inspection is required, recommended steps include:

1. Review ID_2 session records for clarity and completeness.
2. Remove exploratory language that implies provisional reasoning.
3. Explicitly enumerate assumptions and scope boundaries.
4. Separate stress findings from formal statements.
5. Document uncertainty transparently rather than smoothing it.
6. Identify where additional evidence is required.

Do not reuse raw session logs as inspection artifacts without restructuring.

Inspection requires deliberate framing.

10.6 Lifecycle Separation and Freeze Discipline

Inspection posture introduces freeze discipline.

Freeze means:

- Content stability
- Version control
- Controlled modification
- Explicit declaration of readiness for review

ID_2 sessions remain dynamic and exploratory.

ID_3 artifacts are deliberately stabilized.

No artifact becomes inspection-ready through appearance alone.

10.7 Execution Environment Considerations (Online and Offline)

Inspection-oriented work under ID_3 may be conducted in either online or offline environments. Execution environment does not determine posture.

Organizations may choose to conduct ID_3 structuring:

- In cloud-hosted AI environments, or
- In controlled local environments using offline tooling and optional JSON records.

Offline execution can reduce data exposure risk and increase confidentiality when handling sensitive governance materials. However, operating offline does not confer inspection status, compliance assurance, or certification readiness.

Inspection posture is defined by:

- Explicit mode declaration,
- Freeze discipline,
- Structured traceability,
- Clear lifecycle labeling.

Execution environment supports operational control.
It does not alter authority semantics.

JSON artifacts remain structured records whether executed locally or remotely. Their status remains posture-bound and non-authoritative until formally frozen under inspection configuration.

10.8 Avoiding Lifecycle Confusion

Common mistakes during transition include:

- Treating stress sessions as proof of robustness
- Presenting exploratory notes as formal artifacts
- Removing uncertainty to appear inspection-ready
- Blurring operational and inspection reasoning

Proper transition requires:

- New session
- New posture
- New declaration
- Explicit lifecycle labeling

This separation protects governance integrity.

10.9 Relationship to Canonical Artifact Packs

If inspection proceeds:

- v1a canonical semantics remain authoritative
- v1b structured artifacts may be referenced
- ID_2 stress records may inform documentation

However:

- Canonical artifact packs define authority
- ID_3 structures inspection posture
- ID_2 does not confer inspection status

Each layer performs a distinct function.

10.10 Longitudinal Comparative Drift and Inspection Visibility

Longitudinal comparative analysis across ID_2 sessions may reveal short-horizon and long-horizon drift patterns in governance reasoning. When such records are later structured under ID_3 inspection posture, these drift observations can improve traceability and enhance visibility into how governance behavior evolves over time.

This visibility supports structured compliance preparation and disciplined good practice. It does not, by itself, constitute compliance evidence or certification. Authority remains defined by canonical artifact packs and explicit inspection posture.

Comparative drift tracking strengthens interpretability.
It does not confer adequacy.

10.11 When Not to Transition

Do not transition to ID_3 when:

- The objective remains exploratory
- Stress testing is ongoing
- Governance posture is still being refined
- Scope is unstable
- Assumptions are still being revised

Premature inspection posture introduces false certainty.

ID_2 should remain active until exploratory reasoning stabilizes.

10.12 Summary

Transitioning to ID_3 is not escalation.
It is a posture change.

ID_2 discovers fragility.
ID_3 documents clarity.

Both are necessary in mature governance architectures.

Neither replaces the other.

Appendix A

AI Governance Context Primer (Informative)

This appendix provides contextual orientation for readers who may not be deeply familiar with AI governance structures. It does not define governance frameworks or introduce new requirements. It clarifies the environment in which ID_2 operates.

A.1 What AI Governance Typically Includes

AI governance generally encompasses multiple structural components:

Policy

Formal written rules governing acceptable use, scope boundaries, documentation expectations, and decision authority.

Risk Management

Processes for identifying, assessing, and responding to potential harms, failures, or unintended consequences.

Accountability

Clear designation of decision-makers, escalation pathways, and responsibility boundaries between systems and humans.

Telemetry and Monitoring

Mechanisms for observing system behavior, usage patterns, performance signals, and anomalies.

Escalation and Response

Structured procedures for responding to risk signals, uncertainty, or governance degradation.

These components exist regardless of whether AI is involved. AI increases their complexity.

A.2 Governance Authority vs Operational Reasoning

Governance authority is defined by formal frameworks, policies, and organizational mandates.

Operational reasoning is how those frameworks are interpreted and applied under real conditions.

ID_2 operates at the level of operational reasoning.

It does not define:

- What policies must exist
- What risks must be accepted
- What compliance standard applies
- What certification thresholds are required

It governs how reasoning is conducted when working within those frameworks.

A.3 Runtime vs Documentation

Governance documentation describes intent.

Runtime conditions introduce pressure.

Operational governance must reconcile:

- Written policy
- Real-world constraints
- Ambiguous signals
- Stakeholder incentives
- Time compression

ID_2 formalizes structured reasoning under runtime pressure.

It does not rewrite documentation.
It tests interpretive stability.

A.4 Human Accountability

AI-assisted governance must preserve:

- Explicit human decision authority

- Non-delegable escalation responsibility
- Clear authorship
- Transparent uncertainty

No structured output replaces human accountability.

ID_2 reinforces this boundary explicitly.

A.5 Telemetry Discipline

Telemetry and scoring systems provide signals.

Signals may be:

- Incomplete
- Noisy
- Delayed
- Ambiguous
- Context-dependent

Governance maturity depends not on signal presence, but on signal interpretation discipline.

ID_2 ensures that:

- Signals remain informational
- Escalation remains human
- Metrics do not silently become verdicts

A.6 Relationship to Versions A–E

This guide operates within the broader Access-Mode architecture (implemented within the Access-PoD platform):

- Version A defines governance authority semantics, canonical artifact structures, and Compliance Star Certificate (CSC) meaning.
- Version B demonstrates execution-level feasibility and architecture-specific extensions.
- Version C formalizes onboarding and operational transition discipline, including containment requirements and governed entry conditions into runtime AI governance.
- Version D formalizes governance stress-testing and ethical evaluation under uncertainty.

- Version E defines reasoning posture and lifecycle separation across ID_1, ID_2, and ID_3. Version E.2 clarifies artifact lifecycle states and freeze discipline.

This guide governs operational reasoning discipline only. Authority remains defined by canonical artifact packs and explicit inspection posture.

Canonical papers and artifact packs are available at:
https://github.com/Access-PoD/access-pod-artifacts/releases

A.7 What This Appendix Is Not

This appendix does not:

- Provide regulatory advice
- Define governance standards
- Establish compliance criteria
- Replace organizational frameworks

It exists solely to situate ID_2 within the broader AI governance landscape.