Session JSON Review — ID_2 Posture-Safe Editing

APOD-ID2-JSON-MAINT-001
Informative • Non-Normative • Supplement
Applies to: Access-Mode ID_2 sessions only

This guide explains how to inspect and adjust an ID_2 session.json file while preserving operational posture.

It applies only to:

- Access-Mode ID_2 sessions
- Non-inspection configuration
- Exploratory, signal-based reasoning

It does not:

- Convert sessions into inspection artifacts
- Introduce compliance, adequacy, or certification framing
- Modify lifecycle status

---

1. Objective

To:

- Review a session record for completeness
- Strengthen posture discipline
- Ensure structural integrity
- Improve comparability across runs

All edits must preserve ID_2 boundaries.

1.1 Posture Constraints (Mandatory)

When reviewing or editing `session.json`:

- Preserve `access_mode_primary: "ID_2"`
- Preserve `inspection_status: "not_frozen"`

- Do not introduce inspection/freeze/audit language
- Do not introduce adequacy, compliance, or approval framing
- Treat signals as signals — never as decisions or verdicts.

All outputs remain exploratory.

---

2. Expected Output When Reviewing a Session

When inspecting a session file:

1. Identify missing or weak fields that should be populated for a real session.
2. Propose concrete edits for:
    - `session.session_id`
    - `facilitator`
    - `participants`
    - `project_name`
    - `purpose_statement`
    - `in_scope`
    - `out_of_scope`
    - `run_plan.notes`
    - `outputs_index.artifacts`
    - `signoff`
3. Provide a patched JSON block showing only changed fields (or a full corrected JSON if clearer).

Use case must be declared before review.

Example use case:

Stress-testing an AI usage percentage governance claim under time pressure.

---

3. Common Session Maintenance Updates (ID_2)

This section outlines the most frequent adjustments made during ID_2 session maintenance.

These updates preserve posture discipline and structural integrity.
They do not alter lifecycle state or introduce inspection authority.

All edits must maintain:

- `access_mode_primary: "ID_2"`
- `inspection_status: "not_frozen"`
- signals-only framing

- Explicit out-of-scope exclusions remain present

3.1 Session-Level JSON Updates

The following fields are commonly updated during normal session operation:

Identity & Metadata

- `session.session_id`
  Replace placeholder values with a valid ID2-YYYYMMDD-HHMM-slug format.
- `created_utc` (optional)
  Update for timestamp accuracy if needed.
- `facilitator.name` / `facilitator.role`
  Confirm explicit human accountability.
- `participants[]`
  Ensure at least one participant entry exists.

Project Context

- `project_context.project_name`
  Must remain neutral and non-approval oriented.
- `project_context.audience`
  Clarify context (e.g., internal; workshop; standards discussion).
- `project_context.purpose_statement`
  Must describe exploration — not conclusions.
- `project_context.in_scope`
  Must reflect actual reasoning boundary.
- `project_context.out_of_scope`
  Must always include:
  - compliance determinations
  - approval language
  - certification claims
  - automated enforcement

Operational Notes

- `run_plan.notes`
  Clarify whether baseline or variant.

Identify stress dimension (if applicable).
Must remain informational.

- `outputs_index.artifacts`
  Record generated notes, reports, or exports.
  Does not imply freeze.
- `signoff.signed_by` / `signed_at_utc` (optional)
  May be used to document accountability when sharing externally.
  Does not convert session into inspection artifact.

3.2 Module-Level JSON Updates

Module-level edits vary depending on use case.

Module 02 — Intent & Scope

Common updates:

- `in_scope`
- `out_of_scope`
- `assumptions`
- Stress scenario refinement

Ensure scope stability before simulation.

Module 03 — SAPP Simulation & Stress Testing

Most frequent updates:

- Additional `simulation_runs[]` entries
- `fragility_points`
- `authority_drift_flags`
- `uncertainty_notes`
- `stop_or_reset_events`

Always confirm:

- `simulation_runs` remains an array
- No adequacy language appears
- No escalation becomes automated

Module 04 — Writing Governance Artifacts

Common updates:

- `claim_to_evidence_map`
- `tone_authority_checks`
- Language tightening under stress

Focus: remove implicit endorsement or certainty drift.

Module 05 / 06 — Runtime Signals & CSC

Common updates:

- `signals[]`
- `risk_of_misread`
- Escalation prompts (not decisions)

Reminder:

Scores remain informational.
Signals remain signals.

3.3 Routine Posture Health Checks

These checks should occur before closing any session:

- Confirm `inspection_status` remains `"not_frozen"`
- Confirm no inspection-mode language appears
- Confirm `out_of_scope` retains compliance exclusions
- Confirm validation flags remain true
- Confirm no signal-to-decision collapse occurred
- Confirm no adequacy or certification language was introduced

If drift is detected:

- Pause
- Re-state ID_2 posture
- Re-assert scope boundaries
- Continue only if posture is restored

This supplement reinforces maintenance discipline under ID_2 posture.
It does not modify lifecycle state or confer authority.