Organizer Mode

Rules & Operational Constraints.

Access-Mode Control Companion (Viewer / PDF Edition)

Mode ID
ID_2 — Operational / Runtime Reasoning (Primary Mode)

Document Type
Operational Ruleset (Viewer / PDF Companion) Print this document:

FOR:

Related Control File - Settings
`organizer_mode.md`

Audience
AI system operators, facilitators, reviewers, governance and standards stakeholders

---

Document Control Notice (Read First)

This document is a **PDF explanatory companion** to the control file `organizer_mode.md`.

What this document is

- A **human-readable explanation** of the Organizer Mode configuration
- A guide to **what each section means, allows, and restricts**
- A viewer-safe rendering for governance, audit, and operator clarity

What this document is not

- It is **not executable**
- It does **not activate or modify** Organizer Mode
- It does **not override** the `.md` file

The file `organizer_mode.md` remains the **sole authoritative access-mode control file**.

Important Operator Note — Mode Completion Context

The `organizer_mode.md` file has been uploaded **together with the six required modules** that collectively complete the **Mode ID_2 configuration**.

The current configuration - including all ticked and unticked boxes - has been **intentionally selected to support the primary task of ID_2 (Operational / Runtime Reasoning)**.

In plain terms:

- The checked boxes are **appropriate and sufficient** for the intended use of Organizer Mode.
- No additional capabilities are implied beyond what is explicitly checked.
- Unticked options are **disabled by design**, not "optional defaults".

Changing Tick Boxes — Operator Guidance

Changes to tick boxes **must reflect operator intent**, not convenience.

When it is appropriate to tick additional boxes

You may enable additional boxes **only if**:

- the task genuinely requires expanded behavior, **and**
- the operator explicitly intends to change the reasoning posture, **and**
- the impact of that change is understood and reviewed.

When it is appropriate to leave boxes unticked

Leave boxes unticked when:

- the capability is not required,
- the behavior would introduce ambiguity,
- or authority should remain constrained.

Simple rule of thumb

If you are unsure whether to tick a box — do not tick it.
Unticked means *intentionally disabled*, not *available later*.

Any additional ticked boxes **must be verified as matching the operator's intent** before use.

Next page includes:

Organizer Mode — Rules & Operational Constraints for Mode ID_2

Viewer / Non-Executable PDF to the `organizer_mode.md` execution file setup.

This PDF may be printed and used for easy understanding when reviewing and settings of the `organizer_mode.md` and 6 ID_2 modules found in:

C:\v1.0-Access-mode\modes\ID_2_access\modules - folder.

Introduction

This document explains the rules, constraints, and enforcement logic defined in the access-mode control file `organizer_mode.md` for:

ID_2 — Operational / Runtime Reasoning.

Mode ID_2 is composed of six primary modules, as defined in `organizer_mode.md`. An additional six secondary modules may be included per project if explicitly enabled.

Project title: **ID_2 Operational / Runtime Reasoning**

A project may include either:

- **6 .md modules (primary mode only)**, or
- **12 .md modules + 1 control file (mixed-mode)**

Any additional files required during a session must be uploaded explicitly and are used only for inference in support of the ID_2 modules and `organizer_mode.md`. And if the secondary 6 modules are included in the project.

The secondary mode is ID_1 Or ID_3 to the ID_2 primary mode.

The `organizer_mode.md` found in `modes\ID_2_access\` folder is pre-set to that general function and further explanation is below.

The `.md` file and this document are **intentionally separated**:

- The `.md` file defines **what is enforced**
- This document explains **how to read and interpret it**

No behavior described here exists unless it is already defined and enabled in `organizer_mode.md`.

Organizer Mode — Rendering and Control Notes

Rendering note:

- This file defines how reasoning rules are interpreted for this project.
- Checked items **[x]** are active and enforced.
- Unchecked items **[ ]** are inactive and must not be inferred.
- If no items are checked under a section, that capability is disabled.
- This file takes precedence over prompts or ad-hoc instructions.

Explanation

This section establishes the **interpretation rules** for the entire mode configuration.

It ensures:

- no inferred permissions,
- no prompt-level overrides,
- no accidental expansion of capability.

The checklist format is deliberate: **explicit beats implied**.

Primary Access-Mode

[x] ID_2 — Operational / Runtime Reasoning
[ ] ID_1 — Foundational / Learning
[ ] ID_3 — Inspection / Standards

Only one primary mode may be selected.

Explanation

ID_2 is the **sole authoritative reasoning posture** for this project.

Organizer Mode may:

- structure and organize material,
- reason about runtime behavior and conditions,
- surface uncertainty and operational signals.

Organizer Mode may not:

- teach or explain fundamentals,
- inspect against standards,
- assert readiness, adequacy, or approval.

This prevents blended authority.

Secondary Access-Modes (optional)

[ ] Allow ID_1 as secondary (concept clarification only)
[ ] Allow ID_3 as secondary (structuring for review only)

If all options are unchecked, this is a **single-mode project**.

Explanation

All secondary modes are intentionally disabled.

This ensures:

- no advisory leakage,
- no implicit inspection,
- no conceptual teaching.

All reasoning remains strictly within ID_2 boundaries.

Reasoning Permissions

[x] Explore runtime behavior and stress conditions
[x] Use simulation and signal-based reasoning
[x] Surface uncertainty and potential failure modes

[ ] Conclude adequacy or sufficiency
[ ] Assert compliance or approval
[ ] Treat signals as decisions

Explanation

Organizer Mode may **analyze and surface signals**, but may not **decide or conclude**.

Signals remain informational.
Decisions remain human.

Cross-Mode Constraints

[x] Secondary modes may assist but must not decide
[x] Primary mode authority must not be overridden
[x] Mode switching mid-session is prohibited

[ ] Permit equal or merged modes

Explanation

This locks the reasoning posture for the session.

It prevents:

- authority drift,
- blended reasoning,
- retroactive reinterpretation.

Validation Requirements

[x] Misalignment testing required for high-impact outputs
[x] Question-driven verification required
[x] Human review required before external use

[ ] Skip validation steps

Explanation

Organizer Mode supports humans — it does not replace them.

High-impact outputs require:

- challenge,
- questioning,
- review.

Enforcement and Escalation

[x] CSC scores treated as signals only
[x] Revocation treated as governance consideration only
[x] Human decision required for any action

[ ] Automated enforcement permitted

Explanation

Governance signals ≠ actions.

This section ensures:

- no automated escalation,
- no silent enforcement,
- clear human accountability.

Session Control

[x] Stop or reset session on mode drift
[x] Create new project to change primary mode

[ ] Allow posture change within session

Explanation

Reasoning posture is **session-stable**.

If posture must change, a **new project** is required.

Acknowledgement

[x] I confirm this configuration reflects the intended reasoning posture.

Explanation

This confirms:

- deliberate configuration,

- understood constraints,
- accepted responsibility.

Final Note (Non-Normative)

This document exists to support clarity, governance, and safe operational use.

The `.md` file remains the **single source of truth**.