DomainScope – Run & Deploy Guide

Version 2 · Developed by Access Authority

Is guide mein DomainScope ko apne computer par chalane aur internet par deploy karne ke poore steps hain. Project ke teen hisse hain:

- **Website (frontend):** `index.html`, `faq.html`, `how-it-works.html`, `developer.html`, `privacy.html`, `terms.html`, `404.html` aur `css/`, `js/`, `assets/`.
- **Node server (naya, recommended):** `server/server.js`. Ek hi server site bhi deta hai aur `/api/lookup` bhi. Koi extra package install nahi karna.
- **Cloudflare Worker (optional):** `worker/`. Sirf tab jab site static hosting par rakhni ho.

1. Zaroorat (Requirements)

- Node.js 18 ya naya (`node -v` se check karein).
- Deploy ke liye ek GitHub account aur free Render account (ya Railway / koi bhi Node hosting).

2. Computer par chalana

1. Zip extract karein aur folder mein terminal kholein.
2. Chalayein:

```
npm start
```

3. Browser mein kholein: `http://localhost:8080`

Offline tests chalane ke liye: `npm test`. Saare tests pass hone chahiye (20 tests: validator, parsers, availability check, server routes, SSRF guard, file-access rules).

> `index.html` ko double-click karke na kholein. JavaScript modules `file://` se nahi chalte. Hamesha `npm start` use karein.

3. Pages

Page	Kaam
`index.html`	Home + domain lookup. `?d=example.com` lagane par seedha result khulta hai (share link).
Availability	Har result par **Available / Taken** badge aur 8 extensions (.com .net .org .in .co .io .info .co.in) ka status. Kisi par click karein to uska poora record khulta hai.
`how-it-works.html`	Lookup kaise kaam karta hai, aur kuch fields khali kyun hote hain.
`faq.html`	11 common sawal-jawab.

`developer.html`	Access Authority ka section (ek taraf image, ek taraf content).
`privacy.html`, `terms.html`	Privacy policy aur Terms of use.
`404.html`	Galat link par dikhne wala page.

4. Render par deploy karna (recommended)

1. Poora `DomainScope` folder GitHub repo mein push karein.
2. Render dashboard mein **New** → **Web Service** chunein aur apna repo connect karein. (`render.yaml` folder mein already hai, to settings khud bhar sakti hain.)
3. Settings: Runtime **Node**, Build Command khali ya `echo no build`, Start Command `node server/server.js`, Health Check Path `/api/health`.
4. **Create Web Service** dabayein. Kuch minute mein aapko `https://aapka-naam.onrender.com` milega.

Site aur API ek hi address par hain, isliye `js/config.js` mein kuch badalna nahi hai.

> Render ke free plan par site kuch der inactive rehne ke baad so jaati hai, to pehli request dheemi ho sakti hai. Port 43 (WHOIS) agar hosting par band ho, to RDAP data phir bhi aayega; WHOIS tab khali dikhega.

Optional settings (Environment Variables)

Variable	Matlab
`PORT`	Render khud set karta hai. Local par default 8080.
`ALLOWED_ORIGIN`	Sirf kisi dusri site ko API dena ho to uska address. Default `*`.
`RATE_LIMIT_PER_MIN`	Ek visitor ke liye requests per minute. Default 40.

5. Deploy ke baad test

Pehle API check karein. Browser mein kholein:

```
https://aapka-naam.onrender.com/api/lookup?domain=example.com
```

JSON aana chahiye jisme `rdap` aur/ya `whois` ho. Phir site par yeh search karein:

- `example.com` (.com, registrar ka record bhi dikhna chahiye)
- `wikipedia.org`
- `bbc.co.uk` (multi-part extension)
- `accessauthority.in`
- koi unregistered naam, jaise `zzqx-test-12345.com` ("appears to be available" aana chahiye)

Registrant ka naam aur email aksar "REDACTED FOR PRIVACY" ya "Not provided by registry" dikhta hai. Yeh registry ka privacy rule hai, bug nahi.

6. Alternative: static site + Cloudflare Worker

Agar site GitHub Pages, Netlify ya Cloudflare Pages par rakhni ho, to API alag chahiye. Bina API ke site browser se seedha RDAP try karti hai (kam registries chalti hain, WHOIS nahi).

1. `cd worker`, phir `npm install`
2. `npx wrangler login`, phir `npx wrangler deploy`
3. Mile hue URL ko `js/config.js` mein daalein: `export const API_BASE = 'https://domainscope-api.yourname.workers.dev';`
4. `worker/wrangler.toml` mein `ALLOWED_ORIGIN` ko apni site ke address par set karein (end mein `/` nahi), phir dobara deploy karein.
5. Cloudflare dashboard mein ek Rate limiting rule bhi laga dein.

7. Design badalna

- **Colors:** `css/styles.css` ke sabse upar `--ink`, `--navy`, `--navy-2` (black shades) aur `--red` (accent). Ek jagah badalne se poori site badal jaati hai.
- **Photos:** Unsplash se load hoti hain. Apni photo lagani ho to HTML mein `<img src="...">` ka URL badal dein. Photo load na ho to uske peeche ka gradient dikhta hai.
- **Fonts:** Google Fonts (Bricolage Grotesque aur Figtree), har page ke `<head>` mein.
- **Developer ka naam/links:** `js/config.js` ke `SITE` mein, aur `developer.html` mein.

8. Dikkat aaye to (Troubleshooting)

Problem	Wajah aur hal
Page khali ya module error	`file://` se modules nahi chalte. `npm start` use karein.
Site par sirf kuch hi domains chalte hain	API nahi mil rahi (static hosting), isliye browser-direct RDAP chal raha hai. Section 4 ya 6 follow karein.
CORS error (Worker use karte waqt)	`ALLOWED_ORIGIN` galat hai. Apni site ka exact address daalein aur dobara deploy karein.
Domain "Available" dikha par registrar pe nahi mil raha	Reserved ya blocked names ka registry bhi "no record" deta hai. Khareedne se pehle registrar se confirm karein.
Purana data dikh raha hai	Result ~60 second cache hota hai. Thodi der baad search karein.
429 / "temporarily limiting requests"	Server ya registry ne limit lagayi. Ek minute ruk kar try karein, ya `RATE_LIMIT_PER_MIN` badhayein.
WHOIS tab khali, sirf RDAP dikha	Hosting par port 43 band ho sakta hai, ya us extension ka WHOIS server nahi hai. RDAP data sahi hai.
Photos nahi dikh rahi	Unsplash ka URL block ya purana ho sakta hai. Section 7 se URL badlein.

Nayi file add ki par 404 aata hai	Server sirf `.html`, `css/`, `js/`, `assets/` serve karta hai. Nayi file in jagahon par rakhein.

DomainScope · Access Authority · accessauthority.in