

What can we do if there are no good targets


Mathematical and Computational Biology in Drug Discovery (MCBDD) Module II

Dr. Jitao David Zhang March-April 2021



The linear view of drug discovery builds on target-based approaches


Target identification & assessment





Five strategies when no good target is found

- 1. Phenotypic drug discovery
- 2. Natural products
- 3. Biologics
- 4. Interaction-based (multispecific) drug discovery
- 5. Drug repurposing or combination studies




Connect the lines!



Phenotypic screening



Modified natural products



Biologics

Target-based screening



Phenotypic screenings by agent and readout


Agent

High-throughput screening libraries (≥10⁶ molecules)

Genetic libraries (~104)

Natural products and chemogenomic libraries (~103)

Custom libraries (~100-102)




Cellular Readout

Cellular Organitissue Organism Readout

Menotype Organism Readout




The Small-molecule PAthway Research Kit (SPARK)





The ChEMBL database

- An example of query: <u>aspirin</u>.
- Systematic and programmatic accession via <u>ChEMBL API</u> (<u>source code</u>).
- We can use dose-response data to annotate the triplets of compound, assay activity, and targets.




March 2021




Discussion

- 1. Why do we care selecting representative, potent, and selective compounds for each target?
- 2. How to define following terms mathematically ...
 - a. Representativity?
 - b. Potency?
 - c. Selectivity?


A toy example about how to quantify a compound's potency and selectivity






The Gini Index (a.k.a. Gini Coefficient)







Sorted from low to high



The Gini
Index is
calculated
based on the
cumulative
distribution









The Gini Index of expression of *NEUROD1* across tissues is near 1, whereas that of *RBL1* is near 0.

An alternative metric: Shannon's Entropy








Compound 3


Shannon entropy: 1.79

Count of targets and selectivity of ChEMBL molecules






With some exceptions, most compounds are profiled against <100 targets. We distinguish between specific and pleiotropic compounds.




The **shark-fin shape** curve suggests that frequently profiled compounds tend to be more selective (and *vice versa*).



Unsupervised clustering






Affinity Propagation updates responsibilities and availabilities iteratively




Affinity Propagation in action



A movie of iterations

Construction of SPARK in detail





Harmonization

... of public and Roche internal data

Machine learning

... to select compounds


Pathways

... mapped to compounds

Curation

... to enrich quality compounds


SPARK covers the chemical space evenly with representative, potent, and specific compounds



Mapping genes to biological pathways

Option 1: <u>KEGG pathways</u>, with the example of <u>TGF-β</u> signaling pathway.

A RESTful API is available for academic use, with clients in Python and R.






Mapping genes to biological pathways


Option 2: Reactome pathways, with the example of the TGF-β signaling pathway.

Developer's Zone provides API and graph database interfaces.





Overview of pathways captured by Reactome



The Voronoi (Reacfoam) view of all pathways in Reactome




Mapping genes to biological processes

- Gene Ontology
- UniProtKB keywords
- Example:

TGFBR2 HUMAN

(TGF-beta receptor type


-2, P37173)







Molecular function	Kinase, Receptor, Serine/threonine-protein kinase, Transferase
Biological process	Apoptosis, Differentiation, Growth regulation
Ligand	ATP-binding, Magnesium, Manganese, Metal-binding, Nucleotide-binding

SPARK covers the target space evenly with representative, potent, and specific compounds



Screening with stem-cell-derived endothelial cells with a reporter added by genome editing





SSC-A: Side-scatter area of flow cytometry;

GFP: Green fluorescent protein;

GFP" sorted cells

99 %

GFP⁺


1 %


VEGFA: vascular endothelial growth factor A

UNI BASEL



Compounds targeting the TGF-β pathway such as RepSox modulates endothelial cells






Further *in vitro* and *in vivo* experiments establish RepSox as a tool compound modulating retinopathy.



Conclusions about chemogenomic library

- Phenotypic drug discovery can lead to first-in-class drugs with novel mechanisms;
- Unsupervised machine learning and data modelling contribute to build chemogenomic libraries;
- We can link drug candidates via targets to biological pathways and processes.





Offline activities of Module II

Please use your favourite programming language (shell scripts, python, R, for instance) and APIs (Application Programming Interfaces) of databases to perform following operations. Submit your code.


- Retrieve all approved drugs from the ChEMBL database, sort them by approval year and name (<u>a Python example is here</u>; documentations of the ChEMBL API can be found <u>here</u>);
- 2. For each approved drug **since 2011** that you identified in step (1), retrieve a list of UniProt accession numbers, namely protein targets associated with the drug;
- 3. For each protein with a UniProt accession number that you identified in step (2), retrieve UniProt keywords associated with it. You can use the UniProt API, documented here. Python and R clients are also available.




Multispecific Drug Use or Target Interactions

- **b** Conventional drug:
 - Forms 1 drug-target interface
 - Can act throughout body
 - Only works if its binding to target alters function of target
- Forms 2 or more drug-target interfaces Class 1 'tetherbodies' Enrich drug at relevant site of action

C Obligate multispecific drug:





Class 2 'matchmakers'

Link drug to a

biological effector

References



28

- 1. Swinney, David C., and Jason Anthony. 2011. "How Were New Medicines Discovered?" *Nature Reviews Drug Discovery* 10 (7): 507–19. https://doi.org/10.1038/nrd3480.
- 2. Marx, Uwe, Tommy B. Andersson, Anthony Bahinski, Mario Beilmann, Sonja Beken, Flemming R. Cassee, Murat Cirit, et al. 2016. "Biology-Inspired Microphysiological System Approaches to Solve the Prediction Dilemma of Substance Testing." ALTEX Alternatives to Animal Experimentation 33 (3): 272–321. https://doi.org/10.14573/altex.1603161.
- 3. Dickey, Seth W., Gordon Y. C. Cheung, and Michael Otto. 2017. "Different Drugs for Bad Bugs: Antivirulence Strategies in the Age of Antibiotic Resistance." Nature Reviews Drug Discovery 16 (7): 457–71. https://doi.org/10.1038/nrd.2017.23.
- 4. Lewis, Kim. 2013. "Platforms for Antibiotic Discovery." Nature Reviews Drug Discovery 12 (5): 371–87. https://doi.org/10.1038/nrd3975.
- 5. Warner, Katherine Deigan, Christine E. Hajdin, and Kevin M. Weeks. 2018. "Principles for Targeting RNA with Drug-like Small Molecules." Nature Reviews Drug Discovery 17 (8): 547–58. https://doi.org/10.1038/nrd.2018.93.
- 6. Berg, Ellen L. 2021. "The Future of Phenotypic Drug Discovery." Cell Chemical Biology 28 (3): 424–30. https://doi.org/10.1016/j.chembiol.2021.01.010.
- 7. Chin, Marcus Y., Jether Amos Espinosa, Grace Pohan, Sarine Markossian, and Michelle R. Arkin. 2021. "Reimagining Dots and Dashes: Visualizing Structure and Function of Organelles for High-Content Imaging Analysis." Cell Chemical Biology 28 (3): 320–37. https://doi.org/10.1016/j.chembiol.2021.01.016.
- 8. Conway, Louis P., Weichao Li, and Christopher G. Parker. 2021. "Chemoproteomic-Enabled Phenotypic Screening." Cell Chemical Biology 28 (3): 371–93. https://doi.org/10.1016/j.chembiol.2021.01.012.
- 9. Dahlin, Jayme L., Douglas S. Auld, Ina Rothenaigner, Steve Haney, Jonathan Z. Sexton, J. Willem M. Nissink, Jarrod Walsh, et al. 2021. "Nuisance Compounds in Cellular Assays." Cell Chemical Biology 28 (3): 356–70. https://doi.org/10.1016/j.chembiol.2021.01.021.
- 10. Ha, Jaeyoung, Hankum Park, Jongmin Park, and Seung Bum Park. 2021. "Recent Advances in Identifying Protein Targets in Drug Discovery." Cell Chemical Biology 28 (3): 394–423. https://doi.org/10.1016/j.chembiol.2020.12.001.

29

- 11. Hsu, Ku-Lung. 2021. "Shining a Light on Phenotypic Drug Discovery." Cell Chemical Biology 28 (2): 115–17. https://doi.org/10.1016/j.chembiol.2021.01.020."
- Hughes, Rebecca E., Richard J. R. Elliott, John C. Dawson, and Neil O. Carragher. 2021. "High-Content Phenotypic and Pathway Profiling to Advance Drug Discovery in Diseases of Unmet Need." Cell Chemical Biology 28 (3): 338–55. https://doi.org/10.1016/j.chembiol.2021.02.015.
- 13. Vandana, J. Jeya, Lauretta A. Lacko, and Shuibing Chen. 2021. "Phenotypic Technologies in Stem Cell Biology." Cell Chemical Biology 28 (3): 257–70. https://doi.org/10.1016/j.chembiol.2021.02.001.
- 14. Ziegler, Slava, Sonja Sievers, and Herbert Waldmann. 2021. "Morphological Profiling of Small Molecules." Cell Chemical Biology 28 (3): 300–319. https://doi.org/10.1016/j.chembiol.2021.02.012.
- 15. Moffat, John G., Fabien Vincent, Jonathan A. Lee, Jörg Eder, and Marco Prunotto. 2017. "Opportunities and Challenges in Phenotypic Drug Discovery: An Industry Perspective." Nature Reviews Drug Discovery 16 (8): 531–43. https://doi.org/10.1038/nrd.2017.111.
- 16. Drawnel, Faye Marie, Jitao David Zhang, Erich Küng, Natsuyo Aoyama, Fethallah Benmansour, Andrea Araujo Del Rosario, Sannah Jensen Zoffmann, et al. 2017. "Molecular Phenotyping Combines Molecular Information, Biological Relevance, and Patient Data to Improve Productivity of Early Drug Discovery." Cell Chemical Biology 18 (24(5)): 624–34. https://doi.org/10.1016/j.chembiol.2017.03.016.
- 17. Roudnicky, Filip, Jitao David Zhang, Bo Kyoung Kim, Nikhil J. Pandya, Yanjun Lan, Lisa Sach-Peltason, Heloise Ragelle, et al. 2020. "Inducers of the Endothelial Cell Barrier Identified through Chemogenomic Screening in Genome-Edited HPSC-Endothelial Cells." Proceedings of the National Academy of Sciences, August. https://doi.org/10.1073/pnas.1911532117.
- 18. Zoffmann, Sannah, Maarten Vercruysse, Fethallah Benmansour, Andreas Maunz, Luise Wolf, Rita Blum Marti, Tobias Heckel, et al. 2019. "Machine Learning-Powered Antibiotics Phenotypic Drug Discovery." *Scientific Reports* 9 (1): 1–14. https://doi.org/10.1038/s41598-019-39387-9.
- 19. Nichols, Robert J., Saunak Sen, Yoe Jin Choo, Pedro Beltrao, Matylda Zietek, Rachna Chaba, Sueyoung Lee, et al. 2011. "Phenotypic Landscape of a Bacterial Cell." Cell 144 (1): 143–56. https://doi.org/10.1016/j.cell.2010.11.052.
- 20. Smith, Kevin, Filippo Piccinini, Tamas Balassa, Krisztian Koos, Tivadar Danka, Hossein Azizpour, and Peter Horvath. 2018. "Phenotypic Image Analysis Software Tools for Exploring and Understanding Big Image Data from Cell-Based Assays." Cell Systems 6 (6): 636–53. https://doi.org/10.1016/j.cels.2018.06.001.



- 21. Scheeder, Christian, Florian Heigwer, and Michael Boutros. 2018. "Machine Learning and Image-Based Profiling in Drug Discovery." Current Opinion in Systems Biology, Pharmacology and drug discovery, 10 (August): 43–52. https://doi.org/10.1016/j.coisb.2018.05.004.
- 22. Schirle, Markus, and Jeremy L. Jenkins. 2016. "Identifying Compound Efficacy Targets in Phenotypic Drug Discovery." Drug Discovery Today 21 (1): 82–89. https://doi.org/10.1016/j.drudis.2015.08.001.
- Wilkinson, Isabel V. L., Georg C. Terstappen, and Angela J. Russell. 2020. "Combining Experimental Strategies for Successful Target Deconvolution." Drug Discovery Today 25 (11): 1998–2005. https://doi.org/10.1016/j.drudis.2020.09.016.
- 24. Comess, Kenneth M., Shaun M. McLoughlin, Jon A. Oyer, Paul L. Richardson, Henning Stöckmann, Anil Vasudevan, and Scott E. Warder. 2018. "Emerging Approaches for the Identification of Protein Targets of Small Molecules A Practitioners' Perspective." Journal of Medicinal Chemistry 61 (19): 8504–35.

 https://doi.org/10.1021/acs.jmedchem.7b01921.
- 25. Sidders, Ben, Anna Karlsson, Linda Kitching, Rubben Torella, Paul Karila, and Anne Phelan. 2018. "Network-Based Drug Discovery: Coupling Network Pharmacology with Phenotypic Screening for Neuronal Excitability." Journal of Molecular Biology, Theory and Application of Network Biology Toward Precision Medicine, 430 (18, Part A): 3005–15. https://doi.org/10.1016/j.jmb.2018.07.016.
- Aulner, Nathalie, Anne Danckaert, JongEun Ihm, David Shum, and Spencer L. Shorte. 2019. "Next-Generation Phenotypic Screening in Early Drug Discovery for Infectious Diseases." Trends in Parasitology 35 (7): 559–70. https://doi.org/10.1016/j.pt.2019.05.004.
- 27. Boess, Franziska, Barbara Lenz, Juergen Funk, Urs Niederhauser, Simon Bassett, Jitao David Zhang, Thomas Singer, and Adrian B. Roth. 2017. "Use of Early Phenotypic in Vivo Markers to Assess Human Relevance of an Unusual Rodent Non-Genotoxic Carcinogen in Vitro." Toxicology 379 (March): 48–61. https://doi.org/10.1016/j.tox.2017.01.018.
- 28. Feng, Yan, Timothy J. Mitchison, Andreas Bender, Daniel W. Young, and John A. Tallarico. 2009. "Multi-Parameter Phenotypic Profiling: Using Cellular Effects to Characterize Small-Molecule Compounds." Nature Reviews Drug Discovery 8 (7): 567–78. https://doi.org/10.1038/nrd2876.
- 29. Jones, Lyn H., and Mark E. Bunnage. 2017. "Applications of Chemogenomic Library Screening in Drug Discovery." Nature Reviews Drug Discovery 16 (January): 285--296. https://doi.org/10.1038/nrd.2016.244.
- 30. Kulesa, Anthony, Jared Kehe, Juan E. Hurtado, Prianca Tawde, and Paul C. Blainey. 2018. "Combinatorial Drug Discovery in Nanoliter Droplets." Proceedings of the National Academy of Sciences 115 (26): 6685–90. https://doi.org/10.1073/pnas.1802233115.



- 31. Vlachogiannis, Georgios, Somaieh Hedayat, Alexandra Vatsiou, Yann Jamin, Javier Fernández-Mateos, Khurum Khan, Andrea Lampis, et al. 2018. "Patient-Derived Organoids Model Treatment Response of Metastatic Gastrointestinal Cancers." Science 359 (6378): 920–26. https://doi.org/10.1126/science.aao2774.
- 32. Wawer, Mathias J., Kejie Li, Sigrun M. Gustafsdottir, Vebjorn Ljosa, Nicole E. Bodycombe, Melissa A. Marton, Katherine L. Sokolnicki, et al. 2014. "Toward Performance-Diverse Small-Molecule Libraries for Cell-Based Phenotypic Screening Using Multiplexed High-Dimensional Profiling." Proceedings of the National Academy of Sciences 111 (30): 10911–16. https://doi.org/10.1073/pnas.1410933111.
- 33. Zhang, Jitao David, Erich Küng, Franziska Boess, Ulrich Certa, and Martin Ebeling. 2015. "Pathway Reporter Genes Define Molecular Phenotypes of Human Cells." BMC Genomics 16: 342. https://doi.org/10.1186/s12864-015-1532-2.
- 34. Ziegler, Slava, Verena Pries, Christian Hedberg, and Herbert Waldmann. 2013. "Target Identification for Small Bioactive Molecules: Finding the Needle in the Haystack." Angewandte Chemie International Edition 52 (10): 2744–92. https://doi.org/10.1002/anie.201208749.
- 35. Antolin, Albert A., Joseph E. Tym, Angeliki Komianou, Ian Collins, Paul Workman, and Bissan Al-Lazikani. 200017. "Objective, Quantitative, Data-Driven Assessment of Chemical Probes." Cell Chemical Biology 0 (0). https://doi.org/10.1016/j.chembiol.2017.11.4.
- 36. Fellmann, Christof, Benjamin G. Gowen, Pei-Chun Lin, Jennifer A. Doudna, and Jacob E. Corn. 2017. "Cornerstones of CRISPR–Cas in Drug Discovery and Therapy." Nature Reviews Drug Discovery 16 (2): 89–100. https://doi.org/10.1038/nrd.2016.238.
- 37. Hart, Charles P. 2005. "Finding the Target after Screening the Phenotype." Drug Discovery Today 10 (7): 513–19. https://doi.org/10.1016/S1359-6446(05)03415-X.
- 38. Stanton, Benjamin Z., Emma J. Chory, and Gerald R. Crabtree. 2018. "Chemically Induced Proximity in Biology and Medicine." Science 359 (6380): <u>eaao5902</u>. <u>https://doi.org/10.1126/science.aao5902</u>.
- 39. Deshaies, Raymond J. 2020. "Multispecific Drugs Herald a New Era of Biopharmaceutical Innovation." Nature 580 (7803): 329–38. https://doi.org/10.1038/s41586-020-2168-1.
- 40. Tom Gregory, https://www.quora.com/ls-Gini-coefficient-outdated

UNIBASEL

- 41. EBI online tutorial of Reactome, DOI: 10.6019/TOL.Reactome_exbp-t.2017.00001.1
- 42. Frey, Brendan J., and Delbert Dueck. 2007. "Clustering by Passing Messages Between Data Points." Science 315 (5814): 972–76. https://doi.org/10.1126/science.1136800.
- 43. Webinar introduction to apcluster
- 44. Affinity Propagation algorithm visualized