

mysql 31165@localhost:(none)> use accomple;  
You are now connected to database "accomple" as user "31165"  
Time: 0.001s

mysql 31165@localhost:accomple> DESCRIBE authentication\_customuser;

Field	Type	Null	Key	Default	Extra
id	int	NO	PRI	<null>	auto_increment
password	varchar(128)	NO		<null>	
last_login	datetime(6)	YES		<null>	
is_superuser	tinyint(1)	NO		<null>	
email	varchar(254)	NO		<null>	
is_staff	tinyint(1)	NO		<null>	
is_active	tinyint(1)	NO		<null>	
date_joined	datetime(6)	NO		<null>	
username	varchar(254)	NO	UNI	<null>	
first_name	varchar(16)	YES		<null>	
last_name	varchar(16)	YES		<null>	
email_verification_token	varchar(40)	NO		<null>	
phone_number	varchar(13)	YES		<null>	
profile_pic	varchar(100)	YES		<null>	
date_of_birth	date	YES		<null>	
password_reset_token	varchar(40)	NO		<null>	
is_verified	tinyint(1)	NO		<null>	
is_owner	tinyint(1)	NO		<null>	

18 rows in set  
Time: 0.016s

mysql 31165@localhost:accomple> DESCRIBE authentication\_otp;

Field	Type	Null	Key	Default	Extra
id	int	NO	PRI	<null>	auto_increment
key	varchar(6)	YES		<null>	
creation_time	datetime(6)	YES		<null>	
user_id	int	NO	UNI	<null>	

4 rows in set  
Time: 0.008s

mysql 31165@localhost:accomple> DESCRIBE accommodation\_building;

Field	Type	Null	Key	Default	Extra
id	int	NO	PRI	<null>	auto_increment
building_name	varchar(32)	NO		<null>	
street	varchar(32)	NO		<null>	
city	varchar(16)	NO		<null>	
state	varchar(16)	NO		<null>	
zip_code	varchar(6)	NO		<null>	
landmark	varchar(32)	NO		<null>	
latitude	double	NO		<null>	
longitude	double	NO		<null>	
in_time	time(6)	YES		<null>	

10 rows in set  
Time: 0.005s

mysql 31165@localhost:accomple> DESCRIBE accommodation\_room;

Field	Type	Null	Key	Default	Extra
id	int	NO	PRI	<null>	auto_increment
title	varchar(32)	NO		<null>	
rent	double	NO		<null>	
room_no	int	NO		<null>	
gender_label	varchar(1)	NO		<null>	
occupancy	int	NO		<null>	
display_pic	varchar(100)	YES		<null>	
is_booked	tinyint(1)	NO		<null>	
building_id	int	NO	MUL	<null>	
owner_id	int	NO	MUL	<null>	

10 rows in set  
Time: 0.003s

mysql 31165@localhost:accomple> DESCRIBE accommodation\_roomphoto;

Field	Type	Null	Key	Default	Extra
id	int	NO	PRI	<null>	auto_increment
photo	varchar(100)	NO		<null>	
room_id	int	NO	MUL	<null>	

3 rows in set  
Time: 0.007s

mysql 31165@localhost:accomple> DESCRIBE accommodation\_roomperk;

Field	Type	Null	Key	Default	Extra
id	int	NO	PRI	<null>	auto_increment
description	varchar(32)	NO		<null>	

2 rows in set  
Time: 0.002s

mysql 31165@localhost:accomple> DESCRIBE accommodation\_roomperk\_room;

Field	Type	Null	Key	Default	Extra
id	int	NO	PRI	<null>	auto_increment
roomperk_id	int	NO	MUL	<null>	
room_id	int	NO	MUL	<null>	

3 rows in set  
Time: 0.007s

mysql 31165@localhost:accomple> DESCRIBE accommodation\_buildingperk;

Field	Type	Null	Key	Default	Extra
id	int	NO	PRI	<null>	auto_increment
description	varchar(32)	NO		<null>	

2 rows in set  
Time: 0.007s

mysql 31165@localhost:accomple> DESCRIBE accommodation\_buildingperk\_building;

Field	Type	Null	Key	Default	Extra
id	int	NO	PRI	<null>	auto_increment
buildingperk_id	int	NO	MUL	<null>	
building_id	int	NO	MUL	<null>	

3 rows in set  
Time: 0.007s

mysql 31165@localhost:accomple> DESCRIBE accommodation\_booking;

Field	Type	Null	Key	Default	Extra
id	int	NO	PRI	<null>	auto_increment
booking_no	varchar(32)	NO	UNI	<null>	
expiration	datetime(6)	NO		<null>	
room_id	int	NO	MUL	<null>	
user_id	int	NO	MUL	<null>	

5 rows in set  
Time: 0.008s

mysql 31165@localhost:accomple> DESCRIBE accommodation\_propertydeed;

Field	Type	Null	Key	Default	Extra
id	int	NO	PRI	<null>	auto_increment
registration_no	varchar(32)	NO		<null>	
issue_date	date	NO		<null>	
expiry_date	date	YES		<null>	
document	varchar(100)	NO		<null>	
owner_id	int	NO	MUL	<null>	
room_id	int	NO	MUL	<null>	

7 rows in set  
Time: 0.009s