
ARTEX FINANCE PROXY HUNT

Hunts connections to source-documented proxy and ARTEX infrastructure.

HUNTING QUERY

CONFIDENCE: MEDIUM



REPORT DATE
08 October 2026

STATUS
Untested implementation sketch

PRIMARY PLATFORM
Microsoft Defender XDR

OPERATIONAL VALUE
6.0 / 10

EXECUTIVE ASSESSMENT

Decision, confidence and evidence boundary.

ASSESSMENT

OPERATIONAL VALUE

6.0

Hunts connections to source-documented proxy and ARTEX infrastructure.

CLASSIFICATION

Hunting query

Medium confidence. Source-supported campaign evidence; environmental prevalence is not validated.

1 primary table
1 primary query
0 production claims
4 validation gates

Evidence boundary

An IP match is an investigative lead, not proof of compromise, actor identity, or ARTEX execution.

BEHAVIOR AND EVIDENCE

Observed facts separated from analytical scope.

MECHANICS

#	Source-supported fact
1	CrowdStrike identified infrastructure associated with intrusions against South Korean financial organizations.
2	Nine addresses were observed as proxies; one address hosted an ARTEX instance and exposed configuration.
3	The indicators are time-bounded and potentially reassignable.

Detection hypothesis

If the published behavior occurs in a covered endpoint or cloud workload, DeviceNetworkEvents should retain the campaign-specific evidence used by this hunt.

Unconfirmed elements

An IP match is an investigative lead, not proof of compromise, actor identity, or ARTEX execution.

ATT&CK: T1090

TELEMETRY CONTRACT

Collection prerequisites and field reliability.

TELEMETRY

REQUIRED

DeviceNetworkEvents

Microsoft Defender XDR advanced hunting coverage must retain the fields referenced by the query.

OPTIONAL ENRICHMENT

Identity, device, network, file reputation, prevalence, owner, change record, and adjacent-event context.

Requirement	Decision
Primary platform	Microsoft Defender XDR
Primary table	DeviceNetworkEvents
Query status	Untested implementation sketch
Classification	Hunting; no alerting before validation

Coverage caveat

An empty result may mean no match, missing telemetry, retention gaps, parser differences, or field sparsity.

PRIMARY KQL

Source-supported conditions with investigable output.

HUNTING

STATUS

Hunting query — Untested implementation sketch

KQL — UNTESTED

```
// MITRE ATT&CK: T1090 (Proxy)
// Classification: Hunting query - Untested implementation sketch
// Confidence: Medium; IOC-based and time-bounded
// Primary platform: Microsoft Defender XDR Advanced Hunting
// Required telemetry: Microsoft Defender for Endpoint / DeviceNetworkEvents
let ArtexInfrastructure = dynamic([
    "101.53.80.20", "205.214.59.31", "124.155.252.63",
    "154.201.79.246", "23.248.249.90", "23.158.220.98",
    "103.248.148.84", "203.160.133.172", "209.209.85.38",
    "38.244.50.120"
]);
DeviceNetworkEvents
| where RemoteIP in (ArtexInfrastructure)
| project Timestamp, DeviceName, RemoteIP, RemotePort, Protocol,
          RemoteUrl, InitiatingProcessFileName, InitiatingProcessCommandLine,
          InitiatingProcessSHA1, InitiatingProcessAccountUpn, ReportId
| order by Timestamp desc
```

TRIAGE AND TUNING

Human validation before response.

WORKFLOW

1

Preserve

Retain the raw event, device or account, timestamps, and campaign-matched values.

2

Confirm

Validate field semantics and determine whether the matched object exists.

3

Enrich

Add reputation, prevalence, owner, identity, network, and adjacent-event context.

4

Scope

Search for related execution, persistence, access, and follow-on activity.

Expected benign overlap

Administration, software development, security testing, automation, content inspection, shared infrastructure, or legitimate files may overlap. Tune only after ownership and prevalence are established.

Response boundary

An IP match is an investigative lead, not proof of compromise, actor identity, or ARTEX execution.

VALIDATION GATES

Controlled tests and promotion criteria.

QUALITY CONTROL

Validation steps

1. Confirm the primary table and every projected field exist.
2. Replay an authorized benign event matching the query shape.
3. Measure at least 30 days of tenant prevalence and benign overlap.
4. Verify every result retains sufficient evidence for triage.

Decision criteria

Success: the test is visible and real matches remain attributable.

Rejection: benign activity dominates or the campaign artifact is no longer reliable.

Failure: required telemetry or fields are unavailable.

Promotion gate

Do not promote to production until telemetry, prevalence, ownership, and false-positive handling are demonstrated in the target environment.

CONCLUSION AND REFERENCES

Coverage statement and document control.

FINAL

CONCLUSION

Hunting query

Hunts connections to source-documented proxy and ARTEX infrastructure.

An IP match is an investigative lead, not proof of compromise, actor identity, or ARTEX execution.

MITRE ATT&CK

T1090

References

1. PRIMARY TECHNICAL RESEARCH
2. CrowdStrike — Unknown Threat Actor Uses AI-Driven ARTEX to Target South Korean Finance
3. Publication date: 2026-10-07
4. Observed campaign period: late 2026-09 to early 2026-10
5. hxxps://www[.]crowdstrike[.]com/en-us/blog/unknown-threat-actor-uses-artex-to-target-south-korean-finance/
6. OFFICIAL SCHEMA DOCUMENTATION
7. Microsoft Learn — DeviceNetworkEvents table in the advanced hunting schema
8. Last updated: 2026-06-22; accessed: 2026-10-08
9. hxxps://learn[.]microsoft[.]com/en-us/defender-xdr/advanced-hunting-devicenetworkevents-table
10. ATT&CK
11. MITRE ATT&CK — T1090 Proxy
12. Accessed: 2026-10-08

Document control

Canonical locked typography and layout. Only the campaign illustration on page 1 is variable.