


PYTHON-HTTPX CLOUD CONTENT COLLECTION

Hunts source-observed programmatic SharePoint and OneDrive access using python-httpx, an uncommon ISP or user agent, and at least 100 file events in two hours.

HUNTING QUERY

CONFIDENCE: MEDIUM



EVIDENCE BEFORE ALERTING

REPORT DATE

14 September 2026

STATUS

Untested implementation
sketch

PRIMARY PLATFORM

Microsoft Defender XDR

OPERATIONAL VALUE

9.4 / 10



EXECUTIVE ASSESSMENT

Decision, confidence and evidence boundary.

ASSESSMENT

OPERATIONAL VALUE

9.4

Hunts source-observed programmatic SharePoint and OneDrive access using python-httpx, an uncommon ISP or user agent, and at least 100 file events in two hours.

STATUS

Hunting query

Untested implementation sketch; Confidence Medium.

1primary table

0joins

0secondary rules

2validation gates

Evidence boundary

A result does not prove token theft, attacker attribution, file sensitivity, transfer off-tenant, or completed exfiltration. The threshold is campaign-informed, not tenant-validated.



BEHAVIOR AND EVIDENCE

Observed facts separated from analytical scope.

MECHANICS

Source-supported fact

- 1 Microsoft observed compromised identities generate high-volume FileAccessed and FileDownloaded activity across SharePoint and OneDrive.
- 2 python-httpx appeared in several programmatic collection cases; Microsoft explicitly warns that the user agent alone is not malicious.
- 3 The source published the two-hour window, 100-event threshold, application IDs, action names, and per-user anomaly condition.

Detection hypothesis

If an attacker repeats this behavior, CloudAppEvents should expose the same source-supported identity or content-access pattern. Distinction requires ownership, change, device, sign-in, and approved-automation context.

Unconfirmed elements

A result does not prove token theft, attacker attribution, file sensitivity, transfer off-tenant, or completed exfiltration. The threshold is campaign-informed, not tenant-validated.

Logic: Campaign-specific behavioral pattern **ATT&CK:** T1213.002



TELEMETRY CONTRACT

Collection prerequisites and field reliability.

TELEMETRY

REQUIRED

Microsoft Defender for Cloud Apps must populate CloudAppEvents, Microsoft 365 file actions, UserAgent, account/IP context, and UncommonForUser enrichment.

OPTIONAL ENRICHMENT

Sign-in risk, device state, prior MFA change, sensitivity labels, object path/site, bytes, IP reputation, service owner, and automation inventory.

Fields	Reliability	Use
Timestamp, ApplicationId, ActionType	Documented	Query or triage
AccountObjectId, IPAddress	Documented	Query or triage
UserAgent, UncommonForUser, Isp	Documented	Query or triage
ObjectName	Documented	Query or triage
IDs/actions/window/threshold	Present in source	Query or triage

Excluded

No message body, phishing-page content, inferred success, actor attribution, or undocumented cross-SIEM mapping is used.



PRIMARY KQL

Direct source-supported conditions with investigable output.

HUNTING

STATUS

Hunting query — Untested implementation sketch

KQL — UNTESTED

```
CloudAppEvents
| where ApplicationId in (20892, 15600)
| where ActionType in
  ("FileDownloaded", "FileAccessed", "SyncDownloadedFull")
| where isnotempty(AccountObjectId)
| where isnotempty(IPAddress)
| where isnotempty(UserAgent)
| where UncommonForUser has_any ("ISP", "UserAgent")
| where UserAgent has "python-httpx"
| summarize FilesAccessedLastWindow = count(),
  FirstSeen = min(Timestamp), LastSeen = max(Timestamp),
  ActionTypes = make_set(ActionType, 5),
  SampleObjects = make_set(ObjectName, 10)
  by AccountObjectId, IPAddress, Isp, UserAgent,
  bin(Timestamp, 2h)
| where FilesAccessedLastWindow >= 100
| order by FilesAccessedLastWindow desc
```

WINDOW	THRESHOLD	JOIN	KEY
2 hours	>= 100 events	None	Account + IP + UA



TRIAGE AND TUNING

Human validation before response.

WORKFLOW

1

Preserve

Retain raw event, account, IP, timestamps, and report identifiers.

2

Confirm

Identify the user, change record, service owner, and device context.

3

Enrich

Sign-in risk, device state, prior MFA change, sensitivity labels, object path/site, bytes, IP reputation, service owner, and automation inventory.

4

Scope

Review adjacent identity, Graph, SharePoint, OneDrive, and Exchange evidence.

Expected benign overlap

Approved backup, migration, eDiscovery, DLP, archiving, compliance export, data-science, or Python integration workflows. Baseline owners and stable service infrastructure before exclusions.

Response boundary

A result does not prove token theft, attacker attribution, file sensitivity, transfer off-tenant, or completed exfiltration. The threshold is campaign-informed, not tenant-validated.



VALIDATION GATES

Controlled tests and cross-SIEM limits.

QUALITY CONTROL

Validation steps

1. Verify field types and UncommonForUser population.
2. Run an authorized benign python-httpx SharePoint/OneDrive test.
3. Measure 30 days of overlap and assign an owner to every automation.
4. Pivot hits to sign-ins, MFA changes, device state, and sensitivity labels.

Decision criteria

Success: The test is visible and real hits remain attributable and investigable.

Rejection: Approved automation dominates results or anomaly enrichment is unavailable.

Failure: File actions, user agent, account/IP context, or connector coverage is missing.

Platform	Decision	Missing evidence
Defender XDR	Hunting query	Target execution and baseline
Splunk	No reliable implementation	Index, sourcetype, parser, sample
Chronicle	No reliable implementation	Parser and exact UDM mapping



CONCLUSION AND REFERENCES

Coverage statement and document control.

FINAL

CONCLUSION

Hunting query

Hunts source-observed programmatic SharePoint and OneDrive access using python-httpx, an uncommon ISP or user agent, and at least 100 file events in two hours.

A result does not prove token theft, attacker attribution, file sensitivity, transfer off-tenant, or completed exfiltration. The threshold is campaign-informed, not tenant-validated.

MITRE ATT&CK

T1213.002

References

1. Microsoft Security Research — Passkey-themed social engineering leads to identity and cloud compromise — 09 Sep 2026
2. Microsoft Learn — CloudAppEvents advanced hunting schema — accessed 14 Sep 2026
3. MITRE ATT&CK — T1213.002

Document control

English dossier. No customer data. URLs are defanged in references.txt. HTML and rendering assets remain private.