
DETECTION THREAT LANDSCAPE

CITRIX NETSCALER CVE-2026-88771 88772 - NETSCALER DTLS FRAGMENT VOLUME

Validates whether network telemetry can surface short high-volume UDP/DTLS sequences approaching the public CVE-2026-88772 laboratory traffic shape.



VALIDATION QUERY

CONFIDENCE: HIGH

REPORT TYPE
cve

STATUS
Untested implementation sketch

PRIMARY PLATFORM
Microsoft Sentinel / Log Analytics

OPERATIONAL VALUE
7 / 10

01

Executive Assessment

Decision-grade summary with explicit evidence boundaries.

ASSESSMENT

DECISION

Retain this package as a validation query and migrate it to the canonical visual and evidence contract without changing query conditions. Treat every result as an investigative lead until local schema, field population, benign overlap and the legacy claim provenance are reviewed.

LEGACY EVIDENCE RECORD

- The retained legacy source ledger contains 6 normalized references; claim-to-source mapping remains...

ANALYST ASSESSMENT

- The existing logic is retained at validation maturity; repository migration is not execution eviden...
- The folder and query header map the package to T1190; operational relevance still depends on local...

DETECTION ASSUMPTIONS

- The named telemetry is collected across the intended asset or identity scope with adequate...
- Projected fields preserve their expected semantics in the target connector and parser. [C002]
- Approved activity, owners and change records are available to analysts during disposition. [C003]

KEY FINDINGS

FINDING 1

The original query conditions and source ledger were preserved during layout migration; legacy PDF SHA-256 5448522df1d8f8ee... is recorded for traceability. [C001]

FINDING 2

The principal observable is Evaluate CommonSecurityLog for netscaler dtls fragment volume using the existing source-derived conditions while preserving projected investigation context. [C002]

FINDING 3

The evidence boundary remains explicit: a match does not prove successful exploitation, malicious ownership, downstream impact, campaign attribution or complete compromise without corroborating evidence. [C003]

EVIDENCE BOUNDARY

A matching result does not prove successful exploitation, malicious ownership, downstream impact, campaign attribution or complete compromise without corroborating evidence. Target-environment field population, benign prevalence, parser behavior and operational ownership have not been validated by this repository migration.

02

Threat Mechanics

Technical mechanism, observable transitions and supported scope.

ATTACK FLOW

TECHNICAL BACKGROUND

The retained dossier links Citrix Netscaler CVE-2026-88771 88772 to the detection opportunity described as netscaler dtls fragment volume. The v2 migration preserves the query exactly and exposes its match boundary, but does not reinterpret legacy source claims as laboratory evidence. Evaluate CommonSecurityLog for netscaler dtls fragment volume using the existing source-derived conditions while preserving projected investigation context. [C001][C002]

1

THREAT CONTEXT

Validates whether network telemetry can surface short high-volume UDP/DTLS sequences approaching the public CVE-2026-88772 laboratory traffic shape. Observable: Context retained from the legacy dossier and source ledger.

2

OBSERVABLE CANDIDATE

Evaluate CommonSecurityLog for netscaler dtls fragment volume using the existing source-derived conditions while preserving projected investigation context. Observable: Events from CommonSecurityLog and projected fields.

3

CONTEXTUAL ENRICHMENT

Resolve asset, identity, process, ownership and change context before disposition. Observable: Raw event, surrounding timeline, inventory and authorized-change evidence.

4

DECISION GATE

Escalate only when corroborating evidence closes the documented non-claim boundary. Observable: Controlled validation, explainable negatives and analyst-readable evidence.

03

Telemetry & Evidence Model

Minimum data contract and known visibility gaps.

DATA CONTRACT

PRIMARY PLATFORM

Microsoft Sentinel / Log Analytics. Evaluate CommonSecurityLog for netscaler dtls fragment volume using the existing source-derived conditions while preserving projected investigation context.

FIELD / TABLE	STATUS	PURPOSE
CommonSecurityLog	**Required**	Primary event source selected by the unchanged query logic.
Event time and entity identifiers	**Required**	Chronology, deduplication, scoping and investigation pivots.
Raw projected context	**Required**	Preserve the fields emitted by the query before normalization or tuning.
Asset, identity and change inventory	**Enrichment**	Separate authorized activity and define operational ownership.

KNOWN VISIBILITY GAPS

Unvalidated local schema Missing projected fields Incomplete retention or asset scope Mutable attacker behavior Legacy claim provenance review pending

04

Primary Detection Logic

Native query, explicit condition evidence and match meaning.

KQL

```
// Rule: [T1190] Citrix Netscaler CVE-2026-88771 88772 - Netscaler DTLS Fragment Volume
// MITRE ATT&CK: T1190
// Classification: Validation query
// Status: Untested implementation sketch
// Primary platform: Microsoft Sentinel / Log Analytics
// Required telemetry: CommonSecurityLog
// Purpose: Validates whether network telemetry can surface short high-volume UDP/DTLS sequences approaching the public CVE-2026-88772 laboratory traffic shape.
// Logic: Evaluate CommonSecurityLog for netscaler dtls fragment volume using the existing source-derived conditions while preserving projected investigation context
// A match proves: A result proves that the published query conditions matched in CommonSecurityLog; it is an investigative event, not a malicious verdict.
// A match does not prove: successful exploitation, malicious ownership, downstream impact, campaign attribution or complete compromise without corroborating evidenc
// Expected false positives: authorized administration, approved software, testing, or benign artifact collisions.
// Coverage limits: local schema, field population, retention, collection scope, and attacker variation require validation.
// Evidence claims: C001, C002, C003
//
// MITRE ATT&CK: T1190
// Validation query - Untested implementation sketch
// CVE: CVE-2026-88772
// Primary platform: Microsoft Sentinel / Log Analytics
// Required telemetry: perimeter/network CEF records in CommonSecurityLog
// Required tuning: populate NetScalerDestinationIPs with the public or translated
// destination IPs of managed NetScaler ADC/Gateway appliances.
// Detection boundary: approximates the watchTowr test shape (many UDP/DTLS records
// and high byte volume in a short interval). It cannot parse DTLS handshake fragment
// headers and therefore cannot confirm the vulnerable NSB-chain condition.
let Lookback = 14d;
let Window = 1m;
let NetScalerDestinationIPs = dynamic([
    // "203.0.113.10"
]);
CommonSecurityLog
| where TimeGenerated >= ago(Lookback)
| where Protocol =~ "UDP"
| where DestinationPort in (443, 8443, 9462)
| where array_length(NetScalerDestinationIPs) == 0 or DestinationIP in (NetScalerDestinationIPs)
| extend EventBytes = coalesce(tolong(SentBytes), 0) + coalesce(tolong(ReceivedBytes), 0)
| summarize
    FirstSeen=min(TimeGenerated),
    LastSeen=max(TimeGenerated),
    NetworkEvents=count(),
    TotalBytes=sum(EventBytes),
    DeviceVendors=make_set(DeviceVendor, 5),
    DeviceProducts=make_set(DeviceProduct, 5),
    Actions=make_set(DeviceAction, 10)
    by SourceIP, DestinationIP, DestinationPort, bin(TimeGenerated, Window)
| where NetworkEvents >= 120 or TotalBytes >= 176640
| extend
    ResearchShape_RecordCount = NetworkEvents >= 120,
    ResearchShape_ByteVolume = TotalBytes >= 176640
| project
    TimeGenerated,
    FirstSeen,
// ... complete 63-line query in validation.kql
```

WHAT A MATCH PROVES

A result proves that the published query conditions matched in CommonSecurityLog; it is an investigative event, not a malicious verdict.

WHAT IT DOES NOT PROVE

successful exploitation, malicious ownership, downstream impact, campaign attribution or complete compromise without corroborating evidence.

MATURITY

Validation query - Untested implementation sketch. Evaluate CommonSecurityLog for netscaler dtls fragment volume using the existing source-derived conditions while preserving projected investigation context.

05

Triage & Hunting Playbook

Evidence-preserving workflow from match to disposition.

WORKFLOW

01

Preserve the complete raw matching event, query version, timestamp, connector or sensor version and stable entity identifiers.

02

Confirm the event originated from the intended Microsoft Sentinel / Log Analytics data source and verify the semantics of every condition used by the query.

03

Resolve asset, identity, process, software and destination ownership against authoritative inventories and approved change records.

04

Build the surrounding endpoint, identity, network or appliance timeline and seek an independent evidence layer before escalation.

05

Classify benign overlap explicitly; tune only with durable ownership or provenance controls, never by suppressing the core behavior globally.

06

Escalate only when corroborating evidence establishes malicious or unauthorized activity beyond the documented match boundary.

DISPOSITION RULE

Escalate only when the evidence establishes the behavior described by the query. successful exploitation, malicious ownership, downstream impact, campaign attribution or complete compromise without corroborating evidence.

06

False Positives & Validation

Overlap model, controlled checks and promotion gate.

QUALITY GATE

AUTHORIZED ADMINISTRATION OR SOFTWARE

Require owner, purpose, approved change and expected execution or configuration provenance.

BENIGN ARTIFACT OR COMMAND COLLISION

Require the full condition set plus an independent evidence layer or stable provenance.

PARSER, INVENTORY OR RETENTION AMBIGUITY

Reproduce a controlled event and reconcile raw fields, collection scope and authoritative inventory.

VALIDATION SEQUENCE

- Generate an authorized controlled equivalent of the primary observable without using live malicious infrastructure.
- Verify each query condition and projected field against retained raw telemetry.
- Run representative approved and near-match negative controls.
- Measure historical prevalence and classify every returned owner or workflow.
- Record parser, connector, retention and asset-scope dependencies with the test evidence.

SUCCESS

The controlled positive produces a complete, explainable row and representative negatives are separable through durable context.

REJECTION

Reject promotion when field semantics, collection scope, benign ownership or the core behavior cannot be established reproducibly.

PROMOTION GATE

Require claim-level source review, a retained controlled positive, representative negatives, measured prevalence and an accountable operational owner.

07

Analyst Assessment & References

Coverage statement, open questions and source record.

FINAL

CONCLUSION

This package now uses the canonical v2 layout and evidence contract while preserving the original validation.kql conditions. It remains a validation query at high confidence. The visual migration is complete; claim-level provenance and target-environment execution remain explicit promotion gates.

MITRE ATT&CK

T1190

PRIMARY AND AUTHORITATIVE REFERENCES

S001 support.citrix.com - Citrix, "Citrix NetScaler ADC and Citrix NetScaler Gateway Security Bulletin for CVE-2026-88771 through CVE-2026-88778," CTX697096, published 27 September 2026; accessed 5 October 2026. (2026-10-05)

hxxps://support[.]citrix[.]com/external/article/CTX697096

S002 community.citrix.com - NetScaler Cyber Threat Intelligence, "NetScaler ADC and NetScaler Gateway Security Bulletin for CVE-2026-88771 through CVE-2026-88778," updated 30 September 2026; accessed 5 October 2026. (2026-10-05)

hxxps://community[.]citrix[.]com/techzone-blogs/110_security-updates/netscaler-adc-and-netscaler-gateway-security-bulletin-for-cve-2026-88771-through-cve-2026-88778/

S003 ncsc.gov.uk - UK NCSC, "Exploitation of vulnerabilities affecting Citrix NetScaler ADC and Citrix NetScaler Gateway," published 28 September 2026; accessed 5 October 2026. (2026-09-27)

hxxps://www[.]ncsc[.]gov[.]uk/news/exploitation-of-vulnerabilities-affecting-citrix-netscaler-adc-and-citrix-netscaler-gateway

S004 labs.watchtowr.com - watchTowr Labs, "Here We Go Again (Citrix NetScaler DTLS Preauth Memory Overflow CVE-2026-88772)," published 29 September 2026; accessed 5 October 2026. (2026-09-28)

hxxps://labs[.]watchtowr[.]com/here-we-go-again-citrix-netscaler-dtls-preauth-memory-overflow-cve-2026-88772/

S005 Microsoft Learn - Microsoft Learn, "CommonSecurityLog table," accessed 5 October 2026. (2026-09-29)

hxxps://learn[.]microsoft[.]com/azure/azure-monitor/reference/tables/commonsecuritylog

S006 MITRE ATT&CK - MITRE ATT&CK, T1190 Exploit Public-Facing Application, accessed 5 October 2026. (2026-10-05)

hxxps://attack[.]mitre[.]org/techniques/T1190/

OPEN QUESTIONS

A matching result does not prove successful exploitation, malicious ownership, downstream impact, campaign attribution or complete compromise without corroborating evidence. Target-environment field population, benign prevalence, parser behavior and operational ownership have not been validated by this repository migration.

DOCUMENT CONTROL

Schema 2.0 | Layout 2.0 | Maturity validation | Confidence High | No customer data | Evidence ledger required