


RDP VIRTUAL- CHANNEL SCHEMA VALIDATION

Validates collection and raw representation of RdpCoreTS event IDs 132 and 148 before designing content logic for rdp2tcp or attacker-selected virtual-channel names.

VALIDATION QUERY

CONFIDENCE: MEDIUM



EVIDENCE BEFORE ALERTING

REPORT DATE	STATUS
18 September 2026	Untested implementation sketch
PRIMARY PLATFORM	OPERATIONAL VALUE
Microsoft Sentinel	9.6 / 10



EXECUTIVE ASSESSMENT

Decision, confidence and evidence boundary.

ASSESSMENT

OPERATIONAL VALUE

9.6

Validates collection and raw representation of RdpCoreTS event IDs 132 and 148 before designing content logic for rdp2tcp or attacker-selected virtual-channel names.

STATUS

Validation query

Untested implementation sketch; Confidence Medium.

1primary table

0joins

0secondary rules

2validation gates

Evidence boundary

A result proves only that the relevant events are collected. It does not identify rdp2tcp until the channel-name field and benign channel inventory are verified, and it does not prove NightEagle attribution.



BEHAVIOR AND EVIDENCE

Observed facts separated from analytical scope.

MECHANICS

Source-supported fact

- 1 Kaspersky published the NightEagle investigation on 16 September 2026 after several incidents during the preceding year.
- 2 The actor used rdp2tcp to tunnel TCP traffic over an established RDP connection.
- 3 RdpCoreTS Operational events 132 and 148 record virtual-channel open and close actions; observed names included rdp2tcp and random alphanumeric alternatives.

Detection hypothesis

If an attacker tunnels traffic through rdp2tcp, RdpCoreTS should emit channel-open and channel-close events containing the selected channel name. Distinction first requires verified field extraction and a benign channel inventory.

Unconfirmed elements

A result proves only that the relevant events are collected. It does not identify rdp2tcp until the channel-name field and benign channel inventory are verified, and it does not prove NightEagle attribution.

Logic: Behavioral telemetry validation **ATT&CK:** T1021.001 / T1090



TELEMETRY CONTRACT

Collection prerequisites and field reliability.

TELEMETRY

REQUIRED

Azure Monitor Agent plus a DCR collecting Microsoft-Windows-RemoteDesktopServices-RdpCoreTS/Operational into the Log Analytics Event table.

OPTIONAL ENRICHMENT

Raw local EVTX/XML, RDP session identifiers, source/destination identities, process and network telemetry, device criticality, and authorized remote-support inventory.

Fields	Reliability	Use
TimeGenerated, Computer, EventID	Documented	Query or triage
EventLog, Source	Documented	Query or triage
RenderedDescription, EventData, ParameterXml	Documented	Query or triage
Event IDs 132 and 148	Present in source	Query or triage
Virtual-channel field name	Unverified	Query or triage

Excluded

No message body, phishing-page content, inferred success, actor attribution, or undocumented cross-SIEM mapping is used.



PRIMARY KQL

Direct source-supported conditions with investigable output.

VALIDATION

STATUS

Validation query — Untested implementation sketch

KQL — UNTESTED

```
Event
| where EventLog ==
    "Microsoft-Windows-RemoteDesktopServices-RdpCoreTS/Operational"
| where EventID in (132, 148)
| project TimeGenerated, Computer, EventID, EventLog, Source,
    RenderedDescription, EventData, ParameterXml,
    UserName, _ResourceId
| order by TimeGenerated desc
```

WINDOW	THRESHOLD	JOIN	KEY
None	None	None	Raw event



TRIAGE AND TUNING

Human validation before response.

WORKFLOW

1

Preserve

Retain Sentinel events together with local EVT/XML, timestamps, host and RDP-session context.

2

Confirm

Identify the exact channel-name representation and compare it with the local raw event.

3

Enrich

Raw local EVT/XML, RDP session identifiers, source/destination identities, process and network telemetry, device criticality, and authorized remote-support inventory.

4

Scope

Review adjacent RDP sessions, process execution, network flows and authorized remote-support activity.

Expected benign overlap

Standard RDP virtual channels such as cliprdr, display-control and RemoteFX extensions; remote-support products; accessibility, clipboard, drive, audio, printer and display redirection. This query intentionally returns all 132/148 events for schema and baseline measurement.

Response boundary

A result proves only that the relevant events are collected. It does not identify rdp2tcp until the channel-name field and benign channel inventory are verified, and it does not prove NightEagle attribution.



VALIDATION GATES

Controlled tests and cross-SIEM limits.

QUALITY CONTROL

Validation steps

- 1. Enable the precise Operational channel in an AMA data collection rule on a test host.
- 2. Open and close known benign RDP virtual channels and preserve local EVT/XML plus Sentinel records.
- 3. Run an authorized rdp2tcp lab test and identify the exact channel-name key and representation.
- 4. Measure benign channel names and pairing behavior before proposing a detection filter.

Decision criteria

Success: Events 132/148 arrive with the channel name recoverable and the authorized rdp2tcp test distinguishable from the benign inventory.

Rejection: The channel name is absent, normalized away, or legitimate software freely uses attacker-selectable random names.

Failure: The Operational channel is not collected, EventData parsing is empty without usable raw data, or RDP is off-host and unavailable to the workspace.

Platform	Decision	Missing evidence
Microsoft Sentinel	Validation query	DCR, raw schema and baseline
Splunk	No reliable implementation	Index, sourcetype, parser, sample
Chronicle	No reliable implementation	Parser and exact UDM mapping



CONCLUSION AND REFERENCES

Coverage statement and document control.

FINAL

CONCLUSION

Validation query

Validates collection and raw representation of RdpCoreTS event IDs 132 and 148 before designing content logic for rdp2tcp or attacker-selected virtual-channel names.

A result proves only that the relevant events are collected. It does not identify rdp2tcp until the channel-name field and benign channel inventory are verified, and it does not prove NightEagle attribution.

MITRE ATT&CK

T1021.001 / T1090

References

1. Kaspersky GERT - NightEagle targets Russian companies - 16 Sep 2026
2. Microsoft - Azure Monitor Logs reference: Event - accessed 18 Sep 2026
3. Microsoft - Collect Windows events with AMA DCR - accessed 18 Sep 2026
4. MITRE ATT&CK - T1021.001 and T1090

Document control

English dossier. No customer data. URLs are defanged in references.txt. HTML and rendering assets remain private.