



ACCURATE DATA ANNOTATOR

AI SECURITY & PRIVACY COMPLIANCE MANUAL

Resource Library Asset: ADA-SEC-2026

Enterprise Operational Standard

ENGLISH CORE VERSION

1. DATA SECURITY PRINCIPLES FOR ANNOTATORS

Enterprise AI developers enforce extreme security policies regarding data integrity. As frontline specialists, human annotators directly process sensitive proprietary datasets. Operational security isn't engineered by software alone—it relies on user behavioral compliance.

2. PERSONALLY IDENTIFIABLE INFORMATION (PII) REDACTION

Datasets often harvest raw logs containing real customer interactions. Annotators must proactively identify and sanitize PII to prevent models from memorizing consumer realities.

PII CATEGORY	RAW DATA EXAMPLE	CORRECT SANITIZATION PROTOCOL
Direct Identifiers	"My name is John Doe and my phone is 555-0192."	"My name is [REDACTED_NAME] and my phone is [REDACTED_PHONE]."
Financial Data	"Charge it to card 4111-2222-3333-4444."	"Charge it to card [REDACTED_CREDIT_CARD]."

3. INTELLECTUAL PROPERTY PROTECTION

All prompts, systemic evaluation sheets, interface portals, and outputs processed inside ADA lines are classified under strict corporate non-disclosure restrictions.

4. CRITICAL ANTI-LEAK PROTOCOLS

SEVERE VIOLATION RISK

Public AI Interrogations: Copying a client's proprietary code chunk or unstructured content into public LLMs (like ChatGPT or public sandboxes) to assist with your evaluation leaks client trade secrets into public logs. **This is an automatic grounds for immediate contract termination.** All development tasks must execute strictly within secured cloud states like private GitHub Codespaces container environments.

- Never take screen captures, local downloads, or photo snapshots of workspace windows.
- Do not process production tasks on public shared Wi-Fi connections or unencrypted mobile access portals.