```
/*
* To change this license header, choose License Headers in Project Properties.
* To change this template file, choose Tools | Templates
* and open the template in the editor.
*/
* @author ACEP
*/
public class formbiodata extends javax.swing.JFrame {
  /**
  * Creates new form formbiodata
  */
  public formbiodata() {
    initComponents();
 }
 /**
  * This method is called from within the constructor to initialize the form.
  * WARNING: Do NOT modify this code. The content of this method is always
  * regenerated by the Form Editor.
  */
  @SuppressWarnings("unchecked")
 // <editor-fold defaultstate="collapsed" desc="Generated Code">
  private void initComponents() {
```

```
jLabel1 = new javax.swing.JLabel();
jLabel2 = new javax.swing.JLabel();
jLabel3 = new javax.swing.JLabel();
jLabel4 = new javax.swing.JLabel();
nama1 = new javax.swing.JTextField();
alamat = new javax.swing.JTextField();
jPanel1 = new javax.swing.JPanel();
¡Label5 = new javax.swing.JLabel();
¡Label6 = new javax.swing.JLabel();
jLabel7 = new javax.swing.JLabel();
nama2 = new javax.swing.JTextField();
alamat2 = new javax.swing.JTextField();
agama2 = new javax.swing.JTextField();
agama1 = new javax.swing.JComboBox();
jButton1 = new javax.swing.JButton();
jButton2 = new javax.swing.JButton();
setDefaultCloseOperation(javax.swing.WindowConstants.EXIT ON CLOSE);
jLabel1.setFont(new java.awt.Font("Tahoma", 0, 14)); // NOI18N
jLabel1.setText("DATA DIRI");
jLabel2.setText("NAMA");
jLabel3.setText("ALAMAT");
```

```
jLabel4.setText("AGAMA");
   jPanel1.setBackground(new java.awt.Color(51, 153, 255));
   jLabel5.setText("NAMA");
   jLabel6.setText("ALAMAT");
   ¡Label7.setText("AGAMA");
    alamat2.addActionListener(new java.awt.event.ActionListener() {
      public void actionPerformed(java.awt.event.ActionEvent evt) {
        alamat2ActionPerformed(evt);
     }
   });
   javax.swing.GroupLayout jPanel1Layout = new javax.swing.GroupLayout(jPanel1);
   jPanel1.setLayout(jPanel1Layout);
   jPanel1Layout.setHorizontalGroup(
      jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
      .addGroup(jPanel1Layout.createSequentialGroup()
        .addContainerGap()
.addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
          .addComponent(jLabel5)
          .addComponent(jLabel6)
          .addComponent(jLabel7))
```

```
.addGap(55, 55, 55)
.addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
          .addComponent(nama2)
          .addComponent(alamat2)
          .addComponent(agama2, javax.swing.GroupLayout.DEFAULT_SIZE, 143,
Short.MAX_VALUE))
        .addContainerGap())
   );
   jPanel1Layout.setVerticalGroup(
      jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
      .addGroup(jPanel1Layout.createSequentialGroup()
        .addContainerGap()
.addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
          .addComponent(jLabel5)
          .addComponent(nama2, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT SIZE, javax.swing.GroupLayout.PREFERRED SIZE))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
.addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
          .addComponent(jLabel6)
          .addComponent(alamat2, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT SIZE, javax.swing.GroupLayout.PREFERRED SIZE))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
.addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
          .addComponent(jLabel7)
          .addComponent(agama2, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT SIZE, javax.swing.GroupLayout.PREFERRED SIZE))
```

```
.addContainerGap(20, Short.MAX_VALUE))
    );
    agama1.setModel(new javax.swing.DefaultComboBoxModel(new String[] { "Islam",
"Kristen", "Hindu", "Budha", "other" }));
   ¡Button1.setText("Tampilkan");
   jButton1.addActionListener(new java.awt.event.ActionListener() {
      public void actionPerformed(java.awt.event.ActionEvent evt) {
        ¡Button1ActionPerformed(evt);
      }
   });
   ¡Button2.setText("Keluar");
   jButton2.addActionListener(new java.awt.event.ActionListener() {
      public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton2ActionPerformed(evt);
      }
   });
   javax.swing.GroupLayout layout = new javax.swing.GroupLayout(getContentPane());
    getContentPane().setLayout(layout);
    layout.setHorizontalGroup(
      layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
      .addGroup(layout.createSequentialGroup()
        .addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
          .addGroup(layout.createSequentialGroup()
```

```
.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
              .addGroup(layout.createSequentialGroup()
.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                  .addComponent(jLabel2)
                  .addComponent(jLabel3)
                  .addComponent(jLabel4))
                .addGap(47, 47, 47)
.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
                  .addComponent(nama1)
                  .addComponent(alamat)
                  .addComponent(agama1, 0, 141, Short.MAX VALUE)))
              .addGroup(layout.createSequentialGroup()
                .addComponent(jButton1)
                .addGap(60, 60, 60)
                .addComponent(jButton2))))
          .addGroup(layout.createSequentialGroup()
            .addGap(103, 103, 103)
            .addComponent(jLabel1))
          .addGroup(layout.createSequentialGroup()
            .addContainerGap()
            .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addContainerGap(33, Short.MAX VALUE))
```

.addGap(26, 26, 26)

);

```
layout.setVerticalGroup(
      layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
      .addGroup(layout.createSequentialGroup()
        .addContainerGap()
        .addComponent(jLabel1)
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
        .addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
          .addComponent(jLabel2)
          .addComponent(nama1, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT SIZE, javax.swing.GroupLayout.PREFERRED SIZE))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
        .addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
          .addComponent(jLabel3)
          .addComponent(alamat, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT SIZE, javax.swing.GroupLayout.PREFERRED SIZE))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
        .addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
          .addComponent(jLabel4)
          .addComponent(agama1, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT SIZE, javax.swing.GroupLayout.PREFERRED SIZE))
        .addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
          .addGroup(layout.createSequentialGroup()
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, 7,
Short.MAX VALUE)
            .addComponent(jButton1)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED))
          .addGroup(layout.createSequentialGroup()
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
```

```
.addComponent(jButton2)
            . add Preferred Gap (javax. swing. Layout Style. Component Placement. RELATED, \\
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)))
        .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(29, 29, 29))
    );
    pack();
  }// </editor-fold>
  private void jButton2ActionPerformed(java.awt.event.ActionEvent evt) {
  System.exit(0); // TODO add your handling code here:
  }
  private void alamat2ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
  }
  private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {
   nama2.setText(nama1.getText());
   alamat2.setText(alamat.getText());
   agama2.setText((String)agama1.getSelectedItem());
  }
  /**
  * @param args the command line arguments
```

```
*/
  public static void main(String args[]) {
    /* Set the Nimbus look and feel */
    //<editor-fold defaultstate="collapsed" desc=" Look and feel setting code (optional) ">
    /* If Nimbus (introduced in Java SE 6) is not available, stay with the default look and feel.
     * For details see
http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.html
     */
    try {
      for (javax.swing.UIManager.LookAndFeelInfo info:
javax.swing.UIManager.getInstalledLookAndFeels()) {
        if ("Nimbus".equals(info.getName())) {
           javax.swing.UIManager.setLookAndFeel(info.getClassName());
           break;
        }
      }
    } catch (ClassNotFoundException ex) {
java.util.logging.Logger.getLogger(formbiodata.class.getName()).log(java.util.logging.Level.SEVE
RE, null, ex);
    } catch (InstantiationException ex) {
java.util.logging.Logger.getLogger (formbiodata.class.getName ()).log(java.util.logging.Level.SEVE) \\
RE, null, ex);
    } catch (IllegalAccessException ex) {
java.util.logging.Logger.getLogger(formbiodata.class.getName()).log(java.util.logging.Level.SEVE
RE, null, ex);
    } catch (javax.swing.UnsupportedLookAndFeelException ex) {
```

```
java.util.logging.Logger.getLogger(formbiodata.class.getName()).log(java.util.logging.Level.SEVE
RE, null, ex);
    }
    //</editor-fold>
    /* Create and display the form */
    java.awt.EventQueue.invokeLater(new Runnable() {
      public void run() {
        new formbiodata().setVisible(true);
      }
    });
  }
  // Variables declaration - do not modify
  private javax.swing.JComboBox agama1;
  private javax.swing.JTextField agama2;
  private javax.swing.JTextField alamat;
  private javax.swing.JTextField alamat2;
  private javax.swing.JButton jButton1;
  private javax.swing.JButton jButton2;
  private javax.swing.JLabel jLabel1;
  private javax.swing.JLabel jLabel2;
  private javax.swing.JLabel jLabel3;
  private javax.swing.JLabel jLabel4;
  private javax.swing.JLabel jLabel5;
  private javax.swing.JLabel jLabel6;
  private javax.swing.JLabel jLabel7;
```

```
private javax.swing.JPanel jPanel1;
private javax.swing.JTextField nama1;
private javax.swing.JTextField nama2;
// End of variables declaration
}
```