## **JAVASCRIPT LAB 3 - STUDENT SUBMISSIONS**

**Task:** Create an array of objects representing student submissions. Define a variety of functions for working with such an array. Also call each of the functions at least once to test it.

## **Build Specifications:**

1. Declare a variable named **submissions** that is initialized to an array with the following objects:

name	score	date	passed
Jane	95	2020-01-24	true
Joe	77	2018-05-14	true
Jack	59	2019-07-05	false
Jill	88	2020-04-22	true

- 2. Declare a function named addSubmission
  - Parameter(s): array, newName, newScore, newDate
  - Functionality: construct an object and push it into the **array**. The object must have the same properties as the objects already in the array. Use conditional statements to set the value for the **passed** property to **true** if the score is greater than or equal to 60 and **false** otherwise.
- 3. Declare a function named **deleteSubmissionByIndex** 
  - Parameter(s): array, index
  - Functionality: remove the object from the **array** at the specified **index** using the splice method.
- 4. Declare a function named **deleteSubmissionByName** 
  - o Parameter(s): array, name
  - Functionality: remove the object from the array that has the provided name. Incorporate the findIndex method and the splice method.
- 5. Declare a function named **editSubmission** 
  - Parameter(s): array, index, score
  - Functionality: update an object's score in the array at the specified index. Use conditional statements to set the value for the passed property to true if the score is greater than or equal to 60 and false otherwise.

continued on the next page...



- 6. Declare a function named **findSubmissionByName** 
  - o Parameter(s): array, name
  - Functionality: return the object in the **array** that has the provided **name**. Use the find method.
- 7. Declare a function named **findLowestScore** 
  - Parameter(s): array
  - Functionality: return the object in the **array** that has the lowest score. Use the forEach method to loop through the whole array.
- 8. Declare a function named **findAverageScore** 
  - Parameter(s): array
  - Functionality: return the average quiz score. Use a for...of loop.
- 9. Declare a function named filterPassing
  - Parameter(s): array
  - Functionality: return a new array using the filter method. The filter method should find objects in the **array** that have passing scores.
- 10. Declare a function named filter90AndAbove
  - Parameter(s): array
  - Functionality: return a new array using the filter method. The filter method should find objects in the array that have scores greater than or equal to 90.

**Tests:** Same as build specifications.

## **Extended Challenges:**

- 1. Create a function named createRange
  - o Parameter(s): start, end
  - Functionality: construct and return an array of integers starting with the start parameter and ending at the end parameter. e.g createRange(2, 5) returns [2, 3, 4, 5].
- 2. Create a function named countElements
  - Parameter(s): array (an array of strings)
  - Functionality: construct and return an object with the array values as keys and the number of times that key appears in the array as values. e.g.

```
countElements(['a', 'b', 'a', 'c', 'a', 'b']) returns { a: 3, b: 2,
c: 1 }.
```

