





Accessibility Report

picpay.com

Generated on April 22, 2026

Accessibility Report

URL <https://picpay.com/pt-br/pf>
Last Updated: April 22, 2026



Clickables

✗ Not Applicable or It May
Require Manual Audit

Titles

✓ 0 Passed ✗ 12 Failed

Lists

✗ Not Applicable or It May
Require Manual Audit

Graphics

✓ 3 Passed ✗ 0 Failed

Forms

✗ Not Applicable or It May
Require Manual Audit

Document

✓ 3 Passed ✗ 0 Failed

Readability

✓ 31 Passed ✗ 17 Failed

Tables

✗ Not Applicable or It May
Require Manual Audit

General

✓ 14 Passed ✗ 11 Failed

Content

Audio/Video



Not Applicable or It May
Require Manual Audit



Not Applicable or It May
Require Manual Audit

Clickables

Description	WCAG 2.0, 2.1 & 2.2	Status
Anchor link should not be empty Disabilities Affected: Visually Impaired Cognitive & Learning Blind	A AA AAA	Not Applicable or It May Require Manual Audit
Buttons should be labelled properly Disabilities Affected: Visually Impaired Cognitive & Learning Blind	A	Not Applicable or It May Require Manual Audit
Link should have a valid attributes Disabilities Affected: Visually Impaired Cognitive & Learning Blind	A AA AAA	Not Applicable or It May Require Manual Audit
Links that open in new tabs/windows should be tagged for assistive technology Disabilities Affected: Visually Impaired Cognitive & Learning Blind	A AA AAA	Not Applicable or It May Require Manual Audit

Titles

Description	WCAG 2.0, 2.1 & 2.2	Status
Heading tag should not be empty. Disabilities Affected: Visually Impaired Cognitive & Learning Blind	A AA AAA	Not Applicable or It May Require Manual Audit
Page must contain a element  Disabilities Affected: Visually Impaired Cognitive & Learning Blind	A	1 Failures
Titles should have a consistent hierarchy Disabilities Affected: Visually Impaired Cognitive & Learning Blind	A	Not Applicable or It May Require Manual Audit

A title should be provided for the document, using a non-empty title element in the head section 

A

11 Failures

Disabilities Affected:

Visually Impaired | Cognitive & Learning | Blind

Lists

Description	WCAG 2.0, 2.1 & 2.2	Status
List item should contain a valid elements. Disabilities Affected: Visually Impaired Cognitive & Learning Blind	A	Not Applicable or It May Require Manual Audit
List item has a , or role="list" parent element. Disabilities Affected: Visually Impaired Cognitive & Learning Blind	A	Not Applicable or It May Require Manual Audit
Ordered lists should be marked using element Disabilities Affected: Visually Impaired Cognitive & Learning Blind	A	Not Applicable or It May Require Manual Audit
Unordered lists should be marked using element Disabilities Affected: Visually Impaired Cognitive & Learning Blind	A	Not Applicable or It May Require Manual Audit
Description list item should have a parent element Disabilities Affected: Visually Impaired Cognitive & Learning Blind	A	Not Applicable or It May Require Manual Audit
Description list should contain valid children elements Disabilities Affected: Visually Impaired Cognitive & Learning Blind Elderly	A	Not Applicable or It May Require Manual Audit

Graphics

Description	WCAG 2.0, 2.1 & 2.2	Status
All img tags must have alt attributes.  Disabilities Affected: Visually Impaired Cognitive & Learning Blind	A	2 Successes
Img element with empty alt text must have absent or empty title attribute. Disabilities Affected: Visually Impaired Cognitive & Learning Blind	A	Not Applicable or It May Require Manual Audit
Non-functional icons/spacers should be excluded from assistive technology  Disabilities Affected: Visually Impaired Cognitive & Learning Blind	A	1 Successes

Forms

Description	WCAG 2.0, 2.1 & 2.2	Status
Hidden input field should not contain a label Disabilities Affected: Visually Impaired Cognitive & Learning Motor Impaired Blind	A	Not Applicable or It May Require Manual Audit
All Form fields should be labelled properly. Disabilities Affected: Visually Impaired Cognitive & Learning Blind ADHD(Attention deficit hyperactivity disorder)	A	Not Applicable or It May Require Manual Audit
Autocomplete attribute must be used correctly Disabilities Affected: Visually Impaired Cognitive & Learning Motor Impaired Blind Seizure & Epileptic Elderly		Not Applicable or It May Require Manual Audit
Form labels and accessible name should match Disabilities Affected: Visually Impaired Cognitive & Learning Blind	A	Not Applicable or It May Require Manual Audit
All Forms should contain a submit button.		Not Applicable

Disabilities Affected: Visually Impaired Cognitive & Learning Motor Impaired Blind ADHD(Attention deficit hyperactivity disorder)	A	or It May Require Manual Audit
Incorrect use of aria-describedby/labeledby Disabilities Affected: Visually Impaired Cognitive & Learning Blind	A	Not Applicable or It May Require Manual Audit
Custom controls have ARIA roles Disabilities Affected: Visually Impaired Blind	A	Not Applicable or It May Require Manual Audit
Custom controls have associated labels Disabilities Affected: Motor Impaired Blind	A	Not Applicable or It May Require Manual Audit
Interactive controls are keyboard focusable Disabilities Affected: Visually Impaired Motor Impaired ADHD(Attention deficit hyperactivity disorder) Elderly	A	Not Applicable or It May Require Manual Audit
Interactive elements indicate their purpose and state Disabilities Affected: Visually Impaired Cognitive & Learning Blind	A	Not Applicable or It May Require Manual Audit
Provide Users the Option to Extend or Adjust Time Limits Disabilities Affected: Visually Impaired Cognitive & Learning Motor Impaired Blind ADHD(Attention deficit hyperactivity disorder) Elderly	A	Not Applicable or It May Require Manual Audit

Document

Description	WCAG 2.0, 2.1 & 2.2	Status
The html element should have a valid lang attribute.  Disabilities Affected: Visually Impaired Cognitive & Learning ADHD(Attention deficit hyperactivity disorder)	A	1 Successes

Meta viewport allows display scaling of at least 200%.  Disabilities Affected: Visually Impaired Elderly		1 Successes
element should not have "aria-hidden" attribute.  Disabilities Affected: Visually Impaired Cognitive & Learning Blind	A	1 Successes
Element must have a valid landmark. Disabilities Affected: Visually Impaired Cognitive & Learning Motor Impaired Blind	A	Not Applicable or It May Require Manual Audit

Readability

Description	WCAG 2.0, 2.1 & 2.2	Status
A contrast ratio of at least 3:1 should be provided.  Disabilities Affected: Visually Impaired Color Blind Dyslexia Elderly	AA AAA	17 Failures 21 Successes
Inline text spacing must be adjustable.  Disabilities Affected: Visually Impaired Elderly		5 Successes
Text line height must be adjustable.  Disabilities Affected: Visually Impaired Dyslexia Elderly		5 Successes
Links can be distinguished from surrounding text in some way other than by color Disabilities Affected: Visually Impaired Color Blind Elderly	A	Not Applicable or It May Require Manual Audit

Tables

Description	WCAG 2.0, 2.1 & 2.2	Status
-------------	---------------------	--------

Headers attribute on td should be valid. Disabilities Affected: Visually Impaired Cognitive & Learning Blind	A	Not Applicable or It May Require Manual Audit
Table headings should be defined properly Disabilities Affected: Visually Impaired Cognitive & Learning Blind	A	Not Applicable or It May Require Manual Audit
Layout tables must not contain captions. Disabilities Affected: Visually Impaired Cognitive & Learning	A	Not Applicable or It May Require Manual Audit
Data tables should have caption element. Disabilities Affected: Visually Impaired Cognitive & Learning Blind	A	Not Applicable or It May Require Manual Audit
Scope attribute must be used on th elements. Disabilities Affected: Visually Impaired Cognitive & Learning Blind	A	Not Applicable or It May Require Manual Audit

General

Description	WCAG 2.0, 2.1 & 2.2	Status
Elements should not have duplicate ID attributes  Disabilities Affected: Visually Impaired Cognitive & Learning Motor Impaired Blind Dyslexia ADHD(Attention deficit hyperactivity disorder) Elderly	A	3 Successes
Obsolete presentational markup should not be used. Disabilities Affected: Visually Impaired Cognitive & Learning Motor Impaired Blind	A	Not Applicable or It May Require Manual Audit
Iframe element requires a non-empty title attribute that identifies the frame.	A	Not Applicable or It May Require

Disabilities Affected: Visually Impaired Cognitive & Learning Blind ADHD(Attention deficit hyperactivity disorder)		Manual Audit
Every page should include hidden links that allow skipping blocks Disabilities Affected: Visually Impaired Cognitive & Learning Motor Impaired ADHD(Attention deficit hyperactivity disorder)	A	Not Applicable or It May Require Manual Audit
Element should have a valid "presentation" role and only one role attribute Disabilities Affected: Visually Impaired Cognitive & Learning Motor Impaired		Not Applicable or It May Require Manual Audit
ARIA attributes should be valid.  Disabilities Affected: Visually Impaired Cognitive & Learning Motor Impaired Blind	A	11 Failures 4 Successes
Accessible names for elements do not contain the visible label text. Disabilities Affected: Visually Impaired Cognitive & Learning Blind	A	Not Applicable or It May Require Manual Audit
While Popup is opened, it should contain at least one focusable element.  Disabilities Affected: Visually Impaired Cognitive & Learning Motor Impaired Blind ADHD(Attention deficit hyperactivity disorder)	A	2 Successes
Element does not have focusable descendants  Disabilities Affected: Visually Impaired Cognitive & Learning Blind	A	5 Successes
Elements should not have tabindex greater than zero Disabilities Affected: Visually Impaired Cognitive & Learning Motor Impaired Blind	A	Not Applicable or It May Require Manual Audit
User focus is not accidentally trapped Disabilities Affected: Visually Impaired Motor Impaired Blind	A	Not Applicable or It May Require Manual Audit
The page has a logical tab order Disabilities Affected: Visually Impaired Cognitive & Learning Motor Impaired	A	Not Applicable or It May Require

Blind		Manual Audit
The user's focus is directed to new content added to the page Disabilities Affected: Visually Impaired Cognitive & Learning Motor Impaired Blind	A	Not Applicable or It May Require Manual Audit
Off-screen content is hidden from assistive technology Disabilities Affected: Visually Impaired Blind	A	Not Applicable or It May Require Manual Audit
Visual order on the page follows DOM order Disabilities Affected: Visually Impaired Cognitive & Learning Motor Impaired Blind	A	Not Applicable or It May Require Manual Audit

Content

Description	WCAG 2.0, 2.1 & 2.2	Status
Web pages must avoid content that flashes or blinks more than three times per second. Disabilities Affected: Cognitive & Learning Seizure & Epileptic	A AA AAA	Not Applicable or It May Require Manual Audit
If a webpage includes flashing content, a clear warning should be provided beforehand, giving users the option to skip or avoid it. Disabilities Affected: Cognitive & Learning Seizure & Epileptic	A AA AAA	Not Applicable or It May Require Manual Audit

Audio/Video

Description	WCAG 2.0, 2.1 & 2.2	Status
Web content with animations, flashing, or auto-playing videos must include controls to pause, stop, or hide the content. Disabilities Affected:	A AA AAA	Not Applicable or It May Require Manual Audit



Visually Impaired | Cognitive & Learning | Blind | Seizure &
Epileptic | ADHD(Attention deficit hyperactivity disorder) |
Elderly

Page must contain a element

Ensures that the page, or at least one of its frames, contains an h1 element that appears before the start of the main content to allow screen reader users to use keyboard shortcuts to navigate the heading structure instead of wasting time listening to more of the web page to understand its structure.

Disabilities Affected:

Visually Impaired | Cognitive & Learning | Blind

WCAG 2.0, 2.1 & 2.2

A	1.3.1 Info and Relationships
AA	2.4.6 Headings and Labels

Index	Elements	Status
1	<code><html lang="pt-br"></code>	Failed

A title should be provided for the document, using a non-empty title element in the head section

Screen reader users use page titles to get an overview of the contents of the page. The page title element is the first thing screen reader users hear when first loading a web page.

Disabilities Affected:

Visually Impaired | Cognitive & Learning | Blind

WCAG 2.0, 2.1 & 2.2

A	2.4.2 Page Titled
---	-------------------

Index	Elements	Status
1	<code><button class="teaser__dot" data-gtm-button-decorated="true"></button></code>	Failed
2	<code><button class="teaser__dot active" data-gtm-button-decorated="true"></button></code>	Failed
3	<code><button class="button card-carousel__backward" disabled="" data-gtm-button-decorated="true"></code>	Failed
4	<code><button class="button card-carousel__forward" data-gtm-button-decorated="true" disabled=""></code>	Failed

5	<pre></pre>	Failed
6	<pre></pre>	Failed
7	<pre></pre>	Failed
8	<pre></pre>	Failed
9	<pre></pre>	Failed
10	<pre></pre>	Failed
11	<pre></pre>	Failed

All img tags must have alt attributes.

All images must have alternate text to convey their purpose and meaning to screen reader users.

Disabilities Affected:

Visually Impaired | Cognitive & Learning | Blind

WCAG 2.0, 2.1 & 2.2

A

1.1.1 Non-Text Content

Index	Elements	Status
1	<pre></pre>	Success
2	<pre></pre>	Success
3	<pre></pre>	Success
4	<pre></pre>	Success
5	<pre></pre>	Success
6	<pre></pre>	Success
7	<pre></pre>	Success

8	<pre></pre>	Success
9	<pre></pre>	Success
10	<pre></pre>	Success
11	<pre></pre>	Success
12	<pre></pre>	Success
13	<pre></pre>	Success
14	<pre></pre>	Success

Non-functional icons/spacers should be excluded from assistive technology

Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".

Disabilities Affected:

Visually Impaired | Cognitive & Learning | Blind

WCAG 2.0, 2.1 & 2.2
A 1.1.1 Non-Text Content

Index	Elements	Status
1	<pre><svg role="presentation" aria-hidden="true" xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink" x="0px" y="0px" viewBox="0 0 402.577 402.577" xml:space="preserve"></pre>	Success

The html element should have a valid lang attribute.

It is essential to specify a valid language and ensure that it is valid so website text is pronounced correctly.

Disabilities Affected:

Visually Impaired | Cognitive & Learning | ADHD(Attention deficit hyperactivity disorder)

WCAG 2.0, 2.1 & 2.2
A 3.1.1 Language of Page

Index	Elements	Status
1	<pre><html lang="pt-br"></pre>	Success

Meta viewport allows display scaling of at least 200%.

The document must not use the user-scalable="no" parameter in the element because it disables text scaling and zooming which is essential to users with low vision.

Disabilities Affected:

Visually Impaired | Elderly

WCAG 2.0, 2.1 & 2.2
AA 1.4.4 Resize Text

Index	Elements	Status
1	<pre><meta name="viewport" content="width=device-width, initial- scale=1"></pre>	Success

element should not have "aria-hidden" attribute.

The document must not use the user-scalable="no" parameter in the element because it disables text scaling and zooming which is essential to users with low vision.

Disabilities Affected:

Visually Impaired | Cognitive & Learning | Blind

WCAG 2.0, 2.1 & 2.2

A 4.1.2 Name, Role, Value

Index	Elements	Status
1	<code><body class="desktop appear"></code>	Success

A contrast ratio of at least 3:1 should be provided.

All text elements must have sufficient contrast between text in the foreground and background colors behind it in accordance with WCAG 2 AA contrast ratio thresholds.

Disabilities Affected:

Visually Impaired | Color Blind | Dyslexia | Elderly

WCAG 2.0, 2.1 & 2.2

AA 1.4.3 Contrast (Minimum)

AAA 1.4.6 Contrast (Enhanced)

Index	Elements	Status
1	<code>Política de Privacidade</code>	Failed
2	<code><button id="onetrust-accept-btn-handler">Aceitar todos os cookies</button></code>	Failed
3	<code><button id="onetrust-reject-all-handler">Aceitar apenas os necessários</button></code>	Failed
4	<code><p>Conta Digital</p></code>	Failed
5	<code><p>Cartões</p></code>	Failed

6	<pre><p>Empréstimos</p></pre>	Failed
7	<pre><p>Investimentos</p></pre>	Failed
8	<pre><p>Seguros</p></pre>	Failed
9	<pre><p>O PicPay</p></pre>	Failed
10	<pre>Área do Cliente</pre>	Failed
11	<pre>Abrir Conta</pre>	Failed
12	<pre>Área do Cliente</pre>	Failed
13	<pre>Abrir Conta</pre>	Failed
14	<pre><h1>PicPay. É banco pra toda hora.</h1></pre>	Failed
15	<pre><p>Tudo o que você precisa para
resolver a sua vida financeira
em um só lugar.</p></pre>	Failed
16	<pre><li class="frames-wrap-up__message" style="will-change: transform, opacity; opacity: 1; transform: translateY(0px);">descomplicada.</pre>	Failed
17	<pre><div id="onetrust-policy-text"></pre>	Failed

18	<pre><p>Para você</p></pre>	Success
19	<pre>Abrir conta</pre>	Success
20	<pre><h4>Consulte limites</h4></pre>	Success
21	<pre><h2>Pix e boletos</h2></pre>	Success
22	<pre><p>Conta Digital</p></pre>	Success
23	<pre><p>Cartões</p></pre>	Success
24	<pre><p>Empréstimos</p></pre>	Success
25	<pre><p>Investimentos</p></pre>	Success
26	<pre><p>Seguros</p></pre>	Success
27	<pre><p>0 PicPay</p></pre>	Success
28	<pre>Área do Cliente</pre>	Success
29	<pre>Abrir Conta</pre>	Success
30	<pre>Área do Cliente</pre>	Success

31	<pre>Abrir Conta</pre>	Success
32	<pre><h1>PicPay. É banco pra toda hora.</h1></pre>	Success
33	<pre><p>Tudo o que você precisa para
resolver a sua vida financeira
em um só lugar.</p></pre>	Success
34	<pre>Para você</pre>	Success
35	<pre>Para sua empresa</pre>	Success
36	<pre>Abrir conta</pre>	Success
37	<pre><h2>Tudo o que o seu dinheiro precisa está aqui</h2></pre>	Success
38	<pre><h3>Conta Digital</h3></pre>	Success
39	<pre><p class="font-body2">Aqui seu dinheiro rende 102% do CDI nos dias úteis.</p></pre>	Success
40	<pre><h3>Cartão de Crédito</h3></pre>	Success
41	<pre><p class="font-body2">Construa o limite que é do seu número.</p></pre>	Success
42	<pre><h3>Pix e Boleto Parcelado</h3></pre>	Success
43	<pre><p class="font-body2">Divididos em até 36x com toda tranquilidade.</p></pre>	Success

44	<code><h3>Empréstimo</h3></code>	Success
45	<code><p class="font-body2">Análise simples e dinheiro na sua conta rapidinho.</p></code>	Success
46	<code><h1>Mais de
67 milhões de brasileiros
escolhem PicPay
todos os dias</h1></code>	Success
47	<code><h4>Modo
seguro</h4></code>	Success
48	<code><p class="font-body2">Proteção com múltiplas camadas de tecnologia</p></code>	Success
49	<code><h4>A Conta
das Contas</h4></code>	Success
50	<code><p class="font-body2">Conecte suas contas de outros bancos aqui</p></code>	Success
51	<code><h4>Assistente de
Pagamentos</h4></code>	Success
52	<code><p class="font-body2">Receba alertas e pague boletos em um só lugar</p></code>	Success
53	<code><h4>Pix no
WhatsApp</h4></code>	Success
54	<code><p class="font-body2">Faça Pix por áudio ou mensagem com PicPay</p></code>	Success
55	<code><h1 id="main-title">Aproveitar mil
possibilidades
em um só cartão</h1></code>	Success
56	<code><p>Parcele suas compras em até 36x com PicPay Card.</p></code>	Success

57	<code><h2 class="title__text">Cartão de Crédito</h2></code>	Success
58	<code><h4>PicPay Gold</h4></code>	Success
59	<code><h4>Limite de até R\$4 mil</h4></code>	Success
60	<code><li class="font-body3">Anuidade zero</code>	Success
61	<code><li class="font-body3">Pix e Boletos em 24x</code>	Success
62	<code><li class="font-body3">Parcelamento de compras feitas à vista</code>	Success
63	<code><h4>PicPay Platinum</h4></code>	Success
64	<code><h4>Limite de até R\$10 mil</h4></code>	Success
65	<code><li class="font-body3">0,5% de cashback que rende 102% do CDI</code>	Success
66	<code><li class="font-body3">Seguro médico em viagens</code>	Success
67	<code><li class="font-body3">Até 3 cartões adicionais</code>	Success
68	<code><h4>PicPay Black</h4></code>	Success
69	<code><li class="font-body3">1,2% de cashback que rende 102% do CDI</code>	Success
70	<code><li class="font-body3">Sala VIP em aeroportos</code>	Success

71	<code><li class="font-body3">Até 5 cartões adicionais</code>	Success
72	<code><h4>PicPay Epic</h4></code>	Success
73	<code><li class="font-body3">Até 4% de cashback¹</code>	Success
74	<code><li class="font-body3">Até 3x sem juros nas compras internacionais</code>	Success
75	<code><li class="font-body3">CDB 200% do CDI </code>	Success
76	<code>Zero anuidade*</code>	Success
77	<code>Cartão virtual</code>	Success
78	<code>Cashback</code>	Success
79	<code>Benefícios Mastercard</code>	Success
80	<code>Limite extra</code>	Success
81	<code>Internacional</code>	Success
82	<code><h2>Existe um PicPay Card que combina com você. Descubra qual é o seu.</h2></code>	Success
83	<code><h1 id="main-title">Organizar a sua vida
financeira com mais
liberdade</h1></code>	Success
84	<code><p>No PicPay, você tem crédito rápido em poucos minutos.</p></code>	Success



85	<code><h2>Empréstimos</h2></code>	Success
86	<code><p>Pix e Boletos em até 36x no cartão de qualquer banco.</p></code>	Success
87	<code><h4>PicPay dá muito mais tempo para você</h4></code>	Success
88	<code><h4>Parcele com cartões de qualquer banco</h4></code>	Success
89	<code><h4>Combine até 2 cartões para pagamentos</h4></code>	Success
90	<code><p>Parcelas que cabem certinho no seu bolso.</p></code>	Success
91	<code><h4>Crédito do Trabalhador</h4></code>	Success
92	<code><h4>Empréstimo Consignado</h4></code>	Success
93	<code><h4>Antecipação do FGTS</h4></code>	Success
94	<code><h1 id="main-title">Investir e dar novos
rumos para
o seu dinheiro</h1></code>	Success
95	<code><p>Investir e dar novos rumos para o seu dinheiro.</p></code>	Success
96	<code><h2>Seu dinheiro rende com segurança
e autonomia</h2></code>	Success
97	<code><h3>Cofrinho</h3></code>	Success
98	<code><p class="font-body2">Comece a guardar dinheiro com rendimento automático a 102% do CDI</p></code>	Success

99	<code><h3>Renda Fixa</h3></code>	Success
100	<code><p class="font-body2">Invista com estabilidade em produtos com retorno e alto risco</p></code>	Success
101	<code><h3>Fundos de Investimento</h3></code>	Success
102	<code><p class="font-body2">Conheça fundos especiais geridos por profissionais renomados do mercado</p></code>	Success
103	<code>Conheça os investimentos</code>	Success
104	<code><h1 id="main-title">Proteger o que
realmente importa
para sua vida</h1></code>	Success
105	<code><p>Com PicPay, cotar e contratar seguros é acessível.</p></code>	Success
106	<code><h2>Seguros
PicPay</h2></code>	Success
107	<code><p>Múltiplas camadas de proteção para seus dados, contas e cartões</p></code>	Success
108	<code>Saiba mais</code>	Success
109	<code><h4>Seguro
Carteira Digital</h4></code>	Success
110	<code><p class="font-body2">A proteção extra que blinda o seu bolso</p></code>	Success
111	<code><h4>Seguro
Celular PicPay</h4></code>	Success

112	<code><p class="font-body2">Planos para o seu celular a partir de R\$9,90/mês</p></code>	Success
113	<code><h4>Seguro de
Vida PicPay</h4></code>	Success
114	<code><p class="font-body2">Coberturas sob medida a partir de R\$5,55</p></code>	Success
115	<code><h2>Módulo de Segurança</h2></code>	Success
116	<code><p>Ative mais proteção e tecnologia para o seu dinheiro.</p></code>	Success
117	<code>Saiba mais</code>	Success
118	<code><h4>Mais
Protegido</h4></code>	Success
119	<code><p class="font-body2">Camadas extras de segurança</p></code>	Success
120	<code><h4>Mais
Privacidade</h4></code>	Success
121	<code><p class="font-body2">Limites de Pix e saldo invisíveis</p></code>	Success
122	<code><h4>Mais
Tranquilidade</h4></code>	Success
123	<code><p class="font-body2">Endereços de confiança</p></code>	Success
124	<code><h1 id="main-title">Controlar e movimentar
suas finanças</h1></code>	Success
	<code><p>Com PicPay, pagar, receber e transferir dinheiro é</code>	Success

125	<code>simples.</p></code>	
126	<code><h2>Todas as suas contas
de banco em um só lugar</h2></code>	Success
127	<code><h3>Conta com rendimentos
de 102% do CDI todos
os dias úteis</h3></code>	Success
128	<code><h3>Cartão de crédito
internacional sem
anuidade Mastercard</h3></code>	Success
129	<code><h3>Faça pagamentos via PIX combinando saldos de vários bancos</h3></code>	Success
130	<code>Abrir conta</code>	Success
131	<code><h2>Com PicPay você fica
por dentro de tudo</h2></code>	Success
132	<code><h3>Carteira de Trabalho Digital: como obter a sua e usá-la no dia a dia</h3></code>	Success
133	<code><h3>O que é o stopover? Veja como aproveitar na sua viagem</h3></code>	Success
134	<code><h3>Guia completo sobre pontos do cartão de crédito</h3></code>	Success
135	<code>Ver notícias</code>	Success
136	<code><h2 id="frames-wrap-up__title" class="frames-wrap-up__title">Com PicPay,
a experiência é</h2></code>	Success
137	<code><li class="frames-wrap-up__message" style="will-change: transform, opacity; opacity: 1; transform: translateY(0px);">descomplicada.</code>	Success

138	<pre>Abrir conta</pre>	Success
139	<pre><h2 id="onetrust-policy-title">AVISO DE PRIVACIDADE</h2></pre>	Success
140	<pre><div id="onetrust-policy-text"></pre>	Success
141	<pre><button id="onetrust-pc-btn-handler" aria-label="Ajustar minhas preferências, Abre a caixa de diálogo do centro de preferências">Ajustar minhas preferências</button></pre>	Success
142	<pre><input id="vendor-search-handler" type="text" name="vendor-search-handler" placeholder="Pesquisar..." aria-label="Pesquisa de lista de cookies"></pre>	Success
143	<pre>Política de Privacidade</pre>	Success
144	<pre><button id="onetrust-accept-btn-handler">Aceitar todos os cookies</button></pre>	Success
145	<pre><button id="onetrust-reject-all-handler">Aceitar apenas os necessários</button></pre>	Success

Inline text spacing must be adjustable.

Ensure that text spacing set through style attributes can be adjusted with custom stylesheets.

Disabilities Affected:

Visually Impaired | Elderly

WCAG 2.0, 2.1 & 2.2

AA 1.4.12 Text Spacing (Level AA)

Index	Elements	Status

1	<pre><div class="section search client account header-logo- container header-nav-container" data-section- status="loaded" data-limit="10" data-order="created" data- sort="desc" data-paths="https://picpay.com/pt-br" data- section="HEADER_PF" style="" data-gtm-martech- decorated="true"></pre>	Success
2	<pre>Área do Cliente</pre>	Success
3	<pre><div class="section pf hero-container" data-section- status="loaded" id="hero" data-section="HOME_HERO_PF" style="height: 520px;" data-gtm-martech-decorated="true"></pre>	Success
4	<pre><div class="hero hero-pj block" data-block-name="hero" data-block-status="loaded" style="min-height: 520px;" data- gtm-martech-decorated="true" data-gtm-block- decorated="true"></pre>	Success
5	<pre><div class="hero__slide--inner" style="opacity: 1; z-index: 2;"></pre>	Success
6	<pre><div class="hero__slide" style="opacity: 1; z-index: 2;"></pre>	Success
7	<pre></pre>	Success
8	<pre><div class="section pf rounded-top card-grid-container teaser-container" data-section-status="loaded" data- section="PRODUTOS_PICPAY" style="" data-gtm-martech- decorated="true"></pre>	Success
9	<pre><button type="button" class="cardgrid__dot" aria-label="Ir para o slide 1" style="display: block;" data-gtm-button- decorated="true"></button></pre>	Success

10	<pre><button type="button" class="cardgrid__dot" aria-label="Ir para o slide 2" style="display: block;" data-gtm-button-decorated="true"></button></pre>	Success
11	<pre><button type="button" class="cardgrid__dot" aria-label="Ir para o slide 3" style="display: block;" data-gtm-button-decorated="true"></button></pre>	Success
12	<pre><button type="button" class="cardgrid__dot active" aria-label="Ir para o slide 4" style="display: block;" data-gtm-button-decorated="true"></button></pre>	Success
13	<pre><div class="teaser__cards" style="cursor: grab;"></pre>	Success
14	<pre><button type="button" class="teaser__dot" aria-label="Ir para o slide 1" style="display: block;" data-gtm-button-decorated="true"></button></pre>	Success
15	<pre><button type="button" class="teaser__dot" aria-label="Ir para o slide 2" style="display: block;" data-gtm-button-decorated="true"></button></pre>	Success
16	<pre><button type="button" class="teaser__dot" aria-label="Ir para o slide 3" style="display: block;" data-gtm-button-decorated="true"></button></pre>	Success
17	<pre><button type="button" class="teaser__dot" aria-label="Ir para o slide 4" style="display: block;" data-gtm-button-decorated="true"></button></pre>	Success
18	<pre><div class="section dark title-container product-selector-container teaser-container" data-section-status="loaded" data-section="LISTAGEM_CARTOES" style="" data-gtm-martech-decorated="true"></pre>	Success
19	<pre><div class="section pf tertiary title-container wrapped-teaser-container" data-section-status="loaded" data-section="PIX_BOLETOS_EMPRESTIMOS" style="" data-gtm-martech-decorated="true"></pre>	Success

20	<pre><div class="section pf secondary title-container image- container card-grid-container button-link-container" data- section-status="loaded" data-section="INVESTIMENTOS" style="" data-gtm-martech-decorated="true"></pre>	Success
21	<pre><div class="section title-container scrolling-teaser- container" data-section-status="loaded" data- section="SEGUROS_PICPAY" style="" data-gtm-martech- decorated="true"></pre>	Success
22	<pre><div class="section pf tertiary title-container image- container card-grid-container button-link-container" data- section-status="loaded" data- section="CONTROLAR_MOVIMENTAR_FINANCAS" style="" data-gtm- martech-decorated="true"></pre>	Success
23	<pre><div class="section pf primary card-carousel-container" data-section-status="loaded" data-section="BLOG_HOME" style="" data-gtm-martech-decorated="true"></pre>	Success
24	<pre><div class="section frames-wrap-up-container" data-section- status="loaded" data-section="EXPERIENCIA_PICPAY" style="" data-gtm-martech-decorated="true"></pre>	Success
25	<pre><ul class="frames-wrap-up__messages" style="display: grid; grid-template-columns: 1fr; place-items: center; width: 100%; "></pre>	Success
26	<pre><li class="frames-wrap-up__message" style="will-change: transform, opacity; opacity: 1; transform: translateY(0px); ">descomplicada.</pre>	Success
27	<pre><div class="onetrust-pc-dark-filter ot-fade-in" style="z- index:2147483645; "></div></pre>	Success

Text line height must be adjustable.

Ensure that text spacing set through style attributes can be adjusted with custom stylesheets.

Disabilities Affected:

Visually Impaired | Dyslexia | Elderly

WCAG 2.0, 2.1 & 2.2

AA 1.4.12 Text Spacing (Level AA)

Index	Elements	Status
1	<pre><div class="section search client account header-logo-container header-nav-container" data-section-status="loaded" data-limit="10" data-order="created" data-sort="desc" data-paths="https://picpay.com/pt-br" data-section="HEADER_PF" style="" data-gtm-martech-decorated="true"></pre>	Success
2	<pre>Área do Cliente</pre>	Success
3	<pre><div class="section pf hero-container" data-section-status="loaded" id="hero" data-section="HOME_HERO_PF" style="height: 520px;" data-gtm-martech-decorated="true"></pre>	Success
4	<pre><div class="hero hero-pj block" data-block-name="hero" data-block-status="loaded" style="min-height: 520px;" data-gtm-martech-decorated="true" data-gtm-block-decorated="true"></pre>	Success
5	<pre><div class="hero__slide--inner" style="opacity: 1; z-index: 2;"></pre>	Success
6	<pre><div class="hero__slide" style="opacity: 1; z-index: 2;"></pre>	Success
7	<pre></pre>	Success
8	<pre><div class="section pf rounded-top card-grid-container teaser-container" data-section-status="loaded" data-section="PRODUTOS_PICPAY" style="" data-gtm-martech-decorated="true"></pre>	Success

9	<pre><button type="button" class="cardgrid__dot" aria-label="Ir para o slide 1" style="display: block;" data-gtm-button-decorated="true"></button></pre>	Success
10	<pre><button type="button" class="cardgrid__dot" aria-label="Ir para o slide 2" style="display: block;" data-gtm-button-decorated="true"></button></pre>	Success
11	<pre><button type="button" class="cardgrid__dot" aria-label="Ir para o slide 3" style="display: block;" data-gtm-button-decorated="true"></button></pre>	Success
12	<pre><button type="button" class="cardgrid__dot active" aria-label="Ir para o slide 4" style="display: block;" data-gtm-button-decorated="true"></button></pre>	Success
13	<pre><div class="teaser__cards" style="cursor: grab;"></pre>	Success
14	<pre><button type="button" class="teaser__dot" aria-label="Ir para o slide 1" style="display: block;" data-gtm-button-decorated="true"></button></pre>	Success
15	<pre><button type="button" class="teaser__dot" aria-label="Ir para o slide 2" style="display: block;" data-gtm-button-decorated="true"></button></pre>	Success
16	<pre><button type="button" class="teaser__dot" aria-label="Ir para o slide 3" style="display: block;" data-gtm-button-decorated="true"></button></pre>	Success
17	<pre><button type="button" class="teaser__dot" aria-label="Ir para o slide 4" style="display: block;" data-gtm-button-decorated="true"></button></pre>	Success
18	<pre><div class="section dark title-container product-selector-container teaser-container" data-section-status="loaded" data-section="LISTAGEM_CARTOES" style="" data-gtm-martech-decorated="true"></pre>	Success

19	<pre><div class="section pf tertiary title-container wrapped-teaser-container" data-section-status="loaded" data-section="PIX_BOLETOS_EMPRESTIMOS" style="" data-gtm-martech-decorated="true"></pre>	Success
20	<pre><div class="section pf secondary title-container image-container card-grid-container button-link-container" data-section-status="loaded" data-section="INVESTIMENTOS" style="" data-gtm-martech-decorated="true"></pre>	Success
21	<pre><div class="section title-container scrolling-teaser-container" data-section-status="loaded" data-section="SEGUROS_PICPAY" style="" data-gtm-martech-decorated="true"></pre>	Success
22	<pre><div class="section pf tertiary title-container image-container card-grid-container button-link-container" data-section-status="loaded" data-section="CONTROLAR_MOVIMENTAR_FINANCAS" style="" data-gtm-martech-decorated="true"></pre>	Success
23	<pre><div class="section pf primary card-carousel-container" data-section-status="loaded" data-section="BLOG_HOME" style="" data-gtm-martech-decorated="true"></pre>	Success
24	<pre><div class="section frames-wrap-up-container" data-section-status="loaded" data-section="EXPERIENCIA_PICPAY" style="" data-gtm-martech-decorated="true"></pre>	Success
25	<pre><ul class="frames-wrap-up__messages" style="display: grid; grid-template-columns: 1fr; place-items: center; width: 100%;"></pre>	Success
26	<pre><li class="frames-wrap-up__message" style="will-change: transform, opacity; opacity: 1; transform: translateY(0px);">descomplicada.</pre>	Success
27	<pre><div class="onetrust-pc-dark-filter ot-fade-in" style="z-index:2147483645;"></div></pre>	Success

Elements should not have duplicate ID attributes

The value assigned to an ID attribute must be unique to prevent the second instance from being overlooked by assistive technology. Put another way; ID attributes may not be used more than once in the same document to differentiate each element from another.

Disabilities Affected:

Visually Impaired | Cognitive & Learning | Motor Impaired | Blind | Dyslexia
 | ADHD(Attention deficit hyperactivity disorder) | Elderly

WCAG 2.0, 2.1 & 2.2

- ☐ A 1.3.1 Info and Relationships
☐ A 4.1.2 Name, Role, Value

Index	Elements	Status
1	<code><h3 id="ot-header-id-C0002">Cookies de desempenho</h3></code>	Success
2	<code><h3 id="ot-header-id-C0003">Cookies de funcionalidade</h3></code>	Success
3	<code><h3 id="ot-header-id-C0004">Cookies de publicidade</h3></code>	Success
4	<code><div class="ot-desc-cntr" id="ot-tab-desc" tabindex="0" role="tabpanel" aria-labelledby="ot-pvcy-hdr"></code>	Success
5	<code><h4 id="ot-pvcy-hdr">A sua privacidade</h4></code>	Success
6	<code><div class="ot-desc-cntr ot-hide ot-always-active-group" role="tabpanel" tabindex="0" id="ot-desc-id-C0001"></code>	Success
7	<code><div class="ot-desc-cntr ot-hide" role="tabpanel" tabindex="0" id="ot-desc-id-C0002"></code>	Success
8	<code><input type="checkbox" name="ot-group-id-C0002" id="ot-group-id-C0002" class="category-switch-handler" data-optanongroupid="C0002" aria-labelledby="ot-header-id-C0002"></code>	Success
9	<code><div class="ot-desc-cntr ot-hide" role="tabpanel" tabindex="0" id="ot-desc-id-C0003"></code>	Success

10	<pre><input type="checkbox" name="ot-group-id-C0003" id="ot-group-id-C0003" class="category-switch-handler" data-optanongroupid="C0003" aria-labelledby="ot-header-id-C0003"></pre>	Success
11	<pre><div class="ot-desc-cntr ot-hide" role="tabpanel" tabindex="0" id="ot-desc-id-C0004"></pre>	Success
12	<pre><input type="checkbox" name="ot-group-id-C0004" id="ot-group-id-C0004" class="category-switch-handler" data-optanongroupid="C0004" aria-labelledby="ot-header-id-C0004"></pre>	Success
13	<pre><input id="select-all-hosts-groups-handler" type="checkbox"></pre>	Success
14	<pre><input id="select-all-vendor-groups-handler" type="checkbox"></pre>	Success
15	<pre><input id="select-all-vendor-leg-handler" type="checkbox"></pre>	Success
16	<pre><div id="ot-filter-list-header"></div></pre>	Success
17	<pre><input id="chkbox-id" type="checkbox" class="category-filter-handler"></pre>	Success

ARIA attributes should be valid.

ARIA attributes starting with aria- must contain valid values. These values must be spelled correctly and correspond to values that make sense for a particular attribute in order to perform the intended accessibility function.

Disabilities Affected:

Visually Impaired | Cognitive & Learning | Motor Impaired | Blind

WCAG 2.0, 2.1 & 2.2

A 1.3.1 Info and Relationships

A 4.1.2 Name, Role, Value

Index	Elements	Status
1	<pre><button class="teaser__dot" data-gtm-button-decorated="true"></button></pre>	Failed
2	<pre><button class="teaser__dot active" data-gtm-button-decorated="true"></button></pre>	Failed
3	<pre><button class="button card-carousel__backward" disabled="" data-gtm-button-decorated="true"></pre>	Failed
4	<pre><button class="button card-carousel__forward" data-gtm-button-decorated="true" disabled=""></pre>	Failed
5	<pre></pre>	Failed
6	<pre></pre>	Failed
7	<pre></pre>	Failed
8	<pre></pre>	Failed
9	<pre><a href="https://blog.picpay.com/carteira-de-trabalho-digital/" data-gtm- name="CARTEIRA_DE_TRABALHO_DIGITAL_COMO_OBTER_A_SUA_E_USA_L</pre>	Failed

	<code>A_NO_DIA_A_DIA" data-gtm-button-decorated="true"></code>	
10	<code></code>	Failed
11	<code></code>	Failed
12	<code><div class="title block" data-block-name="title" data-block-status="loaded" role="region" aria-label="Seção de título" data-gtm-martech-decorated="true" data-gtm-block-decorated="true"></code>	Success
13	<code><div class="title__overtitle font-body2" aria-label="Sobretítulo"> <div><p>Para você</p></div> </div></code>	Success
14	<code><button class="search__button" aria-label="Buscar" data-gtm-button-decorated="true"></code>	Success
15	<code><button class="close__button" aria-label="Fechar" data-gtm-button-decorated="true"></code>	Success
16	<code><button class="menu__button" aria-label="Menu" data-gtm-button-decorated="true"></code>	Success
17	<code><button type="button" class="cardgrid__dot" aria-label="Ir para o slide 1" style="display: block;" data-gtm-button-decorated="true"></button></code>	Success
18	<code><button type="button" class="cardgrid__dot" aria-label="Ir para o slide 2" style="display: block;" data-gtm-button-decorated="true"></button></code>	Success
19	<code><button type="button" class="cardgrid__dot" aria-label="Ir para o slide 3" style="display: block;" data-gtm-button-decorated="true"></button></code>	Success

20	<pre><button type="button" class="cardgrid__dot active" aria-label="Ir para o slide 4" style="display: block;" data-gtm-button-decorated="true"></button></pre>	Success
21	<pre><button type="button" class="teaser__dot" aria-label="Ir para o slide 1" style="display: block;" data-gtm-button-decorated="true"></button></pre>	Success
22	<pre><button type="button" class="teaser__dot" aria-label="Ir para o slide 2" style="display: block;" data-gtm-button-decorated="true"></button></pre>	Success
23	<pre><button type="button" class="teaser__dot" aria-label="Ir para o slide 3" style="display: block;" data-gtm-button-decorated="true"></button></pre>	Success
24	<pre><button type="button" class="teaser__dot" aria-label="Ir para o slide 4" style="display: block;" data-gtm-button-decorated="true"></button></pre>	Success
25	<pre><div id="onetrust-banner-sdk" class="otFloatingRoundedIcon default ot-bnr-w-logo" tabindex="0" role="region" aria-label="Banner de cookies"></pre>	Success
26	<pre><div role="dialog" aria-modal="true" aria-label="AVISO DE PRIVACIDADE"></pre>	Success
27	<pre>Política de Privacidade</pre>	Success
28	<pre><button id="onetrust-pc-btn-handler" aria-label="Ajustar minhas preferências, Abre a caixa de diálogo do centro de preferências">Ajustar minhas preferências</button></pre>	Success
29	<pre><div class="title__subtitle font-body1" aria-label="Subtítulo"><p>Parcele suas compras em até 36x com</pre>	Success

	<code>PicPay Card.</p></div></code>	
30	<code><div class="title__subtitle font-body1" aria-label="Subtítulo"><p>No PicPay, você tem crédito rápido em poucos minutos.</p></div></code>	Success
31	<code><div class="title__subtitle font-body1" aria-label="Subtítulo"><p>Investir e dar novos rumos para o seu dinheiro.</p></div></code>	Success
32	<code><div class="title__subtitle font-body1" aria-label="Subtítulo"><p>Com PicPay, cotar e contratar seguros é acessível.</p></div></code>	Success
33	<code><div class="title__subtitle font-body1" aria-label="Subtítulo"><p>Com PicPay, pagar, receber e transferir dinheiro é simples.</p></div></code>	Success
34	<code>Área do Cliente</code>	Success
35	<code>Área do Cliente</code>	Success
36	<code>Abrir Conta</code>	Success

While Popup is opened, it should contain at least one focusable element.

Keyboard focus must not be locked or trapped in a particular page element and the user must be able to navigate to and from all navigable page elements using only a keyboard.

Disabilities Affected:

Visually Impaired | Cognitive & Learning | Motor Impaired | Blind | ADHD(Attention deficit hyperactivity disorder)

WCAG 2.0, 2.1 & 2.2

A 2.4.3 Focus Order

Index	Elements	Status
1	<pre><svg xmlns="http://www.w3.org/2000/svg" width="16" height="16" viewBox="0 0 16 16" fill="none" aria-hidden="true"></pre>	Success
2	<pre><svg xmlns="http://www.w3.org/2000/svg" width="10" height="18" viewBox="0 0 10 18" fill="none" aria-hidden="true" style="transform: rotate(180deg);"></pre>	Success
3	<pre><svg xmlns="http://www.w3.org/2000/svg" width="10" height="18" viewBox="0 0 10 18" fill="none" aria-hidden="true"></pre>	Success
4	<pre><svg xmlns="http://www.w3.org/2000/svg" aria-hidden="true"></pre>	Success
5	<pre><h2 id="ot-pc-title-mobile" aria-hidden="true">Central de Preferências</h2></pre>	Success
6	<pre><svg xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink" x="0px" y="0px" viewBox="0 -30 110 110" aria-hidden="true"></pre>	Success
7	<pre><svg role="presentation" aria-hidden="true" xmlns="http://www.w3.org/2000/svg" xmlns:xlink="http://www.w3.org/1999/xlink" x="0px" y="0px" viewBox="0 0 402.577 402.577" xml:space="preserve"></pre>	Success
8	<pre><iframe class="ot-text-resize" sandbox="allow-same-origin" title="onetrust-text-resize" style="position: absolute; top: -50000px; width: 100em;" aria-hidden="true"></iframe></pre>	Success
9	<pre><button type="button" class="ot-floating-button__close" aria-label="Fechar preferências" aria-hidden="true" style="display: none;"></pre>	Success

Element does not have focusable descendants

Element does not have focusable descendants

Disabilities Affected:

Visually Impaired | Cognitive & Learning | Blind

WCAG 2.0, 2.1 & 2.2

- A 1.3.1 Info and Relationships
- A 4.1.2 Name, Role, Value

Index	Elements	Status
1	<code><button class="teaser__dot active" data-gtm-button-decorated="true"></button></code>	Success
2	<code><button class="teaser__dot" data-gtm-button-decorated="true"></button></code>	Success
3	<code></code>	Success
4	<code>Área do Cliente</code>	Success
5	<code><button class="search__button" aria-label="Buscar" data-gtm-button-decorated="true"></code>	Success
6	<code>Área do Cliente</code>	Success
7	<code>Abrir Conta</code>	Success
8	<code><button class="close__button" aria-label="Fechar" data-gtm-button-decorated="true"></code>	Success

9	<pre><button class="menu__button" aria-label="Menu" data-gtm-button-decorated="true"></pre>	Success
10	<pre></pre>	Success
11	<pre><button type="button" class="cardgrid__dot" aria-label="Ir para o slide 1" style="display: block;" data-gtm-button- decorated="true"></button></pre>	Success
12	<pre><button type="button" class="cardgrid__dot" aria-label="Ir para o slide 2" style="display: block;" data-gtm-button- decorated="true"></button></pre>	Success
13	<pre><button type="button" class="cardgrid__dot" aria-label="Ir para o slide 3" style="display: block;" data-gtm-button- decorated="true"></button></pre>	Success
14	<pre><button type="button" class="cardgrid__dot active" aria- label="Ir para o slide 4" style="display: block;" data-gtm- button-decorated="true"></button></pre>	Success
15	<pre><button type="button" class="teaser__dot" aria-label="Ir para o slide 1" style="display: block;" data-gtm-button- decorated="true"></button></pre>	Success
16	<pre><button type="button" class="teaser__dot" aria-label="Ir para o slide 2" style="display: block;" data-gtm-button- decorated="true"></button></pre>	Success
17	<pre><button type="button" class="teaser__dot" aria-label="Ir para o slide 3" style="display: block;" data-gtm-button- decorated="true"></button></pre>	Success
18	<pre><button type="button" class="teaser__dot" aria-label="Ir para o slide 4" style="display: block;" data-gtm-button- decorated="true"></button></pre>	Success

19	<pre></pre>	Success
20	<pre></pre>	Success
21	<pre></pre>	Success
22	<pre></pre>	Success
23	<pre></pre>	Success
24	<pre></pre>	Success
25	<pre><button class="button card-carousel__backward" disabled="" data-gtm-button-decorated="true"></pre>	Success
26	<pre><button class="button card-carousel__forward" data-gtm-button-decorated="true" disabled=""></pre>	Success
27	<pre></pre>	Success



	<code>height="424"></code>	
28	<code><button id="onetrust-accept-btn-handler">Aceitar todos os cookies</button></code>	Success
29	<code><button id="onetrust-reject-all-handler">Aceitar apenas os necessários</button></code>	Success
30	<code><button id="onetrust-pc-btn-handler" aria-label="Ajustar minhas preferências, Abre a caixa de diálogo do centro de preferências">Ajustar minhas preferências</button></code>	Success

Kick-start Website Accessibility Journey with All in One Accessibility®

Get Started >

Bridge the accessibility gaps with manual accessibility audit!

Automated scans can identify many common accessibility violations, but some of WCAG 2.1, and 2.2 criteria can't be reliably tested with automation alone. That's the reason why we offer expert human or manual accessibility audit to fill those gaps & provide website accessibility and remediation insights.

Request Manual Accessibility Audit >