

# Website Software Quality Assurance Evaluation

Deep assessment of functionality, content, user experience, accessibility, performance, SEO, security, engineering quality, testing, and future readiness.

**Evaluator:** Samad Saeed Soomro

**Role:** Software Quality Assurance Evaluator

**Evaluation date:** 26 August 2026

**Website:** ACEVA Technology (current local working version)

**Document status:** Formal SQA evaluation — Version 1.0

# 1. Executive Summary

|                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
|------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div>58/100</div> <div>Overall readiness score</div> | <div>Decision: Conditional / not ready for a full public launch.</div> <div>The website has a strong visual direction, clear service positioning, responsive foundations, sensible security headers, useful metadata, and a carefully designed contact flow. However, legal placeholder text, a failing lint gate, incomplete credibility content, fragile build dependencies, large media files, and limited browser coverage create material launch risk.</div> |
|------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

**Immediate conclusion in simple terms:** the site looks polished, but several behind-the-scenes and trust-related parts are unfinished. Fix the legal pages and release errors before sending paid traffic or collecting real customer enquiries.

| Area                            | Score  | Short assessment                                                                                                       |
|---------------------------------|--------|------------------------------------------------------------------------------------------------------------------------|
| Functional quality              | 72/100 | Core navigation and form flows mostly work; route coverage is too narrow.                                              |
| UX and visual consistency       | 75/100 | Professional design and clear hierarchy; some pages openly look unfinished.                                            |
| Accessibility                   | 64/100 | Good semantic foundations and focus/reduced-motion support; needs a formal WCAG audit.                                 |
| Performance                     | 48/100 | Heavy imagery, many animations, and remote build-time fonts increase risk.                                             |
| SEO and discoverability         | 68/100 | Metadata, sitemap, robots and schema exist; social images and content maturity are weak.                               |
| Security and privacy            | 58/100 | Good headers and anti-spam controls; legal disclosure and distributed rate limiting are unfinished.                    |
| Engineering and maintainability | 46/100 | Type checking passes, but lint has 19 errors and 74 warnings.                                                          |
| Content and business trust      | 45/100 | Honest messaging is a strength, but team, proof, insights, testimonials, industries and legal text remain provisional. |

## 2. Scope and Method

The evaluation covered all visible application routes and shared components found in the repository: home, capabilities and five capability detail pages, experiments/work, process, about, company, technology, industries, testimonials, careers, insights, FAQ, contact, privacy, terms, not-found behavior, sitemap, robots rules, mobile preview protection, and the contact API.

Evidence was gathered through source inspection, configuration review, static analysis, type checking, unit/browser test attempts, content inspection, asset-size review, and desktop/mobile automated browser checks. The current working tree contained pre-existing uncommitted page edits; these were preserved and assessed as the current product.

**Test limitation:** the machine ran out of disk space during the browser run. Six checks passed, three were intentionally skipped by device rules, and one desktop form-error check timed out after the development server could no longer write files. That timeout is classified as inconclusive, not as a confirmed form defect.

### 3. Verified Test Results

| Check                     | Result                                | Meaning                                                                                                                                                      |
|---------------------------|---------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TypeScript type check     | PASS                                  | No TypeScript compilation errors were reported.                                                                                                              |
| ESLint                    | FAIL                                  | 19 errors and 74 warnings. Main repeated error: synchronous state update inside effects in loading/skeleton code.                                            |
| Unit test start           | ENVIRONMENT BLOCKED                   | Vitest could not spawn a child process under the initial sandbox. Test correctness was not disproved.                                                        |
| Production build          | ENVIRONMENT/RESILIENCE FAIL           | Build could not download three Google fonts. This demonstrates that builds require outside network access.                                                   |
| Browser suite             | 6 passed / 1 inconclusive / 3 skipped | Verified desktop navigation, mobile navigation and no horizontal overflow, contact success, contact error preservation on mobile, and primary menu behavior. |
| Contact API source review | GOOD WITH GAPS                        | Validation, size limit, spam checks, honeypot, Turnstile, origin checking and delivery errors are handled. Rate limiting is only in-process.                 |

## 4. Prioritized Defect and Improvement Register

| ID   | Priority   | Finding / risk                                                                                                                                                                            | How to improve in simple terms                                                                                                                                                                                                         |
|------|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| F-01 | P0 Blocker | Privacy Policy and Terms are scaffolds containing instructions such as “Describe here...” and “State which...”. Publishing them could mislead users and leaves data handling undisclosed. | Have a qualified lawyer replace every placeholder with approved, business-specific text. Include legal entity, jurisdiction, retention period, subprocessors, analytics/cookies, contact rights, payment, liability and dispute terms. |
| F-02 | P0 Blocker | The release quality command stops at lint: 19 errors and 74 warnings.                                                                                                                     | Fix all lint errors, remove unused imports/props, and make CI reject every pull request that fails lint, type check, tests or build.                                                                                                   |
| F-03 | P1 High    | Production builds fetch Space Grotesk, Instrument Sans and JetBrains Mono from Google. Offline or restricted CI cannot build.                                                             | Download licensed font files into the project and use next/font/local. Builds then become repeatable and do not depend on Google being reachable.                                                                                      |
| F-04 | P1 High    | Large image assets total many megabytes; the footer background alone is 7.31 MB, with three more images around 2–3 MB.                                                                    | Resize to the largest actual display size, export AVIF/WebP, use sensible quality, and keep a performance budget (for example, initial page under 1.5–2 MB on mobile).                                                                 |
| F-05 | P1 High    | Trust pages remain intentionally empty or provisional: no testimonials, planned insights, industry “slots”, unnamed team roles and sample/invented proof.                                 | Before promotion, publish real team names/roles, two detailed case studies, approved testimonials, real industry pages and at least three useful articles. Keep the honest labels until evidence exists.                               |
| F-06 | P1 High    | Only 10 browser cases cover roughly 20 routes. Most pages, broken links, metadata, keyboard behavior, accessibility and error states are untested.                                        | Add a route smoke test for every public URL, crawl all internal links, test 404, form validation, keyboard menus, reduced motion, mobile widths, sitemap/robots and metadata.                                                          |
| F-07 | P1 High    | Contact rate limiting is stored in one server process. On serverless/multiple instances, attackers can bypass it by hitting another instance.                                             | Use a shared limiter such as Redis/platform edge protection, keyed by trusted client IP, with monitoring and alerts.                                                                                                                   |
| F-08 | P1 High    | No confirmed production analytics, error monitoring, uptime checks or Core Web Vitals reporting were found.                                                                               | Add privacy-approved analytics, error tracking, uptime monitoring, failed-contact alerts and a dashboard for LCP, INP and CLS.                                                                                                         |
| F-09 | P2 Medium  | Open Graph/Twitter metadata does not define a dedicated share image; organization logo points to favicon.ico.                                                                             | Create a 1200×630 branded social image and proper organization logo; add them to global/page metadata and verify with social preview tools.                                                                                            |

|             |                  |                                                                                                                                                                  |                                                                                                                                                           |
|-------------|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>F-10</b> | <b>P2 Medium</b> | Many animated backgrounds and reveal effects may cost battery/GPU and distract users, especially on lower-end mobile devices.                                    | Keep one restrained hero effect, pause off-screen animation, avoid animating large images continuously, and measure on a mid-range Android phone.         |
| <b>F-11</b> | <b>P2 Medium</b> | Loading components duplicate complex client-side reduced-motion logic and generate most lint defects.                                                            | Use CSS media queries for skeleton animation or one tested shared hook. Keep route loading screens simple and server-renderable.                          |
| <b>F-12</b> | <b>P2 Medium</b> | The contact form uses noValidate; field errors are summarized but inputs do not have dedicated error text linked with aria-describedby.                          | Show a short error under each invalid field, link it to the input, move focus to the first invalid field, and keep the summary at the top.                |
| <b>F-13</b> | <b>P2 Medium</b> | The Turnstile script is manually inserted. Failure or blocking can leave a skeleton/form availability problem depending on configuration.                        | Use a controlled script-loading pattern with timeout and a clear “verification unavailable—email us” fallback; test expired/error callbacks.              |
| <b>F-14</b> | <b>P2 Medium</b> | Origin checking allows a missing Origin header. This is not necessarily exploitable with JSON/CSP, but the policy is weaker than strict same-origin enforcement. | In production, require the expected Origin for browser submissions, document exceptions, and retain CAPTCHA plus rate limiting.                           |
| <b>F-15</b> | <b>P2 Medium</b> | The Content Security Policy allows 'unsafe-inline' for scripts and styles, reducing XSS protection.                                                              | Adopt nonce-based scripts where supported and progressively remove inline styles/scripts. Test CSP in report-only mode first.                             |
| <b>F-16</b> | <b>P2 Medium</b> | No explicit HSTS header was found.                                                                                                                               | After confirming HTTPS works on every subdomain, add Strict-Transport-Security with an appropriate max-age; only include subdomains/preload after review. |
| <b>F-17</b> | <b>P2 Medium</b> | Sitemap sets every page's last-modified date to build time, not the real content update time.                                                                    | Use actual content dates or omit lastModified. This avoids sending low-quality freshness signals to search engines.                                       |
| <b>F-18</b> | <b>P2 Medium</b> | Brand naming/routing can confuse users: both “About” and “About Us/Company” exist, while “Experiments” functions as portfolio/work.                              | Choose one clear company page and rename Experiments to “Work” or “Labs” with a plain explanation. Redirect removed URLs.                                 |
| <b>F-19</b> | <b>P3 Low</b>    | Default contact email is a Gmail address, which may reduce enterprise trust and deliverability.                                                                  | Use a monitored address on the company domain (for example hello@acevatech.com), configure SPF/DKIM/DMARC, and keep Gmail only as recovery.               |
| <b>F-20</b> | <b>P3 Low</b>    | Inline styling is extensive, making visual consistency and future redesigns more expensive.                                                                      | Move repeated layout, typography and state styles into design tokens and reusable CSS modules/components.                                                 |

## 5. What Is Already Good

---

- Clear positioning, honest claims and no fabricated testimonials or client metrics.
- Responsive layout foundations; the tested mobile path had no horizontal overflow.
- Semantic landmarks, one primary navigation label, active-page indication, button labels, decorative image alt handling, visible focus rules and reduced-motion CSS.
- Page-specific metadata, sitemap, robots rules, structured Organization data and protected/no-index mobile preview.
- Security headers include CSP, frame protection, MIME sniffing protection, referrer and permissions policies.
- Contact endpoint validates types and lengths, limits request size, filters spam/disposable mail, supports Turnstile, honeypot, rate limiting and safe user-facing delivery errors.
- The contact form preserves user input after a server error in the verified mobile case.

## 6. Detailed Recommendations by Quality Area

---

### 6.1 Functional and Compatibility Testing

- Create a route matrix for Chrome, Edge, Firefox and Safari at 360, 390, 768, 1024 and 1440 px.
- Test every menu, CTA, mail link, capability previous/next link, FAQ control and back-to-top control.
- Add real API tests for malformed JSON, wrong content type, oversized requests, missing/wrong origin, invalid CAPTCHA, spam, rate limit, provider timeout and successful delivery.
- Verify keyboard focus returns to the menu trigger after closing mobile/desktop overlays and Escape closes them.

### 6.2 Accessibility (target WCAG 2.2 AA)

- Run axe plus manual keyboard and screen-reader reviews; automation alone is not enough.
- Measure contrast for small muted text, placeholder text, blue text and error states over every image/gradient.
- Provide field-level error messages and focus management on submit.
- Confirm tap targets are at least 44×44 CSS pixels and sticky mobile CTA does not hide content.
- Test at 200%/400% zoom, Windows High Contrast, reduced motion and text-only reflow.

### 6.3 Performance

- Set targets: LCP ≤2.5s, INP ≤200ms and CLS ≤0.1 at the 75th percentile.
- Compress the 7.31 MB footer image aggressively; do not download full-resolution decorative media on small screens.
- Self-host fonts, preload only essential weights, and remove unused weights.
- Measure JavaScript and animation cost; lazy-load non-critical interactive demonstrations.
- Use Lighthouse/WebPageTest on production-like hosting and a throttled mid-range mobile profile.

### 6.4 SEO and Content

- Add canonical URLs and social images, then verify rendered titles/descriptions for every route.
- Publish useful proof-led content before indexing placeholder pages; current no-index on Insights and Testimonials is sensible.
- Add Organization details only when factual: legal name, address/area served, sameAs profiles and a proper logo.
- Use FAQ structured data only if the visible FAQ content complies with search guidelines.
- Rewrite headings and navigation terms around customer language, not internal project vocabulary.

### 6.5 Security, Privacy and Operations

- Finalize legal documents before collecting production leads.
- Move rate limits to shared infrastructure and log abuse without storing unnecessary personal data.
- Protect secrets in the hosting platform; rotate keys; never log full enquiry text or CAPTCHA tokens.
- Add dependency scanning, secret scanning, backup/restore tests and a security contact.
- Define incident ownership: who receives failed-form, uptime and security alerts and how quickly they respond.

## 6.6 Maintainability and Delivery

- Make `npm run check` mandatory in CI and keep the main branch green.
- Remove duplicated loading-screen code and unused skeleton props/imports.
- Add visual regression snapshots for home, services, experiments and contact at desktop/mobile sizes.
- Use a staging environment matching production variables without production secrets.
- Document supported browsers, deployment/rollback, content ownership and release acceptance criteria.

## 7. Recommended Improvement Roadmap

| Time       | Work                                                                                                                                                                     | Exit condition                                                                    |
|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|
| 0–7 days   | Replace legal scaffolds; fix 19 lint errors and important warnings; self-host fonts; compress major images; confirm domain email; clear disk/build infrastructure issue. | Clean lint/type/test/build, approved legal pages, repeatable deployment.          |
| 1–3 weeks  | Expand route/link/form tests; perform WCAG manual audit; add monitoring, analytics consent decision, distributed rate limiting, HSTS plan, social images.                | All critical journeys pass across target browsers/devices; alerts reach an owner. |
| 1–2 months | Publish real team details, work/case studies, industries and insights; simplify information architecture; improve field errors; create design tokens.                    | No visible placeholder content on indexed sales routes; clearer trust journey.    |
| Quarterly  | Security review, dependency upgrades, accessibility regression, disaster recovery test, Core Web Vitals review and content accuracy audit.                               | Documented quarterly quality report with trends and assigned actions.             |

## 8. Suggested Release Acceptance Checklist

- Zero lint errors; zero TypeScript errors; all unit and browser tests pass.
- Production build succeeds from a clean machine without undocumented network assumptions.
- Every public route returns 200, has one meaningful H1, unique title/description and no broken internal links.
- Privacy and Terms are approved and accurate; contact retention and subprocessors are stated.
- Contact success, provider failure, CAPTCHA failure and rate limit are tested end-to-end.
- WCAG 2.2 AA critical checks pass, including keyboard, contrast, zoom, screen reader and reduced motion.
- Mobile LCP/INP/CLS meet agreed budgets; no page exceeds the agreed transfer-size budget.
- Monitoring, rollback, backup, responsible owner and incident contacts are documented.

## 9. Final Opinion

ACEVA Technology has a credible visual foundation and unusually honest early-stage messaging. It is suitable for continued staging, demonstrations and controlled review. It should not yet be treated as a fully production-ready marketing and lead-capture website because the legal content and engineering release gate remain incomplete. Completing the P0 items and the P1 items related to build reliability, performance, testing, rate limiting and credibility would materially raise readiness into the 75–85/100 range.



**Evaluator:** Samad Saeed Soomro

**Evaluation date:** 26 August 2026

---

This is a software quality evaluation, not legal advice, a penetration test, or a substitute for production field data. Findings are based on the repository and test environment available on the evaluation date.