

D-3

Date: ~~2023~~ / ~~09~~ /
2026 / 09 / 21

* Sealed Classes and Interfaces:

- Classes and Interface are used to represent function and hierarchies through polymorphism.
- When sealed class has been created, the subclasses or object must be declared.
- It is similar to enum, while enum is for values, sealed classes are for datatype.
- ~~height~~ =
- SealedSubclasses = shows all the subclasses in sealed class.

* Annotation Class:

- It is used to describe about an element. Uses @.
- Annotation do nothing. And it is useless without something reading them. It is also used to tell compiler what things are and make it so we don't have to write what thing separate configuration.
- It doesn't change code logic
- Annotations that are used to annotate other annotation¹. These are called Meta Annotations.
- There are 4 key Meta Annotations.
 - 1> Target = Indicates possible targets of an annotation.
 - 2> Retention = determines whether an annotation is stored in Binary output of compilation and is
- Syntax:
annotation class annotname (argument- if any)
@annotname.

6/2 8-3

7:8 | 8:9 | 9:10

Date:...../...../.....

3> Repeatable = determines is applicable twice or more in a single code element.

4> MustBeDocumented = determines an annotation is part of a public API and should therefore be included in generated documentation for the element which to apply.

• To annotate the primary constructor, we need to use constructor keyword as part of its definition.

• "Array literals" are used when we specify an annotation with an array value.



* Extension:

• functions that are called on instances is called extensions.

• allow you to add new functionality to existing classes without modifying source or using inheritance.

• (Int range).random() Eg (1..10).random()

• An extension cannot hold a state, so it cannot have a field.

• Extension properties do not actually store data inside the object they are attached to.

* Collections:

• Represent group of element.

Date:...../...../.....

* Star projection is used when we don't want to specify type arguments.

PDF complete

~~PD+ (0M)~~

~~Push zero~~

~~Replace all zero~~

~~110010~~

~~used~~

~~Comp~~

① = Row
② = Column

A handwritten diagram on lined paper. It features a 3x3 grid with numbers and symbols. The top row contains '0', '1', and '2'. The middle row contains '0', '1', and '2'. The bottom row contains '0', '1', and '2'. The grid is filled with various symbols, including circles, triangles, and crosses. A large 'X' is drawn across the entire grid. To the left of the grid, the text '0, 1, 2' is written. Below the grid, the text '3-2' is written.

1 - comp
2 - user

21