# COMPUTER SYSTEMS FUNDAMENTALS (4COSCO04W)

Lecture: Week 12. Part 1

#### Contact details

■ Module Leader:

#### This week's lecture

- Network topologies
  - Physical & Logical
- Types of network
- Network components
- IP Addressing
  - Calculations
  - Masking
  - Classless & Classful systems
- Subnetting calculations
- Ethernet
- Network Collisions
  - Avoidance
- Network Infrastructure

# NETWORKS

#### Networked computers

- Computers connected to each other
  - Wired connections using cables
  - Wireless using WIFI, 3/4G
- We will concentrate on wired arrangement


# NETWORK TOPOLOGIES

Physical & Logical Topologies

#### Physical & Logical Topologies


- Physical Topologies define the actual layout of the wire (media)
  - Eg. The wiring in the computer labs are laid out in an extended star arrangement
  - UTP, STP, NIC
- Logical Topology defines how the media is accessed by the hosts
  - Eg. In the computer labs, hosts access the media on a first come, first served basis

## Physical Topologies




## Bus topology

- Single backbone
- All hosts connected to the backbone
- Each end must be terminated
- Susceptible to collisions




#### Ring Topology

- No Backbone
- A host is directly connected to each of its neighbours
- Used for Token Passing logical topologies




## Star Topology

- All devices connected to a central point
  - Hub
  - Switch
- Used for Ethernet technologies




## **Extended Star Topology**

- Connects Star topologies together
- Fractal pattern
- At the centre of Star is a Hub or Switch
- Extends the size of the network
- Computer labs




# Hierarchical topology

- Like the extended star
- Except a computer controls traffic
  - NOT a Hub or Switch



#### Mesh Topology

- Maximally connected:
  - Each host has its own connection to every other host
  - Use for critical systems
- Non-maximally connected:
  - Not every host is connected to every other host
  - The Internet
  - Alternate routes if there are problems



### Terminology: Physical Topology

- NIC
  - Network Interface Card or Network Interface Connector
- UTP
  - Unshielded Twisted Pair
- STP
  - Shielded Twisted Pair
- Hub
- Switch

#### Logical Topologies:


- Broadcast topology:
  - Each host on the LAN sends (or broadcasts) its data to every other host.
  - Access to media is based on "First come, first served"
  - Ethernet works this way
- Token Passing Topology:
  - Access to media is controlled by an electronic token
  - Possession of the token gives the host the right to pass data onto the media.

# TYPES OF NETWORK

Peer-to-peer Client-Server Sizes of networks


#### Peer-to-Peer Network

- Networked computers are equal partners
- Each computer can be a Server or Client
- Each component controls its own resources
- Resources can be shared
- Suitable for small networks



## Client/Server network

- Network services are located on a dedicated computer
  - The Server
- Server responds to requests from Clients
- Resources are shared
- Server can serve many Clients simultaneously
- Needs an administrator



#### Terminology: Sizes of networks

- LAN
  - Local Area Network
- WAN
  - Wide Area Network
- MAN
  - Metropolitan Area Network
- SAN
  - Storage Area Network

#### What we have covered in this video:

- Network topologies:
  - Physical
  - Logical
- Terminology
- Types of networks
- Sizes of networks

#### In the next video we will cover:

- Network components
- Network Collisions
  - Avoidance
- Network Infrastructure

© The University of Westminster (2020)  The right of Noam Weingarten to be identified as author of this work has been asserted by them in accordance with the Copyright, Designs and Patents Act 1988