Visoka škola strukovnih studija za informacione i komunikacione tehnologije

95 slide

https://95slide.netlify.app/index.html

Predmet: Web programiranje 1

Aleksandar Arsić 3/19

Sadržaj

1.Uvod	1
1.1 Korišćeni programski jezici	3
1.2 Opis funkcionalnosti	3
1.3 Template	4
2.Organizacija	4
2.1 Organizaciona šema	4
2.2 Mapa sajta	5
2.3 Slike stranica i opisi funkcionalnosti	5
2.3.1 Index.html	6
2.3.2 ourmenu.html	7
2.3.3 author.html	9
2.3.4 contact.html	9
3.Kodovi	11
3.1 HTML	11
3.1.1 Index.html	11
3.1.2 ourmenu.html	15
3.1.3 author.html	19
3.1.4 contact.html	21
3.2 CSS	24
3.2.1 style.css	24
3.3 JavaScript	37
3.3.1 main.js	37

1. Uvod

1.1 Korišćeni programski jezici

- HTML
- CSS3
- Bootstrap
- JavaScript
- JQuery
- Photoshop
- JQuery slick plugin slider
- Visual Studio Code

1.2 Opis funkcionalnosti


- Dinamički se ispisuje navigacija na svakoj stranici.
- Na index stranici se dinamički ispisuje 4 bloka za jela kao i Blog deo na istoj stranici.
- Dinamički se ispisuje i deo sadržaja futera na svakoj stranici
- Tokom skrolovanja kada navigacija nestane iz vida korisnika pojavljuje se strelica(na index i menu stranici) koja vraća na vrh stranice animacijom.
- Validacija forme na index.html preko regularnih izraza.
- Čuvanje podataka iz forme na index stranici, ukoliko je validacija prošla, korisniku se ispisuje poruka o rezervaciji.
- JQuery plugin slick, koji kao slajder prikazuje slike na stranici ourmenu.html.
- Na stranici contact postoji dugme koje prikazuje tj. sakriva deo teksta.
- Contact stranica takođe sadrži drugu formu koja ima validaciju preko regularnih izraza.
- Dinamičko ispisivanje slika i njihovih opisa kao i cena na stranici menu

1.3 Template

Korišćen je template: https://templatemo.com/tm-507-victory uz modifikaciju html-a i css-a.

2. Organizacija

2.1 Organizaciona šema



2.2 Mapa sajta


```
<?xml version="1.0" encoding="utf-8"?>
<urlset xmnls="https://www.sitemaps.org/schemas/sitemap/0.9/">
 <url>
   <loc>https://95slide.netlify.app/index.html</loc>
   <lastmod>2020-10-12
   <changefreq>weekly</changefreq>
   <priority>0.9</priority>
 </url>
 <url>
   <loc>https://95slide.netlify.app/ourmenu.html</loc>
   <lastmod>2020-10-12</lastmod>
   <changefreq>monthly</changefreq>
   <priority>0.7</priority>
 </url>
 <url>
   <loc>https://95slide.netlify.app/author.html</loc>
   <lastmod>2020-10-12
   <changefreq>monthly</changefreq>
   <priority>0.6</priority>
 </url>
 <url>
   <loc>https://95slide.netlify.app/contact.html</loc>
   <lastmod>2020-10-12</lastmod>
   <changefreq>monthly</changefreq>
   <priority>0.6</priority>
 /urlset>
```

2.3 Slike stranica i opisi funkcionalnosti

2.3.1 index.html

Prilikom učitavanja stranice iz niza se ispisuje navigacija. Takođe se ispisuje i deo koji sadrži "Breakfast,Lunch,Dinner,Desserts" kao i "Blog" deo koji se isto čuva u nizu. Tokom skrolovanja, kada korisniku nestane iz vida navigacija pojavljuje se fiksna strelica koja vraća na vrh stranice. Na index stranici postoji i forma gde korisnik zakazuje sto. Validacija se provera preko regularnih izraza,ukoliko nije prošla validacija, ispisuje se određena greška korisniku, a ukoliko je validacija

prošla, podaci koje je korisnik uneo čuvaju se i ispisuju se. U futeru dinamički se ispisuju ikonice za socijalne mreže.



















2.3.2 ourmenu.html

Na ourmenu.html stranici se ispisuje navigacija i takođe pojavljuje strelica kao i na početnoj stranici. Ugrađen je i JQuery plugin slick, koji se ponaša kao slajder. Dinamički se ispisuju jela i njihove cene kao i opisi.

95 Slide

Home Our Menu Author Contact Docs





Breakfast Menu



Nectarine Bruschetta Simple and sophisticated, this fruity toast is perfect for breakfast.



Sheet Pan Pancake
For a different flavor, swap blueberries for blackberries or sliced strawberries.



Breakfast Menu



\$6.75
21 Healthy Muffins
It can be hard to start the morning off right with a good-for-you baked good



Nectarine Bruschetta Simple and sophisticated, this fruity toast is perfect for breakfast.

Lunch Menu




Tuna & Avocado Wrap

Canned tuna gets a quick upgrade with hot
sauce, Dijon, and green onions — piled into
whole wheat tortillas.



Oven-Baked Pizzas
Pizza night is the best night especially when
everyone
gets to build their dream slice.





2.3.3 author.html

Na ovoj stranici se ispisuje samo navigacija dinamički i deo futera.



Aleksandar Arsić


My name is Aleksandar Arsić, I am 22 years old web developer, born in Arandelovac. Instead of thinking of all the things that can go wrong, I become one of the people who look on how they go right. When you think positive thoughts, positive things will happen. Linkedin



2.3.4 contact.html

Na stranici contact se kao i na svakoj ispisuje dinamički navigacija i deo futera. Postoji forma, koja proverava validnost preko regularnih izraza. Ukoliko validacija nije prošla korisniku se izbacuju određene greške, ukoliko je validacija

prošla onda se korisniku ispisuje da je poruka poslata. Dugme koje prikazuje tj. sakriva deo teksta.



3. Kodovi

3.1 HTML

3.1.1 index.html

```
<!DOCTYPE html>
<html lang="en">
   <meta name="keywords" content="food,delicious,restaurant,meal,best" />
   <meta name="description" content="This is website for restaurant 95 Slide. He</pre>
re you can enjoy most delicious food." />
   <meta name="author" content="Aleksandar Arsić"/>
   <meta charset="UTF-8">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>95 Slide | Home</title>
   <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css"/>
    <link rel="stylesheet" href="css/style.css"/>
   <link rel="preconnect" href="https://fonts.gstatic.com">
    <link href="https://fonts.googleapis.com/css2?family=Work+Sans:ital,wght@1,30</pre>
0&display=swap" rel="stylesheet">
   <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.5.3/dis</pre>
t/css/bootstrap.min.css" integrity="sha384-
TX8t27EcRE3e/ihU7zmQxVncDAy5uIKz4rEkgIXeMed4M0jlfIDPvg6uqKI2xXr2" crossorigin="an
onymous">
   <link rel="shortcut icon" href="img/favicon.ico" type="image/x-icon">
   <link rel="icon" href="img/favicon.ico" type="image/x-icon">
</head>
<body>
   <div class="container-xl-fluid bg1">
       <div class="col-xl-12 text-center">
           <h1 id="hed"> <a href="#">95 Slide</a></h1>
       </div>
       <div class="text-center hamb">
           <i class="fa fa-bars"></i></i>
       </div>
       <div class=" text-center nav1">
           </div>
       <div class=" text-center nav1">
           </div>
```

```
</div>
    <div id="baner">
        <div class="container">
            <div class="row">
                <div class="col-md-6" id="tekst1">
                    <h4>Here you can find delecious foods</h4>
                    <h2>95 Slide Restaurant</h2>
                    we will treat each and every Guest as unique individual pr
oviding sincere and empathetic service that makes our guest feel genuinely cared
for.
                    <div class="primary-button but1">
                        <a href="#" class="scroll-link" data-id="book-</pre>
table">ORDER NOW</a>
                    </div>
                </div>
            </div>
        </div>
    </div>
    <section class="services">
        <div class="container">
            <div class="row jela">
            </div>
        </div>
    </section>
    <button class="up">
        <i class="fa fa-chevron-up"></i></i>
    </button>
    <section id="book-table">
        <div class="container">
            <div class="col-md-12">
                <div class="text-center naslov2">
                    <h2>Book Your Table Now</h2>
                </div>
            </div>
            <div class="row">
                <div class="col-md-6 col-sm-12 col-xs-12 col-xl-6">
                        <div class="leftpic">
                            <img src="img/book_left_image.jpg" alt="">
                        </div>
                </div>
                <div class="col-md-6 col-sm-12 col-xs-12 col-xl-6 bg-light">
                    <div class="right-info">
                        <h4>Reservation</h4>
                        <form id="form-submit" action="" method="get">
                            <div class="row">
```

```
<div class="col-md-6" >
                                    <fieldset>
                                         <select id="dan">
                                         </select>
                                         <span id="formaDan">Please select a day
span>
                                     </fieldset>
                                 </div>
                                 <div class="col-md-6">
                                     <fieldset>
                                         <select id="sat">
                                           </select>
                                         <span id="formaSat">Please select a hour<</pre>
/span>
                                    </fieldset>
                                 </div>
                                <div class="col-md-
6 ime">
                                     <fieldset>
                                            <input name="name" type="text" class=</pre>
"form-control " id="name" placeholder="Full name"/>
                                     </fieldset>
                                 </div>
                                 <div class="col-md-6 telefon">
                                     <fieldset>
                                         <input name="email" type="text" class="fo</pre>
rm-control" id="email" placeholder="email" />
                                     </fieldset>
                                 </div>
                                 <div class="col-md-6">
                                     <fieldset>
                                         <select id="osobe">
                                         <span id="formaOsoba">Please choose numbe
r of persons</span>
                                     </fieldset>
                                 </div>
                                 <div class="col-md-6">
                                    <fieldset>
```

```
<button type="button" id="form-</pre>
submit" class="btn">Book Table</button>
                                     </fieldset>
                                  </div>
                            </div>
                        </form>
                        <span id="podaci"></span>
                    </div>
                </div>
            </div>
        </div>
    </section>
    <section class="our-blog">
        <div class="container">
            <div class="row">
                <div class="col-md-12 text-center">
                    <div class="pb-5">
                        <h2>Our blog post</h2>
                    </div>
                </div>
            </div>
            <div class="row blogovi">
            </div>
        </div>
    </section>
    <section class="sign-up">
        <div class="container">
            <div class="row">
                <div class="col-md-12">
                    <div class="heading ">
                        <h2>Signup for our newsletters</h2>
                    </div>
                </div>
            </div>
            <form id="contact" action="" method="get" class="">
                <div class="row sendmail mx-auto">
                    <div class="col-md-6 col-md-offset-3">
                        <fieldset>
                            <input name="email" type="text" class="form-</pre>
control" id="email" placeholder="Enter your email here...">
                        </fieldset>
                    </div>
                    <div class="col-md-6">
                      <fieldset>
```

```
<button type="submit" id="form-</pre>
submit" class="btn dugme1">Send Message</button>
                        </fieldset>
                    </div>
                </div>
            </form>
        </div>
    </section>
    <footer>
        <div class="container">
            <div class="row">
                <div class="col-md-4">
                    Copyright © 95 Slide
                </div>
                <div class="col-md-4 futer">
                </div>
                <div class="col-md-4 link">
                   <span class="dokum"><a href="doc.pdf" target=" blank">Documena
tion</a></span>
                </div>
            </div>
        </div>
    </footer>
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js">//
<script src="js/bootstrap.min.js"></script>
<script src="js/main.js" type="text/javascript"></script>
</body>
</html>
```

2.3.2. ourmenu.html

```
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css"/>
       <link rel="stylesheet" href="css/style.css"/>
       <link rel="stylesheet" href="css/slick.css"/>
       <link rel="preconnect" href="https://fonts.gstatic.com">
       <link href="https://fonts.googleapis.com/css2?family=Work+Sans:ital,wght@</pre>
1,300&display=swap" rel="stylesheet">
       <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.5.3</pre>
/dist/css/bootstrap.min.css" integrity="sha384-
TX8t27EcRE3e/ihU7zmQxVncDAy5uIKz4rEkgIXeMed4M0jlfIDPvg6uqKI2xXr2" crossorigin="an
onymous">
       <link rel="shortcut icon" href="img/favicon.ico" type="image/x-icon">
       <link rel="icon" href="img/favicon.ico" type="image/x-icon">
   </head>
<body>
   <div class="container-xl-fluid bg1">
       <div class="col-xl-12 text-center">
           <h1 id="hed"> <a href="#">95 Slide</a></h1>
       </div>
       <div class="text-center hamb">
           <i class="fa fa-bars"></i></i>
       </div>
       <div class=" text-center nav1">
           </div>
       <div class=" text-center nav1">
           </div>
   </div>
   <section class="page-heading">
       <div class="container">
           <div class="row">
               <div class="col-md-12">
                   <h1 class="meniSlajder">Our Menus</h1>
                   Only until 6pm: Buy two Classic Shrimp Creole before 6 pm
and get the third one for free. Only at 95 Slide. Visit us for more amazing offer
s.
               </div>
           </div>
       </div>
   </section>
   <section class="breakfast-menu">
       <div class="container">
```

```
<div class="row">
                <div class="col-md-12 col-md-offset-1">
                    <div class="breakfast-menu-content">
                         <div class="row ">
                             <div class="left-image">
                                 <img src="img/breakfast_menu.jpg" alt="Breakfast"</pre>
                             </div>
                             <div class="col-md-8 boja3 rp">
                                 <h2 class="mb-5">Breakfast Menu</h2>
                                 <div class="multiple-items mt-</pre>
3 blok1">
                                 </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </section>
    <section class="lunch-menu meal">
        <div class="container">
            <div class="row">
                <div class="col-md-12 col-md-offset-1">
                    <div class="lunch-menu-content">
                         <div class="row">
                            <div class="col-md-8 boja3 rp">
                                 <h2 class="mb-5">Lunch Menu</h2>
                                 <div class="multiple-items mt-</pre>
5 blok2">
                                 </div>
                             </div>
                             <div class="left-image">
                                 <img src="img/lunch menu.jpg" alt="Lunch">
                             </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </section>
    <button class="up">
        <a><i class="fa fa-chevron-up"></i></a>
    </button>
    <section class="dinner-menu meal">
```

```
<div class="container">
            <div class="row">
                <div class="col-md-12 col-md-offset-1">
                    <div class="dinner-menu-content">
                        <div class="row">
                            <div class="left-image">
                                <img src="img/dinner menu.jpg" alt="Dinner">
                            </div>
                            <div class="col-md-8 boja3 rp">
                                <h2 class="mb-5">Dinner Menu</h2>
                                <div class=" multiple-items mt-5 blok3">
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </section>
    <footer>
        <div class="container">
            <div class="row">
                <div class="col-md-4">
                    Copyright © 95 Slide
                </div>
                <div class="col-md-4 futer">
                </div>
                <div class="col-md-4 link">
                   <span class="dokum"><a href="doc.pdf" target=" blank">Documena
tion</a></span>
                </div>
            </div>
        </div>
    </footer>
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js">//
script>
<script src="js/bootstrap.min.js"></script>
<script src="js/slick.min.js"></script>
<script src="js/main.js" type="text/javascript"></script>
<script type="text/javascript">
    $(function(){
        $('.multiple-items').slick({
        autoplay:true,
        arrows:false,
        autoplaySpeed:2500,
```

```
slidesToShow:2,
    slidesToScroll:1,
    dots:true,
    });
});
</script>
</body>
</html>
```

2.3.3 author.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta name="keywords" content="author,delicious,about,meal,best" />
    <meta name="description" content="This is website for restaurant 95 Slide. He</pre>
re you can enjoy most delicious food." />
    <meta name="author" content="Aleksandar Arsić"/>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>95 Slide | Author</title>
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css"/>
    <link rel="stylesheet" href="css/style.css"/>
    <link rel="preconnect" href="https://fonts.gstatic.com">
    <link rel="preconnect" href="https://fonts.gstatic.com">
    <link rel="preconnect" href="https://fonts.gstatic.com">
    <link href="https://fonts.googleapis.com/css2?family=Work+Sans:ital,wght@1,30</pre>
0&display=swap" rel="stylesheet">
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.5.3/dis</pre>
t/css/bootstrap.min.css" integrity="sha384-
TX8t27EcRE3e/ihU7zmQxVncDAy5uIKz4rEkgIXeMed4M0jlfIDPvg6uqKI2xXr2" crossorigin="an
onymous">
    <link rel="shortcut icon" href="img/favicon.ico" type="image/x-icon">
    <link rel="icon" href="img/favicon.ico" type="image/x-icon">
</head>
<body>
    <div class="container-xl-fluid bg1">
        <div class="col-xl-12 text-center">
            <h1 id="hed">95 Slide</h1>
        </div>
        <div class="container text-center">
            <i class="fa fa-bars hamb"></i></i>
        </div>
```

```
<div class="col-xl-12 text-center nav1">
           </div>
       <div class=" text-center nav1">
           </div>
   </div>
   <section class="page-heading">
       <div class="container">
           <div class="row">
              <div class="col-md-12">
                  <h1>Find out more about me</h1>
              </div>
           </div>
       </div>
   </section>
   <div class="container">
       <div class="row autor">
           <div class="col-md-12 naslovAutor">
              <h1>Aleksandar Arsić</h1>
           </div>
           <div class="col-md-6 mt-5 tekst5">
                  My name is Aleksandar Arsić,
                  I am 22 years old web developer, born in Aranđelovac.
                  Instead of thinking of all the things that can go wrong, I bec
ome one of the people who look on how they go right.
                  When you think positive thoughts, positive things will happen
 <a href='https://www.linkedin.com/in/aleksandar-arsic-</pre>
155b88173/' target="_blank" id="lin">LinkedIn</a>
           </div>
           <div class="col-md-6 mt-4 profile">
               <img src="img/profile.jpg">
           </div>
       </div>
   </div>
   <button class="up">
       <a href="#"><i class="fa fa-chevron-up"></i></a>
   </button>
   <footer>
       <div class="container">
           <div class="row">
              <div class="col-md-4">
```

```
Copyright © 95 Slide
                </div>
                <div class="col-md-4 futer">
                </div>
                <div class="col-md-4 link">
                   <span class="dokum"><a href="doc.pdf" target="_blank">Documena
tion</a></span>
                </div>
            </div>
        </div>
   </footer>
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js</pre>
"></script>
    <script src="js/bootstrap.min.js"></script>
    <script src="js/main.js" type="text/javascript"></script>
</body>
</html>
```

2.3.4 contact.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta name="keywords" content="food,contact,email,message,restaurant" />
    <meta name="description" content="This is website for restaurant 95 Slide. He</pre>
re you can enjoy most delicious food." />
    <meta name="author" content="Aleksandar Arsić"/>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>95 Slide | Contact</title>
    <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css"/>
    <link rel="stylesheet" href="css/style.css"/>
    <link rel="preconnect" href="https://fonts.gstatic.com">
    <link href="https://fonts.googleapis.com/css2?family=Work+Sans:ital,wght@1,30</pre>
0&display=swap" rel="stylesheet">
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.5.3/dis</pre>
t/css/bootstrap.min.css" integrity="sha384-
TX8t27EcRE3e/ihU7zmQxVncDAy5uIKz4rEkgIXeMed4M0jlfIDPvg6uqKI2xXr2" crossorigin="an
onymous">
    <link rel="shortcut icon" href="img/favicon.ico" type="image/x-icon">
    <link rel="icon" href="img/favicon.ico" type="image/x-icon">
</head>
<body>
```

```
<div class="container-xl-fluid bg1">
       <div class="col-xl-12 text-center">
           <h1 id="hed">95 Slide</h1>
       </div>
       <div class="container text-center">
           <i class="fa fa-bars hamb"></i></i>
       </div>
       <div class="col-xl-12 text-center nav1">
           </div>
       <div class=" text-center nav1">
           </div>
   </div>
   <section class="page-heading">
       <div class="container">
           <div class="row">
              <div class="col-md-12">
                  <h1>Contact Us</h1>
                  Let's stay in touch! Text us your email and receive 10% of
f your next meal at 95 Slide!
              </div>
           </div>
       </div>
   </section>
   <section class="contact-us">
       <div class="container">
           <div class="row">
              <div class="col-md-6">
                  <div class="section-heading">
                      <h2>Message</h2>
                  </div>
                  <form id="contact" action="" method="post">
                      <div class="row">
                          <div class="col-md-6">
                              <fieldset>
                                 <input name="name" type="text" class="form-</pre>
control" id="name1" placeholder="Your name..." >
                             </fieldset>
                             <fieldset>
                                 <input name="email" type="text" class="form-</pre>
control" id="email1" placeholder="Your email...">
                             </fieldset>
```

```
<fieldset>
                                     <input name="phone" type="text" class="form-</pre>
control" id="phone" placeholder="Your phone..." >
                                </fieldset>
                            </div>
                            <div class="col-md-6">
                                 <fieldset>
                                     <textarea name="message" rows="6" class="form
-control" id="message" placeholder="Your message..." ></textarea>
                                </fieldset>
                                <fieldset>
                                     <button type="button" id="form-</pre>
submit" class="btn">Send Message</button>
                                </fieldset>
                            </div>
                            <span class="mx-</pre>
auto" id="forma2">Your message has been send</span>
                        </div>
                    </form>
                </div>
                <div class="col-md-6">
                    <div class="section-heading contact-info">
                        <h2>Contact Info</h2>
                        If you've never been to our restaurant before, you sho
uld know that it's a large dining room that can seat many people.
                            With that sort of space, we have the capacity to host
a range of events and special occasions.
                            95 Slide Restaurant is happy to be the venue for your
 next <span class="tekst5">presentation, reunion, party, luncheon or banquet.
                            With two banquet rooms, presentation screens, an LCD
projector and a podium, 95 Slide Restaurant can transform a
                            space into the perfect site for your gathering. Wheth
er you want to have your associates attend a training
                             luncheon or you're planning a birthday party, trust
that we have the space, equipment and menu to accommodate any occasion.
                             To reserve a space for your next event, come by the
restaurant or call 062654868 today.</span><span class="dugme">Show more</span></p
                    </div>
                </div>
            </div>
        </div>
    </section>
    <button class="up">
        <a href="#"><i class="fa fa-chevron-up"></i></a>
```

```
</button>
    <section class="map">
        <div class="container">
            <div class="row">
                <div class="col-md-12">
                    <div id="map">
                        <iframe <iframe src="https://www.google.com/maps/embed?pb</pre>
=!1m18!1m12!1m3!1d22840.78305573663!2d20.544283230527068!3d44.3079382228993!2m3!1
f0!2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2!1s0x47574d232b17b0cb%3A0x21f9b2dd3fe05
f5a!2sAran%C4%91elovac!5e0!3m2!1sen!2srs!4v1607554938976!5m2!1sen!2srs" width="10
0%" height="500" frameborder="0" style="border:0" allowfullscreen></iframe>
                    </div>
                </div>
            </div>
        </div>
    </section>
    <footer>
        <div class="container">
            <div class="row">
                <div class="col-md-4">
                    Copyright © 95 Slide
                </div>
                <div class="col-md-4 futer">
                </div>
                <div class="col-md-4 link">
                   <span class="dokum"><a href="doc.pdf" target="_blank">Documena
tion</a></span>
                </div>
            </div>
        </div>
    </footer>
    <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js</pre>
"></script>
    <script src="js/bootstrap.min.js"></script>
    <script src="js/main.js" type="text/javascript"></script>
</body>
</html>
```

3.2 CSS

3.2.1 style.css

```
padding:0px;
    margin:0px;
    box-sizing: border-box;
    font-family: 'Work Sans', sans-serif;
.bg1{
    background-color: #eaf0ff;
ul {
    list-style-type: none;
a{
      text-decoration:none;
  li a:hover{
    font-weight:bold;
#hed{
    padding:1.5rem 0rem;
    border-bottom:1px solid #c2c2c2;
    width:30%;
  margin:0px auto;
#hed a{
  text-decoration:none;
  color:#000;
.meni {
  display:block;
.meniResp{
  display:none !important;
.meni li a, .meniResp li a{
    font-size:1.4rem;
    color:#363e50;
  padding-bottom:2rem;
#baner{
    background-image: url("../img/banner-bg.jpg");
    min-height:600px;
    width:100%;
    background-repeat:no-repeat;
    background-position: center;
```

```
#tekst1{
    color:#fff;
    margin:0px auto;
    text-align:center;
    padding-top:12rem;
#tekst1 .but1{
    background-color:#f2745f;
    width:30%;
    margin:0px auto;
    padding:0.5rem;
#tekst1 .but1 a{
    text-decoration:none;
    color:#fff;
.center {
    display: block;
    margin-left: auto;
    margin-right: auto;
.services{
    padding:5rem 0rem 5rem 0rem;
.services .service-item a {
    text-decoration: none;
    color:#000;
#book-table{
    background-image: url("../img/book-bg.jpg");
    width:100%;
    background-repeat:no-repeat;
    background-position: center;
    min-height:500px;
.right-info select {
  border-right: none;
  border-left: none;
  border-top: none;
  width: 100%;
  outline: none;
  border-bottom: 1px solid #eee;
  font-size: 14px;
  color: #000;
```

```
padding-left: 10px;
 height: 40px;
.right-info input {
 margin-top: 30px;
 margin-bottom: 30px;
 box-shadow: none;
 outline: none;
 border-right: none;
 border-left: none;
 border-top: none;
 border-bottom: 1px solid #eee;
 font-size: 14px;
 color: #000;
.right-info button {
 width: 100%;
 display: inline-block;
 background-color: #f2745f;
 color: #fff!important;
 font-size: 13px;
 text-transform: uppercase;
 font-weight: 500;
 padding: 12px 20px;
 border-radius: 3px;
 text-decoration: none;
 letter-spacing: 0.5px;
.naslov2 h2{
   padding:3rem Orem 3rem Orem;
   color:#fff;
.blog-post img {
 width: 50%;
   overflow: hidden;
.up{
 position: fixed;
   bottom: 30px;
   right: 30px;
 padding:3px 10px 5px 10px;
```

```
z-index: 100;
  font-size:30px;
  background-color: #f2745f;
  border-radius:50%;
  border:0px;
  display:none;
button.up:focus{
  outline:0px!important;
.up:hover {
  opacity: 0.8;
.up{
  border:0px;
  color:#fff;
.up a:hover{
  color:#fff;
section.our-blog {
  background-color: #f2f6ff;
  padding: 100px 0px 70px 0px;
.blog-post {
  margin-bottom: 30px;
  display: inline-block;
.blog-post .right-content {
  width: 50%;
 float: right;
  padding: 20px;
.blog-post .right-content h4 {
  margin-top: 0px;
  margin-bottom: 0px;
  padding-bottom: 8px;
  font-size: 21px;
  color: #121212;
.blog-post .right-content span {
```

```
font-size: 13px;
  color: #7a7a7a;
  display: inline-block;
 margin-bottom: 18px;
.blog-post .right-content .text-button a {
  font-size: 13px;
  font-weight: 500;
  color: #f2745f;
 text-decoration: none;
 text-transform: uppercase;
 margin-top: 3 px;
 display: inline-block;
.blog-post .date {
  font-size: 17px;
 color: #f2745f;
  font-weight: 500;
 letter-spacing: 0.5px;
  padding: 8px 14px;
  position: absolute;
 left: 15px;
 top: 0px;
 background-color: rgba(250, 250, 250, 0.9);
section.sign-up {
  padding: 80px 0px;
  background-image: url(../img/signup-bg.jpg);
  background-repeat: no-repeat;
 background-size: cover;
 background-position: center center;
  text-align: center;
.sign-up .heading h2 {
 text-align: center;
 margin-top: 0px;
 margin-bottom: 40px;
  font-size: 22px;
 font-weight: 700;
 letter-spacing: 0.5px;
```

```
text-transform: uppercase;
  color: #fff;
.sign-up button {
 margin-left: -30px;
 display: inline-block;
  background-color: transparent;
  color: #fff!important;
  font-size: 13px;
  text-transform: uppercase;
  font-weight: 500;
  padding: 12px 20px;
  border-radius: 3px;
  text-decoration: none;
 letter-spacing: 0.5px;
 border: 1px solid #fff;
.sign-up input {
 margin-right: -30px;
 height: 44px;
 border: 3px;
 background-color: rgba(250, 250, 250, 0.9);
  color: #5a5a5a!important;
.sendmail{
    width:60%;
footer {
  background-color: #363e50;
 line-height: 130px;
 text-align: center;
footer p {
 line-height: 120px;
 color: #fff;
 margin-top: 5px;
footer p em {
  font-style: normal;
 color: #f2745f;
```

```
font-weight: 500;
footer ul {
 list-style: none;
 padding: 0;
 margin: 0;
footer ul li {
 display: inline-block;
 margin: 0px 5px;
footer ul li i {
 width: 36px;
 height: 36px;
 display: inline-block;
 text-align: center;
 line-height: 36px!important;
  background-color: #fff;
 border-radius: 50%;
 color: #363e50;
  transition: all 0.5s;
footer ul li i:hover {
  background-color: #f2745f;
.link .dokum a{
  color:#fff;
 text-decoration:none;
.link .dokum a:hover{
  color:#f2745f;
.hamb{
 display:none;
 font-size:2rem;
  cursor:pointer;
/*Menu page */
```

```
section.page-heading {
  padding: 80px 0px;
  background-image: url(../img/heading-bg.jpg);
  background-repeat: no-repeat;
  background-size: cover;
  background-position: center center;
  text-align: center;
 page-heading h1 {
  margin-top: 0px;
 margin-bottom: 20px;
  font-family: 'Spectral', serif;
  font-size: 48px;
 font-weight: 700;
 text-transform: uppercase;
  color: #fff;
.page-heading p {
  color: #fff;
 font-size: 14px;
 padding: 0px 25%;
  margin-bottom: 0px;
section.breakfast-menu {
 margin-top: 100px;
.food-item img{
 width:60%;
.boja3{
 background-color:#eaf0ff;
.slick-dots li {
    position: relative;
   display: inline-block;
    width: 20px;
    height: 20px;
   margin: 0 5px;
    padding: 0;
  cursor: pointer;
```

```
.slick-dots li button {
    font-size: 0;
    line-height: 0;
    display: block;
    width: 20px;
    height: 20px;
    padding: 5px;
    cursor: pointer;
    color: transparent;
    border: 0;
    outline: none;
    background: transparent;
.slick-dots li button:before {
    content: '•';
    font-size: 22px;
    line-height: 20px;
    position: absolute;
    top: 0;
    left: 0;
    width: 20px;
    height: 20px;
    text-align: center;
    opacity: .55;
    color: #f2745f;
  font-size:30px;
.meal{
  margin-top:7rem;
section.contact-us {
  margin-top: 100px;
  margin-bottom: 60px;
.contact-us .section-heading h2 {
  text-align: left;
  margin-top: 0px;
  margin-bottom: 60px;
  font-size: 22px;
```

```
font-weight: 700;
 letter-spacing: 0.5px;
 text-transform: uppercase;
 color: #121212;
.contact-us p {
 margin-top: -5px;
.contact-us em {
 font-style: normal;
 font-weight: 500;
 font-size: 15px;
 color: #aaa;
.contact-us input {
 border-radius: 3px;
 padding-left: 15px;
 font-size: 13px;
 color: #4a4a4a;
 background-color: #f4f4f4;
 outline: none!important;
 border: none;
 box-shadow: none;
 line-height: 44px;
 height: 44px;
 width: 100%;
 margin-bottom: 30px;
.contact-us textarea {
 border-radius: 3px;
 padding-left: 15px;
 padding-top: 10px;
 font-size: 13px;
 color: #4a4a4a;
 background-color: #f4f4f4;
 outline: none;
 border: none;
 box-shadow: none;
 height: 122px;
 max-height: 220px;
 width: 100%;
```

```
margin-bottom: 25px;
.contact-us button {
  width: 100%;
  display: inline-block;
  background-color: #f2745f;
  color: #fff!important;
  font-size: 13px;
  text-transform: uppercase;
  font-weight: 500;
  padding: 12px 20px;
  border-radius: 3px;
  text-decoration: none;
  letter-spacing: 0.5px;
#podaci{
  color: #006622;
  font-weight:bold;
#forma2 {
  color: #006622;
  font-weight:bold;
  display:none;
section.map {
  margin-bottom: 150px;
section.map #map {
  height: 450px;
/* Author page */
.autor{
  margin:7rem 0 7rem 0;
.naslovAutor{
  text-align:center;
.autor img{
  float:right;
```

```
.autor .tekst5{
  font-weight:bold;
/* forma validnost */
#formaDan,#formaSat,#formaOsoba{
  color:#a83232;
  font-size:14px;
  font-weight:bold;
/* tekst show more*/
.dugme{
  display:block;
  color:#f2745f;
  font-weight:bold;
  cursor:pointer;
  width:20%;
.tekstS{
  display:none;
#lin{
  text-decoration: none;
  color:#f2745f;
#lin:hover{
  color:#6d342a;
/* Media query*/
@media screen and (max-width:1200px){
  .left-image{
    text-align:center;
    width:100%;
  .left-image img{
    width:50%;
  .meni, .meniResp{
    margin:10px auto;
  .rp{
   margin:0px auto;
```

```
.slick-dots {
    text-align:center;
@media screen and (max-width:767px){
    #book-table .leftpic{
        text-align:center;
        padding-bottom:2rem;
    .dugme1{
        margin-top:1rem;
  .profile img{
    margin:0px auto;
    float:none;
    width:80%;
  .profile{
    text-align:center;
  .contact-info{
    padding-top:2rem;
@media screen and (max-width:640px){
  .hamb{
    display:block;
  .meniResp{
    display:block !important;
    flex-direction: column;
    justify-content: space-between;
    padding-bottom:10px;
  .meni{
    display:none !important;
  #hed{
    border-bottom:1px solid #eaf0ff;
```

3.3 JavaScript

3.3.1 main.js

```
$(document).ready(function(){
    navIspis();
    mobileNav();
    Futer();
//poziv funkcija za index stranu
if ($(".jela").length > 0) {
    Jela();
    skrol();
    strelicaUp();
    formaIndex();
    ispisBlog();
//poziv funkcija za our menu stranu
if($(".meniSlajder").length > 0){
   Meni();
    strelicaUp();
    skrol();
function skrol(){
    $(window).scroll(function(){
    var rootElement = document.documentElement;
    var strelica = document.guerySelector(".up");
    if(document.body.scrollTop > 220 || rootElement.scrollTop > 220){
    strelica.style.display="block";
    else{
    strelica.style.display="none";
    });
function strelicaUp(){
    var strelica = document.querySelector(".up");
```

```
strelica.addEventListener("click",function(){
        $("html, body").animate({ scrollTop: 0 }, "slow");
    });
//ispis navigacije
function navIspis() {
    var meniN=[["index.html","Home"],["ourmenu.html","Our Menu"],["author.html","
Author"],["contact.html","Contact"],["doc.pdf","Docs"]];
    var meniDiv = document.querySelector(".meni");
    var meniResp = document.querySelector(".meniResp");
    for(let i=0;i<meniN.length;i++){</pre>
        var liElem = document.createElement("li");
        var aElem = document.createElement("a");
        aElem.setAttribute('href',meniN[i][0]);
        aElem.classList.add('nav-link');
        aElem.textContent= meniN[i][1];
        liElem.classList.add('nav-item');
        liElem.appendChild(aElem);
        meniDiv.appendChild(liElem);
    }
    //za responsive navigaciju
    for(let i=0;i<meniN.length;i++){</pre>
        var liElem = document.createElement("li");
        var aElem = document.createElement("a");
        aElem.setAttribute('href',meniN[i][0]);
        aElem.classList.add('nav-link');
        aElem.textContent= meniN[i][1];
        liElem.classList.add('nav-item');
        liElem.appendChild(aElem);
        meniResp.appendChild(liElem);
//responsive navigacija
function mobileNav(){
    var width = $(document).width();
    $(".meniResp li").hide();
    $('.hamb').click(function(){
     $(".meniResp li").stop().slideToggle('slow');
    });
  breakfast, lunch, dinner, desserts (index stranica)
```

```
function Jela(){
    let nizSlikeJela = [["img/cook_breakfast.png", "Breakfast"], ["img/cook_lunch.p"]
ng","Lunch"],["img/cook_dinner.png","Dinner"],["img/cook_dessert.png","Desserts"]
    let nizImeJela = ["Breakfast","Lunch","Dinner","Desserts"];
    let jela = document.querySelector(".jela");
    for(let i=0;i<nizImeJela.length;i++){</pre>
        jela.innerHTML+=`<div class="col-md-3 col-sm-6 col-xs-12 pt-5">
        <div class="service-item">
        <a href="menu.html" class="text-center">
        <img src="${nizSlikeJela[i][0]}" alt="${nizSlikeJela[i][1]}" class="cente</pre>
        <h4>${nizImeJela[i]}</h4>
        </a>
        </div>
        </div>`
function formaIndex(){
//za dane
    var dani = document.querySelector("#dan");
    var nizDanVrednost = ["","Monday","Tuesday","Wednesday","Thursday","Friday","
Saturday","Sunday"];
    var nizDanTekst = Array.from(nizDanVrednost);
    nizDanTekst.shift();
    nizDanTekst.unshift("Select day");
    for(let i=0;i<nizDanTekst.length;i++){</pre>
        var opcijaDan = document.createElement("option");
        opcijaDan.setAttribute('value',nizDanVrednost[i]);
        opcijaDan.textContent=nizDanTekst[i];
        dani.appendChild(opcijaDan);
// za sate
    var sat = document.querySelector("#sat");
    var satiVrednost = ["","10-00","12-00","14-00","16-00","18-00","20-00","22-
00"];
    var satiTekst = Array.from(satiVrednost);
    satiTekst.shift();
    satiTekst.unshift("Select hour");
        for(let i=0;i<satiVrednost.length;i++){</pre>
            var opcijaSat = document.createElement("option");
            opcijaSat.setAttribute('value',satiVrednost[i]);
```

```
opcijaSat.textContent=satiTekst[i];
            sat.appendChild(opcijaSat);
// za osobe
   var osobe = document.querySelector("#osobe");
    var osobeVrednost = ["","1-Person","2-Persons","3-Persons","4-Persons","5-
Persons","6-Persons"];
    var osobeTekst = Array.from(osobeVrednost);
    osobeTekst.shift();
    osobeTekst.unshift("How many persons?");
        for(let i=0;i<osobeVrednost.length;i++){</pre>
            var opcijaOsobe = document.createElement("option");
            opcijaOsobe.setAttribute('value',osobeVrednost[i]);
            opcijaOsobe.textContent=osobeTekst[i];
            osobe.appendChild(opcijaOsobe);
//ispisivanje Blog dela dinamicki (index stranica)
function ispisBlog(){
    var blog = document.querySelector(".blogovi");
    var nazivBloga=["Private Parties","Live Music","Food Tasting Event","Love is
in the air"];
   var sadrzajBloga = [
    "95 Slide Restaurant is happy to be the venue for your reunion, party, lunche
on. With two banquet rooms, 95 Slide Restaurant can transform a space into the per
fect site for your gathering.",
    "An ordinary dinner can turn into an unforgettable night out that you will re
member for the rest of your life. Good time always starts with a good meal, and a
 nice music is just a bonus.",
    "You could try multitude of menus: vegetarian, ethnic, gluten-free, locally-
sourced, based on a specific meat, cheese or pasta, soup-
driven, centeredon a specific region and much more.",
    "You don't have to wait for Valentine's Day to create a romantic tradition.Co
me to us for dinner and maybe you will meet the love of your life. You will thank
 us later"];
    let br=1;
    for(let i=0;i<nazivBloga.length;i++){</pre>
        blog.innerHTML+=`
        <div class="col-md-12 col-lg-6 col-xl-6">
        <div class="blog-post">
        <img src="img/blog post 0${br}.jpg" alt="">
        <div class="right-content">
        <h4>${nazivBloga[i]}</h4>
```

```
${sadrzajBloga[i]}
        </div>
        </div>
        </div>
        br++;
function Futer(){
    var nizSoc = ["fa fa-facebook","fa fa-twitter","fa fa-linkedin","fa fa-
sitemap"];
    var nizHref = ["https://www.facebook.com/","https://twitter.com/?lang=en","ht
tps://rs.linkedin.com/","sitemap.xml"]
    var blok = document.querySelector(".futer");
    var ul = document.createElement("ul");
    ul.classList.add('social-icons','pt-2');
    for(let i=0;i<nizSoc.length;i++){</pre>
        var li = document.createElement("li");
        var a = document.createElement("a");
        a.setAttribute('href',nizHref[i]);
        a.setAttribute('target',' blank');
        var ielem = document.createElement("i");
        ielem.className = nizSoc[i];
        a.appendChild(ielem);
        li.appendChild(a);
        ul.appendChild(li);
        blok.appendChild(ul);
//Regularni izraz i validacija prve forme (index stranica)
var cuvanjePodataka = [];
var validnostDan = $("#formaDan");
var validnostSat = $("#formaSat");
var validnostOsoba = $("#formaOsoba");
validnostDan.hide();
validnostOsoba.hide();
validnostSat.hide();
$(".btn").click(function(){
    var dan = $('#dan option:selected').val();
    var sat = $("#sat option:selected").val();
```

```
var osoba= $("#osobe option:selected").val();
   var email = $("#email");
  var ime = $("#name");
  var br = 0;
  var imePrezimeRegex = /^[a-zA-Z]{3,15}(\s[a-zA-Z]{3,15})+$/;
  var emailRegex = /^{w-\.}+@([w-]+\.)+[w-]{2,4}$/
//ime
   if(ime.val() == ''){
       ime.css({
       'border':'1px solid #e60000'
       });
       ime.val("");
       ime.attr('placeholder','Name can not be empty');
  else if(!imePrezimeRegex.test(ime.val())){
       ime.css({
       'border':'1px solid #e60000'
       });
       ime.val("");
       ime.attr('placeholder','e.g. Aleksandar Arsic');
  else {
   ime.css({
       'border':'1px solid #fff'
      });
      br++;
   //email
   if(email.val() == ''){
       email.css({
       'border':'1px solid #e60000'
       });
       email.val("");
       email.attr('placeholder', 'Email adress can not be empty');
  else if(!emailRegex.test(email.val())){
       email.css({
       'border':'1px solid #e60000'
       });
       email.val("");
       email.attr('placeholder','e.g. aleksandar14@gmail.com');
  else {
```

```
email.css({
        'border':'1px solid #fff'
        });
        br++
//dani
if(dan == ''){
    validnostDan.show();
else {
   validnostDan.hide();
    br++;
//sati
if(sat == ''){
    validnostSat.show();
else {
    validnostSat.hide();
    br++;
//osobe
if(osoba == ''){
    validnostOsoba.show();
else {
    validnostOsoba.hide();
    br++;
//podaci za prvu formu (index)
var podaci = $("#podaci");
if(br == 5){
    podaci.show();
    podaci.html('Dear ' +ime.val()+', '+'Your table is booked for '+ dan +' '+'in
 '+sat+' '+'hours '+'for '+osoba);
    ime.val("");
    ime.attr('placeholder','Full name');
    email.val("");
    email.attr('placeholder','Email');
    $('#dan option:first').attr('selected',true);
    $('#dan option:first').text('Select a day');
    $('#sat option:first').attr('selected',true);
    $('#sat option:first').text('Select a hour');
```

```
$('#osobe option:first').attr('selected',true);
    $('#osobe option:first').text('How many persons?');
    br = 0;
else{
    podaci.hide();
//Regularni izraz i validacija druge forme (contact stranica)
var email1 = $("#email1");
var ime1 = $("#name1");
var validacija = $("#forma2");
// telefon
    var telefonRegex = /^{d{8,13}}
    var tel = $("#phone");
    if(tel.val() == ''){
        tel.css({
        'border':'1px solid #e60000'
        });
        tel.val("");
        tel.attr('placeholder','Phone can not be empty');
    else if(!telefonRegex.test(tel.val())){
        tel.css({
        'border':'1px solid #e60000'
        });
        tel.val("");
        tel.attr('placeholder','Phone between 8 and 13 digits');
    else {
        tel.css({
        'border':'1px solid #fff'
    });
    //za text polje
    var tekstPolje =$("#message");
    var tekstValid = 0;
    if(tekstPolje.val() == ''){
        tekstPolje.css({
        'border':'1px solid #e60000'
        });
        tekstPolje.val("");
```

```
tekstPolje.attr('placeholder','You can not send empty message');
    tekstValid = 0;
}
else {
    tekstPolje.css({
    'border':'1px solid #fff'
    });
    tekstValid = 1;
//za email contact stranice
if(email1.val() == ''){
    email1.css({
    'border':'1px solid #e60000'
    });
    email1.val("");
    email1.attr('placeholder','Email adress can not be empty');
else if(!emailRegex.test(email1.val())){
    email1.css({
    'border':'1px solid #e60000'
    });
    email1.val("");
    email1.attr('placeholder','e.g. aleksandar14@gmail.com');
else {
    email1.css({
    'border':'1px solid #fff'
    });
    br++
if(ime1.val() == ''){
    ime1.css({
    'border':'1px solid #e60000'
    });
    ime1.val("");
    ime1.attr('placeholder','Name can not be empty');
else if(!imePrezimeRegex.test(ime1.val())){
    ime1.css({
    'border':'1px solid #e60000'
    });
    ime1.val("");
```

```
ime1.attr('placeholder','e.g. Aleksandar Arsic');
    else {
    ime1.css({
        'border':'1px solid #fff'
        });
        br++;
    //provera za drugu formu (contact stranica)
    if(imePrezimeRegex.test(ime1.val()) && telefonRegex.test(tel.val()) && emailR
egex.test(email1.val()) && tekstValid == 1){
        validacija.show();
        ime1.val("");
        ime1.attr('placeholder','Full name');
        email1.val("");
        email1.attr('placeholder','Email');
        tekstPolje.val("");
        tekstPolje.attr('placeholder','Your message..');
        tel.val("");
        tel.attr('placeholder','Your phone number');
    else{
        validacija.hide();
});
//Breakfast, lunch, dinner dinamicki (our menu stranica)
function Meni(){
   var slikaJela = [
    ["img/muffins.png","21 Healthy Muffins"],
    ["img/nectarine.png","Nectarine Bruschetta"],
    ["img/sheetpan.png", "Sheet Pan Pancake"],
    ["img/baked.png","Oven-Baked Pizzas"],
    ["img/saus.png", "Sheet Pan Sausage"],
    ["img/tuna.png","Tuna & Avocado Wrap"],
    ["img/chicken.png", "BBQ Chicken"],
    ["img/roast.png","Pot Roast"],
    ["img/shrimp.png","Classic Shrimp Creole"],
    ];
    var tekst =[
    ["It can be hard to start the morning off right </br>with a good-for-
you baked good"],
    ["Simple and sophisticated, this fruity toast is perfect for breakfast."],
```

```
["For a different flavor, swap blueberries for blackberries or sliced strawbe
rries."],
    ["Pizza night is the best night especially when everyone </br>gets to build
their dream slice."],
    ["Sheet Pan Sausage</h4>Line the sheet pan with parchment or foil for the qui
ckest cleanup - then serve over rice, stuffed into a pita."],
   ["Canned tuna gets a quick upgrade with hot sauce, Dijon, and green onions —
piled into whole wheat tortillas."],
    ["Heads up that this one does have to cook for a few hours, so you'll need to
 plan accordingly."],
    ["You don't have an excuse not to take this simple pot roast."],
    ["This saucy Shrimp Creole will transport you to the balcony-
lined streets of New Orleans. Note that this dish has kick-
if you're not a fan of spice"]
    ];
    var cena = ["$6.75","$4.5","$5.5","$8","$10","$12.75","$14","$16","$10"];
   var blok1 = document.querySelector('.blok1');
   var blok2 = document.querySelector('.blok2');
    var blok3 = document.querySelector('.blok3');
    // breakfast
    for(let i=0;i<slikaJela.length/3;i++){</pre>
        blok1.innerHTML+= `
        <div class="item">
        <div class="food-item">
        <img src="${slikaJela[i][0]}" alt="${slikaJela[i][1]}" >
        <div class="price">${cena[i]}</div>
        <div class="text-content">
        <h4>${slikaJela[i][1]}</h4>
        ${tekst[i]}
        </div>
        </div>
        </div>`
    //lunch
   for(let i = 3; i <slikaJela.length -slikaJela.length/3;i++){</pre>
        blok2.innerHTML+= `
        <div class="item">
        <div class="food-item">
        <img src="${slikaJela[i][0]}" alt="${slikaJela[i][1]}" >
        <div class="price">${cena[i]}</div>
        <div class="text-content">
        < h4 >  { slikaJela[i][1]}</h4>
```

```
${tekst[i]}
        </div>
        </div>
        </div>`
    //dinner
    for(let i = 6; i <slikaJela.length;i++){</pre>
        blok3.innerHTML+=
        <div class="item">
        <div class="food-item">
        <img src="${slikaJela[i][0]}" alt="${slikaJela[i][1]}" >
        <div class="price">${cena[i]}</div>
        <div class="text-content">
        <h4>${slikaJela[i][1]}</h4>
        ${tekst[i]}
        </div>
        </div>
        </div>`
//contact stranica - dugme za show less show more
var buttonMore = $(".dugme");
var textMore = $(".tekstS");
buttonMore.click(function(e){
    e.preventDefault();
    textMore.toggle('slow',function(){
    if(textMore.is(":visible")){
        buttonMore.text("Show less");
    else
        buttonMore.text("Show more");
    });
});
});
```