Dokumentacija

Sneaker Shop

Visoka škola strukovnih studija za informacione i komunikacione tehnologije

Student: Aleksandar Arsić 3/19

Smer: *Internet tehnologije*

Modul: Web programiranje

Predmet: Praktikum iz PHP-a

Contents

1.	Uvod	4
	1.1 Korišćeni programski jezici	4
	1.2 Opis funkcionalnosti	5
	1.3 Template	5
2.	Organizacija	5
	2.1 Dizajn baze podataka	5
	2.2 Mapa sajta	6
	2.3 Struktura sajta	6
	2.4 Slike stranica I opis funkcionalnosti	9
	views/home.php	10
	views/store.php	10
	views/product.php	12
	views/contact.php	12
	views/author.php	13
	views/cart.php	13
	views/login.php	14
	views/registration.php	15
	views/admin.php	17
	Views/admin/add.php	17
	views/admin/updateDelete.php	19
	views/admin/statistics.php	20
	views/admin/messages.php	20
3.	Kodovi	21
	3.1 PHP	21
	Index.php	21
	views/fixed/footer.php	22
	views/fixed/head.php	24
	views/fixed/meni.php	24
	views/home.php	26
	views/store nhn	29

views/product.php	29
views/categoriesProducts.php	33
views/sortCategories.php	34
views/allProducts.php	35
views/contact.php	36
views/author.php	37
views/cart.php	38
views/login.php	38
views/registration.php	39
views/admin.php	41
views/admin/add.php	43
views/admin/logins.php	45
views/admin/messages.php	46
views/admin/statistics.php	47
views/admin/updateDelete.php	48
models/admin/allProducts.php	50
models/cart/insertOrder.php	50
models/categories/getBrands.php	51
models/categories/getGenders.php	52
models/form/deleteMessage.php	52
models/form/getMessages.php	52
models/form/insertMessage.php	52
models/login/login.php	54
models/logout/logout.php	56
models/products/product/addProduct.php	56
models/products/product/deleteProduct.php	59
models/products/product/getBrand.php	60
models/products/product/getGender.php	60
models/products/product/getProduct.php	60
models/products/product/updateProduct.php	61
models/products/allProductsCart.php	64
models/products/filterBrand.php	64
models/products/filterGender.php	65

	models/products/pages.php	66
	models/products/priceRange.php	67
	models/products/sort.php	67
	models/products/registration/registration.php	69
	models /entryStatistics.php	71
	models/exportExcel.php	72
	models/exportWord.php	73
	models/getBrands.php	74
	models/getMenu.php	74
	config/.env	75
	config/config.php	75
	config/connection.php	76
	config/functions.php	76
3.	1 CSS	80
	style.css	80
3.	3 JS	96
	main is	96

1. Uvod

1.1 Korišćeni programski jezici

Za potrebe sajta korišćeni su sledeći programski i markup jezici:

- HTML
- CSS
- Bootstrap
- Javascript

- JQuery
- PHP

1.2 Opis funkcionalnosti


- Dinamičko ispisavanje menija iz baze.
- Dinamičko ispisivanje prizvoda iz baze.
- Kreiranje naloga i logovanje.
- Slanje poruka administratoru preko kontakt forme.
- Beleženje pristupa stranicama u pageEntry.txt.
- Beleženje grešaka u errorLog.txt prilikom slanja poruka i prilikom logovanja.
- Beleženje logovanih korisnika u loginUsers.txt.
- Dodavanje proizvoda u korpu kao I vršenje porudžbine.
- Export informacija o autoru u Word na stranici autor.
- Export tabele o brendovima u Excel na admin panelu.
- Statistika ukupnog pristupa stranicama u procentima u poslednjih 24h, kao i za svaku posebnu stranicu.
- Serversko sortiranje/filtriranje proizvoda.
- Brisanje poslatih poruka od strane korisnika.
- Dodavanje I menjanje proizvoda na admin panelu.

1.3 Template

Sajt je korišćen na predmetu Web programiranje PHP 1.

2. Organizacija


2.1 Dizajn baze podataka




2.2 Mapa sajta

2.3 Struktura sajta


root




assets



config




data



models

∨ 📻 models
∨ 📻 admin
allProducts.php
∨ 库 cart
insertOrder.php
✓
getBrands.php
getGenders.php
∨ 庙 form
deleteMessage
getMessages.p
insertMessage
∨ 🖨 login
login.php
∨ 🖆 logout
logout.php
_
logout.php
logout.php ✓ improducts > product
logout.php logout.php roducts allProductsCart
 logout.php products product allProductsCart filterBrand.php
o logout.php
logout.php ✓ improducts > improduct allProductsCart filterBrand.php filterGender.php pages.php
logout.php logout.php products logout.php products allProductsCart filterBrand.php filterGender.php pages.php priceRange.php
logout.php Improducts Improducts ImproductsCart InfilterBrand.php InfilterGender.php
logout.php logout.php products logout.php product allProductsCart filterBrand.php filterGender.php pages.php priceRange.php sort.php registration
logout.php Improducts Improducts ImproductsCart InfilterBrand.php ImproductsCart InfilterBrand.php InfilterGender.php ImproductsCart InfilterBrand.php InfilterGender.php ImproductsCart InfilterBrand.php InfilterGender.php Improducts InfilterBrand.php Improducts InfilterBrand.php Improducts InfilterBrand.php InfilterBrand.php Improducts InfilterBrand.php I
logout.php roducts logout.php roducts logout.php logout.php

views




2.4 Slike stranica I opis funkcionalnosti

	НОМЕ	STORE	CONTACT	AUTHOR	Ħ	LOGOUT	
номе	STORE	CONTACT	AUTHOR	ADMIN	Ħ	LOGOUT	
	номе	STORE	CONTACT	AUTHOR	LOGIN	REGISTER	

 Na svakoj stranici se dinamički učitava meni iz baze. Slike iznad su izgled menija u odnosu na to da li je prijavljen korisnik, ukoliko jeste prikazuje mu se drugačiji meni ukoliko je običan korisnik ili admin.


•

views/home.php



- Na home stranici se dinamički učitavaju brendovi iz baze podataka.
- Meni i futer se includuju na home kao i na svakoj stranici.

views/store.php



 Na stranici store se nalaze proizvodi. Omogućeno je sortiranje/filtriranje proizvoda isključivo serverski. Postoji i straničenje na dnu stranice. Svaka slika je 'thumbnail' dok se ne klikne na 'See more' gde se posle slika proizvoda prikazuje u punoj rezoluciji.

views/product.php





 Ukoliko se klikne na određeni proizvod, učitava se njegova slika u punoj rezoluciji i osnovni podaci. Proizvod se dodaje u korpu na dugme 'Add to Cart', ukoliko korisnik nije ulogovan dugme je disabled.

views/contact.php

SEND YOUR MESSAGE



Na stranici kontakt se nalazi forma za kontaktiranje administrator.
 Forma je obrađena regularnim izrazima i na klijentskoj i na serverskoj strani.

views/author.php

Aleksandar Arsić


My name is Aleksandar Arsić, I am 22 years old web developer, born in Arandelovac. Instead of thinking of all the things that can go wrong, I become one of the people who look on how they go right. When you think positive thoughts, positive things will happen.

Download - Word



 Na stranici se nalaze osnovi pdoaci o autoru. Klikom na dugme 'Download – Word' se exportuju osnovni podaci u Word dokumentu.

views/cart.php



U korpi se nalaze proizvodi koji su dodati. Čuvanje proizvoda dodatih u korpu se vrši preko localstorage-a. Moguće je menjaje količine proizvoda i klikom na dugme 'Remove' ili 'Remove All' briše se proizvod iz localstorage ili brišu se svi. Ukoliko je korpa prazna ispisuje se poruka da je prazna. Klikom na dugme Purchase porudžbina se upisuje u tabelu 'porudzbina' i 'porudzbinadetalji'.

views/login.php




 Provera logovanja sa obe strane. Ukoliko korisnik pogreši email ili šifru greška se upisuje u errorLog.txt gde stoji i vreme kada je korisnik pokušao da pristupi.

views/registration.php

Register		
First Name		
Last Name		
Email		
Password		
Confirm password		
Register		


- Provera urađena i na klijentskoj strani i serverskoj.
- Korisniku se ispisuje greška ukoliko je neko već registrovan sa emailom koji je korisnik pokušao da unese.

views/admin.php




- Na početnoj strani admin panela, korisniku se ispisuje poruka dobrodošlice. Sa leve strane postoji sidebar koji sadrži statistiku poseta I korisnika, listu proizvoda koje može da briše I menja I poruke koje su poslate administratoru.
- Na dnu sidebar nalazi se dugme 'Download Excel '
 preko kojeg se exportuje excel dokument sa
 podacima iz tabele brend iz baze podataka.

Add product




Na ovoj strani administrator može da dodaje nove proizvode.
 Provera regularnim izrazima odrađena na obe strane.

views/admin/updateDelete.php




Na ovoj stranici admin može da briše ili menja određeni proizvod.
 Ukoliko želi da menja, redirektuje se na stranicu product.php gde postoji forma za menjaje proizvoda.

views/admin/statistics.php



- Na stranici statistics nalazi se ukupan broj poseta stranica u poslednjih 24h, kao i za svaku posebnu stranicu u posetama.
- Na dnu se nalazi tabela u kojoj su ispisani osnovni podaci korisnika koji su se ulogovali u poslednjih 24h.

views/admin/messages.php



• Na stranici messages se nalaze sve poruke koje su korisnici poslali administratoru. Administrator može da briše poruke.

3. Kodovi

3.1 PHP

Index.php

```
<?php
session_start();
require_once "config/connection.php";
include_once "views/fixed/head.php";
include_once "views/fixed/meni.php";

if(isset($_GET['page'])){
    switch($_GET['page'])</pre>
```

```
case 'home':
      include "views/home.php";
      break;
    case 'login':
      include "views/login.php";
      break;
    case 'registration':
      include "views/registration.php";
      break;
    case 'store':
      include "views/store.php";
      break;
    case 'admin':
      include "views/admin.php";
      break;
    case 'cart':
      include "views/cart.php";
      break;
    case 'contact':
      include "views/contact.php";
      break;
    case 'author':
      include "views/author.php";
      break;
else {
  include "views/home.php";
include "views/fixed/footer.php";
```

views/fixed/footer.php

```
We strive to be as accurate as possible in product descriptions,
image displays,
             and pricing itself, but we cannot guarantee that all information
is complete and error-free.
             All items displayed on the site are part of our offer and do not
imply that they are available at all times.
          </div>
          <div class="col-lg-3 col-md-6 mb-4 mb-md-0">
          <h5 class="text-uppercase">Opening Hours</h5>
           Tuesday : Closed
               <
               Wen-Fri : 10 - 00
               <
               Sat-Monday : 8 - 22 pm
               </div>
          <div class="col-lg-3 col-md-6 mb-4 mb-md-0">
            <h5 class="text-uppercase mb-0">Contact Us</h5>
           <a href="https://www.facebook.com/" target="_blank"><i class="f</pre>
a fa-facebook text-white"></i></a>
               class="p-2">
               <a href="https://twitter.com/?lang=en" target="_blank"><i class</pre>
="fa fa-twitter text-white"></i></a>
               class="p-2">
               <a href="https://rs.linkedin.com/" target=" blank"><i class="fa</pre>
fa-linkedin text-white"></i></a>
               </div>
      </div>
   </div>
   <div class="text-center p-3 dok" style="background-</pre>
color: rgba(0, 0, 0, 0.2)">
```

views/fixed/head.php

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta name="keywords" content="nike,adidas,sneakers,best,buy now" />
  <meta name="description" content="This is best place to find your dream sneaker</pre>
s. Best price and price quality." />
  <meta name="author" content="Aleksandar Arsić"/>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link rel="icon" href="assets/img/favicon.ico" type="image/x-icon">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-</pre>
awesome/4.7.0/css/font-awesome.min.css"/>
  <link rel="stylesheet" href="assets/css/style.css"/>
  <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.5.3/dist/</pre>
css/bootstrap.min.css" integrity="sha384-
TX8t27EcRE3e/ihU7zmQxVncDAy5uIKz4rEkgIXeMed4M0jlfIDPvg6uqKI2xXr2" crossorigin="an
onymous">
  <title>SneakerShop</title>
</head>
<body>
```

views/fixed/meni.php

```
include_once "config/functions.php";
 include_once "models/getMenu.php";
<div class="container-xl-lg " id="hed">
   <div class="container">
     <div class="row">
        <div class="col-7" id="navigacija">
           foreach($menu as $meni):
               <a href="index.php?page=<?=$meni -</pre>
> putanja?>" class="nav-item"><?=$meni -> text?></a>
               <?php endforeach;</pre>
               if(isset($_SESSION['admin'])):
             <a href="index.php?page=admin" class="nav-</pre>
item">Admin</a>
             <?php endif; ?>
           </div>
          <div class="col-5" id="navigacija">
           <?php
                if(!isset($_SESSION['korisnik'])){
               <a href="index.php?page=login" class="nav-</pre>
item">Login</a>
               class="nav-
link"><a href="index.php?page=registration" class="nav-item">Register</a>
               <?php }
               else{
                class="nav-
link"><a href="index.php?page=cart"><i class='fa fa-shopping-cart'></i></a>
                class="nav-
link"><a href="models/logout/logout.php" class="nav-item">Logout</a>
           <?php } ?>
           </div>
          <div class="text-center hamb col-10">
```

```
<i class="fa fa-bars"></i></i>
          <?php
               foreach($menu as $meni):
               <a href="index.php?page=<?=$meni -</pre>
> putanja?>" class="nav-item"><?=$meni -> text?></a>
               <?php endforeach; ?>
                if(!isset($_SESSION['korisnik'])){
               <a href="index.php?page=login" class="nav-</pre>
item">Login</a>
               class="nav-
link"><a href="index.php?page=registration" class="nav-item">Register</a>
               <?php }
               else{
              if(isset($ SESSION['admin'])):
             <a href="index.php?page=admin" class="nav-</pre>
item">Admin</a>
             <?php endif; ?>
              class="nav-
link"><a href="index.php?page=cart"><i class='fa fa-shopping-cart'></i></a>
               class="nav-
link"><a href="models/logout/logout.php" class="nav-item">Logout</a>
              <?php
           </div>
      </div>
   </div>
</div>
```

views/home.php

```
</div>
  <button class="up">
   <i class="fa fa-chevron-up"></i></i>
  </button>
  <div class="container-xl-lg p-5">
   <div class="container">
     <div>
       <h1 class="tekstnaslov">Best place to buy new sneakers</h1>
     </div>
     <div class="row ">
       <div class="col-xl-4 col-md-12">
           <div id="pic">
           </div>
           <div>
             <h2 class="tekstnaslov">
               ASICS GEL-KAYANO 14
             </h2>
             <a href="<?=$_SERVER['PHP_SELF']?>?page=store" >Bu
y now</a>
           </div>
       </div>
       <div class="col-xl-4 col-md-12">
         <div id="pic1">
         </div>
         <div>
             <h2 class="tekstnaslov">
               PUMA MIRAGE MOX
             </h2>
             <a href="<?=$_SERVER['PHP_SELF']?>?page=store" >Bu
y now</a>
         </div>
       </div>
       <div class="col-xl-4 col-md-12">
         <div id="pic2">
         </div>
         <div>
             <h2 class="tekstnaslov">
              NIKE AIR MAX
             </h2>
             <a href="<?=$_SERVER['PHP_SELF']?>?page=store" >Bu
y now</a>
         </div>
       </div>
```

```
</div>
    </div>
  </div>
  <div id="marke">
   <?php
    include "models/getBrands.php";
    foreach($marke as $marka):
      if($marka -> id % 2 == 1){
    <div class="container-xl-lg bg-slika p-5">
                    <div class="container">
                      <div class="row pt-5">
                        <div class="col-xl-7 col-md-12 picpatike">
                          <img src="assets/img/<?=$marka -</pre>
> slika?>" alt="<?=$marka -> naziv?>"/>
                        </div>
                        <div class="col-xl-5 col-md-12 tekstpatike pt-5">
                          <h1><?=$marka -> naziv?></h1>
                          <h2><?=$marka -> text?></h2>
                          <?=$marka -> opis?>
                          <div class="buylink">
                            <a href="<?=$ SERVER['PHP SELF']?>?page=store">Buy no
w</a>
                          </div>
                        </div>
                      </div>
                    </div>
      </div>
    <?php
      else{
          <div class="container-xl-lg bg-slika1 p-5 ">
                        <div class="container">
                        <div class="row pt-5">
                            <div class="col-xl-5 col-md-12 tekstpatikewhite pt-</pre>
5">
                            <h1><?=$marka -> naziv?></h1>
                            <h2><?=$marka -> text?></h2>
                            <?=$marka -> opis?>
                            <div class="buylink">
                                <a href="<?=$_SERVER['PHP_SELF']?>?page=store">Bu
y now</a>
```

views/store.php

```
<?php

if(isset($_GET['idProizvoda'])){
    include "views/product.php";
}
else {
    include "views/categoriesProducts.php";
}
?>
```

views/product.php

```
<div class="container-xl">
  <div class="row productone">
      <div class="levo col-xl-6 col-sm-12">
          <img src="assets/img/<?=$p -> glavnaSlika ?>" alt="<?=$p -</pre>
> naziv?>" class="img-fluid">
      </div>
      <div class="desno col-x1-6 col-sm-12">
            <?=$p ->naziv?>
            <div class="pt-2 pb-3 ">
               <span > New price: $<?=$p -> cena?> </span><br>
               <span>Brand: <?=$brend ->naziv?> </span> <br>
               <?php if($p -> kolicina>0): ?>
                 <span class="text-success">In stock</span><br>
               <?php else: ?>
                 <span class="text-danger">Not in stock</span><br>
               <?php endif;?>
               <span >Gender: <?=$pol -> pol?> </span><br>
               <span>Old price: <del>$<?=$p -> staracena?> </del></span><br>
               <?php if(isset($ SESSION['korisnik'])):</pre>
                     if($p -> kolicina > 0):
                 <div class="cart py-5 w-25 kupi">
                     <button class="addToCart buylink" href="#" data-id="<?=$p -</pre>
> id?>">Add to Cart</button>
                 </div>
                 <?php else: ?>
                   bold">Sorry, we don't have this item in stock. 
                   <?php endif; ?>
                 <?php else: ?>
                   <div class="text-danger py-1">
                    Please login to add to cart. 
                 </div>
                 <div class="cart w-25 kupi">
                     <button class="addToCart buylink disabled" href="#" data-</pre>
id="<?=$p -> id?>" disabled>Add to Cart</button>
                 </div>
               <?php endif; ?>
               <?php if(isset($_SESSION['admin'])):?>
               <div class="row">
                 <div class="col-12 mt-3">
         <a href="models/products/product/deleteProduct.php?idProizvoda=<?=$id?>
"><input type="button" value="Delete product" id="deletebtn" name="deletebtn" cla
ss="btn btn-outline-dark float-right mr-4"/></a>
```

```
<input type="button" value="Update product" name="updatebtn" class="btn</pre>
za btn btn-outline-dark float-right mr-2 updatebtn " />
                  </div>
                </div>
              <?php endif; ?>
      </div>
    </div>
  </div>
</div>
<div class="updateforma container-xl-lg ">
              <?php if(isset($ SESSION['admin'])): ?>
              <h2 class="text-center py-3">Add product </h2>
              <div class="container-fluid update mt-5">
              <form action="" method="post" enctype="multipart/formdata" class="</pre>
w-50 mx-auto" name="formaupdate">
                   <div class="row d-flex justify-content-center">
                       <label for="imeProizvoda" class="col-sm-</pre>
2">Product name</label>
                       <div class="col-sm-6">
                           <input type="text" class="imeProizvodaUp formcontrol te</pre>
xtcenter" name="imeProizvodaUp" value="<?=$p -> naziv?>" required/>
                       </div>
                   </div>
                   <div class="row d-flex justify-content-center mt-4">
                       <label for="cenaProizvoda" class="col-sm-</pre>
2">Product price</label>
                       <div class="col-sm-6">
                           <input type="text" class="cenaProizvodaUp formcontrol t</pre>
extcenter" name="cenaProizvodaUp" value="<?=$p -> cena?>" required/>
                       </div>
                  </div>
                   <div class="row d-flex justify-content-center mt-4">
                       <label for="cenaProizvoda" class="col-sm-</pre>
2">Old price</label>
                       <div class="col-sm-6">
                           <input type="text" class="staracenaProizvodaUp formcont</pre>
rol textcenter" name="staracenaProizvodaUp" value="<?=$p -
> staracena?>" required/>
                       </div>
                   </div>
                   <div class="row d-flex justify-content-center mt-4">
                       <label for="kolicina" class="col-sm-</pre>
2">Quantity - Available</label>
```

```
<div class="col-sm-6">
                           <input type="text" class="kolicinaUp formcontrol textce</pre>
nter" name="kolicinaUp" value="<?=$p -> kolicina?>" required/>
                       </div>
                   </div>
                   <div class="row d-flex justify-content-center mt-4">
                       <label for="brandProizvoda" class="col-sm-</pre>
2"> Category - Brand</label>
                       <div class="col-sm-6">
                         include "models/categories/getBrands.php";
                         include "models/categories/getGenders.php";
                           <select class="brandProizvoda formcontrol text-</pre>
center" name="brandProizvoda" required>
                           <option value="<?=$brend -> id?>" selected> <?=$brend -</pre>
> naziv?> </option>
                          <?php foreach($izvrsiBrend as $sb):</pre>
                             if($sb -> id != $brend ->id):
                            <option value="<?=$sb -> id?>"><?=$sb -</pre>
> naziv?></option>
                            <?php endif; endforeach;?>
                           </select>
                       </div>
                   </div>
                   <div class="row d-flex justify-content-center mt-4">
                       <label for="polProizvoda" class="col-sm-2">Gender</label>
                   <div class="col-sm-6">
                       <select class="polProizvodaUp w-25form-</pre>
                      name="polProizvodaUp" required>
control textcenter"
                           <option value="<?=$pol -> id?>" selected><?=$pol -</pre>
> pol?></option>
                           <?php foreach($izvrsiPol as $ip):</pre>
                             if($ip -> id != $pol -> id):
                            <option value="<?=$ip ->id?>"><?=$ip -> pol?></option>
                            <?php endif; endforeach;?>
                       </select>
                       </div>
                   </div>
                   <div class="row d-flex justify-content-center mt-4">
                       <label for="glavnaSlika" class="col-sm-</pre>
2">Main picture</label>
```

```
<div class="col-sm-6">
                       <input type="file" class="glavnaSlika textcenter" name="gla</pre>
vnaSlika" />
                       </div>
                  </div>
                   <div class="row d-flex justify-content-center mt-4">
                       <div class="col-sm-6">
                       <input type="hidden" class="idProizvodaUp textcenter" name=</pre>
"idProizvodaUp" value="<?= $id ?>" required/>
                       </div>
                  </div>
                  <div class="row mt-5">
                       <div class="col-sm-10 text-center mx-auto">
                       <input type="button" class="donebtn" name="donebtn" value="</pre>
Update product" />
                       <i class="fa fa-info-circle ml-2" ariahidden="true" data-</pre>
toggle="tooltip" dataplacement="top" title="Everything must be entered as initial
ly shown"></i>
                       </div>
                  </div>
              </form>
              </div>
            </div>
            <?php endif; ?>
              </div>
```

views/categoriesProducts.php

```
<div class="container-fluid">
    <div class="row">
        <?php
        include "views/sortCategories.php";
        include "views/allProducts.php";
        ?>
        </div>
        </div></div>
```

views/sortCategories.php

```
<?php
include "models/categories/getGenders.php";
include "models/categories/getBrands.php";
<div class="mt-5 col-lg-4">
   <div class="row">
       <div class="col-lg-7 d-lg-block mx-auto">
          <div class="row">
              <div class="col-11">
                  Brand
                  <form class="markaDva">
                      <?php
                         foreach($izvrsiBrend as $brend):
                     <input type="radio" name="chbPol" value="<?=$brend -</pre>
> id?>" class="brend"/><label class="ml-2"> <?=$brend -> naziv?></label> <br>
                     <?php endforeach; ?>
                     </lab></lab></lab>
                  </form>
              </div>
              <div class="col-11">
                  Price 
                  <form oninput="">
                     <input type="range" min="0" max="250" value="0" id="kliza</pre>
c" class="mt-2 mb-3">
                     <output id="vrednost">0.00 $</output>
                  </form>
              </div>
```

views/allProducts.php

```
include "models/products/pages.php";
<div class="col-lg-6">
           <div class="row mb-5" id="products">
           <?php foreach($proizvodi as $p): ?>
               <div class="col-5 col-md-3 mb-3 pt-2 product">
                   <img src="assets/img/thumbnails/<?=$p -</pre>
> thumbSlika?>" alt="<?=$p -> naziv?>" class="img-fluid frontpic">
                   <?=$p -> naziv?>
                   <div class="pt-2 pb-3 ">
                       <span class="red">$<?=$p -> cena?> </span><br>
                       <span><del>$<?=$p -> staracena?> </del></span> <br>
                       <div class="cart text-center">
                          <a class="seeMore" href="<?=$ SERVER['PHP SELF']?>?pa
ge=store&idProizvoda=<?=$p -> id?>" data-id="<?=$p -> id?>">See More</a>
                       </div>
                   </div>
               </div>
               <?php endforeach; ?>
           </div>
</div>
```

views/contact.php

```
<section class="contact-us">
      <div class="container bottom-pad pt-4">
          <div class="row">
              <div class="col-md-12">
                  <div class="section-heading">
                      <h2>Send your message</h2>
                  <form id="contact" action="#" method="post">
                       <div class="row">
                           <div class="col-md-6">
                               <fieldset>
                                   <input type="text" name="firstname" class="for</pre>
m-control" id="firstname" placeholder="Your first name..." >
                               </fieldset>
                               <fieldset>
                                 <fieldset>
                                   <input type="text" name="lastname" class="form</pre>
-control" id="lastname" placeholder="Your last name..." >
                               </fieldset>
                               <fieldset>
```

```
<input type="text" name="email" class="form-</pre>
control" id="email" placeholder="Your email...">
                               </fieldset>
                           </div>
                           <div class="col-md-6">
                               <fieldset>
                                   <textarea name="message" rows="6" class="form-</pre>
control" id="message" placeholder="Your message..." ></textarea>
                               </fieldset>
                               <fieldset>
                                   <button type="button" id="form-</pre>
submit" class="btn">Send Message</button>
                               </fieldset>
                           </div>
                           <?php if(isset($_SESSION['korisnik'])){?>
                           <input type="hidden" value="<?= $_SESSION['korisnik'] -</pre>
> id?>" id="id" name="id">
                           <?php } else { ?>
                           <input type="hidden" value="0" id="id" name="id">
                           <?php }?>
                           <span class="mx-</pre>
auto" id="forma">Your message has been send</span>
                       </div>
                  </form>
              </div>
          </div>
      </div>
  </section>
```

views/author.php

views/cart.php

```
<?php
    if(!isset($_SESSION['korisnik'])) {
        http_response_code(404);
        header('Location: index.php?page=home');
        exit();
    }
}
</div class="col-12 text-center cartDiv">
</div>
```

views/login.php

```
Email
        <input type="email" id="regEmail" name="email" class="form-
control"/>
        Password
        <input type="password" id="regPass" name="pass" class="form-
control"/>
       <input type="submit" id="submit" name="tbSubmit" valu</pre>
e="Login" class="btn btn-outline-dark mb-3" />
     <div class="col-lg-12 text-center">
     <span id="poruka" class="text-danger"> </span>
  </div>
  <div class="row" id="popup">
     <input type="button" id="ok" value="OK" class="btn btn-</pre>
outlinedark" />
  </div>
</div>
```

views/registration.php

```
First Name
        <td class="pt-
4"> <input type="text" id="firstName" name="firstName" class="form-
control"/>
        Last Name
        <input type="text" id="lastName" name="lastName" class="form-
control"/>
        <td colspan="1" id="prezimeGreska" class="text-center text-
danger">
     Email
        <input type="email" id="regEmail" name="email" class="form-
control"/>
        Password
        <input type="password" id="regPass" name="pass" class="form-
control"/>
        >
        Confirm password
        <input type="password" id="confPass" name="confPass" class="form-</pre>
control"/>
        <td colspan="2" id="sifraPotvrdiGreska" class="text-center text-
danger">
     <input type="button" id="submitRegister" name="submit</pre>
Register" value="Register" class="btn btn-outline-dark mb-3" />
     <div class="row" id="popup">
     <input type="button" id="ok" value="OK" class="btn btn-</pre>
outlinedark" />
  </div>
</div>
```

```
<?php
   if(!isset($_SESSION['admin'])) {
       http response code(404);
       header('Location: index.php?page=home');
       exit();
include "models/categories/getGenders.php";
include "models/categories/getBrands.php";
<div class="wrapper">
       <nav id="sidebar" class="bg-dark</pre>
          <div class="sidebar-header bg-dark">
              <h3>Admin panel</h3>
          </div>
          class="">
                 <a href="#homeSubmenu" data-toggle="collapse" aria-</pre>
expanded="false" class="dropdown-toggle">Products</a>
                 dark sidebarLista" id="homeSubmenu">
                     <1i>>
                        <a href="<?=$ SERVER['PHP SELF']?>?page=admin&ind=add
">Add new product</a>
                     <1i>>
                        <a href="<?=$_SERVER['PHP_SELF']?>?page=admin&ind=upd
del">Update/delete product</a>
                 <1i>>
                 <a href="<?=$_SERVER['PHP_SELF']?>?page=admin&ind=stats">Stat
istics</a>
              <
```

```
<a href="<?=$_SERVER['PHP_SELF']?>?page=admin&ind=messages">M
essages</a>
               <a href="models/exportExcel.php" class="btn btn-outline-info mt-</pre>
3">Download - Excel</a>
               <1i>>
                   <a href="<?=$ SERVER['PHP SELF']?>?page=store" class="btn btn
-outline-info mt-3">Back to products</a>
               </nav>
        <!-- Page Content -->
        <div id="content">
           <nav class="navbar navbar-expand-lg navbar-light bg-light">
               <div class="container-fluid">
                   <button type="button" id="sidebarCollapse" class="btn btn-</pre>
info">
                       <i class="fa fa-align-left"></i></i>
                       <span>Toggle Sidebar</span>
                   </button>
                   <button class="btn btn-dark d-inline-block d-lg-none ml-</pre>
auto" type="button" data-toggle="collapse" data-
target="#navbarSupportedContent" aria-controls="navbarSupportedContent" aria-
expanded="false" aria-label="Toggle navigation">
                       <i class="fas fa-align-justify"></i></i>
                   </button>
               </div>
            </nav>
            <?php
            if(isset($_GET['ind'])){
               switch($_GET['ind'])
               case 'add':
                   include "views/admin/add.php";
                   break;
               case 'upddel':
                   include "views/admin/updateDelete.php";
```

```
break;
    case 'stats':
        include "views/admin/statistics.php";
        include "views/admin/logins.php";
        break;
    case 'messages':
        include "views/admin/messages.php";
        break;
    }
    else{
        echo '<h2>'.$_SESSION['admin'] -
> ime.', '."welcome to admin panel </h2><br/>
        echo "Here you can see all statistics about page visits and change all products.";
    }
    ?>
    </div>
    </div>
    </div>
```

views/admin/add.php

```
<h2 class="text-center py-3">Add product </h2>
 <div class="container-fluid update mt-5">
 <form action="" method="post" enctype="multipart/formdata" class=" w-50 mx-</pre>
auto" name="formainsert">
    <div class="row d-flex justify-content-center">
        <label for="imeProizvoda" class="col-sm-2">Product name</label>
        <div class="col-sm-6">
            <input type="text" class="imeProizvodaUp formcontrol textcenter" name</pre>
="imeProizvodaUp" value="" placeholder= "Insert name" required/>
        </div>
    </div>
    <div class="row d-flex justify-content-center mt-4">
        <label for="cenaProizvoda" class="col-sm-2">Product price</label>
        <div class="col-sm-6">
            <input type="text" class="cenaProizvodaUp formcontrol textcenter" nam</pre>
e="cenaProizvodaUp" value="" placeholder= "Insert new price" required/>
        </div>
```

```
</div>
    <div class="row d-flex justify-content-center mt-4">
        <label for="cenaProizvoda" class="col-sm-2">Old price</label>
        <div class="col-sm-6">
            <input type="text" class="staracenaProizvodaUp formcontrol textcenter</pre>
  name="staracenaProizvodaUp" value="" placeholder= "Insert old price" required/>
        </div>
    </div>
    <div class="row d-flex justify-content-center mt-4">
        <label for="kolicina" class="col-sm-2">Quantity</label>
        <div class="col-sm-6">
            <input type="text" class="kolicinaUp formcontrol textcenter" name="ko</pre>
licinaUp" value="" placeholder="Insert quantity"required/>
        </div>
    </div>
    <div class="row d-flex justify-content-center mt-4">
        <label for="brandProizvoda" class="col-sm-2">Brand</label>
        <div class="col-sm-6">
            <select class="brandProizvoda formcontrol text-</pre>
center"
          id="brandProizvoda" name="brandProizvoda" required>
            <option value="0" selected>Choose brand</option>
            <?php foreach($izvrsiBrend as $b) : ?>
            <option value="<?=$b -> id?>"><?=$b -> naziv ?></option>
            <?php endforeach;?>
            </select>
        </div>
    </div>
    <div class="row d-flex justify-content-center mt-4">
        <label for="polProizvoda" class="col-sm-2">Gender</label>
    <div class="col-sm-6">
        <select class="polProizvodaUp w-25form-</pre>
control textcenter" id="polProizvodaUp" name="polProizvodaUp" required>
        <option value="0" selected>Choose gender
            <?php foreach($izvrsiPol as $p) : ?>
            <option value="<?=$p -> id?>"><?=$p -> pol?></option>
            <?php endforeach;?>
        </select>
        </div>
    </div>
    <div class="row d-flex justify-content-center mt-4">
        <label for="glavnaSlika" class="col-sm-2">Main picture</label>
        <div class="col-sm-6">
        <input type="file" class="glavnaSlika textcenter" id="glavnaSlika" name=</pre>
 glavnaSlika" />
       </div>
```

```
</div>
    <div class="row d-flex justify-content-center mt-4">
        <div class="col-sm-6">
        <input type="hidden" class="idProizvodaUp textcenter" name="idProizvodaUp</pre>
 value="<?= $id ?>" required/>
        </div>
   </div>
    <div class="row mt-5">
        <div class="col-sm-10 text-center mx-auto">
        <input type="button" class="donebtn" name="donebtn" value="Add product" /</pre>
        <i class="fa fa-info-circle ml-2" ariahidden="true" data-</pre>
toggle="tooltip" dataplacement="top" title="Everything must be entered as initial
ly shown"></i>
        </div>
    </div>
 </form>
</div>
```

views/admin/logins.php

```
<?php
require_once "config/connection.php";
<div class="container-xl-fluid w-75 ml-4">
<div class="table-responsive-lg table-responsive-sm table-responsive-md">
  <h2 class="text-center mt-4"> Users in last 24h:</h2>
  idUser
     First
     Last
     email
     </thead>
  <?php
     $file = file(LOGIN USERS);
```

```
$ids = [];
    foreach($file as $row){
       4 = 60*60*24;
       $values = explode("\t",$row);
       $idUser = $values[0];
       $timeUser = trim($values[1]);
       if(!in_array($idUser,$ids) && time() - $timeUser <= $day){</pre>
           array_push($ids,$idUser);
    foreach($ids as $id):
       $user = getUser($id);
       if($user):
           <?= $user -> id?>
           <?= $user -> ime?>
           <?= $user -> prezime?>
           <?= $user -> email?>
           <?php endif; endforeach; ?>
</div>
</div>
```

views/admin/messages.php

```
<?php
    } else{?>
 <thead>
    idUser
    First
    Last
    Email
    Message
    Remove
    </thead>
  <?php
       foreach($poruke as $poruka): ?>
         <?=$poruka -> idKorisnika?>
         <?=$poruka -> ime?>
         <?=$poruka -> prezime?>
         <?=$poruka -> email?>
         <?=$poruka -> opis?>
         <a href="models/form/deleteMessage.php?id=<?=$poruka -
> id?>" class="delmess">Remove message
         <?php endforeach; }?>
  </div>
 </div>
```

views/admin/statistics.php

```
<?php
include "models/entryStatistics.php";
?>
<h2 class="my-4 text-
center"> Number of visitors in last 24h : <?=$brElemenata?> </h2>
<h2 class="my-4 text-center"> Visited pages in percentage </h2>
```

```
Home
  Store
  Contact
  Author
 </thead>
<?=round($home*100/$brElemenata,2)?> %
  <?=round($prodavnica*100/$brElemenata,2)?> %
  <?=round($kontakt*100/$brElemenata,2)?> %
  <?=round($autor*100/$brElemenata,2)?> %
 Admin
  Login
  Registration
  Cart
 </thead>
<?=round($admin*100/$brElemenata,2)?> %
  <?=round($login*100/$brElemenata,2)?> %
  <?=round($registracija*100/$brElemenata,2)?> %
  <?=round($korpa*100/$brElemenata,2)?> %
```

views/admin/updateDelete.php

```
<?php
include "models/admin/allProducts.php";</pre>
```

```
<div class="row d-flex align-items-center">
                                 <div class="col-12 mt-5 mb-5 mx-auto">
                                         <thead class="mt-3 mb-3 p-1 border border-dark col-</pre>
12 obojiPozadinuPlavu">
                                                         center">Picture
                                                                  center">Name
                                                                  center">Quantity
                                                                  center">Price
                                                                  center" colspan="2">Update/Delete
                                                          </thead>
                                                 center col-12">
                                                 <?php foreach($proizvodi as $pk): ?>
                                                          <td class="p-
2"><img src="assets/img/thumbnails/<?= $pk -> thumbSlika ?>" alt="<?= $pk -
> naziv?>" class="img-fluid urediSlikeAdminPanela"/>
                                                                  <?= $pk -> naziv?>
                                                                  <?= $pk ->kolicina?>
                                                                  <?= $pk -> cena?>$
                                                                  <a href="<?=$_SERVER['PHP_SELF']?>?page=store&idP
roizvoda=<?=$pk -
  · id?>"><input type="button" value="Update product" id="deletebtn" name="updatebt
n" class="btnza btn btn-outline-dark float-right mr-2 updatebtn " /></a>
                                                                  <a href="models/products/product/deleteProduc">
<a href="models/products/product/deleteProduc">
<a href="models/products/product/deleteProduct">
<a href="models/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/products/p
t.php?idProizvoda=<?=$pk -</pre>
> id?>"><input type="button" value="Delete product" id="deletebtn" name="deletebt</pre>
n" class="btn btn-outline-dark float-right mr-4" /></a>
                                                                  <?php endforeach; ?>
```

models/admin/allProducts.php

```
<?php

$upit = "SELECT * FROM proizvodi";
$izvrsi = $conn -> query($upit);
$proizvodi = $izvrsi -> fetchAll();
?>
```

models/cart/insertOrder.php

```
<?php
session_start();
$korisnik = $_SESSION['korisnik'];
include "../../config/connection.php";
if($ SERVER["REQUEST METHOD"] == "POST") {
    $products = $_POST['products'];
    $kolicina = $_POST['kolicinaNiz'];
    $cena = $_POST['cenaNiz'];
    $ukupnaCena = array_sum($cena);
    $query = "INSERT INTO porudzbina(`idKorisnika`, `imeKupac`, `emailKupca`, `uk
upnaCena`) VALUES (:idKorisnika, :ime, :email, :ukupnaCena)";
    $execution = $conn->prepare($query);
    $execution->bindParam(':idKorisnika', $korisnik -> id);
    $execution->bindParam(':ime', $korisnik -> ime);
    $execution->bindParam(':email', $korisnik -> email);
    $execution->bindParam(':ukupnaCena', $ukupnaCena);
```

```
$result = $execuion->execute();
    if($result){
        $orderId = $conn->lastInsertId();
        foreach($products as $product){
            $query1 = "SELECT cena FROM proizvodi WHERE id = :id";
            $execution1 = $conn->prepare($query1);
            $execution1 ->bindParam(':id', $product['id']);
            $execution1->execute();
            $priceProduct = $execution1 -> fetch();
            $query2 = "INSERT INTO porudzbinadetalji(`id_porudzbine`, `id proizvo
da`, `cena_proizvoda`, `kolicina`) VALUES (:id_porudzbine, :id_proizvoda, :cena_p
roizvoda, :kolicina)";
            $execution2 = $conn->prepare($query);
            $execution2->bindParam(':id_porudzbine', $orderId);
            $execution2->bindParam(':id_proizvoda', $product['id']);
            $execution2->bindParam(':cena proizvoda', $priceProduct);
            $execution2->bindParam(':kolicina',$product['quantity']);
            $result2 = $execution2->execute();
            if($result2){
                http_response_code(201);
    else{
        http_response_code(500);
```

models/categories/getBrands.php

```
<?php
$upit = "SELECT * FROM brend";
$izvrsi = $conn -> query($upit);
$izvrsiBrend = $izvrsi -> fetchAll();
?>
```

models/categories/getGenders.php

```
<?php
$upitPol = "SELECT * FROM pol";
$izvrsiPol = $conn -> query($upitPol);
$izvrsiPol = $izvrsiPol -> fetchAll();
?>
```

models/form/deleteMessage.php

```
<?php
include "../../config/connection.php";

$id = $_GET["id"];

$upit = "DELETE FROM poruka WHERE id = :id";

$izvrsi = $conn -> prepare($upit);
$izvrsi -> bindParam(":id", $id);

try{
    $izvrsi -> execute();
    header("Location: ../../index.php?page=admin&ind=messages");
}

catch(Exception $e) {
    var_dump($e->getMessage());
}
```

models/form/getMessages.php

```
<?php
$query = "SELECT * FROM poruka";
$poruke = queryFunc($query);
?>
```

models/form/insertMessage.php

```
<?php
```

```
session start();
include "../../config/connection.php";
require_once "../../config/functions.php";
if($_SERVER["REQUEST_METHOD"] != "POST") {
    http_response_code(404);
    exit;
    header("Content-type: application/json");
    $greske = [];
    function check(&$greske, $key){
        if(empty($_POST[$key])){
        $greske[] = $key . " is required!";
    function promenljiva($key){
        return $_POST[$key];
    function checkRegEx(&$greske, $regEx, $key){
        if(!preg_match($regEx, $_POST[$key])){
        array_push($greske, $key. " is not in good format.");
    }
    check($greske, "FirstName");
    check($greske, "LastName");
    check($greske, "Email");
    check($greske, "Message");
    if(count($greske)){
        http_response_code(400);
        echo json_encode($greske);
        exit;
    }
    $regexImePrezime = "/^([A-Z][a-z]{1,50}\s?)+$/";
    $regexPoruka = "/^.{2,}$/";
    \ensuremath{$\text{sregexEmail} = "/^([a-zA-Z0-9_\-\.]+)@([a-zA-Z0-9_\-\.]+)\.([a-zA-Z]{2,5})$/";}
```

```
checkRegEx($greske, $regexImePrezime, "FirstName");
    checkRegEx($greske, $regexImePrezime, "LastName");
    checkRegEx($greske, $regexEmail, "Email");
    checkRegEx($greske, $regexPoruka, "Message");
    if(count($greske)){
        http_response_code(400);
        echo json_encode($greske);
        errorsInTxt($greske);
        exit;
    }
    $ime = promenljiva("FirstName");
    $prezime = promenljiva("LastName");
    $email = promenljiva("Email");
    $poruka = promenljiva("Message");
    $id = promenljiva('id');
    $upit = "INSERT INTO poruka (idKorisnika, ime, prezime, email,opis) VALUES (:
id,:ime,:prezime,:email,:opis)";
    $izvrsi = $conn -> prepare($upit);
    $izvrsi -> bindParam(":id",$id);
    $izvrsi -> bindParam(":ime",$ime);
    $izvrsi -> bindParam(":prezime",$prezime);
    $izvrsi -> bindParam(":email",$email);
    $izvrsi -> bindParam(":opis",$poruka);
    $izvrseno = $izvrsi -> execute();
    if($izvrseno){
        echo json_encode("Your message has been send!");;
        http_response_code(200);
```

models/login/login.php

```
session_start();
if($_SERVER["REQUEST_METHOD"] != "POST") {
    http_response_code(404);
exit;
header("Content-type: application/json");
$email = $_POST['email'];
$lozinka = $_POST['sifra'];
$regexEmail = "/^([a-zA-Z0-9 \-\.]+)@([a-zA-Z0-9 \-\.]+)\.([a-zA-Z]{2,5})$/";
$greske = [];
if(!preg_match($regexEmail, $email)){
    $greske[] = "Email not in good format";
if(count($greske) == 0){
    include "../../config/connection.php";
    $upit = "SELECT id, email, idUloge,ime FROM korisnici WHERE email = :email AN
D password = :lozinka AND aktivan = 1";
    $priprema = $conn->prepare($upit);
    $priprema->bindParam(":email", $email);
    $lozinka = md5($lozinka);
    $priprema->bindParam(":lozinka", $lozinka);
    $priprema->execute();
    if($priprema->rowCount() == 1){
        http response code(200);
        echo json_encode("uspelo");
        $korisnik = $priprema->fetch();
        if($korisnik -> idUloge == 1){
            $ SESSION['admin'] = $korisnik;
            $_SESSION['korisnik'] = $korisnik;
            loginUsers($korisnik);
        else if($korisnik -> idUloge == 2) {
            $_SESSION['korisnik'] = $korisnik;
            loginUsers($korisnik);
```

```
else {
    http_response_code(400);
    echo json_encode("Wrong password or email. Please try again.");
    errorsInTxt("Wrong password or email. Please try again.");
}
else {
    http_response_code(400);
    echo json_encode($greske);
}
```

models/logout/logout.php

```
<?php
    session_start();

if(isset($_SESSION['korisnik'])){
    unset($_SESSION['korisnik']);
    session_destroy();
    header("Location: ../../index.php?page=home");
}
</pre>
```

models/products/product/addProduct.php

```
<?php
    require_once "../../config/connection.php";

if($_SERVER["REQUEST_METHOD"] != "POST") {
    http_response_code(404);
    exit;
}

header("Content-type: application/json");

function proveri(&$greske, $key){
    if(empty($_POST[$key])){</pre>
```

```
array_push($greske, $key . " is required!");
function promenljiva($key){
    return $_POST[$key];
function proveriSlike(&$greske, $key){
    $tip = strtolower(pathinfo($_FILES[$key]['name'], PATHINFO_EXTENSION));
    if($tip != "jpg" && $tip != "jpeg" && $tip != "png"){
        $greske[] = $key . " is not in good format!";
}
$greske = [];
proveri($greske, "ime");
proveri($greske, "cena");
proveri($greske, "staracena");
proveri($greske, "brandProizvoda");
proveri($greske, "pol");
proveri($greske, "kolicina");
if(!isset($_FILES['glavnaSlika'])){
    $greske[] = "Main picture is required!";
}
if(count($greske)){
    http_response_code(400);
    echo json_encode($greske);
    exit;
function proveriRegEx(&$greske, $regEx, $key){
    if(!preg_match($regEx, $_POST[$key])){
        array_push($greske, $key. " is not in good format.");
}
$regIme ="/^[\w\d\s]+$/";
regCena = "/^[0-9]+\.?[0-9]*$/";
regZaj = "/^[0-9]{1,}$/";
```

```
proveriRegEx($greske, $regIme, "ime");
proveriRegEx($greske, $regCena, "cena");
proveriRegEx($greske, $regCena, "staracena");
proveriRegEx($greske, $regZaj, "kolicina");
proveriSlike($greske, "glavnaSlika");
if(count($greske)){
    http_response_code(400);
    echo json encode($greske);
    exit;
$ime = promenljiva("ime");
$cena = promenljiva("cena");
$staracena = promenljiva("staracena");
$pol = promenljiva("pol");
$kolicina = promenljiva("kolicina");
$brandProizvoda = promenljiva("brandProizvoda");
$glavnaSlika = $_FILES['glavnaSlika'];
$fileName = pathinfo($_FILES['glavnaSlika']['name'], PATHINFO_FILENAME);
$fileNameEx = pathinfo($_FILES['glavnaSlika']['name'], PATHINFO_EXTENSION);
$tmpName = $ FILES['glavnaSlika']['tmp name'];
$fileSize = $_FILES['glavnaSlika']['size'];
$fileType = $_FILES['glavnaSlika']['type'];
$fileError = $_FILES['glavnaSlika']['error'];
$nazivSlike = $fileName. "." . $fileNameEx;
$uploadDir = "../../assets/img/";
$filePath = $uploadDir . $nazivSlike;
$rezultat = move uploaded file($tmpName, $filePath);
if(!$rezultat){
    echo json_encode("Error uploading file!");
    exit;
else{
    $resizedPath = "../../assets/img/thumbnails/";
```

```
$thumbSlika = thumbSlika($filePath,$resizedPath);
      $datum = date("Y-m-d H:i:s");
      $upitGlavni = "INSERT INTO proizvodi VALUES(NULL, :ime, :cena, :staracena
:datum,:glavnaSlika, :thumbSlika, :idPol, :idBrend, :kolicina)";
     $izvrsiGlavno = $conn -> prepare($upitGlavni);
     $izvrsiGlavno -> bindParam(":ime", $ime);
      $izvrsiGlavno -> bindParam(":cena", $opis);
      $izvrsiGlavno -> bindParam(":cena", $cena);
     $izvrsiGlavno -> bindParam(":staracena", $staracena);
     $izvrsiGlavno -> bindParam(":datum", $datum);
      $izvrsiGlavno -> bindParam(":glavnaSlika", $nazivSlike);
     $izvrsiGlavno -> bindParam(":thumbSlika", $thumbSlika);
     $izvrsiGlavno -> bindParam(":idPol", $pol);
     $izvrsiGlavno -> bindParam(":idBrend", $brandProizvoda);
     $izvrsiGlavno -> bindParam(":kolicina", $kolicina);
     try{
          $izvrsiGlavno -> execute();
          echo json encode("Successfully added item");
      catch(Exception $e) {
          var dump($e->getMessage());
          upisGresakaUTxtFajl("you did not added item.");
```

models/products/product/deleteProduct.php

```
<?php
require_once "../../../config/connection.php";

$id = $_GET["idProizvoda"];

$upit = "DELETE FROM proizvodi WHERE id = :id";

$izvrsi = $conn -> prepare($upit);
```

```
$izvrsi -> bindParam(":id", $id);

try{
    $izvrsi -> execute();
    header("Location: ../../index.php?page=store");
}

catch(Exception $e) {
    var_dump($e->getMessage());
}
```

models/products/product/getBrand.php

```
<?php
$brendid = $p ->idBrend;
$upitBrend = "SELECT * FROM brend WHERE $brendid = id";
$izvrsiBrend = $conn -> query($upitBrend);
$brend = $izvrsiBrend -> fetch();
?>
```

models/products/product/getGender.php

```
<?php
$polid = $p ->idPol;
$upitPol = "SELECT * FROM pol WHERE $polid = id";
$izvrsiPol = $conn -> query($upitPol);
$pol = $izvrsiPol -> fetch();
?>
```

models/products/product/getProduct.php

```
<?php
$upit = "SELECT * FROM proizvodi WHERE id = :id";
$izvrsi = $conn -> prepare($upit);
$izvrsi -> bindParam(":id", $id);
$izvrsi -> execute();
$p = $izvrsi -> fetch();
?>
```

```
require_once "../../config/connection.php";
 if($ SERVER["REQUEST METHOD"] != "POST") {
   http_response_code(404);
    exit;
 header("Content-type: application/json");
function proveri(&$greske, $key){
   if(!isset($_POST[$key])){
      array_push($greske, $key . " is required!");
   }
function promenljiva($key){
   return $_POST[$key];
function proveriSlike(&$greske, $key){
   $tip = strtolower(pathinfo($_FILES[$key]['name'], PATHINFO_EXTENSION));
   if($tip != "jpg" && $tip != "jpeg" && $tip != "png"){
      $greske[] = $key . " is not in good format!";
$greske = [];
 proveri($greske, "ime");
 proveri($greske, "cena");
 proveri($greske, "staracena");
 proveri($greske, "brandProizvoda");
 proveri($greske, "pol");
 proveri($greske, "kolicina");
if(count($greske)){
   errorsInTxt($greske);
   http response code(400);
```

```
echo json_encode($greske);
   exit;
function proveriRegEx(&$greske, $regEx, $key){
   if(!preg_match($regEx, $_POST[$key])){
      array push($greske, $key. " is not in good format.");
$regIme ="/^[\w\d\s]+$/";
regCena = "/^[0-9]+\.?[0-9]*$/";
$regZaj = "/^[0-9]{1,}$/";
proveriRegEx($greske, $regIme, "ime");
proveriRegEx($greske, $regCena, "cena");
proveriRegEx($greske, $regCena, "staracena");
proveriRegEx($greske, $regZaj, "kolicina");
if(count($greske)){
   errorsInTxt($greske);
   http response code(400);
   echo json_encode($greske);
   exit:
$ime = promenljiva("ime");
$cena = promenljiva("cena");
$staracena = promenljiva("staracena");
$pol = promenljiva("pol");
$kolicina = promenljiva("kolicina");
$brandProizvoda = promenljiva("brandProizvoda");
$id = promenljiva("id");
$upitGlavni = "UPDATE proizvodi SET naziv = :ime, cena = :cena, staracena = :star
acena,idPol = :pol, idBrend = :idBrend, kolicina = :kolicina WHERE id = :id";
$izvrsiGlavno = $conn -> prepare($upitGlavni);
$izvrsiGlavno -> bindParam(":ime", $ime);
$izvrsiGlavno -> bindParam(":cena", $cena);
$izvrsiGlavno -> bindParam(":staracena", $staracena);
$izvrsiGlavno -> bindParam(":idBrend", $brandProizvoda);
```

```
$izvrsiGlavno -> bindParam(":pol", $pol);
$izvrsiGlavno -> bindParam(":kolicina", $kolicina);
$izvrsiGlavno -> bindParam(":id", $id);
try{
   $izvrsiGlavno -> execute();
catch(Exception $e) {
   var dump($e->getMessage());
if(isset($_FILES['glavnaSlika'])){
   $fileName = pathinfo($_FILES['glavnaSlika']['name'], PATHINFO_FILENAME);
   $fileNameEx = pathinfo($_FILES['glavnaSlika']['name'], PATHINFO_EXTENSION);
   $tmpName = $ FILES['glavnaSlika']['tmp name'];
   $fileSize = $ FILES['glavnaSlika']['size'];
   $fileType = $_FILES['glavnaSlika']['type'];
   $fileError = $_FILES['glavnaSlika']['error'];
   proveriSlike($greske, "glavnaSlika");
   if(count($greske)){
      http_response_code(400);
      echo json encode($greske);
   exit;
   $nazivSlike = $fileName. "." . $fileNameEx;
   $uploadDir = "../../assets/img/";
   $filePath = $uploadDir . $nazivSlike;
   $rezultat = move uploaded file($tmpName, $filePath);
   if(!$rezultat){
      echo json_encode("Error uploading file!");
      exit;
   $upitGlavnaSlika = "UPDATE proizvodi SET glavnaSlika = :slika WHERE id = :id";
   $izvrsiGlavnaSlika = $conn -> prepare($upitGlavnaSlika);
   $izvrsiGlavnaSlika -> bindParam(":slika", $nazivSlike);
   $izvrsiGlavnaSlika -> bindParam(":id", $id);
   try{
     $izvrsiGlavnaSlika -> execute();
```

```
}
catch(Exception $e) {
   var_dump($e->getMessage());
}

echo json_encode("Successfully updated!");

?>
```

models/products/allProductsCart.php

```
<?php
require_once "../../config/connection.php";
$upit = "SELECT * FROM proizvodi";
$izvrsi = $conn -> query($upit);
$proizvodi = $izvrsi -> fetchAll();
header("Content-type: application/json");
echo json_encode($proizvodi);
?>
```

models/products/filterBrand.php

models/products/filterGender.php

```
<?php
    require_once "../../config/connection.php";
   header("Content-Type: application/json");
   $vrednost = $_POST["val"];
    if($vrednost == "Male"){
        $upit = "SELECT * FROM proizvodi as p INNER JOIN pol as pl ON pl.id = p.i
dPol WHERE pl.pol = :vrednost";
        $pripremi = $conn -> prepare($upit);
        $pripremi -> bindParam(":vrednost", $vrednost);
            try{
                $uspeh = $pripremi -> execute();
                if($uspeh){
                    http_response_code(200);
                    $proizvodi = $pripremi -> fetchAll();
                    echo json_encode($proizvodi);
            }catch(PDOException $e){
                var_dump($e -> getMessage());
    if($vrednost == "Female"){
        $upit = "SELECT * FROM proizvodi as p INNER JOIN pol as pl ON pl.id = p.i
dPol WHERE pl.pol = :vrednost";
```

models/products/pages.php

```
<?php
$upitBr = "SELECT COUNT(*) as broj FROM proizvodi";
$brIzvrsi = $conn -> query($upitBr);
$brukupno = $brIzvrsi -> fetch();
$brukupno = intval($brukupno -> broj);
poStr = 8;
$brStrana = ceil($brukupno/$poStr);
    if(!isset($_GET['strana'])){
       strana = 1;
    else{
        $strana = $_GET['strana'];
$rezStrana = ($strana-1)*$poStr;
$upitPoStr = "SELECT * FROM proizvodi LIMIT :rezStrana, :poStr";
$izvrsipostr = $conn -> prepare($upitPoStr);
$izvrsipostr -> bindParam(":rezStrana",$rezStrana,PD0::PARAM_INT);
$izvrsipostr -> bindParam(":poStr",$poStr,PDO::PARAM_INT);
$izvrsipostr ->execute();
$proizvodi = $izvrsipostr -> fetchAll();
```

models/products/priceRange.php

```
<?php
  require_once "../../config/connection.php";
   header("Content-Type: application/json");
   $cena = $_POST["cena"];
   $cena = intval($cena);
   $upit = "SELECT * FROM proizvodi WHERE cena BETWEEN 0 AND :cena";
   $pripremi = $conn -> prepare($upit);
   $pripremi -> bindParam(":cena", $cena);
   try{
       $uspeh = $pripremi -> execute();
       if($uspeh){
           http_response_code(200);
           $proizvodi = $pripremi -> fetchAll();
           echo json_encode($proizvodi);
   }
   }catch(PDOException $e){
       var_dump($e -> getMessage());
```

models/products/sort.php

```
<?php
    require_once "../../config/connection.php";
    header("Content-Type: application/json");</pre>
```

```
$vrednost = $ POST["val"];
if($vrednost == "desc"){
     $upit = "SELECT * FROM proizvodi ORDER BY cena DESC";
     $pripremi = $conn -> query($upit);
         try{
             $uspeh = $pripremi -> execute();
             if($uspeh){
                 http_response_code(200);
                 $proizvodi = $pripremi -> fetchAll();
                 echo json encode($proizvodi);
         }catch(PDOException $e){
             var_dump($e -> getMessage());
}
else if($vrednost == "asc"){
     $upit = "SELECT * FROM proizvodi ORDER BY cena";
     $pripremi = $conn -> query($upit);
         try{
             $uspeh = $pripremi -> execute();
             if($uspeh){
                 http_response_code(200);
                 $proizvodi = $pripremi -> fetchAll();
                 echo json_encode($proizvodi);
         }catch(PDOException $e){
             var_dump($e -> getMessage());
else if($vrednost == "descbyName"){
 $upit = "SELECT * FROM proizvodi ORDER BY naziv";
 $pripremi = $conn -> query($upit);
     try{
         $uspeh = $pripremi -> execute();
         if($uspeh){
             http_response_code(200);
             $proizvodi = $pripremi -> fetchAll();
             echo json_encode($proizvodi);
```

```
}catch(PDOException $e){
    var_dump($e -> getMessage());
}
}
```

models/products/registration/registration.php

```
<?php
include "../../config/connection.php";
session_start();
    if($ SERVER["REQUEST METHOD"] != "POST") {
    http_response_code(404);
    exit;
    header("Content-type: application/json");
    $ime = $ POST['ime'];
    $prezime = $_POST['prezime'];
    $email = $_POST['email'];
    $lozinka = $_POST['sifra'];
    $lozinkaPonovo = $_POST['potvrdiSifru'];
    regexIme = "/^[A-Z][a-z]{1,13}$/";
    regexPrezime = "/^([A-Z][a-z]{1,30}\s?)+$/";
    \ensuremath{$\text{sregexEmail} = "/^([a-zA-Z0-9_\-\.]+)@([a-zA-Z0-9_\-\.]+)\.([a-zA-Z]{2,5})$/";}
    $regexLozinka = "/^.{4,50}$/";
    $greske = [];
    if(!preg_match($regexIme, $ime)){
    $greske[] = "First name not entered correctly!";
    if(!preg_match($regexPrezime, $prezime)){
    $greske[] = "Last name not entered correctly!";
    if(!preg_match($regexEmail, $email)){
```

```
$greske[] = "Email not entered correctly!";
   if(!preg_match($regexLozinka, $lozinka)){
   $greske[] = "Password not entered correctly!";
   if($lozinka != $lozinkaPonovo){
   $greske[] = "Password is not the same";
   $upit = "SELECT * from korisnici where email = :email";
   $izvrsi = $conn -> prepare($upit);
   $izvrsi -> bindParam(":email", $email);
   $izvrseno = $izvrsi -> execute();
   $resenje = $izvrsi -> fetch();
   if($resenje != []){
   array_push($greske, "Email already exists!");
   }
   if(count($greske)) {
       http_response_code(400);
       echo json encode($greske);
   else {
       $upit = "INSERT INTO korisnici (ime, prezime, email, password,aktivan,dat
um,idUloge) VALUES (:ime, :prezime, :email, :password, :aktivan, :datum, :idUloge
)";
       $priprema = $conn->prepare($upit);
        $priprema->bindParam(":ime", $ime);
        $priprema->bindParam(":prezime", $prezime);
        $priprema->bindParam(":email", $email);
        $lozinka = md5($lozinka);
        $priprema->bindParam(":password", $lozinka);
        $datum = date("Y-m-d H:i:s");
        $priprema->bindParam(":datum", $datum);
        $isActive = 1;
        $priprema->bindParam(":aktivan", $isActive);
        define("KORISNIK_ULOGA", 2);
        $ulogaId = KORISNIK_ULOGA;
       $priprema->bindParam(":idUloge", $ulogaId);
```

```
try {
          $isUneto = $priprema->execute();
          if($isUneto){
               http_response_code(200);
               echo json_encode("You have successfully registered!");
        }
    }
    catch(PDOException $ex) {
        $greske[] = "Email already exists!";
    }
}
```

models /entryStatistics.php

```
<?php
   $elementiTxtFajla = file(PAGE ENTRY);
   $brElemenata = count($elementiTxtFajla);
   $kontakt = 0;
   $prodavnica = 0;
   autor = 0;
   admin = 0;
   $korpa = 0;
   login = 0;
   home = 0;
   $registracija = 0;
    for($i=0; $i < $brElemenata; $i++){</pre>
        $pojedinacniElementi = explode("\t", $elementiTxtFajla[$i]);
        $stranica = $pojedinacniElementi[0];
        switch($stranica){
            case "Kontakt":
                $kontakt++;
                break;
            case "Prodavnica":
                $prodavnica++;
                break;
```

```
case "Admin":
    $admin++;
    break;
case "Home":
    $home++;
    break;
case "Korpa":
    $korpa++;
    break;
case "Login":
    $login++;
    break;
case "Autor":
    $autor++;
    break;
case "Registracija":
   $registracija++;
    break;
```

models/exportExcel.php

models/exportWord.php

```
<?php
$filename = 'autor.doc';
header("Content-type: application/vnd.ms-word");
header( "Content-Disposition: attachment; filename=".basename($filename));
header( "Content-Description: File Transfer");
@readfile($filename);
$sadrzaj = '<html xmlns:v="urn:schemas-microsoft-com:vml" '</pre>
    .'xmlns:o="urn:schemas-microsoft-com:office:office" '
    .'xmlns:w="urn:schemas-microsoft-com:office:word" '
    .'xmlns:m="http://schemas.microsoft.com/office/2004/12/omml"= '
    .'xmlns="http://www.w3.org/TR/REC-html40">'
    .'<head><meta http-equiv="ContentType" content="text/html; charset=utf-8">'
    .'<title></title>'
    .'<!--[if gte mso 9]>'
    .'<xml>'
    .'<w:WordDocument>'
    .'<w:View>Print'
    .'<w:Zoom>100'
    .'<w:DoNotOptimizeForBrowser/>'
    .'</w:WordDocument>'
    .'</xml>'
    .'<![endif]-->'
    .'<style>
```

```
@page
  {
  font-family: Calibri;
  size:215.9mm 279.4mm; /* A4 */
  margin:14.2mm 17.5mm 14.2mm 16mm; /* Margins: 2.5 cm on each side */
  }
  h2 { font-family: Calibri; font-size: 20px; text-align:center; }
  p {font-family: Calibri; font-size: 18px; text-align:center;}
  </style>'
   .'</head>'
   .'</head>'
   .'</head>'
   .'Aleksandar Arsic 3/19
   .'Modul: Web programiranje'
   .'Predmet: Praktikum iz PHP-a'
   .'</body>'
   .'</html>';
echo $sadrzaj;
}
```

models/getBrands.php

```
<?php
$query = "SELECT * FROM brend";
$marke = queryFunc($query);
?>
```

models/getMenu.php

```
<?php
$query = "SELECT * FROM meni";
$menu = queryFunc($query);
?>
```

config/.env

```
DBNAME=dbphp
SERVER=localhost
USERNAME=root
PASSWORD=
```

config/config.php

```
<?php
// Osnovna podesavanja
define("ABSOLUTE_PATH", "https://sneakershop10.000webhostapp.com"."/praktikum");
// Ostala podesavanja
define("ENV_FAJL", ABSOLUTE_PATH."/config/.env");
define("ERROR_LOG", ABSOLUTE_PATH."/data/errorLog.txt");
define("LOGIN_USERS", ABSOLUTE_PATH."/data/loginUsers.txt");
define("PAGE_ENTRY", ABSOLUTE_PATH."/data/pageEntry.txt");
// Podesavanja za bazu
define("SERVER", env("SERVER"));
define("DATABASE", env("DBNAME"));
define("USERNAME", env("USERNAME"));
define("PASSWORD", env("PASSWORD"));
function env($naziv){
    $podaci = file(ENV_FAJL);
    $vrednost = "";
    foreach($podaci as $key=>$value){
        $konfig = explode("=", $value);
        if($konfig[0]==$naziv){
            $vrednost = trim($konfig[1]);
```

```
}
return $vrednost;
}
```

config/connection.php

```
require_once "config.php";
include "functions.php";
recordEntry();

try {
    $conn = new PDO("mysql:host=".SERVER.";dbname=".DATABASE.";charset=utf8", USE
RNAME, PASSWORD);
    $conn->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);
    $conn->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
}
catch(PDOException $ex){
    echo $ex->getMessage();
}
```

config/functions.php

```
<?php

function queryFunc($upit){
    global $conn;
    return $conn->query($upit)->fetchAll();
}
```

```
function thumbSlika($filePath,$resizedPath){
        $extension = pathinfo($filePath,PATHINFO EXTENSION);
        $dimensions = getimagesize($filePath);
        list($width,$height) = $dimensions;
        $newWidth = 150;
        $newHeight = $height * $newWidth / $width;
        $image = imagecreatetruecolor($newWidth,$newHeight);
        switch ($extension) {
            case 'jpg':
                $uploadedImage = imagecreatefromjpeg($filePath);
            case 'jpeg':
                $uploadedImage = imagecreatefromjpeg($filePath);
            case 'png':
                $uploadedImage = imagecreatefrompng($filePath);
                break;
        imagecopyresampled($image,$uploadedImage,0,0,0,$newWidth,$newHeight,$wi
dth, $height);
        $resizedImagePath = $resizedPath;
        $namePic = time()."_"."resizedImage.".$extension;
        switch ($extension) {
            case 'jpg':
                imagejpeg($image,$resizedImagePath.$namePic);
                break;
            case 'jpeg':
                imagejpeg($image,$resizedImagePath.$namePic);
                break;
            case 'png':
                imagepng($image,$resizedImagePath.$namePic);
                break;
        }
    return $namePic;
```

```
function errorsInTxt($greske){
    $adresa = $ SERVER['REMOTE ADDR'];
    $datum = date("m-d-Y, h:i:s");
    if(is array($greske)){
        foreach($greske as $greska){
            $message = $greska."\t".$adresa."\t".$datum."\n";
    else{
        $message = $greske."\t".$adresa."\t".$datum."\n";
    $txtFajl = fopen(ERROR_LOG, 'ab');
    fwrite($txtFajl, $message);
    fclose($txtFajl);
function recordEntry(){
    $vreme = time();
    $adresa = $_SERVER['REMOTE_ADDR'];
    $posecenaStranica = "";
    $nizGresaka = [];
    t=24*60*60;
    date_default_timezone_set('Europe/Belgrade');
    if(isset($_GET["page"])){
        switch ($_GET["page"]){
            case "home":
                $posecenaStranica = "Home";
                break;
            case "login":
                $posecenaStranica = "Login";
                break;
            case "registration":
                $posecenaStranica = "Registracija";
                break;
            case "store":
```

```
$posecenaStranica = "Prodavnica";
                break;
            case "cart":
                $posecenaStranica = "Korpa";
                break;
            case "contact":
                $posecenaStranica = "Kontakt";
                break;
            case "author":
                $posecenaStranica = "Autor";
                break:
            case "admin":
                $posecenaStranica = "Admin";
                break;
        }
    $pristupStranicama = file(PAGE ENTRY);
    $niz = count($pristupStranicama);
    $txtFajl =fopen(PAGE_ENTRY, 'w');
    for($i=0; $i < $niz; $i++){
        $elementiIzFajla = explode("\t", $pristupStranicama[$i]);
        $stranica = $elementiIzFajla[0];
        $vremePristupa = $elementiIzFajla[1];
        $korisnik = $elementiIzFajla[2];
        $korisnik = trim($korisnik);
        $vremeKojeJePreostalo = $vreme - $vremePristupa;
        if($vremeKojeJePreostalo <= $trajanjeDana){</pre>
            fwrite($txtFajl, $stranica."\t".$vremePristupa."\t".$korisnik."\n");
    fclose($txtFajl);
    if(count($nizGresaka) == 0){
        $upisPristupaStranicama = $posecenaStranica."\t".$vreme."\t".$adresa."\n"
        $otvoriFajl = fopen(PAGE_ENTRY, 'ab');
        fwrite($otvoriFajl, $upisPristupaStranicama);
        fclose($otvoriFajl);
function loginUsers($korisnik){
```

```
$vreme = time();
$txtFajl = fopen(LOGIN_USERS, 'ab');

fwrite($txtFajl, $korisnik -> id."\t".$vreme."\n");
fclose($txtFajl);

}

function getUser($id){
    global $conn;
    $query = "SELECT * FROM korisnici WHERE id = ?";
    $exec = $conn->prepare($query);
    $exec->execute([$id]);

    $retr = $exec->fetch();
    return $retr;
}
```

3.1 CSS

style.css

```
@font-face{
   font-family:'font';
   src:url('../fonts/Ubuntu-Regular.ttf');
}

*{
   padding: 0px;
   margin: 0px;
   font-family:'font';
}
#hed{
   background-color:#142236;
   opacity:0.9;
}
```

```
.logo a img{
  width:80px;
#nav{
  list-style-type: none;
  padding-top:20px;
#nav li {
  padding-left:50px;
#nav li a{
  text-decoration: none;
  color:#fff;
  text-transform:uppercase;
#nav li a:hover{
  color:#000;
#banner img{
  background-position: center;
  width:100%;
  height:auto;
#pic{
  background-image: url('../img/asics.jpg');
  min-height:600px;
  width:100%;
  background-repeat:no-repeat;
  background-position: center;
#pic1{
  background-image: url('../img/pumamirage.jpg');
  min-height:600px;
  width:100%;
  background-repeat:no-repeat;
  background-position: center;
#pic2{
  background-image: url('../img/nikewall.jpg');
  min-height:600px;
  width:100%;
  background-repeat:no-repeat;
  background-position: center;
```

```
/*hamburger*/
.hamb{
  display:none;
  font-size:2rem;
  cursor:pointer;
  color:#fff;
.meniResp{
  display:none !important;
.meniResp li a{
  font-size:1.4rem;
  color:#fff;
  padding-bottom:2rem;
.tekst a{
  text-decoration: none;
  color:#fff;
  background-color:#0071E3;
  padding:5px 10px 5px 10px;
  margin:0px auto;
  border-radius:10px;
.tekst a:hover{
  text-decoration: none;
  font-weight: bold;
  color:#fff;
.tekstnaslov{
  color:#4d4d4d;
.bg-slika{
  background-color:#000;
.picpatike img{
  width:80%;
.tekstpatike {
  text-align:center;
  color:#fff;
.tekstpatike a{
```

```
text-decoration: none;
  color:#fff;
.tekstpatike a:hover{
 text-decoration:none;
 color:#fff;
 font-weight:bold;
.tekstpatikewhite a{
 text-decoration: none;
 color:#fff;
.tekstpatikewhite a:hover{
 text-decoration:none;
 color:#fff;
 font-weight:bold;
.tekstpatikewhite{
 text-align:center;
   color:#142236;
.buylink{
 background-color:#0071E3;
 width:30%;
 padding:10px 20px 10px 20px;
 margin:0px auto;
 border-radius:10px;
.desno{
  float:right;
/*up dugme*/
.up{
 position: fixed;
   bottom: 30px;
   right: 30px;
 padding:3px 10px 5px 10px;
  z-index: 100;
 font-size:30px;
 background-color: #142236;
 border-radius:50%;
```

```
border:0px;
  display:none;
button.up:focus{
  outline:0px!important;
.up:hover {
 opacity: 0.8;
.up{
  border:0px;
  color:#fff;
.up a:hover{
  color:#fff;
/* forma */
section.contact-us {
  margin-top: 100px;
  margin-bottom: 60px;
.bottom-pad{
  padding-bottom:200px;
.forma2 a{
  color:#fff;
.forma2 a:hover{
  text-decoration:none;
  color:rgb(5, 2, 17);
.contact-us .section-heading h2 {
  text-align: left;
  margin-top: 0px;
  margin-bottom: 60px;
  font-size: 22px;
  font-weight: 700;
  letter-spacing: 0.5px;
```

```
text-transform: uppercase;
  color: #121212;
.contact-us p {
 margin-top: -5px;
.contact-us em {
 font-style: normal;
 font-weight: 500;
 font-size: 15px;
 color: #aaa;
contact-us input {
 border-radius: 3px;
 padding-left: 15px;
 font-size: 13px;
 color: #4a4a4a;
 background-color: #f4f4f4;
 outline: none!important;
 border: none;
 box-shadow: none;
 line-height: 44px;
 height: 44px;
 width: 100%;
 margin-bottom: 30px;
.contact-us textarea {
 border-radius: 3px;
 padding-left: 15px;
 padding-top: 10px;
  font-size: 13px;
 color: #4a4a4a;
 background-color: #f4f4f4;
 outline: none;
 border: none;
 box-shadow: none;
 height: 122px;
 max-height: 220px;
 width: 100%;
 margin-bottom: 25px;
```

```
contact-us button {
  width: 100%;
  display: inline-block;
  background-color: #142236;
  color: #fff!important;
  font-size: 13px;
  text-transform: uppercase;
  font-weight: 500;
  padding: 12px 20px;
  border-radius: 3px;
  text-decoration: none;
  letter-spacing: 0.5px;
section.map {
  margin-bottom: 150px;
section.map #map {
  height: 450px;
/* author page */
.tekstAutor{
  color:gray;
.autor{
  margin:7rem 0 7rem 0;
.naslovAutor{
  text-align:center;
.autor img{
  float:right;
/*futer*/
footer{
  background-color:#142236;
.futer{
  display:flex;
  justify-content: space-between;
 padding-top:20px;
```

```
color:#fff;
  font-weight:bold;
.dok a{
  text-decoration:none;
  color:#fff;
  font-size:25px;
.dok a:hover{
  color:#c2c2c2;
  text-decoration:none;
.social a i{
  font-size:20px;
/*store page*/
#sortiranje{
width:220px;
 padding:10px;
 border:1px solid rgba (216, 216, 216, 0.5);
 font-size:20px;
 text-align:center;
 margin-bottom:20px;
 outline:none;
.centriranje{
  text-align:center;
.vidljiv{
  display:block;
.nevidljiv{
  display:none;
.prikazFiltera{
 font-size:160%;
.okvir{
 border:1px solid rgba(20, 34, 54,0.6);
.responsFilter{
```

```
display:flex;
justify-content:space-between;
align-items:center;
#products{
 display:flex;
justify-content:space-around;
.addToCart{
width: 100%;
text-align: center;
padding: 10px;
background-color: #142236;
color: #fff;
outline: 0px;
border: none;
padding:10px 20px 10px 20px;
border-radius:10px;
/* cart page */
.cartDiv{
  margin:250px 0px 250px 0px;
.emptyCart a{
  text-decoration: none;
  color:#142236;
.emptyCart a:hover{
  text-decoration: none;
  color:#142236;
#orderTable img{
  width:250px;
  margin:20px 0px 20px 0px;
.tableAlign{
  margin:0px auto;
.profile{
 display:block;
```

```
margin-left:50px;
/* regex */
.notValid{
  color:#b90f0f;
  display:none;
#forma{
  color: #006622;
  font-weight:bold;
  display:none;
/* sidebar */
p {
    font-size: 1.1em;
    font-weight: 300;
    line-height: 1.7em;
a,
a:hover,
a:focus {
    color: inherit;
    text-decoration: none;
    transition: all 0.3s;
.navbar {
    padding: 15px 10px;
    background: #fff;
    border: none;
    border-radius: 0;
    margin-bottom: 40px;
    box-shadow: 1px 1px 3px rgba(0, 0, 0, 0.1);
.navbar-btn {
    box-shadow: none;
    outline: none !important;
    border: none;
```

```
.line {
   width: 100%;
   height: 1px;
   border-bottom: 1px dashed #ddd;
   margin: 40px 0;
.wrapper {
   display: flex;
   width: 100%;
    align-items: stretch;
#sidebar {
   min-width: 250px;
   max-width: 250px;
   color: #fff;
   transition: all 0.3s;
#sidebar.active {
    margin-left: -250px;
#sidebar .sidebar-header {
    padding: 20px;
    background: #6d7fcc;
#sidebar ul.components {
   padding: 20px 0;
    border-bottom: 1px solid #47748b;
#sidebar ul p {
   color: #fff;
    padding: 10px;
#sidebar ul li a {
   padding: 10px;
   font-size: 1.1em;
   display: block;
#sidebar ul li a:hover {
```

```
color: #040713;
    background: rgb(214, 214, 214);
#sidebar ul li.active>a,
a[aria-expanded="true"] {
    color: #fff;
a[data-toggle="collapse"] {
    position: relative;
.dropdown-toggle::after {
   display: block;
   position: absolute;
   top: 50%;
    right: 20px;
   transform: translateY(-50%);
ul ul a {
   font-size: 0.9em !important;
    padding-left: 30px !important;
ul.CTAs {
    padding: 20px;
ul.CTAs a {
   text-align: center;
   font-size: 0.9em !important;
   display: block;
   border-radius: 5px;
   margin-bottom: 5px;
a.download {
    background: #fff;
   color: #7386D5;
a.article,
a.article:hover {
```

```
background: #6d7fcc !important;
    color: #fff !important;
#content {
    width: 100%;
    padding: 20px;
    min-height: 100vh;
    transition: all 0.3s;
@media (max-width: 768px) {
    #sidebar {
        margin-left: -250px;
    #sidebar.active {
        margin-left: 0;
    #sidebarCollapse span {
        display: none;
.sidebarLista li a:hover{
  text-decoration:none;
  color: #000;
/* PHP */
#obavestenje{
  display:none;
#register table{
  margin:0px auto;
#register table td{
  padding:10px;
#register{
  margin-bottom: 200px;
  margin-top:100px;
#login table td{
 padding:10px;
```

```
#login{
  margin-bottom:200px;
  margin-top:200px;
#textModal {
  color: black;
  font-size: 30px;
  margin-top: 5%;
#ok {
  position: absolute;
  display: block;
  bottom:5%;
  left: 83%;
  width: 10%;
  padding: 1%;
  border:1px solid #000;
#popup {
  display: none;
  position: fixed;
  z-index: 1;
  left: 30%;
  top: 25%;
  width: 40%;
  height: 150px;
  background-color: #ffff;
  border: 1px solid #000;
  text-align: center;
 pg{
  color:#000;
  font-size:20px;
  padding:10px;
 page a:hover{
  text-decoration:none;
  color:#142236;
.seeMore{
  width: 100%;
  text-align: center;
```

```
padding: 10px;
  background-color: #142236;
  color: #fff;
  outline: 0px;
  border: none;
  padding:10px 20px 10px 20px;
  border-radius:10px;
.seeMore:hover{
  text-decoration:none;
  color:#c2c2c2;
.levo img{
  width:50%;
.productone{
 margin-top:200px;
margin-bottom:200px;
.disabled{
  background-color:#c2c2c2;
  color:#000;
/* ADMIN PANEL */
.donebtn{
  border:2px solid #142236;
  background-color: #fff;
  padding:3px;
  margin-bottom:50px;
  border-radius:3px;
.updateforma{
  display:none;
.crveno {
 border: 2px solid red;
.poruke{
  margin:200px 0px;
/* Media query*/
@media screen and (max-width:1199px){
```

```
.tekstnaslov{
  text-align:center;
.tekst{
  text-align:center;
.picpatike{
  text-align:center;
.productone{
  text-align:center;
.kupi{
  margin:0px auto;
.kupi button{
  padding:10px;
.delmess{
  text-decoration:none;
  color:#ff0101;
.delmess:hover{
  text-decoration:none;
  color:#aa0f0f;
@media screen and (max-width:776px){
  .profile img{
    margin-right:100px;
@media screen and (max-width:997px){
  .hamb{
    display:block;
    margin-left:35px;
  .hamb i{
```

```
float:right;
  margin-top:15px;
}
#navigacija{
  display:none;
}
.meniResp{
  display:block !important;
  padding-bottom:10px;
  float:right;
}
```

3.3 IS

main.js

```
$(document).ready(function(){
let lokacija = location.href;

mobileNav();
$("#klizac").change(sortirajCenu);
$("#sortiranje").change(sortiranje);
$(".sortirajPoPolu").click(sortiranjePol);
$(".brend").change(brend);

// registracija
if(lokacija.indexOf("index.php?page=registration") != -1){
    document.getElementById("submitRegister").addEventListener("click", proveraRe
gistracije);
    document.getElementById("ok").addEventListener("click", function(){
        document.getElementById("popup").style.display = "none";
        window.location.replace("index.php");
    });
}
```

```
//contact
if(lokacija.indexOf("index.php?page=contact") != -1){
    $("#form-submit").click(proveriFormu);
//proizvod
if(lokacija.indexOf("index.php?page=store&idProizvoda") != -1) {
    $(".addToCart").click(addToCart);
    $('.btnza').click(function(){
        $('.updateforma').show();
    });
     $(".donebtn").click(proveraUpdate);
if(lokacija.indexOf("index.php?page=admin") != -1){
    $('.donebtn').click(proveraInsert);
//cart
if(lokacija.indexOf("index.php?page=cart") != -1) {
    let products = anyInCart();
    check(products);
// login
if(lokacija.indexOf("index.php?page=login") != -1){
    document.getElementById("submit").addEventListener("click", proveraLogina);
    document.getElementById("ok").addEventListener("click", function(){
        document.getElementById("popup").style.display = "none";
        window.location.replace("index.php");
    });
});
// responsive navigacija, strelica i skrol
function mobileNav(){
   $(".meniResp li").hide();
    $('.hamb').click(function(){
     $(".meniResp li").stop().slideToggle('slow');
    });
  provera registracije i login-a
```

```
function proveraRegistracije(){
    var ime, prezime, sifra, email, potvrdiSifru;
    var ispravno = true;
    ime = document.getElementById("firstName").value;
    prezime = document.getElementById("lastName").value;
    sifra = document.getElementById("regPass").value;
    potvrdiSifru = document.getElementById("confPass").value;
    email = document.getElementById("regEmail").value;
    var reIme, rePrezime, reEmail, reSifra;
    reIme = /^[A-Z][a-z]{1,13}$/;
    rePrezime = /^([A-Z][a-z]{1,30}\s?)+$/;
    reEmail = /^{(a-zA-Z0-9 -..)}@([a-zA-Z0-9 -..]+).([a-zA-Z]{2,5})$/;
    reSifra = /^.{4,50}$/;
   if(ime == ""){
        document.getElementById("imeGreska").innerHTML = "First name is required!
        ispravno = false;
   else if(!reIme.test(ime)){
        document.getElementById("imeGreska").innerHTML = "First name not entered
correctly!";
        document.getElementById("obavestenje").style.display = "block";
        ispravno = false;
   else {
        document.getElementById("imeGreska").innerHTML = "";
    if(prezime == ""){
        document.getElementById("prezimeGreska").innerHTML = "Last name is requir
ed!";
        ispravno = false;
    else if(!rePrezime.test(prezime)){
        document.getElementById("obavestenje").style.display = "block";
        document.getElementById("prezimeGreska").innerHTML = "Last name not enter
ed correctly!";
        ispravno = false;
   else {
        document.getElementById("prezimeGreska").innerHTML = "";
    if(email == ""){
```

```
document.getElementById("emailGreska").innerHTML = "Email is required!";
        ispravno = false;
    else if(!reEmail.test(email)){
        document.getElementById("emailGreska").innerHTML = "Email not entered cor
rectly";
       ispravno = false;
   else {
        document.getElementById("emailGreska").innerHTML = "";
    if(sifra == ""){
        document.getElementById("sifraGreska").innerHTML = "Password is required!
        ispravno = false;
   else if(!reSifra.test(sifra)){
        document.getElementById("sifraGreska").innerHTML = "Password must have at
least 4 characters!";
        ispravno = false;
   else {
        document.getElementById("sifraGreska").innerHTML = "";
    if(potvrdiSifru == ""){
        document.getElementById("sifraPotvrdiGreska").innerHTML = "Password confi
rmation is required!";
        ispravno = false;
    else if(potvrdiSifru != sifra){
        document.getElementById("sifraPotvrdiGreska").innerHTML = "Password is no
t the same!";
        ispravno = false;
   else {
        document.getElementById("sifraPotvrdiGreska").innerHTML = "";
    if(ispravno){
        $.ajax({
        url: "models/registration/registration.php",
        method: "POST",
        data: {
            ime : ime,
            prezime : prezime,
           email : email,
```

```
sifra: sifra,
            potvrdiSifru: potvrdiSifru
        },
        success: function(data){
            document.getElementById("textModal").innerHTML = data;
             document.getElementById("popup").style.display = "block";
            document.getElementById("obavestenje").style.display = "none";
       },
       error: function(xhr){
            if(xhr.status == 400) {
            console.log(xhr.responseJSON);
            document.getElementById("emailGreska").innerHTML = xhr.responseJSON;
       }
    });
function proveraLogina(){
   var ispravno = true;
   var email = document.getElementById("regEmail").value;
   var sifra = document.getElementById("regPass").value;
   var\ reEmail = /^([a-zA-Z0-9 \-\.]+)@([a-zA-Z0-9 \-\.]+)\.([a-zA-Z]{2,5})$/;
   if(email == ""){
        document.getElementById("emailGreska").innerHTML = "Email is required!";
        ispravno = false;
   else if(!reEmail.test(email)){
       document.getElementById("emailGreska").innerHTML = "Email not entered cor
rectly";
        ispravno = false;
   else {
        document.getElementById("emailGreska").innerHTML = "";
   if(sifra == ""){
        document.getElementById("sifraGreska").innerHTML = "Password is required!
        ispravno = false;
   else {
        document.getElementById("sifraGreska").innerHTML = "";
```

```
if(ispravno){
        $.ajax({
        url: "models/login/login.php",
        method: "POST",
        data: {
        email : email,
        sifra : sifra
        },
        success: function(data){
            document.getElementById("textModal").innerHTML = "You are logged in!"
            document.getElementById("popup").style.display = "block";
            document.getElementById("poruka").style.display= "none";
        },
        error: function(xhr){
            if(xhr.status == 400) {
            console.log(xhr.responseJSON);
            document.getElementById("poruka").innerHTML = xhr.responseJSON;
    });
function sortirajCenu(){
    let cena = $("#klizac").val()
    $("#vrednost").html(cena+".00 $");
    $('.page').hide();
    $.ajax({
        url: "models/products/priceRange.php",
        method:"post",
        data:{
            cena: cena
        },
        success: function(result){
            prikazProizvoda(result);
        },
        error: function(xhr){
            console.log(xhr);
    });
```

```
function sortiranje(){
    let val = $("#sortiranje").val();
    $('.page').hide();
    $.ajax({
        url: "models/products/sort.php",
        method:"post",
        data:{
            val: val
        },
        success: function(result){
            prikazProizvoda(result);
        error: function(xhr){
            console.log(xhr);
    });
// filtriraj po polu
function sortiranjePol(){
    let val = $(this).val();
    $.ajax({
        url: "models/products/filterGender.php",
        method:"post",
        data:{
            val: val
        },
        success: function(result){
            prikazProizvoda(result);
        },
        error: function(xhr){
            console.log(xhr);
    });
// prikazivanje proizvoda
function prikazProizvoda(result){
    let html = "";
```

```
if(result.length == 0){
        html = "No such products.";
    }
    for(var i=0; i < result.length; i++){</pre>
        html+=`<div class="col-5 col-md-3 mb-3 pt-2 product">
        <img src="assets/img/thumbnails/${result[i].thumbSlika}" alt="${result[i]}</pre>
.naziv}" class="img-fluid frontpic">
        ${result[i].naziv}
        <div class="pt-2 pb-3 ">
            <span class="red">$${result[i].cena}</span><br>
            <span><del>$${result[i].staracena} </del></span> <br>
            <div class="cart text-center">
               <a class="seeMore" href="index.php?page=store&idProizvoda=${resul</pre>
t[i].id}" data-id="${result[i].id}">See More</a>
           </div>
        </div>
    </div>`
    $("#products").html(html);
//brend
function brend(){
    let val = $(this).val();
    $('.page').hide();
    $.ajax({
        url: "models/products/filterBrand.php",
        method:"post",
        data:{
            id: val
        },
        success: function(result){
            prikazProizvoda(result);
        },
        error: function(xhr){
            console.log(xhr);
    });
```

```
// cart funckionalnost
function addToCart(){
    var id = $(this).data('id');
    var products = anyInCart();
    if(!products){
        let products = [];
        products[0]={
           id:id,
           quantity:1
    };
    alert("Your item has been added to the cart!");
    setItemToLS("products",products);
    else{
        if(!inLocalStorage(products, id)) {
            addToLocalStorage(id);
            alert("Your item has been added to the cart!");
        else{
            alert("Already in cart!");
function anyInCart(){
    return JSON.parse(localStorage.getItem("products"));
//provera da li se proizvod vec nalazi u localstorage-u
function inLocalStorage(products, id) {
    return products.find(p => p.id == id);
//dodavanje proizvoda u localstorage
function addToLocalStorage(id) {
    let products = anyInCart();
    products.push({
    id : id,
    quantity : 1
    });
    setItemToLS("products", products);
```

```
//funkcija za postavljanje localstorage-a
function setItemToLS(key,value){
    localStorage.setItem(key, JSON.stringify(value));
//funkcija za dohvatanje localstorage-a
function getItemFromLS(value){
    return JSON.parse(localStorage.getItem(value));
function ispisiKorpu(){
    let products = getItemFromLS("products");
    $.ajax({
       url: "models/products/allProductsCart.php",
       method: "GET",
        success: function(data){
            data = data.filter(el => {
               for(let product of products)
                   if(el.id == product.id) {
                       return true;
           });
           ispisiProizvodeUKorpu(data);
           $(".plus").click(povecajKolicinu);
           $(".minus").click(smanjiKolicinu);
        },
        error: function(xhr, err, status){
        console.log(status);
    })
function ispisiProizvodeUKorpu(data){
        let ispis = "";
       ispis= `
        <div id="orderTable">
```

```
<thead>
             Product Name
             Image
             Price
             Quantity
             Available 
             Sum
             Remove
             </thead>`;
      for(let obj of data){
          ispis+=`
          <h5>${obj.naziv}</h5>
          <img src="assets/img/${obj.glavnaSlika}" alt="${obj.naziv}" class</pre>
="img-fluid">
          $${obj.cena}
          <div class="d-flex flex- justify-contentbetween ml-2 mr-2">
             <a href="#" class="plus"><i class="fa fa-plus mr1 pt-1 pl-</pre>
3" aria-hidden="true"></i></a>
             <input type="text" class="kolicinaUzeto w-75 text-center mx-</pre>
auto" name="kol" value="1" disabled />
             <a href="#" class="minus"><i class="fa fa-minus ml-1 pt-1 pr-</pre>
3" aria-hidden="true"></i></a>
             </div>
          ${obj.kolicina}
          <span>$</span>
             <input type="text" class="ukupnaCena w-50 text-</pre>
center" name="ukupnaCena" value="${obj.cena}" disabled data-
cena="${obj.cena}" data-id="${obj.id}""/>
          <button onclick ="removeItem(${obj.id})" class="btn btn-outline-</pre>
danger btnRemove">Remove</button>
```

```
`;
        ispis+=` 
                        </div>
                    <div class="container">
                            <div class="row d-flex justify-content-</pre>
end" id="controls">
                                    <button id="purchase" onclick ="buy()" class=</pre>
"btn btn-info m-2">Purchase</button>
                                    <button id="removeAll" onclick="removeAll()"</pre>
class="btn btn-danger m-2">Remove All</button>
                            </div>
                        </div>`;
        $(".cartDiv").html(ispis);
function showEmptyCart() {
    $(".cartDiv").html("<div class='mx-auto d-flex w-75'><img class=' w-50 mx-</pre>
auto' src='assets/img/emptycart.png' alt='Your cart is empty'></div><h1 class='py</pre>
-3'>Your cart is empty</h1>")
//provera za korpu, ukoliko je prazna ispisuje poruku, ukoliko nije pravi se tabe
la proizvoda
function check(productsInCart){
    if(productsInCart){
        if(productsInCart.length){
            ispisiKorpu();
        else
            showEmptyCart();
    else
        showEmptyCart();
//isprazniti korpu
function removeAll(){
    localStorage.removeItem("products");
    showEmptyCart();
```

```
// izbrisati odredjeni proizvod iz korpe
function removeItem(id){
        let products = anyInCart();
        products = products.filter(x => x.id != id);
       setItemToLS("products",products);
        check(products);
// prilikom kupovine se prazni korpa i izbacuje poruka o uspesnoj kupovini proizv
function buy(){
    var products = getItemFromLS("products");
    var kolicina = $(".kolicinaUzeto");
    var kolicinaNiz = [];
    for(var i=0; i < kolicina.length; i++){</pre>
        var vrednost = parseInt(kolicina[i].value);
        kolicinaNiz.push(vrednost);
    var cena = $(".ukupnaCena");
    var cenaNiz = [];
    for(var i=0; i < cena.length; i++){</pre>
        var vrednost = parseInt(cena[i].value);
        cenaNiz.push(vrednost);
    $.ajax({
        url: "models/cart/insertOrder.php",
        method: "POST",
        data: {
            "products" : products,
            "kolicinaNiz": kolicinaNiz,
            "cenaNiz": cenaNiz
        },
        success: function(data){
```

```
alert("Your order has been placed.");
                localStorage.removeItem("products");
                showEmptyCart();
            },
        error: function(xhr, err, status){
            if(xhr.status == 400){
            console.log(xhr.responseJSON);
        });
//prazna korpa
function showEmptyCart() {
    $(".cartDiv").html("<div class='mx-auto d-flex w-75'><img class=' w-50 mx-</pre>
auto' src='assets/img/emptycart.png' alt='Your cart is empty'></div><h1 class='py</pre>
-3'>Your cart is empty</h1>")
function povecajKolicinu(e){
    e.preventDefault();
    var cartProducts = getItemFromLS("products");
    var productId =($(this).parent().parent().next().find(".ukupnaCena").d
ata("id"));
    var vrednost = $(this).next().val();
    vrednost++;
    $(this).next().attr("value", vrednost);
    var cenaProizvoda = Number($(this).parent().parent().next().find(".uku
pnaCena").val());
    var pocetnaCena =Number($(this).parent().parent().next().find(".ukupna
Cena").data("cena"));
    var cena;
    if(vrednost == 0)
        cena = 0;
    else{
```

```
var cena = cenaProizvoda + pocetnaCena;
    if(cena == 0){
        cena = pocetnaCena;
    }
    var kolicina = $(this).parent().parent().next().find('.kolicina').text();
    if(kolicina < vrednost){</pre>
        alert("Not enough in stock!");
        $("#purchase").attr('disabled','disabled');
    $(this).parent().parent().next().find(".ukupnaCena").attr("value",cena
);
    for(let i in cartProducts) {
        if(productId == cartProducts[i].id)
        cartProducts[i].quantity = vrednost;
        break;
    setItemToLS("products", cartProducts);
function smanjiKolicinu(e){
    e.preventDefault();
    var cartProducts = getItemFromLS("products");
    var productId =($(this).parent().parent().next().find(".ukupnaCena").d
ata("id"));
    var vrednost = $(this).prev().val();
    if(vrednost > 1){
    vrednost--;
    $(this).prev().attr("value", vrednost);
    var cenaProizvoda = Number($(this).parent().parent().next().next().find(".uku
pnaCena").val());
    var pocetnaCena =Number($(this).parent().parent().next().find(".ukupna
Cena").data("cena"));
```

```
var cena = cenaProizvoda - pocetnaCena;
    if(cena < 0)
        cena = 0;
    if(vrednost == 1){
        cena = pocetnaCena;
    var kolicina = $(this).parent().parent().next().find('.kolicina').text();
    if(vrednost <= kolicina){</pre>
        $("#purchase").removeAttr('disabled');
    $(this).parent().parent().next().find(".ukupnaCena").attr("value",cena
);
    for(let i in cartProducts) {
        if(productId == cartProducts[i].id)
        cartProducts[i].quantity = vrednost;
        break;
    setItemToLS("products",cartProducts);
//prover update-a
function proveraUpdate(){
    var ime, cena, brandProizvoda, pol, kolicina, id, glavnaSlika, staracena;
    var ispravno = true;
    var data = new FormData();
    function dohvatanjePolja(glavnoPolje,polje){
         return $(glavnoPolje).parent().parent().find(polje).val();
    };
    ime = dohvatanjePolja(this, ".imeProizvodaUp");
    cena = dohvatanjePolja(this, ".cenaProizvodaUp");
    kolicina = dohvatanjePolja(this, ".kolicinaUp");
    staracena = dohvatanjePolja(this, ".staracenaProizvodaUp");
    brandProizvoda = dohvatanjePolja(this, ".brandProizvoda");
    pol = dohvatanjePolja(this, ".polProizvodaUp");
    id = dohvatanjePolja(this, ".idProizvodaUp");
    var glavnaSlika = document.forms['formaupdate']['glavnaSlika'].files[0];
```

```
function daLiJePrazno(key, klasa){
    if(key == "" || key == "0"){
        ispravno = false;
        $(klasa).addClass("crveno");
   else {
        $(klasa).removeClass("crveno");
}
daLiJePrazno(brandProizvoda, ".brandProizvoda");
daLiJePrazno(pol, ".polProizvodaUp");
var regIme, regCena, regZaj;
regIme = /^[\w\d\s]+$/;
regCena = /^[0-9]+\.?[0-9]*$/;
regZaj = /^[0-9]{1,}$/;
function proveriReg(reg, key, klasa){
    if(!reg.test(key)){
        ispravno = false;
        $(klasa).addClass("crveno");
    else {
        $(klasa).removeClass("crveno");
}
proveriReg(regIme, ime, ".imeProizvodaUp");
proveriReg(regCena, cena, ".cenaProizvodaUp");
proveriReg(regCena, staracena, ".staracenaProizvodaUp");
proveriReg(regZaj, kolicina, ".kolicinaUp");
if(ispravno){
    if(glavnaSlika != undefined){
        data.append("glavnaSlika", glavnaSlika);
    data.append("ime", ime);
    data.append("cena", cena);
    data.append("staracena", staracena);
    data.append("brandProizvoda", brandProizvoda);
    data.append("kolicina", kolicina);
```

```
data.append("pol", pol);
        data.append("id", id);
        $.ajax({
        url: "models/products/product/updateProduct.php",
        method: "POST",
        data: data,
        processData: false,
        contentType: false,
        success: function(data){
            alert(data);
            location.reload();
            },
        error: function(xhr, err, status){
            if(xhr.status == 400){
            console.log(xhr.responseJSON);
        }
        });
//prove inserta
function proveraInsert(){
    var ime, cena, brandProizvoda, pol, kolicina, id, glavnaSlika, staracena;
   var ispravno = true;
   var data = new FormData();
    var glavnaSlika = document.forms['formainsert']['glavnaSlika'].files[0];
    function dohvatanjePolja(glavnoPolje,polje){
         return $(glavnoPolje).parent().parent().find(polje).val();
    };
    ime = dohvatanjePolja(this, ".imeProizvodaUp");
    cena = dohvatanjePolja(this, ".cenaProizvodaUp");
   kolicina = dohvatanjePolja(this, ".kolicinaUp");
    staracena = dohvatanjePolja(this, ".staracenaProizvodaUp");
    brandProizvoda = dohvatanjePolja(this, ".brandProizvoda");
    pol = dohvatanjePolja(this, ".polProizvodaUp");
    id = dohvatanjePolja(this, ".idProizvodaUp");
function proveriSliku(key, id){
   if(key == undefined){
```

```
document.getElementById(id).classList.add("crveno");
    ispravno = false;
else {
    document.getElementById(id).classList.remove("crveno");
}
proveriSliku(glavnaSlika, "glavnaSlika");
function daLiJePrazno(key, id){
    if(key == "" || key == "0"){
        ispravno = false;
        document.getElementById(id).classList.add("crveno");
    else {
        document.getElementById(id).classList.remove("crveno");
}
daLiJePrazno(brandProizvoda, "brandProizvoda");
daLiJePrazno(pol, "polProizvodaUp");
var regIme, regCena, regZaj;
regIme = /^[\w\d\s]+$/;
regCena = /^[0-9]+\.?[0-9]*$/;
regZaj = /^[0-9]{1,}$/;
function proveriReg(reg, key, klasa){
    if(!reg.test(key)){
        ispravno = false;
        $(klasa).addClass("crveno");
    else {
        $(klasa).removeClass("crveno");
proveriReg(regIme, ime, ".imeProizvodaUp");
proveriReg(regCena, cena, ".cenaProizvodaUp");
proveriReg(regCena, staracena, ".staracenaProizvodaUp");
proveriReg(regZaj, kolicina, ".kolicinaUp");
```

```
if(ispravno){
        if(glavnaSlika != undefined){
            data.append("glavnaSlika", glavnaSlika);
        data.append("ime", ime);
        data.append("cena", cena);
        data.append("staracena", staracena);
        data.append("brandProizvoda", brandProizvoda);
        data.append("kolicina", kolicina);
        data.append("pol", pol);
        data.append("id", id);
        data.append("glavnaSlika", glavnaSlika);
        $.ajax({
            url: "models/products/product/addProduct.php",
            method: "POST",
            data: data,
            processData: false,
            contentType: false,
            success: function(uspeh){
                alert(uspeh);
                location.reload();
            error: function(xhr, err, status){
                if(xhr.status == 400){
                console.log(xhr.responseJSON);
            });
// toggle sidebar
$(document).ready(function () {
    $('#sidebarCollapse').on('click', function () {
        $('#sidebar').toggleClass('active');
    });
});
// slanje poruke
```

```
function proveriFormu(){
    var email = $("#email");
   var firstname = $("#firstname");
   var lastname = $("#lastname");
   var valid = $("#forma");
   var ispravno = true;
   var emailRegex = /^[\w-\]+@([\w-\]+\.)+[\w-\]{2,4}$/;
    var nameRegex = /^[A-ZČĆŽŠD][a-zč枊]{2,15}$/
       //text
        var tekstPolje =$("#message");
        var tekstValid = 0;
        if(tekstPolje.val() == ''){
            tekstPolje.css({
            'border':'1px solid #e60000'
            });
            tekstPolje.val("");
            tekstPolje.attr('placeholder','You can not send empty message');
           tekstValid = 0;
        else {
            tekstPolje.css({
            'border':'1px solid #fff'
            });
            tekstValid = 1;
        //email
        if(email.val() == ''){
            email.css({
            'border':'1px solid #e60000'
            });
            email.val("");
            email.attr('placeholder', 'Email adress can not be empty');
            ispravno = false;
        else if(!emailRegex.test(email.val())){
            email.css({
            'border':'1px solid #e60000'
            });
            email.val("");
            email.attr('placeholder','e.g. aleksandar14@gmail.com');
            ispravno = false;
```

```
else {
           email.css({
           'border':'1px solid #fff'
           });
      //firstname
      if(firstname.val() == ''){
           firstname.css({
           'border':'1px solid #e60000'
          firstname.val("");
          firstname.attr('placeholder','First name can not be empty');
           ispravno = false;
      else if(!nameRegex.test(firstname.val())){
           firstname.css({
           'border':'1px solid #e60000'
           firstname.val("");
          firstname.attr('placeholder','Please provide a valid first name, must
be between 2-12 characters');
           ispravno = false;
      else {
      firstname.css({
           'border':'1px solid #fff'
           });
      //lastname
      if(lastname.val() == ''){
           lastname.css({
           'border':'1px solid #e60000'
           });
           lastname.val("");
           lastname.attr('placeholder','Last name can not be empty');
           ispravno = false;
      else if(!nameRegex.test(lastname.val())){
           lastname.css({
           'border':'1px solid #e60000'
           });
```

```
lastname.val("");
            lastname.attr('placeholder','Please provide a valid last name, must b
e between 2-12 characters');
            ispravno = false;
        else {
            lastname.css({
            'border':'1px solid #fff'
            });
     // Ukoliko nema gresaka, ispisuje poruku da je uspesno poslata poruka
        if(ispravno && tekstValid == 1){
            var imevr = firstname.val();
            var prezimevr = lastname.val();
            var emailvr = email.val();
            var porukavr = tekstPolje.val();
            var id = $("#id").val();
            $.ajax({
            url: "models/form/insertMessage.php",
            method: "post",
            data: {
            FirstName: imevr,
            LastName: prezimevr,
            Email: emailvr,
            Message: porukavr,
            id : id
            },
            success: function(data){
                alert(data);
                location.reload();
            },
            error: function(xhr, status, err){
                if(xhr.status == 400){
                    alert(xhr.responseJSON);
            });
        else{
            valid.hide();
```