

=====

Intel(R) Binary Configuration Tool (BCT) Release Notes

=====

Copyright (c) 1999-2013 Intel Corporation All Rights Reserved.

The source code contained or described herein and all documents related to the source code ("Material") are owned by Intel Corporation or its suppliers or licensors. Title to the Material remains with Intel Corporation or its suppliers and licensors. The Material may contain trade secrets and proprietary and confidential information of Intel Corporation and its suppliers and licensors, and is protected by worldwide copyright and trade secret laws and treaty provisions. No part of the Material may be used, copied, reproduced, modified, published, uploaded, posted, transmitted, distributed, or disclosed in any way without Intel's prior express written permission.

No license under any patent, copyright, trade secret or other intellectual property right is granted to or conferred upon you by disclosure or delivery of the Materials, either expressly, by implication, inducement, estoppel or otherwise. Any license under such intellectual property rights must be express and approved by Intel in writing.

Unless otherwise agreed by Intel in writing, you may not remove or alter this notice or any other notice embedded in Materials by Intel or Intel's suppliers or licensors in any way.

Except as expressly provided in Intel's standard license terms and conditions for the Intel software product or in the Intel software

license agreement accompanying the Intel software product, the Intel software product is provided 'as is', without warranty of any kind, whether express, implied or statutory, including but not limited to a warranty of merchantability, non-infringement of intellectual property, or fitness for any particular purpose.

This document is provided 'as is' without any express, implied, or statutory warranty of any kind including but not limited to warranties of merchantability, noninfringement of intellectual property, or fitness for any particular purpose. Intel does not warrant or assume responsibility for the accuracy, completeness or utility of any information contained herein. Intel may make changes to these materials, or to the Intel products described therein, at any time without notice. Intel makes no commitment to update these materials.

Intel and the Intel logo are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries.

=====

CONTENTS

=====

1. OVERVIEW
 2. RELEASE INFORMATION
 3. INSTALLATION INFORMATION
 4. LIMITATIONS
 5. KNOWN ISSUES
- =====

1. OVERVIEW

=====

This Intel(R) Binary Configuration Tool (Intel(R) BCT) is provided as a companion tool with the Intel(R) Firmware Support Package and is intended to be used to

- Change a list of configuration options as provided a BSF for the FSP.
- Rebase the FSP to a different Base Address.

This tool supports the BSF Specification 4.4a

2. RELEASE INFORMATION

=====

This is the 3.3.0 release of the Intel(R) Binary Configuration Tool and the release package includes

- Fedora 22 32-bit executable binary
- Fedora 22 64-bit executable binary
- Windows 7 32-bit binary (also executable on Windows 7 64-bit)
- User's Guide

Release 3.3.0

- =====
- Compliant with FSP 2.0 spec
 - Minor updates regarding the Binary file permissions and patching of the Platform specific data.

Release 3.2.2

=====

- Added support for full FSP version 2.0
- Compliant with FSP 2.0 spec

Release 3.2.1

=====

- Added support for FSP version '2.0'
- Supports one FSP 2.0 component at a time.

Release 3.2.0

=====

- Added support for FSP Header Rev. 1.1
- Fix issue on windows where bct needed to "Run as administrator"

Release 3.1.3

=====

- Minor updates

Release 3.1.2

=====

- Improved Error handling
- BCT now searches the VPD and UPD regions of FSP binaries for the signature specified by the "Find" instruction in the StructDef section
- BCT now displays the contents of the FSP Header in the binary description

Release 3.1.1

=====

- Fixes bug that had disabled using multiple "Find" statements in the StructDef section of BSF for FSP binaries. Multiple "Find" statements now function.

- Fixes bug that crashed BCT when trying to open a malformed BSF.
- You can now specify an output binary with a file extension other than .rom.

Release 3.1.0

=====

- New! Improved the task of opening a BSF file. You are no longer forced to click through two wizard panes just to open a file
- New! BCT now keeps track of the last 5 files you opened in the File pull-down menu. Quickly access the files you've been working on most recently
- New! Show the plain-text description table inside a FSP if it has one
- New! The command-line interface is now complete. Skip the GUI completely. Use the command line to generate an ABSF, rebase the load address of a binary, patch a binary with a BSF or ABSF with the option to relocate at the same time, print a binary's load address, and print the description table
You can even specify what BSF you want to open in the GUI on the command line
See the User's Guide or run ``bct -h`` from the command line for more details!
- New! BCT now supports FSP binaries with multiple FVs
- New! If the user patches a FSP, BCT will check the ImageRevision in the FSP header and compare it to `$gPlatformFspPkgTokenSpaceGuid_PcdImageRevision` in your BSF. Make sure it is defined in the StructDef section of your BSF
- New! The help pane now displays a more human-readable value for the default value of comboboxes
- New! Improved the initial screen with buttons to quickly access the most common BCT tasks
- New! Keyboard shortcuts for patching or rebasing
- Removed many seldom-used or unnecessary components
- The Windows installer now defaults to install in `C:\Program Files(x86)\BCT`

Release 3.0.2

=====

* This is the initial release for BCT

=====

3. INSTALLATION INFORMATION

=====

Please refer the Intel(R) Binary Configuration Tool User's Guide for the installation instructions and for help on how to use the tool.

=====

4. LIMITATIONS

=====

- The Windows version of BCT will not print messages to the console. This only affects Windows users who want to run BCT from the command line and not use the GUI. BCT will read the command line arguments correctly and do things such as generate an ABSF from a BSF, patch, and rebase a binary, but it will not print any messages to the console. This is a limitation from the tool we use to generate a Windows executable.

=====

5. KNOWN ISSUES

=====

- Rebase.log file is not being generated.