Welcome

Summary

- Cytoscape v3.0.1 is now available for immediate download.
- Relative to v3.0.0, it contains over 100 bug fixes.
- It is ready for use by all segments of the Cytoscape community.
- It continues v3.0.0's core feature set, specifically:
 - o It is a major reorganization of Cytoscape 2.x's code and user interface.
 - o It contains improvements for all segments of the Cytoscape community.
 - o It is upward compatible and can coexist with previous Cytoscape versions.
 - The most popular plugins from previous versions are available, with more to follow
 - Support offerings have been updated and broadened.
- What to do next ...

Dear Cytoscape User

We are proud and pleased to release Cytoscape v3.0.1. This new release contains many improvements on v3.0.0 (released Feb 1, 2013), all of which immediately benefit Cytoscape users, the most important part of the Cytoscape ecosystem.

If you are a <u>new</u> or <u>casual</u> Cytoscape user, **welcome aboard!** Feel free to either read on or jump to the end of this letter for a quick start.

For clarity, references to "Cytoscape 3.x" apply to all Cytoscape versions 3.0.0 and later.

For Cytoscape v2.x Users

Previous Cytoscape releases (through v2.8.3) focused on adding numerous annotation, import, layout, analysis, and visualization features, all of which have combined to deliver critical insights into biological processes of interest to Cytoscape's broad and loyal user community. In fact, many of these features were created and contributed by Cytoscape users, themselves, using Cytoscape's plugin architecture.

Version 3.x marks a major reorganization of Cytoscape program code – it enables us to deliver additional features more quickly and reliably than before, including improvements that benefit new users, casual users, power users, and app developers. Along the way, some features were changed to allow them to better interoperate with other features, some little-used features were dropped, and user interface was improved. We are particularly excited about the new Cytoscape App Store (described below), which affords users access to the growing collection of *apps* (formerly called *plugins*) produced by fellow Cytoscape users. A table of new features is presented in Section 7.

While version 3.x is upwardly compatible with previous Cytoscape versions (i.e., it can load, analyze, and display networks and attributes stored using previous versions), it can coexist with previous versions on the same workstation. It is not necessary to uninstall previous versions before installing version 3.x, and you can choose to use both on the same workstation.

Version 3.x is still a work in progress and continues to evolve due to the outstanding efforts of its vibrant worldwide development community. Notably, while the Cytoscape team has ported the most popular plugins (as apps) from previous versions, porting less popular plugins was deferred so as to deliver version 3.x sooner and with features that support cutting edge investigation. A table of apps and their status is presented in Section 8.

Finally, we recognize that with all new software (including version 3.x), there are growing pains. While we hope our users will learn to love v3.x's new features, users may also expect to relearn rationalized features and occasionally uncover a bug. With version 3.x, we are rolling out new manuals, tutorials, web pages, and support channels that we hope can create and maintain highly productive experiences for all types of Cytoscape users. A table describing Cytoscape support is presented in Section 9.

We are very excited to make this release, and hope you find it an indispensable tool in your research. To get you started, we have provided additional introductory material to get you started on the right foot, and we have also provided background material for general interest.

Please let us know how we're doing and how we can better advance your research!

The Cytoscape Team

What to Do Next

We hope to help you use Cytoscape in the most productive way. Your next steps depend on how experienced you are with Cytoscape and what you would like to do. In the table below, please find the category that best describes you, and proceed accordingly.

Type of Cytoscape User	Where to Read Next		
New	For New Users (Section 1)		
Casual	For Casual Users (Section 2)		
Power	For Power Users (Section 3)		
App Developers	For App Developers (Section 4)		
General Interest	Try getting oriented by reading:		
	General Background (Section 5)		
	Cytoscape App Store (Section 6)		
	Then try browsing:		
	New Features (Section 7)		
	App Status (Section 8)		
	Support Offering (Section 9)		
	Future Plans (Section 10)		
	To get your feet wet, try:		
	For New Users (Section 1)		

1. For New Cytoscape Users

What is Cytoscape?

Cytoscape is software that can help you visualize complex networks (as *graphs*) representing relationships between genes, proteins, or other entities. Cytoscape tracks and displays these entities (as graph *nodes*) and relationships between them (as graph *edges*). Cytoscape, per se, does not assign meaning to either nodes or edges – you can assign your own meanings to them, and you can add your own node or edge attributes (e.g., name, measurements, states, etc.) that customize your graph to represent semantics important to you. While Cytoscape provides simple analytics and visualizations, others are available as apps from the Cytoscape App store (see Section 6).

What Do I Need Before I Can Use Cytoscape?

At the very least, you must provide Cytoscape with a list of nodes. You can also provide a list of edges and attributes. You can enter your graph manually or import it from your own files — Cytoscape supports a wide variety of file formats, including text and Excel. Cytoscape can also load pre-configured networks (e.g., from BioGRID) so you can leverage them without having to enter them yourself.

Can Cytoscape Help Me Get Started?

Yes! The Cytoscape team had provided many resources tailored for all kinds of users (see Section 9). To start, there is an Installation Guide and numerous tutorials. Once you load your graph, you may find additional useful analytics and visualizations at the App Store (see Section 6).

Which Cytoscape Version Should I Use?

Generally, you should use v3.0.1 (the newest version). v2.x has been in the field for several years and will be supported into the future, but over time, v3.x and successors will be better supported.

Note that if you have already installed v3.0.0, you can install v3.0.1 without uninstalling v3.0.0.

How to Download and Install v3.x

- Surf to http://www.cytoscape.org, click on the Download Cytoscape button, and follow the prompts
- Be sure to consult with the Release Notes (viewable via the Release Notes button) for issues and solutions pertaining to your installation
- Surf to http://www.cytoscape.org, click on the User Manual button, and follow the instructions in the Launching Cytoscape section.

2. For Casual Cytoscape Users

If you're confident of your Cytoscape skills, please read the Power Users information (Section 3).

If you're Cytoscape skills are rusty, please continue with the New Users information (Section 1).

3. For Cytoscape Power Users

Is v3.x for Me?

The answer is most likely yes, provided you use the *apps* (formerly known as *plugins*) available for v3.x – apps are available from the new Cytoscape App Store, which you can browse directly (Section 6). Note that some v2.x apps have been incorporated directly into Cytoscape and need not be downloaded or installed. Consult the Apps Status table (Section 8) to see a list of these apps.

Note that v2.x plugins are not compatible with v3.x apps, and vice versa. If you rely on v2.x plugins that are not yet available for v3.x, you may need to remain with v2.x instead of upgrading to v3.x. Note, also, that the Cytoscape community is converting v2.x plugins to v3.x apps -- you might occasionally revisit the App Store to see if an app you need becomes available.

What's New in v3.x?

As described in the Welcome letter (above), v3.x incorporates a number of new features (Section 7) and productivity enhancing support offerings (Section 9), including the Cytoscape App Store (Section 6). The General Background section (Section 5) describes the rationale, advantages, and issues with v3.x.

Will Support for v2.x Continue?

Cytoscape v2.x will be supported by the Cytoscape community for now, but with fewer upgrades and support options over time.

Can I use v2.x and v3.x at the Same Time?

You can experiment with v3.x by installing it on your workstation – you can use both v2.x and v3.x on the same workstation.

How to Prepare for v3.x

- 1. If you have already installed a v3.0.0 beta version, *please uninstall it before proceeding*. The Cytoscape v3.0.0 release version can coexist with v3.0.1, and does not need to be uninstalled.
- 2. Consult the Apps Status table (Section 8) to verify that the apps you need are available. Some apps have become part of the Cytoscape core, and you won't need to download them. Other apps are available in the Cytoscape App store (described in Section 6).
- 3. Browse the New Features table (Section 7) to see what we have added since v2.x.
- 4. Browse the Future Plans table (Section 10) and Support Offering table (Section 9) to see where the Cytoscape community is going.

How to Download and Install v3.x

- Surf to http://www.cytoscape.org, click on the Download Cytoscape button, and follow the prompts
- Be sure to consult with the Release Notes (viewable via the Release Notes button) for issues and solutions pertaining to your installation
- Surf to http://www.cytoscape.org, click on the User Manual button, and follow the instructions in the *Launching Cytoscape* section.

4. For Cytoscape App Developers

Cytoscape manages graph storage and display, and contains a number of common analytic and visualization functions. App Developers may write *apps* (formerly known as *plugins*) to perform problem-specific analytics, graph layouts, or other visualizations.

Before starting app development, you should be familiar with overall Cytoscape usage and functionality – see the Power Users section (Section 3) to start working with v3.x if you have not already done so.

Note that v2.x plugins do not work with v3.x. In order get the benefits of improved stability, the Cytoscape team found it necessary to change the relationship between plugins/apps and the Cytoscape core. Many plugins have been ported to v3.x (see Section 8). The porting exercise is substantial, and once a plugin is converted to an app, it will continue to work at least until v4.0 is released – there is no v4.0 planned at this time. For more on this topic, see:

http://wiki.cytoscape.org/Cytoscape_3/CoreDevelopment/Motivation.

Should I Convert My v2.x Plugin to a v3.x App?

Yes! Cytoscape v2.x will be supported by the Cytoscape community for now, but with fewer upgrades and support options over time.

How Do I Get Started With App Development?

To get started with app development:

http://wiki.cytoscape.org/Cytoscape_3/AppDeveloper

To convert a v2.0 plugin to a v3.x app, refer to:

http://wiki.cytoscape.org/Cytoscape 3/AppDeveloper/PluginPortingGuide

For a broader view of the Cytoscape system (including the Core), refer to:

http://wiki.cytoscape.org/Cytoscape 3/CoreDevelopment

Are there App Samples?

Yes! See:

http://opentutorials.cgl.ucsf.edu/index.php/Tutorial:Creating a Simple Cytoscape 3 App

Also note the App Cookbook:

http://wiki.cytoscape.org/Cytoscape 3/AppDeveloper/Cytoscape 3 App Cookbook

5. General Background

The overall mission of Cytoscape is to be a freely available worldwide asset supporting network analysis and visualization for systems biology science.

The major focus of v3.x is the modularization and rationalization of code to solve stability issues in v2.x encountered as multiple developers pursued multiple agendas. Under v2.x, internal programmatic interfaces evolved from one release to the next, leading to the failure of working plugins over time and negative interactions between otherwise working plugins. Ultimately, this resulted in loss of programmer and user productivity, and undermined community confidence in Cytoscape.

v3.x addresses these issues by adopting modular coding practices promoted by the OSGi architectural framework¹. This enables both the Cytoscape core and externally developed apps (formerly called *plugins*) to evolve independently without compromising unrelated functionality. At the logical level, Cytoscape leverages OSGi precepts to produce v3.x APIs having cleaner and clearer demarcations between functional areas. At the deployment level, OSGi enables on-the-fly substitution of one processing element for another (e.g., apps) in order to tailor Cytoscape to meet user requirements at runtime without reinstalling or reconfiguring Cytoscape.

Creating v3.x occupied an international team of engineers for over a year, and represents a strong investment toward reducing future development and support costs, and increasing reliability and evolvability. With the completion of v3.x, we expect to leverage v3.x as a platform to satisfy the evolving needs of multiple stakeholder groups, and as a platform enabling research on leading edge analysis and visualization techniques. v3.x is the intended successor to v2.x, with development and support of v2.x expected to diminish and disappear over time in favor of v3.x.

We believe that users will benefit most directly from the v3.x by:

- experiencing fewer core and app bugs from one release to the next
- the availability of more and richer apps (due to developers spending less time tracking and fixing bugs)
- more core features with higher biological and logistical value (due to improved flexibility provided by interface-driven development)

During the creation of v3.x, a number of features were added, as listed in the New Feature Table below.

As a result, we incurred a number of current and future costs:

Cost Reason Time frame for addressing

Slower startup time OSGi module inventorying near-to-medium term

Loss of plugins Lag in upgrading less popular plugins as needed

¹ www.osgi.org – also used as the basic framework for Eclipse and numerous commercial products

6. The Cytoscape App Store

The Cytoscape App Store is new in v3.x and targets broad demographics through specific features:

Cytoscape User	Benefit
New or Casual	Find Cytoscape functionality easier via familiar
	paradigms of search and tag navigation
Power or Frequent	Find and install apps easier and provide
	crowdsourced rating and reviews
Plugin Developers	Have a dedicated presence for their work, including a
	direct line to their users and critical statistics to
	justify their development on the Cytoscape platform.

Furthermore, the App Store supports contests and social incentives that encourage critical technical and community development, including porting, analytics, rating/reviewing, and so on.

Note that the App Store supports only Cytoscape v3.x and does not contain plugins compatible with earlier Cytoscape versions. Likewise, plugins that work with earlier versions are not compatible with v3.x – Section 8 contains a list of apps available for v3.x.

To access the App Store, access Cytoscape's new Apps menu and choose the App Manager menu item, or use your browser to surf directly:

http://apps.cytoscape.org

7. New Feature Table

Feature	Beneficiary	Manual Section	
Welcome screen	New users (for solicitousness), casual	3.1.3. Launch the	
	and power users (for convenience)	Application	
Import network	Casual and power users (for ease of use)	7. Creating Networks	
Edge bend visual property	Paper and presentation writers	12.4. Visual Attributes,	
		Graph Attributes and	
		Visual Mappers	
Edge bundling	Users of high degree networks	11.3. Edge Bundling	
Network annotations	Paper and presentation writers		
Grouping	Users of hierarchical networks		
Enhanced search	Users of highly populated networks	13.1. Enhanced Search	
Show All in Table Browser	Users with highly annotated networks	7.2.3. Advanced Options	
Multiple network	All users	4.2. Network	
management		Management	

8. App Status Table

For the most up to date list of apps, see the App Store (described in Section 6). A URL for our development list is shown below, as a list of apps and their status at the time this letter was authored.

https://docs.google.com/spreadsheet/ccc?key=0ArzUWDuvdBn-dDl0R0kw0ERjN1ZhcDZseC00dVZNNIE&authkey=CMGe99EM#gid=0

Арр	Capability	Status
addParentNeighbors	For a selected node in child network, adds	
	neighboring nodes from a parent network.	
AdvancednetworkMerge	Merges multiple networks.	
AgilentLiteratureSearch	Mines scientific literatures to find ones	Available in App
	related to search term and to create	Store
	interaction network based on the search	
	result.	
AllegroMCODE	Very fast clustering based on MCODE	
	algorithm.	
APCluster	Uses affinity propagation described in Frey	
ADIDANIET	BJ and Duec D (2007) to perform clustering. Downloads PPI data from	
APID2NET	http://bioinfow.dep.usal.es/apid/ and	
	performs various analyses including protein	
	motif, GO, hub identification, etc. through	
	the original GUI. Equipped with impressing	
	"rainbow" coloring of nodes.	
BiLayout	Finds a bipartite network for two sets of	
	user-selected nodes and performs layout.	
BiNGO	Calculates overrepresented GO terms in	Available in App
	the network and display them as a network	Store
	of significant GO terms.	
bioCycPlugin	Loads any pathway in bioCyc database.	In Progress
	Original panel provides useful information	
	for each node.	
BiogridPlugin	Loads Biogrid tab file onto Cytoscape.	
BiomartClient	Retrieves attributes associated with given	
Dia Na ABrildan	gene or protein	
BioNetBuilder	Through the wizard, user can easily construct networks from public databases.	
	User can also create interologs.	
BioQualiPlugin	Performs consistency check of regulatory	
Dio Qualifi lugili	network and expression data.	
Bisogenet	Retrieves interactions associated with input	
0	IDs. Sophisticated UI gives links to GO,	
	KEGG, etc.	
BLAST2similarityGraph	Visualizes BLAST similarity as graph.	
•	, , ,	

CABIN	Integrates interaction datasets from	
	different resources to explore the	
	integrated network and to perform confidence analysis for interactions. User	
	can give weight to each interaction set	
	which will be used for the level of	
	confidence.	
CalculatenodeDegree	Simply calcuates degree for selected single	
CalculaterioueDegree	node.	
CentiScaPe	Calculates topological characteristic values	Available in App
Centiscar e	(ex. Centralities) for each node.	Store
ChemViz	Visualizes chemical structure of each	
	compound in chemical network with	
	original interface.	
ClojureEngine	Provides Clojure API.	
ClueGO	Creates and visualizes a functionally	Available in App
	organized GO term network or pathway	Store
	from given interaction network.	
clusterExplorerPlugin	Explores a given similarity graph.	
clusterMaker	Clusters densely connected nodes and node	In Progress
	attributes (i.e. expression data) in a given	J
	network. Results of these two types of	
	clustering can be analysed in the integrated	
	interface.	
ClusterONE	Finds overlapping protein complexes in a	Available in App
	protein interaction network. Clusters are	Store
	visualized by original interface with their p-	
	values.	
ClusterViz	Clustering based on FAG-EC, EAGLE or	
	MCODE. Found cluster can be subjected to	
	· · · · · · · · · · · · · · · · · · ·	
	GO enrichment analysis.	
commandTool	GO enrichment analysis. Provides simple command-line interface to	
	GO enrichment analysis. Provides simple command-line interface to Cytoscape.	
commandTool CommFinder	GO enrichment analysis. Provides simple command-line interface to Cytoscape. Clustering based on QCUT, HQCUT, MCL,	
CommFinder	GO enrichment analysis. Provides simple command-line interface to Cytoscape. Clustering based on QCUT, HQCUT, MCL, MCODE.	
	GO enrichment analysis. Provides simple command-line interface to Cytoscape. Clustering based on QCUT, HQCUT, MCL, MCODE. Find attributes shared between selected	
CommFinder Commonattributes	GO enrichment analysis. Provides simple command-line interface to Cytoscape. Clustering based on QCUT, HQCUT, MCL, MCODE. Find attributes shared between selected nodes.	
CommFinder	GO enrichment analysis. Provides simple command-line interface to Cytoscape. Clustering based on QCUT, HQCUT, MCL, MCODE. Find attributes shared between selected nodes. Retrieves interaction evidences for given	
CommFinder Commonattributes ConsensusPathDBplugin	GO enrichment analysis. Provides simple command-line interface to Cytoscape. Clustering based on QCUT, HQCUT, MCL, MCODE. Find attributes shared between selected nodes. Retrieves interaction evidences for given pair of genes or proteins	
CommFinder Commonattributes	GO enrichment analysis. Provides simple command-line interface to Cytoscape. Clustering based on QCUT, HQCUT, MCL, MCODE. Find attributes shared between selected nodes. Retrieves interaction evidences for given pair of genes or proteins Creates animation based on added frames	
CommFinder Commonattributes ConsensusPathDBplugin CyAnimator	GO enrichment analysis. Provides simple command-line interface to Cytoscape. Clustering based on QCUT, HQCUT, MCL, MCODE. Find attributes shared between selected nodes. Retrieves interaction evidences for given pair of genes or proteins Creates animation based on added frames of network views.	
CommFinder Commonattributes ConsensusPathDBplugin	GO enrichment analysis. Provides simple command-line interface to Cytoscape. Clustering based on QCUT, HQCUT, MCL, MCODE. Find attributes shared between selected nodes. Retrieves interaction evidences for given pair of genes or proteins Creates animation based on added frames of network views. Clusters a given network based on three-	
CommFinder Commonattributes ConsensusPathDBplugin CyAnimator	GO enrichment analysis. Provides simple command-line interface to Cytoscape. Clustering based on QCUT, HQCUT, MCL, MCODE. Find attributes shared between selected nodes. Retrieves interaction evidences for given pair of genes or proteins Creates animation based on added frames of network views. Clusters a given network based on three-node motifs. Accepts multiple types of	
CommFinder Commonattributes ConsensusPathDBplugin CyAnimator	GO enrichment analysis. Provides simple command-line interface to Cytoscape. Clustering based on QCUT, HQCUT, MCL, MCODE. Find attributes shared between selected nodes. Retrieves interaction evidences for given pair of genes or proteins Creates animation based on added frames of network views. Clusters a given network based on three-node motifs. Accepts multiple types of interactions. Cluster ID is given to edge	
CommFinder Commonattributes ConsensusPathDBplugin CyAnimator CyClus3D	GO enrichment analysis. Provides simple command-line interface to Cytoscape. Clustering based on QCUT, HQCUT, MCL, MCODE. Find attributes shared between selected nodes. Retrieves interaction evidences for given pair of genes or proteins Creates animation based on added frames of network views. Clusters a given network based on three-node motifs. Accepts multiple types of interactions. Cluster ID is given to edge attributes, "EdgeCluster".	
CommFinder Commonattributes ConsensusPathDBplugin CyAnimator	GO enrichment analysis. Provides simple command-line interface to Cytoscape. Clustering based on QCUT, HQCUT, MCL, MCODE. Find attributes shared between selected nodes. Retrieves interaction evidences for given pair of genes or proteins Creates animation based on added frames of network views. Clusters a given network based on three-node motifs. Accepts multiple types of interactions. Cluster ID is given to edge attributes, "EdgeCluster". Provides Gaggle Boss, which routes data	
CommFinder Commonattributes ConsensusPathDBplugin CyAnimator CyClus3D CyGoose	GO enrichment analysis. Provides simple command-line interface to Cytoscape. Clustering based on QCUT, HQCUT, MCL, MCODE. Find attributes shared between selected nodes. Retrieves interaction evidences for given pair of genes or proteins Creates animation based on added frames of network views. Clusters a given network based on three-node motifs. Accepts multiple types of interactions. Cluster ID is given to edge attributes, "EdgeCluster".	
CommFinder Commonattributes ConsensusPathDBplugin CyAnimator CyClus3D CyGoose CyOog	GO enrichment analysis. Provides simple command-line interface to Cytoscape. Clustering based on QCUT, HQCUT, MCL, MCODE. Find attributes shared between selected nodes. Retrieves interaction evidences for given pair of genes or proteins Creates animation based on added frames of network views. Clusters a given network based on three-node motifs. Accepts multiple types of interactions. Cluster ID is given to edge attributes, "EdgeCluster". Provides Gaggle Boss, which routes data from one application to another.	
CommFinder Commonattributes ConsensusPathDBplugin CyAnimator CyClus3D CyGoose	GO enrichment analysis. Provides simple command-line interface to Cytoscape. Clustering based on QCUT, HQCUT, MCL, MCODE. Find attributes shared between selected nodes. Retrieves interaction evidences for given pair of genes or proteins Creates animation based on added frames of network views. Clusters a given network based on three-node motifs. Accepts multiple types of interactions. Cluster ID is given to edge attributes, "EdgeCluster". Provides Gaggle Boss, which routes data	

cytoHubba	Predicts and explores important nodes and	
	subnetworks in a given network by several topological algorithms.	
Cytoprophet	topological algorithms.	
CytoSaddleSum	Finds enriched function based on sum-of-	
	weight scores.	
CytoscapeRPC	Allows user to query and modify networks	
CytoSEED	through an XML-RPC connection. Enables users to view, manipulate and	
Cytoseed	analyze metabolic models created by the	
	Model SEED. The reactions are organized	
	into a set of maps based on each reaction's	
	membership in KEGG pathways.	
CytoSQL	Retrieves attributes from SQL databases by	
	invoking query command.	
DisGeNET	Queries and analyzes networks of diseases	
DomainGranh	and their associated genes. Visualizes domain-domain interactions	
DomainGraph	which connect pairs of interacting proteins.	
DroID	Retrieves interactions associated with input	
5.0.5	IDs. Detailed information associated with	
	interactiong proteins can also be obtained.	
dynamicXpr	Dynamically change colors of nodes like a	
	movie according to their expression level	
	across many conditions.	
edgeLengthPlugin	Calculate edge length in the main network	
	view window, and stores them as edge	
edgeLister	attributes "length". Records selected edges and provides some	
cagelister	functionality for them (ex. hiding recorded	
	edges)	
EnhancedSearch	Performs keyword search. Wildcards,	Available as part
	logical operators, etc. are allowed.	of core
Enrichment Map	Visualizes enrichment of specific functions	
	(GO terms) by interactions between functions.	
ExprEssence	Searches for differentially altered links in a	
Expressence	given network using multiple set of	
	expression data.	
ExpressionCorrelation	Makes a similarity network where nodes are	
	genes, and edges denote highly correlated	
	genes.	
FERN	Performs stochastic simulation of chemical reaction networks.	
FluxViz	Visualizes fluxes as visual effect to edges on	
	Cytoscape network.	
FM3	Performs one of the fastest multilevel force	
	directed Layouts called FM3 Layout	
	introduced by Hachul S et al 2005.	

FunNetViz	Integrates and visualizes co-expression network with biological role of transcripts (e.g., GO terms). Centrality measures are equipped.	
GeneMANIA	Generates interaction networks from public databases based on user's list of genes. Also provides annotation and putative function for those genes.	Available in App Store
Genoscape		
GoogleChartFunctions	Creates image from attribute values (URL) using the Google Chart API.	
GPML-Plugin	Enables import of GPML file via import menu.	
GraphletCounter	Calculates "graphlet" (small connected non-isomorphic subgraph) degree distribution.	
GraphMLReader	Loads interactions or pathways in GraphML format.	Available as part of core
GroovyEngine	Provides scripting interface of Groovy.	
GroovyScriptingEngine	Provides scripting interface of Groovy.	
GroupTool	Enables user to defines groups of nodes. For each group, basic information such as number of nodes will be displayed on the panel.	In Progress
HiderSlider	Provides user sliders which can hide nodes whose continuous attribute is below threshold specied by sliders.	
HyperEdgeEditor	Enables one to create hyper-edge by Cytoscape editor.	
IgraphPlugin	Brings some functionality of Igraph such as layouts into Cytoscape. Mac only.	
IntActWSClient	Retrieves interactions associated with input IDs.	Replaced by PSICQUIC
Interference	Evaluates the topological effects of single or multiple nodes removal from a network using the effect to Radiality, Closeness, Betweenness, Centroid Value and Eccentricity.	In Progress
iRefScape	Retrieves interactions associated with input IDs. Detailed information for each interaction as well as link to iRefIndex is provided.	
jActiveModules	Finds clusters where member nodes show significant changes in expression levels.	Available in App Store
JavaScriptEngine	Provides Java Script API. Available as of core	
KeyPathwayMiner	Detects highly-connected sub-networks where most genes show similar expression behavior.	
KGMLReader	Enables import of KEGG XML file via import menu.	

•		
mcl-new	Clusters given network. Subnetwork is	
	indicated by set of nodes, and they are	
MCODE	shown by selecting subnetwork number. Clusters a given network based on vertex	Available in Ann
MICODE	weighting by local neighborhood density	Available in App Store
	and outward traversal from a locally dense	Store
	seed protein to isolate the dense regions.	
MetaNetter	Infers of metabolic networks based on high	
Metalvettel	resolution metabolomic data.	
MetanodePlugin2	Enables user to define "meta-node", a	Available as part
Wictanouci raginz	group of nodes. Meta-nodes can have	of core
	hierarchy.	01 0010
MetScape	Loads human or mouse metabolic network.	
	Sophisticated GUI is provided which allows	
	user to perform various tasks including gene	
	expression analysis along the pathways.	
MiMIplugin	Retrieves interactions associated with input	
. 5	IDs. User can add own annotations to genes	
	which can be viewed by different users.	
MINE	Clusters a given network based on	
	agglomerative clustering algorithm very	
	similar to MCODE, but it uses a modified	
	vertex weighting strategy and can factor in a	
	measure of network modularity.	
	Adjustment of only few parameters are	
	necessary.	
MiSink	Provides network interface to MiSink-	
	enabled Web sites, including DIP.	
MONET	Predicts gene regulatory network from	
	biological annotations and expression data.	
Mosaic	Systematically partition the given graph,	
	and layout and color nodes based on GO	
No condition to	terms.	
NamedSelection	Assign name to selected nodes, and after	
	unselection, enables user to re-select the	
NCBIClient	nodes according to the name.	
	Imports various data from NCBI database.	Available as part
NCBIEntrezgeneUserInterface	Imports various data from NCBI database.	Available as part of core
NeighborHighlight	Highlights the current node and all its	OI COIE
Meignbornighlight	neighboring nodes and edges when the user	
	hovers the mouse over it.	
NeMo	Identifies densely connected and biopartite	
1401110	network modules based on combination of	
	a unique neighbour-sharing score with	
	hierarchical agglomerative clustering.	
NetAtlas	Integrates gene expression data of multiple	
	tissues (ex. from Symatlas) into pre-loaded	
	network. genes showing characteristic	
	expression in specified tissues can be	
	filtered and colored.	

NetCirChro	Visualizes interaction network on circular	
	genome. Original GUI with some network	
	analysis functions (shortest path, degree	
	distribution, etc.) are equipped.	
NetMatch	Finds user defined network motifs in a given	
	network. network motif can be created and	
Note and April 1999	edited using original GUI.	A silable second
NetworkAnalyzer	Computes basic properties of whole	Available as part
	network (degree distribution, clustering	of core
NetworkEvolution	coefficients, centrality, etc.)	
NetworkEvolution	Allows interactive comparative analysis of networks across different species.	
nodeCharts	·	
	Paints bar, line or pie graphs onto nodes.	
OmicsAnalyzer	Integrates omics data such as expression	
	data, proteome data, etc. onto the network	
	to visualize such data by graph on the network.	
OrthoNets		
Orthonets	Enables simultaneous comparison of interaction network of two species. protein	
	domain information can be visualized.	
PanGIA	Performs integrated analysis and	Available in App
PaligiA	visualization of PPIs and genetic	Store
	interactions to infer functional modules	Store
	and interactions that connect these	
	modules.	
Pathintegrator	Integrates pathways in which given proteins	
	are associated.	
PerturbationAnalyzer	Evaluates how perturbation of selected	
·	nodes affect other nodes in a given network	
	based on level of each node (ex. protein	
	abundances) and law of mass action.	
PhosphositePlus Web Service	Integrates phosphorylation-related	
Client Module	information into the network.	
PhyloTree	Reads a file in phylogenetic tree format	
	(Phylip or phyloXML) and visualizes it as a	
	network.	
PICRClient		
PiNGO	Finds candidate genes in a network that	Available in App
	are associated with user-defined target GO	Store
	terms.	
PinnacleZ	Searches for subnetworks which can	
PinnacleZ	Searches for subnetworks which can discriminate givein conditions according to	
PinnacleZ	Searches for subnetworks which can discriminate givein conditions according to PPI network and gene expression data	
	Searches for subnetworks which can discriminate givein conditions according to PPI network and gene expression data obtained in given conditions	
PinnacleZ PSICQUICUniversalClient	Searches for subnetworks which can discriminate givein conditions according to PPI network and gene expression data obtained in given conditions Retrieves interactions associated with	Available as part
	Searches for subnetworks which can discriminate givein conditions according to PPI network and gene expression data obtained in given conditions Retrieves interactions associated with input IDs from databases having PSICQUIC	Available as part of core
PSICQUICUniversalClient	Searches for subnetworks which can discriminate givein conditions according to PPI network and gene expression data obtained in given conditions Retrieves interactions associated with input IDs from databases having PSICQUIC implementation	
PSICQUICUniversalClient PythonScriptingEngine	Searches for subnetworks which can discriminate givein conditions according to PPI network and gene expression data obtained in given conditions Retrieves interactions associated with input IDs from databases having PSICQUIC implementation Provides Python API.	
PSICQUICUniversalClient	Searches for subnetworks which can discriminate givein conditions according to PPI network and gene expression data obtained in given conditions Retrieves interactions associated with input IDs from databases having PSICQUIC implementation	•

RDFScsape	Allows to query, visualize and reason on ontologies represented in OWL or RDF	
	within Cytoscape.	
Reactome FIs	Accesses to Reactome Functional	
	interaction (FI) network to perform pathway	
	analyses such as identification of pathways	
	enriched with proteins in given network.	
ReConn	Communicates with reactome server to load	
	pathway data onto Cytoscape. Additional	
	features such as integration of expression	
	data are supported.	
RemainingDegreeDistribution	Calculates remaining degree (excess degree)	
nemaning 2 eg. ee 2 ist is a tien.	distribution.	
ReOrientPlugin	Layouts node positions according to	
neonem ragin	reference Cytoscape session file.	
RubyScriptingEngine	Provides Ruby Script API.	
ScriptEngineManager	Manages scripting engines for Cytoscape.	Available as part
Scriptengmeivianager		of core
	Supports Ruby, JavaScript, Groovy, and	or core
	Python.	
SessionForWeb	Saves Cytoscape session in Web format.	
SFLDLoader	Represents structural protein families and	
	their homologs by graph on Cytoscape.	
ShortestPath	Finds shortest pathway between two	
	selected nodes.	
SimTrek	Assesses similarity of gene ontologies for	
	given genes and their neighbours. All files	
	must be installed in plugin folder.	
StringWSClient	Retrieves interactions associated with input	
	protein name.	
structureViz	Enables user to traverse from biological	In Progress
	networks to detailed view of their	J
	structures.	
Superpathways-Plugin	Downloads and integrates multiple	
, , ,	pathways from Wikipathways.	
TransClust	Clusters a given similarity graph.	
VennDiagramgenerator	Generates a Venn/Euler Diagram of shared	In Progress
	nodes for selected networks.	
VennDiagrams	Calculates overlap between multiple groups	In Progress
t chinologianis	of interactions and creates Venn-diagram.	
VistaClaraPlugin	Provides effective visualization and analysis	
Vistaciai ariugili	platform to analyse expression data on a	
	•	
MondClaud	given network.	
WordCloud	Summarizes functions of interacting clusters	
	as logos, where sizes of logo represents	
	frequencies of these functions.	

9. Support Offering Table

	Feature	Purpose	Beneficiary	URL
	Cytoscape Google Groups Helpdesk Discuss	Community response on best effort basis	All users	mailto:cytoscape- helpdesk@googlegroups.com mailto:cytoscape-discuss @googlegroups.com
	User Manual	Comprehensive manual	All users	http://wiki.cytoscape.org/Cytoscape 3 /UserManual
*	Installation Guide	Cytoscape installation	New/Casual users	Section 3 of http://wiki.cytoscape.org/Cytoscape_3 /UserManual
	Tutorials	Streamlined productivity	All users	http://opentutorials.cgl.ucsf.edu/inde x.php/Portal:Cytoscape3
*	Presentation Slides on Web Site	Enable casual learning	All users	https://speakerdeck.com/cytoscape
*	Code Snippets	Commonly used App development code	App Developers	http://wiki.cytoscape.org/Cytoscape_3 /AppDeveloper/Cytoscape_3_App_Co okbook

10. Future Plans Table

Feature	Purpose	Beneficiary	Timeframe
Movies	Clear and interactive engagement	New/Casual users	TBD
Additional Visualizations			TBD
Additional Analytics			TBD
Wallpaper Collection	Publicize good results associated with Cytoscape	All users, potential users, general public	TBD
Searchable Web Site	Fast access to manuals, tutorials, group transcripts, clinic transcripts	All users	TBD
Case Studies	Streamlined productivity	New/Casual Users	TBD
Cytoscape Clinics New/Casual User Power User App Developer	Chat rooms give instant response based on community availability	All users	TBD