
Configuration of WIFI on Dietpi OS

(USBridge, DigiOne, Boss Player Images)

https://github.com/sparkysbc/sparky linux images/blob/master/Dietpi ssh access.pdf

login: root password: dietpi

Note: v6.16 version onwards changes made on Wi-Fi configuration.





This will install required wifi packages and enables wifi


```
DietPi - Wireless Network Options -
Current Details:
          = FuzonWifi | 0 Mbit | Strength: 0
- SSID
- KEY
          = abcde12345
- Mode
          = DHCP
- Ip
          = 0.0.0.0
- Mask
         = 0.0.0.0
- DNS
          = 0.0.0.0
                   Scan and Connect
       <mark>Scan</mark>
Manual
                   Manually Set Wireless Details
       Change Mode : DHCP
       Disable
                   Disable WiFi adapter
                    Not set, please configure (00)
       Country
       Apply
                   Save Changes (Restart Networking)
              <0k>
                                        <Back>
```

Select the SSID you want to connect from the listed networks , It will ask for the credentials for connecting to wifi


```
DietPi - Wireless Network Options -
Current Details:
- SSID
         = linksys | 54 Mbit | Strength: -67 dBm
  KEY
         = 123456789
- Mode
         = DHCP
- Ip
         = 192.168.1.103
- Mask
         = 255.255.255.0
         = 192.168.0.5
- DNS
      Scan
                     Scan and Connect
                     Manually Set Wireless Details
      Manual
                     : DHCP
      Change Mode
      Auto Reconnect : Disabled
      Disable
                     Disable WiFi adapter
      Country
                     Not set, please configure (00)
      Apply
              <0k>
                                      <Back>
```

Dietpi V6.16 onwards Multiple SSID configuring Options Included.


```
DietPi-Config -
Current Details:
        : Sent = Unknown | Recieved = Unknown
Usage
        : Disconnected / No SSID | 0 Mbit | Strength: 0
SSID
        : DHCP
Mode
Ip
        : 0.0.0.0
Mask
        : 0.0.0.0
        : 0.0.0.0
DNS
                                          - Basic Options -
                                             an and configure
                                                                                     □ 福業福業福業
                                          ● DHCP/STATIC IP -
                              Change Mode : DHCP
                                          -- Additional Options -
                              Country
                                          : GB
                                <0k>
                                                                          <Back>
```




Select the unused slot, or remove the previously configured slot and re-configure with correct SSID..



Select the proper SSID





After entering all required fields back to previous screen and Apply – save all