

The screenshot shows the Postman application interface. At the top, there's a navigation bar with links for Home, Workspaces, and API Network. A search bar is followed by several icons: Invite, Settings, and Upgrade. Below the header, a collection titled "GET https://v6.exchangerates" is selected. The main workspace displays a GET request to "https://v6.exchangerate-api.com/v6/d5dc2ea87b018fee9fe663e4/latest/JPY". The response status is 200 OK, with a response time of 87 ms and a size of 1.82 KB. The response body is shown as JSON:

```
1 {  
2   "result": "success",  
3   "documentation": "https://www.exchangerate-api.com/docs",  
4   "terms_of_use": "https://www.exchangerate-api.com/terms",  
5   "time_last_update_unix": 171884891,  
6   "time_last_update_utc": "Mon, 23 Feb 2026 00:00:01 +0000",  
7   "time_next_update_unix": 171891291,  
8   "time_next_update_utc": "Tue, 24 Feb 2026 00:00:01 +0000",  
9   "base_code": "JPY",  
10  "conversion_rates": {  
11    "JPY": 1,  
12    "AED": 0.02373,  
13    "AFN": 0.4862,  
14    "ALL": 0.5274,  
15    "AMD": 2.4285,  
16    "ANG": 0.01157,  
17    "ATA": 5.9751,  
18    "ARS": 9.3831,  
19    "AUD": 0.089121,  
20    "AWG": 0.01157,  
21    "AZN": 0.01096,  
22    "BAM": 0.01071,  
23    "BBD": 0.01292,  
24    "BOT": 0.7898,
```

On the left side, there are sidebar panels for Collections, Environments, History, Flows, and Files (BETA). At the bottom, there are buttons for Cloud View, Find and replace, Console, Terminal, Runner, Start Proxy, Cookies, Vault, Trash, and a refresh icon.

The screenshot shows the Postman application interface. At the top, there's a navigation bar with 'Home', 'Workspaces', 'API Network', a search bar, and various toolbars. On the left, there are sidebar panels for 'Collections', 'Environments', 'History', and 'Flows'. The main workspace displays a collection named 'GET https://v6.exchangerates' with one item: 'https://v6.exchangerate-api.com/v6/d5dc2ea87b018fee9fe663e4/pair/USD/EUR'. The request method is 'GET', and the URL is 'https://v6.exchangerate-api.com/v6/d5dc2ea87b018fee9fe663e4/pair/USD/EUR'. Below the URL, there are tabs for 'Docs', 'Params', 'Authorization', 'Headers (14)', 'Body', 'Scripts', and 'Settings'. Under 'Headers (14)', there are 14 items listed. The 'Body' tab is selected, showing a JSON response with the following content:

```
1 {  
2   "result": "success",  
3   "documentation": "https://www.exchangerate-api.com/docs",  
4   "terms_of_use": "https://www.exchangerate-api.com/terms",  
5   "time_last_update_unix": 1771884891,  
6   "time_last_update_utc": "Mon, 23 Feb 2026 00:00:01 +0000",  
7   "time_next_update_unix": 1771891291,  
8   "time_next_update_utc": "Tue, 24 Feb 2026 00:00:01 +0000",  
9   "base_code": "USD",  
10  "target_code": "EUR",  
11  "conversion_rate": 0.8468  
12 }
```

The response status is '200 OK' with a duration of '122 ms' and a size of '650 B'. At the bottom, there are buttons for 'Runner', 'Start Proxy', 'Cookies', 'Vault', 'Trash', and a 'BETA' indicator.

The screenshot shows the Postman application interface. At the top, there's a navigation bar with 'Home', 'Workspaces', 'API Network', a search bar, and various toolbars. Below the header, a collection named 'GET https://v6.exchangerates' is selected. A specific request is highlighted with a blue border: 'GET https://v6.exchangerate-api.com/v6/d5dc2ea87b018fee9fe663e4/pair/USD/RUB'. The 'Params' tab is active, showing no parameters. The 'Body' tab is also visible. The response section shows a JSON object with the following content:

```
1 {  
2   "result": "success",  
3   "documentation": "https://www.exchangerate-api.com/docs",  
4   "terms_of_use": "https://www.exchangerate-api.com/terms",  
5   "time_last_update_unix": 1771884891,  
6   "time_last_update_utc": "Mon, 23 Feb 2026 00:00:01 +0000",  
7   "time_next_update_unix": 1771891291,  
8   "time_next_update_utc": "Tue, 24 Feb 2026 00:00:01 +0000",  
9   "base_code": "USD",  
10  "target_code": "RUB",  
11  "conversion_rate": 76.7644  
12 }
```

The status bar at the bottom indicates a 200 OK response with 198 ms latency and 651 B size.

The screenshot shows the Postman application interface. At the top, there's a navigation bar with 'Home' and 'Workspaces'. Below it is a search bar and a toolbar with various icons. The main area displays a collection named 'GET https://v6.exchangerates'. A specific request is selected: 'GET https://v6.exchangerate-api.com/v6/d5dc2ea87b018fee9fe663e4/latest/EUR'. The request details show the URL and method. Below the request, tabs for 'Docs', 'Params', 'Authorization', 'Headers (6)', 'Body', 'Scripts', and 'Settings' are visible. The 'Body' tab is active, showing a JSON response with line numbers. The response content is as follows:

```
1 {  
2   "result": "success",  
3   "documentation": "https://www.exchangerate-api.com/docs",  
4   "terms_of_use": "https://www.exchangerate-api.com/terms",  
5   "time_last_update_unix": 171884891,  
6   "time_last_update_utc": "Mon, 23 Feb 2026 00:00:01 +0000",  
7   "time_next_update_unix": 171891291,  
8   "time_next_update_utc": "Tue, 24 Feb 2026 00:00:01 +0000",  
9   "base_code": "EUR",  
10  "conversion_rates": {  
11    "EUR": 1,  
12    "AED": 4.3339,  
13    "AFN": 74.1875,  
14    "ALL": 96.3279,  
15    "AMD": 443.6371,  
16    "ANG": 2.1124,  
17    "ATA": 1892.0346,  
18    "ARS": 1713.7894,  
19    "AUD": 1.6664,  
20    "AWG": 2.1124,  
21    "AZN": 2.0013,  
22    "BAM": 1.9558,  
23    "BBD": 2.3662,  
24    "BOT": 144.2985,  
25  }  
26}
```

On the right side, a status bar shows '200 OK', '132 ms', '1.99 KB', and other metrics. The bottom of the screen has a footer with various icons and links like 'Cloud View', 'Find and replace', 'Console', 'Terminal', 'Runner', 'Start Proxy', 'Cookies', 'Vault', 'Trash', and 'Beta'.

The screenshot shows the Postman application interface. At the top, there's a navigation bar with icons for Home, Workspaces, and API Network, followed by a search bar and various tool buttons. Below the header, a collection titled "GET https://v6.exchangerates" is selected. The main workspace displays a GET request to "https://v6.exchangerate-api.com/v6/d5dc2ea87b018fee9fe663e4/latest/RUB". The request details show the method, URL, and a "Send" button. Below the request, tabs for Docs, Params, Authorization, Headers (14), Body, Scripts, and Settings are visible. The Headers section lists 14 items. The Body tab is active, showing a JSON response with line numbers. The response content is as follows:

```
1 {  
2   "result": "success",  
3   "documentation": "https://www.exchangerate-api.com/docs",  
4   "terms_of_use": "https://www.exchangerate-api.com/terms",  
5   "time_last_update_unix": 171884891,  
6   "time_last_update_utc": "Mon, 23 Feb 2026 00:00:01 +0000",  
7   "time_next_update_unix": 171891291,  
8   "time_next_update_utc": "Tue, 24 Feb 2026 00:00:01 +0000",  
9   "base_code": "RUB",  
10  "conversion_rates": {  
11    "RUB": 1,  
12    "AED": 0.04784,  
13    "AFN": 0.0206,  
14    "ALL": 1.0653,  
15    "AMD": 4.9094,  
16    "ANG": 0.02332,  
17    "ATA": 12.0482,  
18    "ARS": 18.9183,  
19    "AUD": 0.01038,  
20    "AWG": 0.02332,  
21    "AZN": 0.02214,  
22    "BAM": 0.02359,  
23    "BBD": 0.02605,  
24    "BOT": 1.5928,  
25  }  
26}
```

At the bottom of the interface, there are buttons for Runner, Start Proxy, Cookies, Vault, Trash, and a BETA indicator.